

Frequency of care and cleaning			
Type of wear	A) Initial cleaning	B) Maintenance cleaning	C) Basic cleaning
Moderately stressed floors	after finished construction work	every 4-7 days	every 24 months
Medium strongly stressed floors		every 2-4 days	every 12 months
Strongly stressed floors		every 1-2 days	every 6 months

How we define:

A) Initial cleaning:




After new application of the floor covering another protection is applied with cleansing material, this is the so-called "sacrificial layer". The ground must be free of dirt and dust, therefore a maintenance cleaning is to be carried out before.

B) Maintenance cleaning:







Slightly adhesive soiling, e.g. liquid spots, which can no longer be removed by brushing or vacuuming, can be removed with a suitable cleaning material. Maintenance cleaning gives a fresh optical impression to your floor. The cleaners should not contain any coating substances.

C) Basic cleaning:




This removes firmly adhesive soiling which can no longer be removed during maintenance cleaning. Old nursing materials are also removed. Afterwards a first care is necessary in order to ensure that the floor achieves the required gloss and has the necessary protection.

A)		Initial cleaning	after finished construction work	
cleaning steps no.	tool name	tool picture	work description	picture
A1)	<ul style="list-style-type: none"> o broom o vacuumizer for wet and dry use 		<p>Removing of loose particles of pleyers. porbits and other dirt</p>	
A2)	<ul style="list-style-type: none"> o pressure washer /water jetting (approx. 150 bar/ 2000 psi) o Cleaning agent (fat remover or special cleaner for paint etc.) if necessary o Basic cleaners with pH of 3 – 11 are suitable if necessary. o iMOP 		<p>Removing of rust stains and paint stains (third part responsibility)</p> <p>After cleaning using water to move all removed particles etc. to the drain</p> <p>Afterwards neutralise with clear water (several times).</p>	

B)	Maintenance cleaning	every 1-2 days
-----------	-----------------------------	-----------------------

cleaning steps no.	tool name	tool picture	work description	picture
B1	<ul style="list-style-type: none"> o pressure washer /water jetting (approx. 150 bar/ 2000 psi) o Cleaning agent (fat remover) just if necessary!! o Basic cleaners with pH of 3 - 11 just if necessary!! o iMOP 	  	<ul style="list-style-type: none"> o after cleaning using water to move all removed particles etc. to the drain o if cleaning agent are used... Afterwards neutralise with clear water (several times). 	  

C)	Basic cleaning	every 6 month
-----------	-----------------------	----------------------

cleaning steps no.	tool name	tool picture	work description	picture
C1)	<ul style="list-style-type: none"> o broom o vacuumizer for wet and dry use o mop 		<p>Removing of loose particles of players, porbits and other dirt</p>	
C2)	<ul style="list-style-type: none"> o pressure washer /water jetting (approx. 150 bar/ 2000 psi) o Cleaning agent (fat remover) if necessary o Basic cleaners with pH of 3 – 11 are suitable if necessary. o iMOP 		<p>Removing of stains</p> <p>After cleaning using water to move all removed particles etc. to the drain</p> <p>Afterwards neutralise with clear water (several times).</p>	

porviva basic cleaning instruction:



Remarks:

Our technical recommendations in verbal or written form are given to the best of our knowledge and experience. However, they remain non-binding and does not release you from your own responsibility of checking the suitability of the recommended products for the intended application and use.

Technical service:

Dipl.- Ing. Gerd J. Pleyers

e-mail: gerd@porviva.com

mobile: +49 (151) 52 633 133

fon: +49 (2407) 568 303-0

web: www.porviva.com

mail: office@porviva.com

Status from: 29.05.2024