

# MIC-D1509

15.6" LCD Module with EMI Mesh & Optical Bonding

## Features

- 15.6" LCD Size
- 1920 x 1080 Resolution
- 700 nits Brightness (After Bonding)
- -20 to 70°C Operating Temperature
- EMI Mesh, Optical Bonding
- Strengthen Glass  $\geq 5H$

## Appearance





# MIC-D1509

15.6” LCD Module with EMI Mesh & Optical Bonding

## Revision Table

Date	Revision	Content	By
2025/4/8	0.1	First Draft	Dennis

# MIC-D1509

15.6" LCD Module with EMI Mesh & Optical Bonding

## Specification

LCD Panel	
LCD Size	15.6" TFT LCD
Backlight	LED
Resolution	1920 x 1080
No. of Colours	16.7M
NTSC	57%
View Angle	± 89° (H), ±89° (V)
Luminance	700 nits (After Bonding)
Contrast Ratio	1200:1
Pixel Pitch	0.17925 x 0.17925mm
Aspect Ratio	16:9
LCD Panel Life time	30,000 Hrs.
Interface	LVDS
Response Time	30ms (Tr+Tf)
Active Area	476.064(W) x 267.786(H) mm
Cover Glass & Optical Bonding	
EMI Mesh	Yes
Optical Bonding	Yes
Cover Glass	Strengthen Glass
Glass Surface Hardness	≥5H



# MIC-D1509

15.6” LCD Module with EMI Mesh & Optical Bonding

## Environment Compliance

Operating Temp.	-20°C to +70°C
Storage Temp.	-30°C to +80°C
Humidity	Ta≤40°C, 90%RH, Non-Condensing
Shock	Design to meet MIL-STD-810G
Vibration	Design to meet MIL-STD-810G
EMI/EMC	Design to meet MIL-STD461E/F

Environmental performance may vary according to the integration method or final integration scenario.

## Deliverables

1	15.6” LCD Module with EMI Mesh & Optical Bonding
---	--

## Ordering Information

Model Name	Description	Unit
MIC-D1509	15.6” LCD Module with EMI Mesh & Optical Bonding	1

### Disclaimer

This datasheet is for informational purposes only and does not constitute professional advice, a contractual obligation, or a guarantee of any kind. While efforts have been made to ensure accuracy, ACT POWER TAIWAN makes no representations or warranties, express or implied, regarding its completeness or reliability. ACT POWER TAIWAN reserves the right to update, modify, or withdraw this document at any time without prior notice. Users should verify the suitability of the product for their specific application through independent testing and validation. ACT POWER TAIWAN shall not be liable for any direct, indirect, or consequential damages arising from the use of this document. This document is governed by the laws of Taiwan, and any disputes shall be subject to the exclusive jurisdiction of the Taiwan courts.