



Reflective Silver 20

2-ply, 2mil



Key Points:

- The classic Global Reflective Silver solar control film
- Very strong solar performance coupled with great value
- Mirrored silver appearance for effective daytime privacy

| Performance Specs | Single Pane | Double Pane |
|----------------------------------|-------------|-------------|
| Visible Light Transmitted | 18% | 17% |
| Internal Visible Light Reflected | 59% | 59% |
| External Visible Light Reflected | 58% | 58% |
| Glare Reduction | 80% | 79% |
| Solar Energy Transmitted | 13% | 12% |
| Solar Energy Absorbed | 34% | 29% |
| Solar Energy Reflected | 53% | 47% |
| UV Light Rejected | >99% | >99% |
| Total Solar Energy Rejected | 78% | 68% |
| Shading Coefficient | 0.25 | 0.37 |
| Luminous Efficacy | 0.82 | 0.46 |
| G-Value | 0.22 | 0.32 |
| Emissivity | 0.64 | 0.64 |
| U-Value | 1.01 | 0.45 |

- Double pane data obtained from testing on 4mm clear glass panes with a 12mm air gap
- Single pane data obtained from testing on 4mm clear glass
- Batch to batch variations are within industry standards