

 **moduleo**[®]
design floors



LayRed

**Strong core
Beautiful design**

Brochure | For professional use



01 Why choose Moduleo

Strong core
Beautiful design 04

02 LayRed engineered vinyl

Crafted for tomorrow 06
Twelve layers, four benefits 10

03 Collection-overview

Collection-overview 16
Wood 18
Tiles 30

04 From floor to finish

Installation 34
Finishing 38
Maintenance 44
Technical specifications 46

05 More about Moduleo

See the floor in your room 48
Roots & Moods 49

Strong core Beautiful design

The LayRed collection is the perfect solution for modern living. With realistic wood and stone designs and a matte finish, it offers the beauty of nature while being durable and stylish. LayRed combines practicality with elegance, ensuring your customers enjoy lasting satisfaction.

4

- ✓ **Realistic designs and a matte finish,** offering the warmth of natural wood and the elegance of stone.
- ✓ **Waterproof, scratch-resistant, and stain-proof,** it's ready for any home.
- ✓ **Comfortable, quiet underfoot, and backed by a lifetime warranty.**
- ✓ **Easy to install over existing floors,** LayRed's rigid core and built-in underlay make it perfect for hassle-free renovations.

lifetime
warranty



5



Izusa Stone
08206

Crafted for tomorrow

At Moduleo, you can enjoy stunning vinyl floors that not only transform your space but also help protect the planet. We're aware that our floors are made from vinyl, which makes our commitment to sustainability even more important. That's why our floors are designed for durability, easy care, and long-lasting performance—meaning less waste. "Crafted for tomorrow" isn't just a phrase; it reflects our commitment to thoughtful design, innovation, and sustainability in everything we create.

6




lifetime warranty

7



100% Recyclable floors

Crafted for a second life—after a lifetime, every part can be reused. No waste, only endless potential.



21% Recycled content

No fluff, just facts—recycled materials in Moduleo floors, closing the loop for those who come after us.



Recover Program

Got old floors? We'll take care of everything—collecting, sorting, and prepping for their next life. We've got you covered.

From old floors to new floors

Moduleo floors can stand the test of time—not just for their toughness and beauty, but because they're made to be recycled at the end of their life.



8

9

1.

Old vinyl floors and skirtings

2.

Shredded into small vinyl pieces

3.


Grinded into new, usable granules

4.

New Moduleo floors to enjoy another lifetime

Twelve layers, four benefits

Strong, stylish, and ready for anything – that’s Moduleo’s rigid vinyl flooring. Packed with twelve layers of design, comfort, and performance, it’s flooring that keeps up with your life.



10

11

Design Upper layers

Where style meets durability. A true-to-nature design, lifelike texture and matte finish are paired with scratch and stain resistance to create a floor that retains its beauty.

Comfort Middle layers

Built for comfort. The flexible core absorbs sound for silent acoustics and provides a soft, warm feel underfoot.

Acoustics: up to 21 DB or noise reduction 10 decibels*

*for Medium planks & tiles and Herringbone (5+1mm)

Strength Lower layers

Engineered for strength. The rigid core and integrated underlay ensure maximum stability and performance in any room.

Underfloor heating: 0.047 m²/K/W

Click Tight borders


Seamlessly secure. The advanced watertight click and coating keep water out, making LayRed perfect for any room, even where spills are common.

Designed to fit life

Looks and feels natural

Take a good look. Feel it too. Can you tell the difference? We dare you. Inspired by nature and crafted to capture its beauty, Moduleo LayRed floors are everything you're looking for. With razor-sharp details, a beautiful matt finish and minimal repetition, LayRed is real enough to fool the eye. And thanks to the **lifelike texture**, you can feel the wood grains and subtle ridges of natural stone. Unlike the real thing, LayRed is easier to maintain. Looks and feels like nature, performs like vinyl.


- ✓ True-to-nature design
- ✓ Lifelike texture



Warm & silent

Love walking barefoot at home? With Moduleo LayRed, every step is soft and cosy. The resilient vinyl adapts to your movements, keeping your feet warm and comfortable. Swap bare feet for shoes or heels, and it stays quiet, absorbing every step.

- ✓ Soft touch
- ✓ Silent acoustics
- ✓ Fit for underfloor heating and cooling



Made to last a lifetime

Chairs slide, heavy furniture moves, and kids play—whatever life throws at it, Moduleo LayRed can handle it. Scratches, stains, and dents? No problem. Its advanced protective layer keeps the matte finish intact. Changes in temperature or humidity? LayRed stays stable. With a lifetime warranty, it's not just durable, it's dependable—a floor made to last, made for you.

- ✓ Strong core
- ✓ Indentation proof
- ✓ Excellent scratch & stain resistant




Fully waterproof

Life gets messy, but your floor doesn't have to. Moduleo LayRed is waterproof from top to bottom, with seamless Uniclic® technology to keep water out. Plus, an extra water-repelling coating gives double the protection where it matters most.


lifetime warranty

- ✓ Waterproof surface
- ✓ Watertight click

Wood designs



Tile designs



LayRed Herringbone					Use classification	Bevel	Waterproof	Warranty
Thickness (mm)	Embossing	Click-system	Dimensions (mm)					
Herringbone (8 designs)	5+1	in register & standard	Unizip	630 x 126	23 33	4-sided, refined	yes	Residential: Lifetime Commercial: 5 years*

LayRed Tiles					Use classification	Bevel	Waterproof	Warranty
Thickness (mm)	Embossing	Click-system	Dimensions (mm)					
Small tile (4 designs)	4+1	in register & standard	Uniclic	610 x 303	23 33	4-sided, refined	yes	Residential: Lifetime Commercial: 5 years*

LayRed Wood					Use classification	Bevel	Waterproof	Warranty
Thickness (mm)	Embossing	Click-system	Dimensions (mm)					
Small plank (14 designs)	4+1	in register & standard	Uniclic	1251 x 189	23 33	4-sided, refined	yes	Residential: Lifetime Commercial: 5 years*
Medium plank (18 designs)	5+1	in register	Uniclic	1494 x 209	23 33	4-sided, refined	yes	Residential: Lifetime Commercial: 5 years*

Medium tile (6 designs)	5+1	standard	Uniclic	856 x 428	23 33	4-sided, refined	yes	Residential: Lifetime Commercial: 5 years*
-------------------------	-----	----------	---------	-----------	---------	------------------	-----	---

 Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.

* On request up to 15 years.

Herringbone

Productdetails


Dimensions (mm)	Classification	Thickness	Click-systeem	m ² / box	pcs / box	m ² / pallet	boxes / pallet
630 x 126	33	5+1 mm	Unizip	0,794	10	85,752	108



Laurel Oak 51230 MODLR40644HB



Classic Oak 24270 MODLR41138HB



Dingle Oak 13340 MODLR41138HB



Dingle Oak 13850 MODLR49160HB



Wistman Oak 63840 MODLR49160HB



Stanford Oak 65837 MODLR49157HB



Stanford Oak 65861 MODLR49167HB



Country Oak 54991 MODLR40849HB




Embossed in register
This technology gives a realistic texture that is perfectly in sync with the design



Herringbone accessories

The accessories for the herringbone are made from the small or medium plank, ensuring a perfect floor-made match with the herringbone SKUs.



Small Skirting

Medium Skirting

Scotia

4-IN-1 Incizo® Profile

ART. NO	MODVFCSK(-)	MODVFCPSK(-)	MODVFCSCOT(-)	MODVFCINCP(-)
Dimensions	1251/1494 x 12 x 50 mm	1251/1494 x 12 x 70 mm	1251/1494 x 17 x 17 mm	1225/1475 x 43 x 8 mm
Classic Oak 24270	MODVFCSK41138SP	MODVFCPSK41138SP	MODVFCSCOT41138SP	MODVFCINCP41138SP
Country Oak 54991	MODVFCSK40849MP	MODVFCPSK40849MP	MODVFCSCOT40849MP	MODVFCINCP40849MP
Dingle Oak 13340	MODVFCSK49161SP	MODVFCPSK49161SP	MODVFCSCOT49161SP	MODVFCINCP49161SP
Dingle Oak 13850	MODVFCSK49160SP	MODVFCPSK49160SP	MODVFCSCOT49160SP	MODVFCINCP49160SP
Laurel Oak 51230	MODVFCSK40644MP	MODVFCPSK40644MP	MODVFCSCOT40644MP	MODVFCINCP40644MP
Stanford Oak 65837	MODVFCSK49157MP	MODVFCPSK49157MP	MODVFCSCOT49157MP	MODVFCINCP49157MP
Stanford Oak 65861	MODVFCSK49167MP	MODVFCPSK49167MP	MODVFCSCOT49167MP	MODVFCINCP49167MP
Wistman Oak 63840	MODVFCSK41145MP	MODVFCPSK41145MP	MODVFCSCOT41145MP	MODVFCINCP41145MP



Staircover Bullnose Small Plank

Staircover Straight Small Plank

Staircover Bullnose Medium Plank

Staircover Straight Medium Plank

MODVSTRBSP(-)	MODVSTRSP(-)	MODVSTRBMP(-)	MODVSTRMP(-)	
Dimensions	1231 x 115 x 54 mm	1231 x 168 x 32 mm	1474 x 136 x 54 mm	1474 x 187 x 32 mm
MODVSTRBSP41138	MODVSTRSP41138	-	-	
-	-	MODVSTRBMP40849	MODVSTRMP40849	
MODVSTRBSP49161	MODVSTRSP49161	-	-	
MODVSTRBSP49160	MODVSTRSP49160	-	-	
-	-	MODVSTRBMP40644	MODVSTRMP40644	
-	-	MODVSTRBMP49157	MODVSTRMP49157	
-	-	MODVSTRBMP49167	MODVSTRMP49167	
-	-	MODVSTRBMP41145	MODVSTRMP41145	

Small Plank

Productdetails

Dimensions (mm)	Classification	Thickness	Click-system	m ² / box	pcs / box	m ² / pallet	boxes / pallet
1251 x 189	33	4+1 mm	Uniclic	2,128	9	102,144	48



Embossed in register
This technology gives a realistic texture that is perfectly in sync with the design



Classic Oak 24201 MODLR41139SP



Blackjack Oak 22210 MODLR40588SP



Classic Oak 24270 MODLR41138SP



Dingle Oak 13340 MODLR49161SP



Classic Oak 24837 MODLR40828SP




Dingle Oak 13850 MODLR49160SP



Lockwood Oak 14267 MODLR49163SP



Lockwood Oak 14271 MODLR49165SP



Dingle Oak 13219 MODLR49162SP



Blackjack Oak 22450 MODLR40595SP



Lakeland Oak 11814 MODLR49159SP



Classic Oak 24844 MODLR40829SP



Lockwood Oak 14239 MODLR49164SP



Classic Oak 24881 MODLR41137SP

Small Plank accessories



	Small Skirting	Medium Skirting	Scotia
ART. NO	MODVFCSK(-)	MODVFCPSK(-)	MODVFCSCOT(-)
Dimensions	1251 x 12 x 50 mm	1251 x 12 x 70 mm	1251 x 17 x 17 mm
Blackjack Oak 22210	MODVFCSK40588SP	MODVFCPSK40588SP	MODVFCSCOT40588SP
Blackjack Oak 22450	MODVFCSK40595SP	MODVFCPSK40595SP	MODVFCSCOT40595SP
Classic Oak 24201	MODVFCSK41139SP	MODVFCPSK41139SP	MODVFCSCOT41139SP
Classic Oak 24270	MODVFCSK41138SP	MODVFCPSK41138SP	MODVFCSCOT41138SP
Classic Oak 24837	MODVFCSK40828SP	MODVFCPSK40828SP	MODVFCSCOT40828SP
Classic Oak 24844	MODVFCSK40829SP	MODVFCPSK40829SP	MODVFCSCOT40829SP
Classic Oak 24881	MODVFCSK41137SP	MODVFCPSK41137SP	MODVFCSCOT41137SP
Dingle Oak 13219	MODVFCSK49162SP	MODVFCPSK49162SP	MODVFCSCOT49162SP
Dingle Oak 13340	MODVFCSK49161SP	MODVFCPSK49161SP	MODVFCSCOT49161SP
Dingle Oak 13850	MODVFCSK49160SP	MODVFCPSK49160SP	MODVFCSCOT49160SP
Lakeland Oak 11814	MODVFCSK49159SP	MODVFCPSK49159SP	MODVFCSCOT49159SP
Lockwood Oak 14239	MODVFCSK49164SP	MODVFCPSK49164SP	MODVFCSCOT49164SP
Lockwood Oak 14267	MODVFCSK49163SP	MODVFCPSK49163SP	MODVFCSCOT49163SP
Lockwood Oak 14271	MODVFCSK49165SP	MODVFCPSK49165SP	MODVFCSCOT49165SP

4-IN-1 Incizo® Profile	Staircover Bullnose Small Plank	Staircover Straight Small Plank	Staircover Bullnose Medium Plank	Staircover Straight Medium Plank
MODVFCSK(-)	MODVSTRBSP(-)	MODVSTRSP(-)	MODVSTRBMP(-)	MODVSTRMP(-)
1225 x 43 x 8 mm	1231 x 115 x 54 mm	1231 x 168 x 32 mm	1474 x 136 x 54 mm	1474 x 187 x 32 mm
MODVFCINCP40588SP	MODVSTRBSP40588	MODVSTRSP40588	-	-
MODVFCINCP40595SP	MODVSTRBSP40595	MODVSTRSP40595	-	-
MODVFCINCP41139SP	MODVSTRBSP41139	MODVSTRSP41139	-	-
MODVFCINCP41138SP	MODVSTRBSP41138	MODVSTRSP41138	-	-
MODVFCINCP40828SP	MODVSTRBSP40828	MODVSTRSP40828	-	-
MODVFCINCP40829SP	MODVSTRBSP40829	MODVSTRSP40829	-	-
MODVFCINCP41137SP	MODVSTRBSP41137	MODVSTRSP41137	-	-
MODVFCINCP49162SP	MODVSTRBSP49162	MODVSTRSP49162	-	-
MODVFCINCP49161SP	MODVSTRBSP49161	MODVSTRSP49161	-	-
MODVFCINCP49160SP	MODVSTRBSP49160	MODVSTRSP49160	-	-
MODVFCINCP49159SP	MODVSTRBSP49159	MODVSTRSP49159	-	-
MODVFCINCP49164SP	MODVSTRBSP49164	MODVSTRSP49164	-	-
MODVFCINCP49163SP	MODVSTRBSP49163	MODVSTRSP49163	-	-
MODVFCINCP49165SP	MODVSTRBSP49165	MODVSTRSP49165	-	-

Medium Plank

Productdetails

Dimensions (mm)	Classification	Thickness	Click-systeem	m ² / box	pcs / box	m ² / pallet	boxes / pallet
1494 x 209	33	5+1 mm	Uniclic	1,873	6	97,396	52



Embossed in register
This technology gives a realistic texture that is perfectly in sync with the design



Laurel Oak 51106 MODLR41136MP



Wistman Oak 63920 MODLR41147MP



Country Oak 54936 MODLR41148MP



Haarlemmer Oak 64212 MODLR49153MP




Wistman Oak 63220 MODLR41146MP



Haarlemmer Oak 64249 MODLR49152MP



Country Oak 54270 MODLR41149MP




Laurel Oak 51230 MODLR40644MP



Haarlemmer Oak 64250 MODLR49154MP



Stanford Oak 65213 MODLR49158MP



Stanford Oak 65251 MODLR49166MP



Laurel Oak 51282 MODLR40646MP



Haarlemmer Oak 64831 MODLR49151MP



Wistman Oak 63840 MODLR41145MP



Stanford Oak 65837 MODLR49157MP



Stanford Oak 65861 MODLR49167MP



Haarlemmer Oak 64865 MODLR49150MP



Country Oak 54991 MODLR40849MP

Medium Plank accessories



	Small Skirting	Medium Skirting	Scotia
ART. NO	MODVFCSK(-)	MODVFCPSK(-)	MODVFCSCOT(-)
Dimensions	1494 x 12 x 50 mm	1494 x 12 x 70 mm	1494 x 17 x 17 mm
Country Oak 54270	MODVFCSK41149MP	MODVFCPSK41149MP	MODVFCSCOT41149MP
Country Oak 54936	MODVFCSK41148MP	MODVFCPSK41148MP	MODVFCSCOT41148MP
Country Oak 54991	MODVFCSK40849MP	MODVFCPSK40849MP	MODVFCSCOT40849MP
Haarlemmer Oak 64212	MODVFCSK49153MP	MODVFCPSK49153MP	MODVFCSCOT49153MP
Haarlemmer Oak 64249	MODVFCSK49152MP	MODVFCPSK49152MP	MODVFCSCOT49152MP
Haarlemmer Oak 64250	MODVFCSK49154MP	MODVFCPSK49154MP	MODVFCSCOT49154MP
Haarlemmer Oak 64831	MODVFCSK49151MP	MODVFCPSK49151MP	MODVFCSCOT49151MP
Haarlemmer Oak 64865	MODVFCSK49150MP	MODVFCPSK49150MP	MODVFCSCOT49150MP
Laurel Oak 51106	MODVFCSK41136MP	MODVFCPSK41136MP	MODVFCSCOT41136MP
Laurel Oak 51230	MODVFCSK40644MP	MODVFCPSK40644MP	MODVFCSCOT40644MP
Laurel Oak 51282	MODVFCSK40646MP	MODVFCPSK40646MP	MODVFCSCOT40646MP
Stanford Oak 65213	MODVFCSK49158MP	MODVFCPSK49158MP	MODVFCSCOT49158MP
Stanford Oak 65251	MODVFCSK49166MP	MODVFCPSK49166MP	MODVFCSCOT49166MP
Stanford Oak 65837	MODVFCSK49157MP	MODVFCPSK49157MP	MODVFCSCOT49157MP
Stanford Oak 65861	MODVFCSK49167MP	MODVFCPSK49167MP	MODVFCSCOT49167MP
Wistman Oak 63220	MODVFCSK41146MP	MODVFCPSK41146MP	MODVFCSCOT41146MP
Wistman Oak 63840	MODVFCSK41145MP	MODVFCPSK41145MP	MODVFCSCOT41145MP
Wistman Oak 63920	MODVFCSK41147MP	MODVFCPSK41147MP	MODVFCSCOT41147MP




4-IN-1 Incizo® Profile	Staircover Bullnose Small Plank	Staircover Straight Small Plank	Staircover Bullnose Medium Plank	Staircover Straight Medium Plank
MODVFCSK(-)	MODVSTRBSP(-)	MODVSTRSP(-)	MODVSTRBMP(-)	MODVSTRMP(-)
1475 x 43 x 8 mm	1231 x 115 x 54 mm	1231 x 168 x 32 mm	1474 x 136 x 54 mm	1474 x 187 x 32 mm
MODVFCINCP41149MP	-	-	MODVSTRBMP41149	MODVSTRMP41149
MODVFCINCP41148MP	-	-	MODVSTRBMP41148	MODVSTRMP41148
MODVFCINCP40849MP	-	-	MODVSTRBMP40849	MODVSTRMP40849
MODVFCINCP49153MP	-	-	MODVSTRBMP49153	MODVSTRMP49153
MODVFCINCP49152MP	-	-	MODVSTRBMP49152	MODVSTRMP49152
MODVFCINCP49154MP	-	-	MODVSTRBMP49154	MODVSTRMP49154
MODVFCINCP49151MP	-	-	MODVSTRBMP49151	MODVSTRMP49151
MODVFCINCP49150MP	-	-	MODVSTRBMP49150	MODVSTRMP49150
MODVFCINCP41136MP	-	-	MODVSTRBMP41136	MODVSTRMP41136
MODVFCINCP40644MP	-	-	MODVSTRBMP40644	MODVSTRMP40644
MODVFCINCP40646MP	-	-	MODVSTRBMP40646	MODVSTRMP40646
MODVFCINCP49158MP	-	-	MODVSTRBMP49158	MODVSTRMP49158
MODVFCINCP49166MP	-	-	MODVSTRBMP49166	MODVSTRMP49166
MODVFCINCP49157MP	-	-	MODVSTRBMP49157	MODVSTRMP49157
MODVFCINCP49167MP	-	-	MODVSTRBMP49167	MODVSTRMP49167
MODVFCINCP41146MP	-	-	MODVSTRBMP41146	MODVSTRMP41146
MODVFCINCP41145MP	-	-	MODVSTRBMP41145	MODVSTRMP41145
MODVFCINCP41147MP	-	-	MODVSTRBMP41147	MODVSTRMP41147

Small tile

Productdetails

Dimensions (mm)	Classification	Thickness	Click-system	m ² / box	pcs / box	m ² / pallet	boxes / pallet
610 x 303	33	4+1 mm	Uniclic	1,848	10	88,704	48



Izusa Stone 08206 MODLR41141ST



Izusa Stone 08946 MODLR41142ST



Izusa Stone 08982 MODLR41140ST



Mustang Slate 70999 MODLR41150ST

Small tile accessories



	Small Skirting	Medium Skirting	Scotia	4-IN-1 Incizo® Profile
ART. NO	MODVFC SK(-)	MODVFCPSK(-)	MODVFCSCOT(-)	MODVFC SK(-)
Dimensions	610 x 12 x 50 mm	610 x 12 x 70 mm	610 x 17 x 17 mm	575 x 43 x 8 mm
Izusa Stone 08206	MODVFC SK41141ST	MODVFCPSK41141ST	MODVFCSCOT41141ST	MODVFCINCP41141ST
Izusa Stone 08946	MODVFC SK41142ST	MODVFCPSK41142ST	MODVFCSCOT41142ST	MODVFCINCP41142ST
Izusa Stone 08982	MODVFC SK41140ST	MODVFCPSK41140ST	MODVFCSCOT41140ST	MODVFCINCP41140ST
Mustang Slate 70999	MODVFC SK41150ST	MODVFCPSK41150ST	MODVFCSCOT41150ST	MODVFCINCP41150ST

Medium tile

Productdetails

Dimensions (mm)	Classification	Thickness	Click-system	m ² / box	pcs / box	m ² / pallet	boxes / pallet
856 x 428	33	5+1 mm	Uniclic	2,198	6	105,504	48



Montecelio 46101 MODLR49167MP



Izusa Stone 08206 MODLR41141MT



Silky Satin 46233 MODLR41159MT



Montecelio 46251 MODLR41144MT




Bolzano 46112 MODLR41170MT




Silky Satin 46532 MODLR41158MT



Bolzano 46944 MODLR41171MT



Izusa Stone 08946 MODLR41142MT



Izusa Stone 08982 MODLR41140MT

Medium tile accessories



	Small Skirting	Medium Skirting	Scotia	4-IN-1 Incizo® Profile
ART. NO	MODVFC SK(-)	MODVFCPSK(-)	MODVFCSCOT(-)	MODVFCINCP(-)
Dimensions	856 x 12 x 50 mm	856 x 12 x 70 mm	856 x 17 x 17 mm	825 x 43 x 8 mm
Bolzano 46112	MODVFC SK41170MT	MODVFCPSK41170MT	MODVFCSCOT41170MT	MODVFCINCP41170MT
Bolzano 46944	MODVFC SK41171MT	MODVFCPSK41171MT	MODVFCSCOT41171MT	MODVFCINCP41171MT
Izusa Stone 08206	MODVFC SK41141MT	MODVFCPSK41141MT	MODVFCSCOT41141MT	MODVFCINCP41141MT
Izusa Stone 08946	MODVFC SK41142MT	MODVFCPSK41142MT	MODVFCSCOT41142MT	MODVFCINCP41142MT
Izusa Stone 08982	MODVFC SK41140MT	MODVFCPSK41140MT	MODVFCSCOT41140MT	MODVFCINCP41140MT
Montecelio 46101	MODVFC SK41143MT	MODVFCPSK41143MT	MODVFCSCOT41143MT	MODVFCINCP41143MT
Montecelio 46251	MODVFC SK41144MT	MODVFCPSK41144MT	MODVFCSCOT41144MT	MODVFCINCP41144MT
Silky Satin 46233	MODVFC SK41159MT	MODVFCPSK41159MT	MODVFCSCOT41159MT	MODVFCINCP41159MT
Silky Satin 46532	MODVFC SK41158MT	MODVFCPSK41158MT	MODVFCSCOT41158MT	MODVFCINCP41158MT

From floor to finish



34

35



Installation

1 Integrated underlay



Moduleo LayRed is a smart flooring solution that's easy to install. The planks and tiles can be fitted using a simple, fast click system. What's more, Moduleo LayRed comes with an integrated underlay. No hassle for you.


Finishing

2 Skirtings



Your floors and walls are bound to meet. So why not make it a smooth transition? Pick your favourite skirting to complete the look.

3 Profiles



Elevate your space with our versatile waterproof profile, crafted for a sleek and refined finish. Choose between our colour matched profiles or our metal profiles.

4 Staircovers



Transform your staircase effortlessly with stair covers.

Maintenance

5 Keep it clean



Take good care of your Moduleo LayRed floor and you will enjoy it for a lifetime.

For detailed installation instructions for LayRed Uniclic & Unizip

Or go to www.installandclean.com/en/moduleo

Installation

Vinyl floor with built-in underlay

The Moduleo LayRed integrated underlay is attached to the product. It ensures easier and quicker installation, better sound dampening (up to 21dB ΔLw) and better levelling of uneven surfaces. Crunching sounds due to underlying dirt or sand grains are fully absorbed.

Combine wood & stone to create unique spaces

Enjoy the warmth of wood in the living area and the look of luxury vinyl tiles in the kitchen. Moduleo LayRed planks and tiles are perfectly compatible, guaranteeing you a seamless transition.

Uniclic® Fast, easy & reliable

Our angle-angle click system offers the best technical performance on the market: the click ensures a super strong and water resistant joint connection and an easy, convenient installation.

Scan to watch the Uniclic install video

Or download installation instructions here: www.installandclean.com/en/moduleo



Unizip® Smarter clicking. Faster placing.

Herringbone floors just got a serious upgrade. Traditionally, two types of planks were needed to create the pattern. Not anymore. With the innovative Unizip® click system, your herringbone floor comes together with only one plank that clicks both ways. It's easier done that said.

A true benefit

- ✓ Patented technology by Unilin technologies
- ✓ No A & B plank, without compromising
- ✓ Installation benefits: quick & intuitive

Scan to watch the Unizip install video

Or download installation instructions here: www.installandclean.com/en/moduleo



Finishing

Identical, durable and recyclable



Bolzano
46112
Paired with
Small skirting



✓ Easy Click-system

Our angle-angle click system offers the best technical performance on the market: the click ensures a super strong and water resistant joint connection and an easy, convenient installation.

✓ Lifetime warranty

Meticulously designed and developed by Unilin in Belgium, our skirtings and profiles come with the same lifetime warranty as our floors. Simply put, you're buying yourself some peace of mind.

✓ Made from floors

Same colour. Same texture. Same performance. Moduleo skirtings and profiles are made from the same planks and tiles as your floor – a seamless extension. And just as resistant to wear and water.

✓ A sustainable choice

Because our skirtings are recyclable, they are included in our Recover take-back program and part of the 'floor to floor' cycle. See page 6.

Floor made clickable accessories



Small skirting
MODVFCPSK(-)

length mm	Piece	
	width mm	height mm

Follows plank/tile length 12 50



Medium skirting
MODVFCPSK(-)

Follows plank/tile length 12 70



Thin, self-adhesive skirting
MODVFCPL(-)

Follows plank/tile length 18 4



Scotia
MODVFCSCOT(-)

Follows plank/tile length 17 17

- ✓ Made from floors
- ✓ Waterproof
- ✓ 100% recyclable

Paintable & white skirtings



Scotia
MODHSCOT19PAINT

length mm	Piece	
	width mm	height mm

2400 19 19



Medium skirting
MODHSK58PAINT

2400 13 58



High skirting
MODHSK80PAINT

2400 15 80

- ✓ Multi purpose surface: can be left white or painted
- ✓ Waterproof
- ✓ 100% recyclable

Floor made 4-IN-1 Incizo® Profile



	Piece		
	length mm	width mm	height mm
 <p>Adapter profile MODVFCINCP(-) ✓ Connect two floors of different heights.</p>	Follows plank/tile length	43	8
 <p>Expansion profile MODVFCINCP(-) ✓ Connect two floors of the same height.</p>	Follows plank/tile length	35	8
 <p>End profile MODVFCINCP(-) ✓ Finish your floor along walls or windows.</p>	Follows plank/tile length	23	8
 <p>Carpet profile MODVFCINCP(-) ✓ Create a nice transition between your Layred floor and carpet.</p>	Follows plank/tile length	23	8

Metal profiles

	Piece			
	Code	length mm	width mm	height mm
 <p>Adapter profile NEVADP(-)</p>		2000	38	7
Silver	NEVADPSILV			
Clay	NEVADPCLAY			
Champagne	NEVADPCHAM			
Coffee	NEVADPCOFF			
Black	NEVADPBLACK			
 <p>Expansion profile NEVEXP(-)</p>		2000	34	7
Silver	NEVEXPSILV			
Clay	NEVEXPCLAY			
Champagne	NEVEXPCHAM			
Coffee	NEVEXPCOFF			
Black	NEVEXPBLACK			
 <p>End profile NEVENP(-)</p>		2000	24	7
Silver	NEVENPSILV			
Clay	NEVENPCLAY			
Champagne	NEVENPCHAM			
Coffee	NEVENPCOFF			
Black	NEVENPBLACK			

Silver



Clay




Champagne



Coffee



Black



Stair covers that match your floor

Transform your staircase effortlessly with stair covers, made of real floor planks. No staircase adjustments needed—budget-friendly and easily installed with the in-built click profile. Elevate your interior with a harmonious blend of style and durability.

Stair cover Bullnose Colour matched

	Piece			pc / box	Box											
	length mm	width mm	height mm		length mm	width mm	height mm									
Bullnose SP	1231	115	54	2	1307	128	65									
Bullnose MP	1474	136	54	2	1484	148	65									
Number of steps	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Amount of packages Staircovers	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
Number of floor planks SP	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Amount of packages floor planks SP	1	1	1	1	2	2	2	2	3	3	3	3	4	4	4	4
Number of floor planks MP	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Amount of packages floor planks MP	1	1	1	2	2	2	3	3	3	4	4	4	5	5	5	6



Stair cover Bullnose Painted risers

	Piece			pc / box	Box											
	length mm	width mm	height mm		length mm	width mm	height mm									
Bullnose SP	1231	115	54	2	1307	128	65									
Bullnose MP	1474	136	54	2	1484	148	65									
Number of steps	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Amount of packages Staircovers	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
Number of floor planks SP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Amount of packages floor planks SP	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2
Number of floor planks MP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Amount of packages floor planks MP	1	1	1	1	1	1	2	2	2	2	2	2	3	3	3	3




Stair cover Straight Colour matched


	Piece			pc / box	Box											
	length mm	width mm	height mm		length mm	width mm	height mm									
Bullnose SP	1231	168	32	2	1297	163	36									
Bullnose MP	1474	187	32	2	1474	186	36									
Number of steps	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Amount of packages Staircovers	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
Number of floor planks SP	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Amount of packages floor planks SP	1	1	1	1	2	2	2	2	3	3	3	3	4	4	4	4
Number of floor planks MP	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Amount of packages floor planks MP	1	1	1	2	2	2	3	3	3	4	4	4	5	5	5	6



Wistman Oak
63840
Paired with
Stair Cover Straight



Doormat



	Code	Piece	
		length mm	width mm
Doormat Sand Grey			
Small	SFDOORMATSANDGREYS	600	900
Large	SFDOORMATSANDGREYL	900	1500
Doormat Ash Grey			
Small	SFDOORMATASHGREYS	600	900
Large	SFDOORMATASHGREYL	900	1500
Doormat Carbon Grey			
Small	SFDOORMATCARBONGREYS	600	900
Large	SFDOORMATCARBONGREYL	900	1500

Uniglue



Finishing Tool	Piece			Box			
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm
Uniglue MODGLUE290	50	50	230	12	213	160	240

✓ Developed for installation of Moduleo accessories
 ✓ High elasticity and final strength

Maintenance

Floor care kit



Floor care kit
MODCAREKITECO

Box with 6 Moduleo Floor Care Kits

- ✓ All-in-one maintenance box for comprehensive floor care
- ✓ Optimized for effective use

pc / pack	Piece		
	length mm	width mm	height mm
6	152	80	339

Maintenance



Cleaning kit
MODSPRAYKIT

Box with mop + Floor Cleaner 1l bottle

- ✓ Floor mop with refillable water tank
- ✓ Washable microfibre mop
- ✓ Floor Cleaner 1l

pc / pack	Piece		
	length mm	width mm	height mm
12	665	170	105



Cleaning mop
MODSPRAYMOP

For use in combination with Moduleo Cleaning Kit

- ✓ High-quality microfiber mop
- ✓ Machine washable up to 60 °C
- ✓ Developed for all Moduleo floors

pc / pack	Piece		
	length mm	width mm	height mm
6	430	145	8



Floorcleaner (1l)
MODCLEANECO1000

Box with 6 bottles (6 x 1000 ml)

- ✓ Biodegradable formula
- ✓ Protects your floor's beautiful original character
- ✓ Exceptional cleaning results
- ✓ Developed for all Moduleo floors

pc / pack	Piece		
	length mm	width mm	height mm
6	90	76	270



Spot cleaner (250ml)
MODSPOTCLEAN

Box with 20 bottles (20 x 250 ml)

- ✓ Removes even the most persistent stains
- ✓ Gentle for your floor
- ✓ Developed for Moduleo floors

pc / pack	Piece		
	length mm	width mm	height mm
20	50	50	200

Technical Specifications



Product information

Product norm	EN16511:2023-05	
Usage Class	EN ISO 10874 / EN 16511:2023-05	23 - 33
Total thickness	EN 17539:2021-08	5 mm (= 4+1 mm attached underlay) 6 mm (= 5+1 mm attached underlay)

Size & packaging

Total weight g/m ²	EN ISO 23997:2012-02	6558 for 4+1; 8109 for 5+1
Medium Plank	EN 17539:2021-08	1494 x 209 x 5+1 mm
Small Plank	EN 17539:2021-08	1251 x 189 x 4+1 mm
Herringbone	EN 17539:2021-08	630 x 126 x 5+1 mm
Medium Tile	EN 17539:2021-08	856 x 428 x 5+1 mm
Small Tile	EN 17539:2021-08	610 x 303 x 4+1 mm
Box Medium Plank	-	6 pcs/box - 1,873 m ²
Box Small Plank	-	9 pcs/box - 2,128 m ²
Box Herringbone	-	10 pcs/box - 0,794 m ²
Box Medium Tile	-	6 pcs/box - 2,198 m ²
Box Small Tile	-	10 pcs/box - 1,848 m ²

Test results

Fire classification	EN 13501-1:2018	Bfl-s1
Scratch Resistance Protectonite Plus®	EN 16094:2021-06, method A and B	ΔR' < 1 MSR-B1
Squareness & straightness	EN 17539:2021-08	qmax ≤ 0,20 mm smax ≤ 0,30 mm/m
Slip resistance	EN 13893:2002-11 EN 16165:2021 Annex B	DS ≥ R10
Residual indentation	EN ISO 24343-1:2012-01	Norm: ≤ 20 mm Average production result: ≤ 0,05 mm
Displacement of furniture feet	EN ISO 16581:2019-06	No visible damage
Curling	EN ISO 23999:2021-11	Norm: ≤ 2 mm Average production result: ≤ 0,05 mm
Dimensional stability	EN ISO 23999:2021-11	≤ 0,15 %
Thermal resistance	EN 12667:2001-01	0,033 m ² K/W
Formaldehyde emission	EN 717-1:2004-10	E1
Acoustic insulation	DIN EN ISO 717-2:2021-05	ΔLw = 19 dB (for 4+1) ΔLw = 21 dB (for 5+1)
Castor chair	EN ISO 4918:2021-03	25000 cycles No delamination, no disturbance
Resistance against staining	EN 438-2:2016+A1:2018-12	Acetone - Coffee - NaOH - H2O2 - Shoe Polish Grade 5 (No change)
Light fastness	EN ISO 105-B02:2014-08	Class > 7
Floor heating		Appropriate for all standard heating systems IN cement subfloors. Limited application with heating films and alternatives. Max contact temp ≤ 27°C. See separate installation instructions.
Warranty years	See warranty conditions	Residential: Lifetime Commercial: 10 years
Bevel technology		4 edge genuine bevel


The warranty covers manufacturing defects and premature wear in the event of normal use. Unilin reserves the right to change or amend any written information without notice. Ensure the latest information is being consulted by referring to the website. We reserve all rights for technical improvements. Photographic images are not representative due to variations in colour printing. The representative samples shown are sectional definitions. For full design representation, please visit the website.

Bring your customers' vision to life with this easy tool

With the Room Visualiser, customers can upload photos of their home and instantly try out Moduleo's luxury floors, making it easy to visualise and choose the perfect style.



Found a floor you like? Visualize it in your home!



Explore our other collections

Roots

Cleverly designed Unique living

Our Roots collection is as diverse and vivid as nature itself. From warm classics like oak and walnut to serene, natural stones and playful terrazzo. You're bound to find a floor that fits your unique way of living.




- ✓ Natural designs
- ✓ Authentic detailing
- ✓ Lifelike textures

Moods

Creative designs Your play

Looking for something different? Feeling creative? Our Moods collection is your playground. The geometric shapes, graphic patterns and powdery new pastels are yours to have fun with.



- ✓ Creative patterns
- ✓ Made to last
- ✓ Warm & silent
- ✓ Looks & feels natural



- ✓ Easy to lift, remove and reuse
- ✓ Ultra matt finish
- ✓ Excellent acoustics

Intoo

Uniting style with flexibility

Intoo loose lay planks and tiles are easy to lift, remove and reuse, making it a hassle-free solution for office, retail and hospitality projects. Your sub-floor will remain accessible and intact, to ensure no disruption to business.

LayRed

Strong core
Beautiful design

Brochure | For professional use

 **moduleo**[®]
design floors

a brand of  UNILIN