

Designer Tile Co

A large, stylized graphic of the letter 'C' serves as a background for the brand name. The 'C' is composed of several overlapping, rounded shapes in shades of grey, white, and a vibrant lime green. The word 'EasyClick' is written in a bold, dark blue sans-serif font, with the 'i' in 'Click' featuring a small lime green dot.

EasyClick

Durable Stone Polymer Composite

A full-page photograph of a lush green forest. In the foreground, tall trees with dense foliage frame the view. In the background, rolling hills and mountains are visible under a bright blue sky with scattered white clouds.

Where Durability
Meets Elegance



Antislip



Pet Friendly



Antibacterial



Sound Absorbent




Wear Resistance



Ultra Matte Surface



Moisture Resistance



High Density Underlay




Suitable for Underfloor Heating

Rediscover
Your Floors



- Wear Layer 0,3 mm
- Underlay 1 mm
- Surface Wood
- Total Thickness 5 mm
- Edge Micro Bevel



ULTRA MATT
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny
Underlayment



182 mm


1220 mm



Swithland Greige

182 x 1220 x 5mm





Designer Tile Co | EasyClick



Swithland Oak

182 x 1220 x 5mm



Designer Tile Co | EasyClick

Swithland Silver

182 x 1220 x 5mm





Swithland White

182 x 1220 x 5mm



Designer Tile Co | EasyClick

Swithland Charcoal

182 x 1220 x 5mm



Durable Stone Polymer Composite


Technical Specifications

PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			182 X 1220	0,3	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m²)	PALETTE (m²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	WOOD		9 X  =1.99 m² =16.30 Kg	60 X  =110.151 m² =1008 Kg	27 X  =3223.80 m² =27216 Kg	15

Plank Series Variations

RANDOM



BRICK

