

RADIESSE

Pre-Treatment Guidelines

- Avoid Blood Thinners: Discontinue the use of aspirin, ibuprofen, vitamin E, and fish oil supplements 7 to 10 days prior to treatment. If you are prescribed any of these medications for a medical condition, consult your physician before stopping them.
- No Alcohol: Do not consume alcohol for at least 24 hours before your treatment, as it may increase the risk of bruising.
- No Smoking: Refrain from smoking for at least 24 hours prior to your treatment to promote optimal healing and reduce complications.
- Skincare Products: Discontinue the use of retinoids, glycolic acid, and other active skincare products 2 to 3 days before treatment. These products may cause skin sensitivity and irritation.
- Health Information: Disclose all relevant medical conditions, allergies (especially to lidocaine or similar anesthetics), medications, and previous filler treatments to your provider. Full disclosure is essential to avoid adverse reactions and complications.
- Cold Sores: If you have a history of cold sores (herpes simplex virus), notify your provider before treatment. You may require antiviral medication to prevent an outbroak.
- Hydrate: Drink plenty of water before your appointment to ensure proper hydration and improve skin condition.
- Avoid Treatment: Treatment with Radiesse should not be performed if you are pregnant, breastfeeding, or have active skin infections at or near the treatment site.

Disclaimer: These instructions are provided to ensure optimal treatment results and reduce the risk of complications. **Failure to follow the guidelines may result in undesirable outcomes.**

call or text: (587) 855-4558 youthfulyou.ca