

CONCRETE SLEEPERS
N.S.W





Premium Sealed Range

Mocha Timber Look

+ ZOOM



Smokey Timber Look

+ ZOOM



Country Timber Look

+ ZOOM



Storm Grey Sandstone Block

+ ZOOM



Classic Range

Plain Concrete

+ ZOOM




Storm Grey Timber Look

+ ZOOM



Storm Grey Smooth

+ ZOOM



Plain Timber Look

+ ZOOM



Paperbark Sandstone Block

+ ZOOM



Storm Grey Sandstone Block

+ ZOOM



SLEEPERS: Images are indicative only slight colour variations may occur. Sleeper length indicate distance between post centres. Weights are indicative only and may vary.

POSTS: 2 x C Posts used for corner posts.

BRACKETS: *Kits include 1 x Bracket, 2 x Nuts and Bolts

Accessories

Posts

C Post | PFC



All posts are hot dipped galvanised for increased durability and supplied with pre-drilled holes for easy installation with Fence Brackets.

Corner Post | PFC



Posts available in the following sizes

100mm: PFC 8.3 kg/m | UC 14.8kg/m
150mm: PFC 17.7 kg/m | UC 23.4kg/m

Ranging between 600mm to 5600mm with larger lengths available upon request.

H Post | UC



H Post with reo | UC



Caps


90° Cap LH



90° Cap RH



H Post Cap



C Post Cap



Fence Brackets

Standard Kits

3mm* and 6mm*



Offset 6mm Kit



AG Pipe

Slotted Drain Coil



Slotted Drain Coil with socking



Geo Matting



All option are
120gsm at 1.2mm (D)

Plastic Wedges



Bag of 100

20m (L) x 100mm (D)
10kg (per 20m length)

20m (L) x 100mm (D)
12kg (per 20m length)

50m (L) x 1m (W)
50m (L) x 2m (W)
100m (L) x 2m (W)