



No Question. We Have the Answers.

O.C. KECKLEY COMPANY

3400 Cleveland Street P.O. Box 67
Skokie, IL 60076
800-KECKLEY (800.532.5539)
847.674.8422
FAX 847.674.2106
email: sales@keckley.com
website: www.keckley.com

Established 1914

Y-Strainers



Cast Iron
Style B
250# Threaded
Sizes ¼" – 4"



Cast Iron
Style A
125# & 250# Flanged
Sizes 2" – 24"



Cast Ductile Iron
Style BDI
300# Threaded
Sizes ½" – 2"



Cast Bronze
Style F-150
125# Threaded
Sizes ¼" – 3"



Cast Bronze
Style E-150
125# Solder Joint
Sizes ¼" – 3"



Cast Bronze
Style F-300
250# Threaded
Sizes ¼" – 3"



Cast Bronze
Style E-300
250# Solder Joint
Sizes ¼" – 3"



Cast Bronze
Style BA
150# & 250# Flanged
Sizes 2" – 6"



Cast Carbon Steel
Style SB-7
600# Threaded or
600# Socket Weld
Sizes ¼" – 3"



Cast Carbon Steel
Style SB
1500# Threaded or
1500# Socket Weld
Sizes ½" – 3"



Cast Carbon Steel
Style SA-7
150# & 300# Flanged
Sizes ½" – 24"



Cast Carbon Steel
Style SA-7
150# & 300# Butt Weld
Sizes ½" – 24"



Cast Carbon Steel
Style SA
600# Flanged or
Butt Weld
Sizes ½" – 24"



Cast 316 Stainless Steel
Style SSB-7
600# Threaded or
600# Socket Weld
Sizes ¼" – 3"



Cast 316 Stainless Steel
Style SSB
1500# Threaded or
1500# Socket Weld
Sizes ½" – 3"



Cast 316 Stainless Steel
Style SSA-7
150# & 300# Flanged
Sizes ½" – 24"



Cast 316 Stainless Steel
Style SA-7
150# & 300# Butt Weld
Sizes ½" – 24"



Cast 316 Stainless Steel
Style SA
600# Flanged or
Butt Weld
Sizes ½" – 24"

Basket Strainers



Cast Iron
Style D & DV
250# Threaded
Sizes ½" – 2"



Cast Iron
Style D & DV
125# & 250# Flanged
Sizes 2" – 12"



Cast Iron
Style GFV
125# & 250# Flanged
Sizes 2" – 24"



Cast Iron
Style HLC
125# Flanged
Sizes 2" – 16"



Cast Ductile Iron
Style KF-7
125# Flanged
Sizes 1½" – 12"



Cast Bronze
Style BD & BDV
150# & 300# Flanged
Sizes 2" – 12"



Cast Bronze
Style BKF-7
125# Flanged
Sizes 1½" – 12"



Cast Carbon Steel
Style SD / SD-K
300# Threaded
Sizes ¼" – 3"



Cast Carbon Steel
Style SD & SDV
150# & 300# Flanged
Sizes 2" – 12"



Cast Carbon Steel
Style SGFV / SGFV-K
150# & 300# Flanged
Sizes 2" – 24"



Cast 316 Stainless Steel
Style SSD / SSD-K
300# Threaded
Sizes ¼" – 3"



Cast 316 Stainless Steel
Style SSGFV / SSGFV-K
150# & 300# Flanged
Sizes 2" – 24"

Duplex Strainers



**Cast Iron
Cast Carbon Steel
Cast 316 Stainless Steel**
Threaded
Sizes ¾" – 2½"



**Cast Iron
Cast Carbon Steel
Cast 316 Stainless Steel**
125# - 150# Flanged
Sizes 1" – 8"



**Fabricated
Carbon Steel
Stainless Steel**
150# - 300# Flanged
Sizes 6" – 24"

Duplex Options:



**Differential Pressure
Indicators**



DIN Electrical Probes

Fabricated Strainers




**Fabricated -Y-
Carbon Steel - FSA
Stainless Steel -FSSA**
Flanged or Butt Weld
Sizes 10" – 30"



**Fabricated -Basket
Carbon Steel
Stainless Steel**
Style FB
Flanged or Butt Weld
Sizes 4" – 30"



**Fabricated -Tee
Carbon Steel
Stainless Steel**
Style T
Flanged or Butt Weld
Sizes 2" – 30"




**Fabricated -Offset
Carbon Steel
Stainless Steel**
Style FBO
150# - 600# Flanged

Line Blind




**Fabricated
Carbon Steel
Stainless Steel**
Style FLB
125# - 250# Flanged


Fabricated Options:



Quick Open Cover
Style FBQ



Integral Davit Swing Arm
Style FBD



Bolted Slide Hinge Cover
Style FBH

Temporary Strainers



**Fabricated -Cone
Carbon Steel
Stainless Steel**
Style TC
150# - 600# Flanged
Sizes 1½" – 24"



**Fabricated -Basket
Carbon Steel
Stainless Steel**
Style TB
150# - 600# Flanged
Sizes 1½" – 24"



**Fabricated -Plate
Carbon Steel
Stainless Steel**
Style TP
150# - 600# Flanged
Sizes 1½" – 24"

Check Valves



**Wafer Double Disc
Cast Iron,
Cast Carbon Steel,
Cast 316 Stainless Steel**
Style DD
125# - 1500#
Sizes 2" – 48"



**Double Disc Threaded Flanged
Cast Iron,
Cast Carbon Steel,
Cast 316 Stainless Steel**
Style DF (Flanged)
125# - 1500#
Sizes 2" – 48"



**Double Disc Threaded Lug
Cast Iron,
Cast Carbon Steel,
Cast 316 Stainless Steel**
Style DL (Lug Style)
125# - 1500#
Sizes 2" – 48"



**Wafer Silent
Cast Iron,
Cast Carbon Steel,
Cast 316 Stainless Steel**
Style CW
125# - 300#
Sizes 2" – 12"



**Globe Silent
Cast Iron,
Cast Carbon Steel,
Cast 316 Stainless Steel**
Style CG
125# - 300#
Sizes 2" – 24"

Pump Accessories



Cast Iron
Style PSD (Suction Diffuser)
125# Flanged
Sizes 2" x 1½" – 20" x 20"




Cast Iron
Style TDV (Triple Duty Valve)
125# Flanged
Sizes 2" – 20"

Float & Lever Valves


All Available – Angle or Globe Pattern – Screwed or Flanged.



Bronze, Cast Iron, & 316 SS body & trim. Double Seated (not tight closing)
Type 27
Sizes ½" – 12"



Bronze, Cast Iron, & 316 SS body & trim. Single Seated (tight closing)
Type 7
Sizes ½" – 2"



Bronze or Cast Iron body. Bronze trim. Single Seated (tight closing)
Type 77
Sizes 2" – 10"




Bronze or Cast Iron Body. Bronze trim. Single Seated (tight closing)
Type 777
Sizes ½" – 4"

Float & Lever Valves(cont.)


All Available – Angle or Globe Pattern – Screwed or Flanged.



Bronze or Cast Iron body. SS trim. Single Seated (tight closing)
406°F Max Temp.
Ball Inner Valve
Type 427
Sizes ½" – 2"



Bronze, Cast Iron, & 316 SS body & trim. Double Seated (not tight closing)
Type 62
Sizes ½" – 12"




Bronze, Cast Iron, & 316 SS body & trim. Single Seated (tight closing)
Type 73 and 773
Sizes ½" – 10"




Cast Iron body. Bronze trim. Single Seated (tight closing)
Type 177
Sizes 2" – 10"



Bronze body. Float Mechanism for operating lever valves or other equipment.
Type 20M
¾" threaded 6" Float
1½" threaded 8" Float



Cast Iron body. Float Box for operating lever valves or other equipment.
Type 20
1" threaded 6" Float
1½" threaded/Std. Fig. 8" Float



Control Valves



Bronze - Type AA
Cast Iron - Type IA
SS Trim – Steam Service
Nylon Trim – Air Service
For reduced pressure
above 40 PSI.
Threaded or Flanged
Sizes ½" – 6"



Bronze - Type AR
Cast Iron - Type IR
SS Trim – Steam Service
Nylon Trim – Air Service
For reduced pressure
below 40 PSI.
Threaded or Flanged
Sizes ½" – 6"




Bronze
Composition Disc (Single Seated)
Water, Oil, Air or Gas
Type 10
Threaded
Sizes ½", ¾", 1"



Cast Iron
Bronze or SS Trim
Steam, Air, Gas, or Liquid
Type 11A
250# Threaded
Sizes ¾" – 2"



Bronze & Cast Iron
Bronze or SS Trim
Direct or Reverse Acting
Type 114, 114R, 119, 119R
Threaded or Flanged
Sizes ½" – 12"




Cast Iron
SS Trim
Steam Only (Single Seated)
Type KP
Threaded or Flanged
Sizes ½" – 6"

Control Valves(cont.)



Bronze & Cast Iron
Bronze Trim
Type 700
Water or Air
Range 8-100 PSI
Threaded or Flanged
Sizes ½" – 4"



Cast Iron
Bronze Trim
Type 701
Water service, External Pilot
Range 8-100 PSI
Threaded or Flanged
Sizes 2" – 10"




Bronze
Bronze Trim
Type 40
Steam (3% or 10% accum.)
or Air Service
Threaded
Sizes ½" – 3"



Cast Iron
SS Trim
Type 301
Steam (3% or 10% accum.)
or Air Service
Threaded



Bronze or Cast Iron
Bronze or SS Trim
Type 135
Globe or Angle Pattern
Steam, Air, Gas or Liquid
Threaded or Flanged
Sizes ¾" – 8"



Cast Iron
Style DPE
Drip Pan Elbow
Threaded or Flanged
Sizes ¾" – 10"
*6" & 8" elbows have 125# Flanges

Back Pressure & Relief Valves