


Residential Door Panel Designs with Stile Locations



Traditional (Pro Safe 2100 / Therma Safe 3200)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'0" - 5'5"




5' wide shown
Stile : Centered 1

Door Width*:
5'6" - 7'3"




6' wide shown
Stile : Non-centered 2

Door Width:
7'4" - 9'2"




8' wide shown
Stile : Centered 1

Door Width*:
9'3" - 11'2"




10' wide shown
Stile : Non-centered 2

Door Width:
11'3" - 14'5"




14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
14'6" - 19'2"




18' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
19'3" - 20'2"



20' wide shown
Stile : Centered 1 / Non-centered 4




Pro Safe models are configured with full box stiles. Therma Safe models are configured with hinge plates

*For door width ranges 5'6" - 7'3" and 9'3" - 11'2", the bridge bracket option is required for center mounting the door opener.

Traditional (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'0" - 5'5"




5' wide shown
Stile : Centered 1

Door Width:
5'6" - 7'3"




6' wide shown
Stile : Centered 1 /
Non-centered 2

Door Width:
7'4" - 9'2"




8' wide shown
Stile : Centered 1

Door Width:
9'3" - 11'2"




10' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
11'3" - 14'5"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
14'6" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2


Residential Door Panel Designs with Stile Locations



Ranch (Pro Safe 2100 / Therma Safe 3200)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'0" - 7'7"




6' wide shown
Stile : None

Door Width:
7'8" - 11'2"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width:
11'3" - 14'11"




14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
15'0" - 20'2"



18' wide shown
Stile : Centered 1 / Non-centered 2




Pro Safe models are configured with full box stiles. Therma Safe models are configured with hinge plates

Note : Centered stile will NOT be installed with the windows on top section. Such doors will require the installation of the opener offset from the center. When such doors are installed with an opener, the opener must be installed offset from the center and the door must have torsion counter balance.

Ranch (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'0" - 7'7"




6' wide shown
Stile : None

Door Width:
7'8" - 11'2"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width:
11'3" - 14'11"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
15'0" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2

Note : Centered stile will NOT be installed with the windows on top section. Such doors will require the installation of the opener offset from the center. When such doors are installed with an opener, the opener must be installed offset from the center and the door must have torsion counter balance.


Residential Door Panel Designs with Stile Locations



Country (Pro Safe 2100 / Therma Safe 3200)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'0" - 5'11"




5' wide shown
Stile : Centered 1

Door Width*:
6'0" - 7'7"




6' wide shown
Stile : Non-centered 2

Door Width:
7'8" - 10'2"




8' wide shown
Stile : Centered 1

Door Width*:
10'3" - 11'11"




11' wide shown
Stile : Non-centered 2

Door Width:
12'0" - 14'7"




14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
14'8" - 18'11"




18' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
19'0" - 20'0"



20' wide shown
Stile : Centered 1 / Non-centered 4




Pro Safe models are configured with full box stiles. Therma Safe models are configured with hinge plates

*For door width ranges 6'0" - 7'7" and 10'3" - 11'11", the bridge bracket option is required for center mounting the door opener.

Country (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'0" - 5'5"




5' wide shown
Stile : Centered 1

Door Width:
5'6" - 7'3"




6' wide shown
Stile : Centered 1 /
Non-centered 2

Door Width:
7'4" - 10'2"




8' wide shown
Stile : Centered 1

Door Width:
10'3" - 11'2"




11' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
11'3" - 14'5"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
14'6" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2


Residential Door Panel Designs with Stile Locations



Cottage (Pro Safe 2100 / Therma Safe 3200)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'0" - 7'11"




6' wide shown
Stile : None

Door Width:
8'0" - 11'11"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width:
12'0" - 14'11"




14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
15'0" - 18'11"



18' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
19'0" - 20'0"




20' wide shown
Stile : Centered 1 / Non-centered 4

Note : Centered stile will NOT be installed with the windows on top section. Such doors will require the installation of the opener offset from the center. When such doors are installed with an opener, the opener must be installed offset from the center and the door must have torsion counter balance.

Cottage (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'6" - 7'7"




6' wide shown
Stile : None

Door Width:
7'8" - 11'2"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width:
11'3" - 14'11"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
15'0" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2

Note : Centered stile will NOT be installed with the windows on top section. Such doors will require the installation of the opener offset from the center. When such doors are installed with an opener, the opener must be installed offset from the center and the door must have torsion counter balance.


Residential Door Panel Designs with Stile Locations



Shaker (Pro Tech 2500 / Therma Tech 3400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width:
5'6" - 7'7"




6' wide shown
Stile : Centered 1

Door Width:
7'8" - 11'2"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width:
11'3" - 14'11"




14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
15'0" - 19'2"



18' wide shown
Stile : Centered 1 / Non-centered 2

Door Width:
19'3" - 20'2"




20' wide shown
Stile : Centered 1 / Non-centered 4

Residential Door Panel Designs with Stile Locations




Flush & Microgroove (Therma Safe 3200)

Door Width:
5'0" - 9'2"



Stile : Centered 1

Door Width:
9'3" - 12'2"




Stile : Centered 1 / Non-centered 2

Door Width:
12'3" - 16'2"




Stile : Centered 1 / Non-centered 2

Door Width:
16'3" - 19'2"



Stile : Centered 1 / Non-centered 4

Door Width:
19'3" - 20'0"



Stile : Centered 1 / Non-centered 4

Flush & Microgroove (Therma Tech 3400 & Clima Tech 4400)

Door Width:
5'0" - 9'4"



Stile : Centered 1

Door Width:
9'5" - 12'4"



Stile : Non-centered 2

Door Width:
12'5" - 16'4"



Stile : Centered 1 / Non-centered 2

Door Width:
16'5" - 18'0"



Stile : Non-centered 4

Residential Door Panel Designs


Medley Designs




Medley Traditional with Ranch Top (Pro Safe 2100 / Therma Safe 3200)

Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Pro Safe models are configured with full box stiles. Therma Safe models are configured with hinge plates




Door Width: 5'0" - 7'7"




6' wide shown
Stile : None

Door Width: 7'8" - 11'2"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width: 11'3" - 14'11"




12' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 15'0" - 20'2"



16' wide shown
Stile : Centered 1 / Non-centered 2




18' wide shown
Stile : Centered 1 / Non-centered 2

Medley Traditional with Ranch Top (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width: 7'8" - 9'2"




8' wide shown
Stile : Centered 1

Door Width: 11'3" - 14'5"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 15'0" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2


Residential Door Panel Designs

Medley Designs




Medley Ranch with Traditional Top (Pro Safe 2100 / Therma Safe 3200)

Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.




Door Width: 5'0" - 7'7"




6' wide shown
Stile : None

Door Width: 7'8" - 11'2"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width: 11'3" - 14'11"




12' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 15'0" - 20'2"



16' wide shown
Stile : Centered 1 / Non-centered 2




18' wide shown
Stile : Centered 1 / Non-centered 2

Medley Ranch with Traditional Top (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width: 7'8" - 9'2"




8' wide shown
Stile : Centered 1

Door Width: 11'3" - 14'5"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 15'0" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2

Residential Door Panel Designs


Medley Designs




Medley Country with Cottage Top (Pro Safe 2100 / Therma Safe 3200)

Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Gemini series are configured with full box stiles. Orion series are configured with hinge plates




Door Width: 5'0" - 7'11"




6' wide shown
Stile : None

Door Width: 8'0" - 11'11"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width: 12'0" - 14'11"




12' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 15'0" - 18'11"



16' wide shown
Stile : Centered 1 / Non-centered 2




18' wide shown
Stile : Centered 1 / Non-centered 2

Medley Country with Cottage Top (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width: 7'4" - 10'2"




8' wide shown
Stile : Centered 1

Door Width: 11'3" - 14'5"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 14'6" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2


Residential Door Panel Designs

Medley Designs




Medley Cottage with Country Top (Pro Safe 2100 / Therma Safe 3200)

Gemini series are configured with full box stiles. Orion series are configured with hinge plates




Door Width: 5'0" - 7'11"




6' wide shown
Stile : None

Door Width: 8'0" - 11'11"




8' wide shown
Stile : Centered 1




10' wide shown
Stile : Centered 1

Door Width: 12'0" - 14'11"




12' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 15'0" - 18'11"



16' wide shown
Stile : Centered 1 / Non-centered 2




18' wide shown
Stile : Centered 1 / Non-centered 2

Medley Cottage with Country Top (Pro Tech 2500 / Therma Tech 3400 / Clima Tech 4400)


Common door widths shown, for door widths not shown, elevation drawings can be provided upon request.

Door Width: 7'4" - 10'2"




8' wide shown
Stile : Centered 1

Door Width: 11'3" - 14'5"



14' wide shown
Stile : Centered 1 / Non-centered 2

Door Width: 14'6" - 18'0"



18' wide shown
Stile : Centered 1 / Non-centered 2