

## Certificate of Analysis

Powered by Confident LIMS 1 of 3

Kifcure, LLC

4N250 IL ROUTE 47 MAPLE PARK, IL 60151 alissa@kifcure.com (847) 875-5171 Lic. #1204-68 Sample ID: 2509SHIL1053.5900

Strain: Lotion

Sample Size/Amount: 1 g; Batch#: ; Batch Size: 5.4697 g Sample Received: 09/22/2025; Order Completed: 09/25/2025 Report Version:

#### GenO Lotion 2980

Topical, Lotion, Coconut Oil Source ID: ; Sample ID:





### **Terpenes**



### Cannabinoids

Analyte	LOQ	Result	Result	
	%	%	mg/g	
THCa	0.001	ND	ND	
Δ9-THC	0.001	ND	ND	
Δ8-THC	0.002	ND	ND	
THCVa	0.001	ND	ND	
THCV	0.000	ND	ND	
CBDa	0.000	ND	ND	
CBD	0.001	1.423	14.23	
CBDVa	0.000	ND	ND	
CBDV	0.000	ND	ND	
CBN	0.001	0.032	0.32	
CBGa	0.000	ND	ND	
CBG	0.000	ND	ND	
CBCa	0.001	ND	ND	
CBC	0.000	0.074	0.74	
Reported THC		ND	ND	
Reported CBD		1.423	14.230	
Total		1.529	15.29	

ND
Total THC

1.423%
Total CBD

1.423%
Total Major Cannabinoids

Not Tested
NT
Moisture

Not Tested
NT
Water Activity

Analysis performed according to SOP-024-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Total THC = (THCa \* 0.877) +  $\Delta 9$ -THC

### Safety

PassPassPassPesticidesMicrobialsMycotoxinsPassPassMetalsSolvents



1050 Corporate Blvd Aurora, IL (847) 858-8328 https://www.steephillil.com/ Lic#

Symoch

Benjamin McCauley Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





# Certificate of Analysis

Powered by Confident LIMS 2 of 3

Sample ID: 2509SHIL1053.5900

Strain: Lotion

 $Sample\ Size/Amount:\ 1\ g;\ Batch\#:\ ;\ Batch\ Size:\ 5.4697\ g$   $Sample\ Received:\ 09/22/2025;\ Order\ Completed:\ 09/25/2025$ 

Report Version:

Kifcure, LLC

4N250 IL ROUTE 47 MAPLE PARK, IL 60151 alissa@kifcure.com (847) 875-5171 Lic. #1204-68

#### GenO Lotion 2980

Topical, Lotion, Coconut Oil Source ID: ; Sample ID:



Pesticides Pass

<u>Analyte</u>	LOQ	Limit	Result	Status	<u>Analyte</u>	LOQ	Limit	Result	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acephate	0.081	0.100	ND	Pass	Hexythiazox	0.060	0.020	ND	Pass
Acetamiprid	0.082	0.010	ND	Pass	Imazalil	0.134	0.100	ND	Pass
Aldicarb	0.521	0.020	ND	Pass	Imidacloprid	0.063	0.020	ND	Pass
Azoxystrobin	0.074	0.020	ND	Pass	Malathion	0.039	0.100	ND	Pass
Bifenazate	0.051	0.100	ND	Pass	Methiocarb	0.055	50.000	ND	Pass
Boscalid	0.131	0.050	ND	Pass	Methomyl	0.083	0.100	ND	Pass
Carbaryl	0.049	0.020	ND	Pass	Myclobutanil	0.069	0.020	ND	Pass
Carbofuran	0.058	0.100	ND	Pass	Paclobutrazol	0.098	50.000	ND	Pass
Chlorantraniliprole	0.090	0.020	ND	Pass	Prallethrin	0.188	1.000	ND	Pass
Chlorpyrifos	0.083	0.010	ND	Pass	Propiconazole	0.040	0.050	ND	Pass
DDVP	0.078	0.020	ND	Pass	Propoxur	0.044	50.000	ND	Pass
Diazinon	0.060	0.050	ND	Pass	Spinosad	0.107	0.020	ND	Pass
Dimethoate	0.082	0.020	ND	Pass	Spiromesifen	0.093	0.020	ND	Pass
Etoxazole	0.091	0.010	ND	Pass	Spirotetramat	0.045	0.100	ND	Pass
Fenoxycarb	0.073	50.000	ND	Pass	Spiroxamine	0.138	0.050	ND	Pass
Fipronil	0.114	0.010	ND	Pass	Tebuconazole	0.041	0.050	ND	Pass
Flonicamid	0.145	0.150	ND	Pass	Trifloxystrobin	0.059	0.010	ND	Pass
Fludioxonil	0.137	0.010	ND	Pass					

Analysis performed according to SOP-070-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.



1050 Corporate Blvd Aurora, IL (847) 858-8328 https://www.steephillil.com/ Lic#

Benjamin McCauley Laboratory Director Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





# Certificate of Analysis

Powered by Confident LIMS 3 of 3

Sample ID: 2509SHIL1053.5900

Strain: Lotion

Sample Size/Amount: 1 g; Batch#:; Batch Size: 5.4697 g Sample Received: 09/22/2025; Order Completed: 09/25/2025

Report Version:

### Kifcure, LLC

4N250 IL ROUTE 47 MAPLE PARK, IL 60151 alissa@kifcure.com (847) 875-5171 Lic. #1204-68

#### GenO Lotion 2980

Topical, Lotion, Coconut Oil Source ID: ; Sample ID:



Residual Solvents				Pass
Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Acetone	101.0	5000.0	ND	Pass
Butane	101.0	5000.0	ND	Pass
Ethanol	101.0	5000.0	ND	Pass
Ethyl-Acetate	101.0	5000.0	ND	Pass
Ethyl-Ether	101.0	5000.0	ND	Pass
Ethylene Oxide	6.8	50.0	ND	Pass
Heptane	101.0	5000.0	ND	Pass
Hexane	6.8	290.0	ND	Pass
Isopropanol	101.0	5000.0	ND	Pass
Methanol	101.0	3000.0	ND	Pass
Methylene-Chloride	101.0	600.0	ND	Pass
Pentane	101.0	5000.0	ND	Pass
Petroleum Ether	101.0	400.0	ND	Pass
Propane	101.0	5000.0	ND	Pass
Toluene	6.8	890.0	ND	Pass
Trichloroethylene	6.8	80.0	ND	Pass
Xylenes	101.0	2170.0	ND	Pass

Microbials		F	Pass
Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10000	ND	Pass
Bile-Tolerant Gram-Negative Bacteria	100	ND	Pass
Coliforms	100	ND	Pass
E. Coli	0	ND	Pass
Salmonella	0	ND	Pass
Shiga Toxin E. Coli	0	ND	Pass
Yeast & Mold	1000	ND	Pass
Analysis performed asserting to SOR 700 II	COD 712 II COD 712 II	COD 714 II	and

Analysis performed according to SOP-700-IL, SOP-712-IL, SOP-713-IL, SOP-714-IL, and SOP-715-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.

Heavy Metals			Pass
Analyte	LOQ	Limit	Result Status
	PPB	PPB	PPB
Arsenic	34.3	1500.0	ND Pass
Cadmium	34.3	500.0	ND Pass
Chromium	85.9	2000.0	ND Pass
Lead	85.9	1000.0	ND Pass
Mercury	17.2	3000.0	ND Pass

Analysis performed according to SOP-061-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.

Mycotoxins			F	Pass
Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
Aflatoxin B1	11.000	20.000	ND	Pass
Aflatoxin B2	11.000	20.000	ND	Pass
Aflatoxin G1	11.000	20.000	ND	Pass
Aflatoxin G2	11.000	20.000	ND	Pass
Ochratoxin A	11.000	20.000	ND	Pass
Total Aflatoxins	11.000	20.000	ND	Pass

Analysis performed according to SOP-070-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.

Analysis performed according to SOP-067-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.



1050 Corporate Blvd Aurora, IL (847) 858-8328 https://www.steephillil.com/ Lic#

Benjamin McCauley Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Determination of Pass/Fail is based on SECTION 1300.700 LABORATORY TESTING of the IL Administrative Code. Steep Hill does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available on request. These results only relate to the item tested and apply only to the sample as received. This report should only be reproduced in its entirety.