

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.

THIS IS A REVISED COA ISSUED FEB 24, 2026

SAMPLE: CBD/CBG ASSORTED GUMMIES (EDIBLE SOLID) // CLIENT: GEN O FARMS // BATCH: PASS



BATCH NO.: 4310
MATRIX: EDIBLE SOLID
CATEGORY: INFUSED PRODUCTS
SAMPLE ID: CL-180226-009
COLLECTED ON: FEB 18, 2026
RECEIVED ON: FEB 18, 2026
BATCH/SAMPLE SIZE: 120 UNITS / 1 UNITS
RECEIVED BY: ADELYN BOUTELL
SERVING/PACKAGE SIZE: 4.727 G / 141.82 G

CANNABINOID OVERVIEW

CBD: 34.79 mg/srv
 Δ^9 -THC: 0 mg/srv
TOTAL CANNABINOIDS: 67.55 mg/srv

BATCH RESULT: PASS

POTENCY PASS
METALS PASS
MICROBIAL PASS
PESTICIDES PASS
SOLVENTS PASS

CL-01: CANNABINOID POTENCY BY HPLC-PDA // FEB 20, 2026

ANALYTE	LOD/LOQ (mg/g)	AMT	AMT PASS/FAIL
CBC	0.0180000/0.0590000	0.023 %	N/A
CBCA	0.0797000/0.2414000	ND	N/A
CBD	0.0380000/0.1300000	0.736 %	N/A
CBDA	0.0200000/0.0680000	0.016 %	N/A
CBDV	0.0350000/0.1200000	ND	N/A
CBDVA	0.0190000/0.0640000	< LOQ	N/A
CBG	0.0390000/0.1300000	0.644 %	N/A
CBGA	0.0210000/0.0700000	ND	N/A
CBL	0.0562000/0.1834000	ND	N/A
CBN	0.0160000/0.0540000	0.010 %	N/A
CBNA	0.0324000/0.0981000	ND	N/A
$\Delta^8 + \Delta^9$ -THC		ND	N/A
Δ^8 -THC	0.0440000/0.1500000	10 %	PASS
Δ^9 -THC	0.0430000/0.1400000	ND	N/A

ANALYTE	LOD/LOQ (mg/g)	AMT	AMT PASS/FAIL
THCA	0.0230000/0.0770000	ND	N/A
THCV	0.0410000/0.1400000	ND	N/A
THCVA	0.0209000/0.0635000	ND	N/A
TOTAL THC **		ND	N/A
TOTAL CBD **		0.750 %	N/A
CBD/SRV		34.791 mg	N/A
$\Delta^8 + \Delta^9$ -THC/SRV		11 mg	PASS
Δ^8 -THC/SRV		1.1 mg	PASS
Δ^9 -THC/SRV		ND	N/A
CBD/PKG		1043.795 mg	N/A
$\Delta^8 + \Delta^9$ -THC/PKG		220 mg	PASS
Δ^8 -THC/PKG		22 mg	PASS
Δ^9 -THC/PKG		ND	N/A

** DELTA-8 + DELTA-9-THC = DELTA-8-THC + DELTA-9-THC
** TOTAL THC = DELTA-8-THC + DELTA-9-THC + (THCA X 0.877)
** TOTAL CBD = CBD + (CBDA X 0.877)

PER ISO 17025, THIS REPORT ONLY CONTAINS AND CONCERNS THE SAMPLES LISTED WITHIN THIS DOCUMENT. SAMPLES WERE SAMPLED AND TESTED IN ACCORDANCE WITH THE SAFETY COMPLIANCE FACILITY SAMPLING AND TESTING INFORMATION PROVIDED BY THE STATE OF MICHIGAN.

RESULTS CERTIFIED BY: JALEN WILLIAMS
LAB MANAGER, SC LABS
FEB 24, 2026



ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
ABAMECTIN	0.0008000/0.0025000	0.5 ppm	ND	PASS
ACEPHATE	0.0044000/0.0132000	0.4 ppm	ND	PASS
ACEQUINOCYL	0.0078000/0.0237000	2 ppm	ND	PASS
ACETAMIPRID	0.0004000/0.0013000	0.2 ppm	ND	PASS
ALDICARB	0.0003000/0.0009000	0.4 ppm	ND	PASS
AZOXYSTROBIN	0.0003000/0.0009000	0.2 ppm	ND	PASS
BIFENAZATE	0.0002000/0.0007000	0.2 ppm	ND	PASS
BIFENTHRIN	0.0004000/0.0013000	0.2 ppm	ND	PASS
BOSCALID	0.0030000/0.0091000	0.4 ppm	ND	PASS
CARBARYL	0.0004000/0.0013000	0.2 ppm	ND	PASS
CARBOFURAN	0.0000100/0.0000200	0.2 ppm	ND	PASS
CHLORANTRANIL-IPROLE	0.0002000/0.0007000	0.2 ppm	ND	PASS
CHLORFENAPYR	0.0449000/0.1362000	1 ppm	ND	PASS
CHLORPYRIFOS	0.0002000/0.0005000	0.2 ppm	ND	PASS
CLOFENTEZINE	0.0003000/0.0010000	0.2 ppm	ND	PASS
CYFLUTHRIN	0.0063000/0.0191000	1 ppm	ND	PASS
CYPERMETHRIN	0.0048000/0.0146000	1 ppm	ND	PASS
DAMINOZIDE	0.0003000/0.0010000	1 ppm	ND	PASS
DIAZINON	0.0001000/0.0004000	0.2 ppm	ND	PASS
DICHLORVOS	0.0001000/0.0002000	1 ppm	ND	PASS
DIMETHOATE	0.0002000/0.0006000	0.2 ppm	ND	PASS
ETHOPROPHOS	0.0002000/0.0005000	0.2 ppm	ND	PASS
ETOFENPROX	0.0003000/0.0009000	0.4 ppm	ND	PASS
ETOXAZOLE	0.0002000/0.0005000	0.2 ppm	ND	PASS
FENOXYCARB	0.0003000/0.0009000	0.2 ppm	ND	PASS
FENPYROXIMATE	0.0002000/0.0007000	0.4 ppm	ND	PASS
FIPRONIL	0.0010000/0.0031000	0.4 ppm	ND	PASS
FLONICAMID	0.0003000/0.0009000	1 ppm	ND	PASS
FLUDIOXONIL	0.0004000/0.0011000	0.4 ppm	ND	PASS
HEXYTHIAZOX	0.0002000/0.0005000	1 ppm	ND	PASS
IMAZALIL	0.0018000/0.0056000	0.2 ppm	ND	PASS
IMIDACLOPRID	0.0005000/0.0014000	0.4 ppm	ND	PASS

ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
KRESOXIM-METHYL	0.0003000/0.0008000	0.4 ppm	ND	PASS
MALATHION	0.0002000/0.0007000	0.2 ppm	ND	PASS
METALAXYL	0.0001000/0.0003000	0.2 ppm	ND	PASS
METHIOCARB	0.0001000/0.0004000	0.2 ppm	ND	PASS
METHOMYL	0.0007000/0.0020000	0.4 ppm	ND	PASS
METHYL PARATHION	0.0021000/0.0063000	0.2 ppm	ND	PASS
MGK-264	0.0237000/0.0717000	0.2 ppm	ND	PASS
MYCLOBUTANIL	0.0003000/0.0010000	0.2 ppm	ND	PASS
NALED	0.0008000/0.0025000	0.5 ppm	ND	PASS
OXAMYL	0.0034000/0.0102000	1 ppm	ND	PASS
PACLOBUTRAZOL	0.0004000/0.0011000	0.4 ppm	ND	PASS
PERMETHRIN	0.0233000/0.0707000	0.2 ppm	ND	PASS
PHOSMET	0.0002000/0.0007000	0.2 ppm	ND	PASS
PRALLETHRIN	0.0009000/0.0027000	0.2 ppm	ND	PASS
PROPICONAZOLE	0.0005000/0.0014000	0.4 ppm	ND	PASS
PROPOXUR	0.0001000/0.0003000	0.2 ppm	ND	PASS
PYRETHRINS		1 ppm	ND	PASS
PYRETHRINS CINERIN I	0.0005000/0.0035000		ND	N/A
PYRETHRINS JASMOLIN I	0.0009000/0.0027000		ND	N/A
PYRETHRINS PYRETHRIN I	0.0003000/0.0010000		ND	N/A
PYRIDABEN	0.0002000/0.0005000	0.2 ppm	ND	PASS
SPINOSAD		0.2 ppm	ND	PASS
SPINOSAD A	0.0003000/0.0008000		ND	N/A
SPINOSAD D	0.0002000/0.0006000		ND	N/A
SPIROMESIFEN	0.0003000/0.0011000	0.2 ppm	ND	PASS
SPIROTETRAMAT	0.0010000/0.0030000	0.2 ppm	ND	PASS
SPIROXAMINE	0.0001000/0.0005000	0.4 ppm	ND	PASS
TEBUCONAZOLE	0.0001000/0.0004000	0.4 ppm	ND	PASS
THIACLOPRID	0.0002000/0.0007000	0.2 ppm	ND	PASS
THIAMETHOXAM	0.0003000/0.0009000	0.2 ppm	ND	PASS
TRIFLOXYSTROB-IN	0.0001000/0.0005000	0.2 ppm	ND	PASS



CL-07: COLIFORMS // FEB 19, 2026

ANALYTE	LOD/LOQ (CFU/g)	LIMIT	AMT (CFU/g)	PASS/FAIL
COLIFORMS		100 CFU/g	< LOQ	PASS

CL-07: TOTAL YEAST & MOLD // FEB 21, 2026

ANALYTE	LOD/LOQ (CFU/g)	LIMIT	AMT (CFU/g)	PASS/FAIL
YEAST & MOLD		10000 CFU/g	< LOQ	PASS

CL-07: E. COLI AND SALMONELLA BY QPCR // FEB 22, 2026

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amount in 1 gram	ND		PASS

CL-07: ASPERGILLUS BY QPCR // FEB 22, 2026

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amount in 1 gram	ND		PASS
ASPERGILLUS FUMIGATUS	Any amount in 1 gram	ND		PASS
ASPERGILLUS NIGER	Any amount in 1 gram	ND		PASS

CL-06: HEAVY METAL ANALYSIS BY ICP-MS // FEB 20, 2026

ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
ARSENIC	0.0060000/0.0160000	1.5 ppm	ND	PASS
CADMIUM	0.0020000/0.0060000	0.5 ppm	ND	PASS
CHROMIUM	0.0940000/0.2800000	2 ppm	ND	PASS
COPPER	0.1380000/0.2960000		< LOQ	N/A

CL-03: RESIDUAL SOLVENT ANALYSIS BY GC-MS WITH HEADSPACE // FEB 23, 2026

ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
1,2-DICHLOROETHANE	0.0000700/0.0002400	5 ppm	ND	PASS
2,2-DIMETHYLBUTANE	0.0005300/0.0017800	290 ppm	ND	PASS
2,3-DIMETHYLBUTANE	0.0022500/0.0074900	290 ppm	ND	PASS
2-METHYLBUTANE	0.0028200/0.0084600	5000 ppm	ND	PASS
2-METHYLPENTANE	0.0022500/0.0074900	290 ppm	ND	PASS
3-METHYLPENTANE	0.0026700/0.0089000	290 ppm	ND	PASS
ACETONE	0.0063700/0.0212300	5000 ppm	ND	PASS
ACETONITRILE	0.0010900/0.0036200	410 ppm	ND	PASS
BENZENE	0.0000100/0.0000300	2 ppm	ND	PASS
BUTANE	0.1811300/0.6037600	5000 ppm	ND	PASS
BUTANES ALL ISOMERS		5000 ppm	ND	PASS
CHLOROFORM	0.0000400/0.0001300	60 ppm	ND	PASS
ETHANOL	0.0507400/0.1691400	5000 ppm	ND	PASS
ETHYL ACETATE	0.0046100/0.0153800	5000 ppm	ND	PASS
ETHYLENE OXIDE	0.0001400/0.0004600	50 ppm	ND	PASS

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
SHIGA TOXIN-PRODUCING E. COLI	Any amount in 1 gram	ND		PASS

ANALYTE	LOD/LOQ	LIMIT	AMT (CFU/g)	PASS/FAIL
ASPERGILLUS SPP.	Any amount in 1 gram	ND		PASS
ASPERGILLUS TERREUS	Any amount in 1 gram	ND		PASS

ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
LEAD	0.0020000/0.0050000	0.5 ppm	0.005	PASS
MERCURY	0.0269000/0.0600000	3 ppm	ND	PASS
NICKEL	0.0680000/0.1960000		ND	N/A

ANALYTE	LOD/LOQ (ppm)	LIMIT	AMT (ppm)	PASS/FAIL
ETHYL ETHER	0.0297300/0.0990900	5000 ppm	ND	PASS
HEPTANE	0.0711300/0.2370800	5000 ppm	ND	PASS
HEXANE	0.0002700/0.0009100	290 ppm	ND	PASS
HEXANES ALL ISOMERS		290 ppm	ND	PASS
ISOBUTANE	0.0170200/0.0567500	5000 ppm	ND	PASS
ISOPROPYL ALCOHOL	0.0063800/0.0212600	5000 ppm	ND	PASS
METHANOL	0.0135700/0.0452500	3000 ppm	ND	PASS
METHYLENE CHLORIDE	0.0042600/0.0142100	600 ppm	ND	PASS
NEOPENTANE	0.0003000/0.0010000	5000 ppm	ND	PASS
PENTANE	0.1317900/0.4393000	5000 ppm	48.540	PASS
PENTANES ALL ISOMERS		5000 ppm	48.540	PASS
PROPANE	0.0502800/0.1760000	5000 ppm	ND	PASS
TOLUENE	0.0016500/0.0054900	890 ppm	ND	PASS
TRICHLOROETHYLENE	0.0009000/0.0029900	80 ppm	ND	PASS
TOTAL XYLENES		2170 ppm	ND	PASS

NOTES

GEORGE THEBOLT CBG
FEB 24, 2026 TOTAL CBG = 30.44 MG/SRV ; 913.32 MG/PKG

* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.

