


# OptimOil

**PRODUCT  
CATALOGUE  
2024**



**SPECIALIST LUBRICANTS AND GREASES**

**OPTIMOIL.CO.UK**



I am not one to change suppliers easily, but when OptimOil Ltd approached me in July 2021, there was something unique about where these guys placed themselves in this huge industry. Their dedicated customer service approach, premium quality traceable products, knowledge and competitiveness made me realise where OptimOil really scores high. I would never hesitate to recommend this fantastic firm.

## WHY CHOOSE OPTIMOIL?



### ABOUT US

OptimOil Ltd is a specialist manufacturer of high-performance oils and lubricants specifically designed for the most demanding of applications within the plant and construction industry. We are a close-knit team with over 30+ years' of combined experience in the industry and strive to offer unparalleled customer service from our vast stock-holding capabilities.



### QUALITY ASSURANCE

OptimOil Ltd is dedicated to offering nothing short of premium quality products that have been specifically engineered to excel in maintaining your plant and equipment. Our laboratory ensures all raw ingredients are thoroughly analysed before and after the blending process to ensure they pass our stringent QA criteria before leaving the manufacturing plant.



### CUSTOMER SERVICE

Our vast stock-holding capability allows us to offer an exceptional delivery service backed by our internal sales team to ensure your order gets processed as quickly and efficiently as possible.



### TECHNICAL SUPPORT

Our internal technical support team is available to answer any queries you may have relating to product selection. They can be reached on **+44 (0)1244 390 528** or **sales@optimoil.co.uk** where they will respond as soon as practically possible.

# CONTENTS

HEAVY-DUTY ENGINE OILS	07 - 13
PASSENGER CAR ENGINE OILS	14 - 17
UNIVERSAL TRANSMISSION OILS	18 - 23
AUTOMATIC TRANSMISSION FLUID	24 - 26
GEAR OILS	27 - 37
HYDRAULIC OIL	38 - 43
ANTIFREEZE COOLANT	44 - 46
GREASE	47 - 58
COMMERCIAL	59 - 68

 PRODUCTS WITH THIS ICON ARE PART OF OUR ECO-FRIENDLY RANGE

# PRODUCT INTRODUCTION



### Opti-Pail

- Anti-glug technology
- Easy application
- Stackable

### Opti-Jug

- Anti-glug technology
- Easy application
- Volume visibility

### Opti-Cube

- 98% recyclable
- Easy application
- Stackable



### Opti-Barrel

- Fully recyclable
- Robust
- Stackable

### Opti-Tote

- Stackable
- Easy to transport
- Easy application

## HEAVY-DUTY ENGINE OILS

The engine oils of modern construction equipment must meet exacting requirements due to a combination of increased power levels, extended service intervals and more stringent emissions standards. The latest Euro 4, 5, and 6 regulations mean diesel engine cars, trucks, buses, excavators, boats, and prime-running generators use filtration systems such as Selective Catalytic Reduction and Exhaust Gas Recirculation. Our range of engine oils includes multigrade and 2 and 4-stroke engine oils, and they offer increased engine component life, reduced oil and fuel consumption, and lower particulate emissions. They are suitable for use in Cummins, Caterpillar, MTU, Volvo, and MAN Diesel equipment in punishing environments.

For more information about our Heavy-duty Engine Oils range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)

A long life, heavy-duty 15W40 oil for diesel engines perfect for long-haul trucks, coaches and diggers, tractors and boat operators. Designed to provide maximum protection under the most demanding conditions, it is a blend of highly refined solvent mineral oils, viscosity index improvers, pour point depressants and the latest technology in additives.

### 15W-40 E7 Engine Oil



**Opti-Jug 5L**  
1200-005



**Opti-Pail 20L**  
1200-020



**Opti-Barrel 205L**  
1200-205



**Opti-Tote 1000L**  
1200-1000



**Opti-Bulk**  
1200-Bulk



**Opti-Cube**  
1200-020BX



Code	Size/Weight	Grade	Specification
15W-40 E7	5L, 20L, 205L, 1000L	Conventional	E7

### 15W-40 E7 SHPD Mid Saps Engine Oil



**Opti-Pail 20L**  
1215-020



**Opti-Barrel 205L**  
1215-205



**Opti-Tote 1000L**  
1215-1000



**Opti-Bulk**  
1215-Bulk



Code	Size/Weight	Grade	Specification
15W-40 E7 SHPD	20L, 205L, 1000L	Mid Saps/Synthetic Blend	E7

Formulated to meet the requirements of today's high-performance, emission-controlled, heavy-duty diesel engines, it is especially suitable for vehicles equipped with after-treatment systems which require a low SAPS (Sulphated Ash, Phosphorus and Sulphur) engine oil.

### 15W-40 E9 Low Saps Engine Oil



**Opti-Pail 20L**  
AP1200-020



**Opti-Barrel 205L**  
AP1200-205



**Opti-Tote 1000L**  
AP1200-1000



**Opti-Bulk**  
AP1200-Bulk



**VOLVO**  
APPROVED

Code	Size/Weight	Grade	Specification
15W-40 E7	20L, 205L, 1000L	Conventional	E7



**Opti-Jug 5L**  
1225-005



**Opti-Pail 20L**  
1225-020



**Opti-Barrel 205L**  
1225-205



**Opti-Tote 1000L**  
1225-1000



**Opti-Bulk**  
1225-Bulk



**Opti-Cube**  
1225-020BX



Code	Size/Weight	Grade	Specification
15W-40 E9 LOW SAPS	5L, 20L, 205L, 1000L	Low Saps	E9

### 15W-40 E9 Low Saps Engine Oil



**Opti-Pail 20L**  
AP1225-020



**Opti-Barrel 205L**  
AP1225-205



**Opti-Tote 1000L**  
AP1225-1000



**Opti-Bulk**  
AP1225-Bulk

**VOLVO**  
APPROVED



Code	Size/Weight	Grade	Specification
15W-40 E9 LOW SAPS	20L, 205L, 1000L	Low Saps	E9

Formulated to meet the requirements of today's high-performance, emission-controlled, heavy-duty diesel engines. The fuel-efficient, semi-synthetic formulation is especially suitable for vehicles equipped with after-treatment systems which require a low SAPS (Sulphated Ash, Phosphorus and Sulphur) engine oil.

### 10W-30 E9 Synthetic Blend Engine Oil



**Opti-Pail 20L**  
AP1125-020



**Opti-Barrel 205L**  
AP1125-205



**Opti-Tote 1000L**  
AP1125-1000



**Opti-Bulk**  
AP1125-Bulk

**VOLVO**  
APPROVED



Code	Size/Weight	Grade	Specification
10W-30 E9 LOW SAPS	20L, 205L, 1000L	Low Saps	E9

Formulated to meet the requirements of today's high-performance, emission-controlled, heavy-duty diesel engines, it is especially suitable for vehicles equipped with after-treatment systems which require a low SAPS (Sulphated Ash, Phosphorus and Sulphur) engine oil.

### 10W-30 E9 Synthetic Blend Engine Oil



**Opti-Jug 5L**  
1125-005



**Opti-Pail 20L**  
1125-020



**Opti-Barrel 205L**  
1125-205



**Opti-Tote 1000L**  
1125-1000



**Opti-Bulk**  
1125-Bulk



**Opti-Cube**  
1125-020BX



Code	Size/Weight	Grade	Specification
10W-30 E9 LOW SAPS	5L, 20L, 205L, 1000L	Low Saps	E9

### 10W-40 E6/E7/E9 Low Saps Engine Oil



**Opti-Jug 5L**  
1175-005



**Opti-Pail 20L**  
1175-020



**Opti-Barrel 205L**  
1175-205



**Opti-Tote 1000L**  
1175-1000



**Opti-Bulk**  
1175-Bulk



**Opti-Cube**  
1175-020BX



Code	Size/Weight	Grade	Specification
10W-40 E6/E7/E9 LOW SAPS	5L, 20L, 205L, 1000L	Low Saps	E6/E7/E9

### 10W-40 E6/E7/E9 Low Saps Engine Oil



**Opti-Pail 20L**  
AP1175-020



**Opti-Barrel 205L**  
AP1175-205



**Opti-Tote 1000L**  
AP1175-1000



**Opti-Bulk**  
AP1175-Bulk

**VOLVO**  
APPROVED



Code	Size/Weight	Grade	Specification
10W-40 E6/E7/E9 LOW SAPS	20L, 205L, 1000L	Low Saps	E6/E7/E9

An advanced heavy-duty diesel engine oil manufactured from superior quality synthetic base oils. Incorporating our specialist Adaptive Molecular Technology that has been combined with low ash technology to optimise the power and efficiency of your vehicle to help maintain peak reliability to ensure maximum performance and emission compliance.

### 5W-30 HD Diesel Engine Oil (ECO)



**Opti-Jug 5L**  
1130-005



**Opti-Pail 20L**  
1130-020



**Opti-Barrel 205L**  
1130-205



**Opti-Tote 1000L**  
1130-1000



**Opti-Bulk**  
1130-Bulk



**Opti-Cube**  
1130-020BX



Code	Size/Weight	Grade	Specification
5W-30 HD (ECO)	5L, 20L, 205L, 1000L	Fully Synthetic Low Saps	E7/E9

### 10W-40 E7/E9 Mid Saps Engine Oil



**Opti-Pail 20L**  
1150-020



**Opti-Barrel 205L**  
1150-205



**Opti-Tote 1000L**  
1150-1000



**Opti-Bulk**  
1150-Bulk



Code	Size/Weight	Grade	Specification
10W-40 E7/E9 UHPD	20L, 205L, 1000L	Mid Saps	E7/E9

A heavy-duty diesel engine oil manufactured from superior-quality synthetic base oils and a robust additive package specifically designed for Scania trucks. Incorporating our specialist Adaptive Molecular Technology that has been combined with low ash technology to optimise the power and efficiency of your vehicle to help maintain peak reliability to ensure maximum performance and emission compliance.

### 5W-30 LDF-4 Fully Synthetic Engine Oil




**Opti-Jug 5L**  
1135-005



**Opti-Pail 20L**  
1135-020



**Opti-Barrel 205L**  
1135-205



**Opti-Tote 1000L**  
1135-1000



**Opti-Bulk**  
1135-Bulk



**Opti-Cube**  
1175-020BX

**SCANIA**  
APPROVED



Code	Size/Weight	Grade	Specification
5W-30 LDF-4	5L, 20L, 205L, 1000L	Fully Synthetic Low Saps	LDF-4

# PASSENGER CAR ENGINE OILS

For more information about our Passenger Car Engine Oils range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)

A fully synthetic and mid-SAPS engine oil formulated for use with petrol and diesel engines requiring ACEA C2 or C3. Our specialist Adaptive Molecular Technology maintains engine power, maximises efficiency and improves reliability whilst ensuring optimum performance and supporting exhaust after-treatment devices throughout the vehicle's lifecycle in a multitude of driving conditions.

## 5W-30 C2/C3 Light Diesel Engine Oil




**Opti-Jug 5L**  
1132-005



**Opti-Pail 20L**  
1132-020



**Opti-Barrel 205L**  
1132-205



**Opti-Tote 1000L**  
1132-1000



**Opti-Bulk**  
1132-Bulk



Code	Size/Weight	Grade	Specification
5W-30 C2/C3	5L, 20L, 205L, 1000L	Fully Synthetic Mid Saps	C2/C3


## 5W-30 A5/B5 Fully Synthetic



**Opti-Pail 20L**  
1133-020



**Opti-Barrel 205L**  
1133-205



**Opti-Tote 1000L**  
1133-1000



**Opti-Bulk**  
1133-Bulk



Code	Size/Weight	Grade	Specification
5W-30 A5/B5	20L, 205L, 1000L	Fully Synthetic	A5/B5



### 5W-30 DX C3 Fully Synthetic



**Opti-Pail 20L**  
1131-020



**Opti-Barrel 205L**  
1131-205



**Opti-Tote 1000L**  
1131-1000



**Opti-Bulk**  
1131-Bulk



Code	Size/Weight	Grade	Specification
5W-30 DX C3	20L, 205L, 1000L	Fully Synthetic	C3

A fully synthetic and mid-SAPS engine oil formulated for use with modern petrol and diesel engines, particularly Ford and Jaguar Land Rover vehicles. Our specialist Adaptive Molecular Technology maintains engine power, maximises efficiency and improves reliability whilst supporting exhaust after-treatment devices throughout the vehicle's lifecycle in mixed and stop-start driving conditions.


### 0W-30 ACEA C2 Fully Synthetic



**Opti-Pail 20L**  
1140-020



**Opti-Barrel 205L**  
1140-205



**Opti-Tote 1000L**  
1140-1000



**Opti-Bulk**  
1140-Bulk



Code	Size/Weight	Grade	Specification
0W-30 ACEA C2	20L, 205L, 1000L	Fully Synthetic Mid Saps	ACEA C2


### 5W-40 DX C3 Fully Synthetic



**Opti-Pail 20L**  
1134-020



**Opti-Barrel 205L**  
1134-205



**Opti-Tote 1000L**  
1134-1000



**Opti-Bulk**  
1134-Bulk



Code	Size/Weight	Grade	Specification
5W-40 DX C3	20L, 205L, 1000L	Fully Synthetic	C3



**LARGE STOCK HOLDINGS ALLOWING YOU TO MAXIMISE YOUR UPTIME AND PRODUCTIVITY.**



**OUR TEAM OF EXPERTS ARE ON HAND TO PROVIDE ANY TECHNICAL SUPPORT NEEDED, CALL 01244 390 528**

# UNIVERSAL TRANSMISSION OILS

Our range of universal transmission fluids and super universal transfer oils are created using refined mineral oils and have outstanding resistance to the high temperatures encountered during severe agricultural tasks. They are compatible with all materials used in automatic transmission systems, such as seals and specialised plastic parts, for excellent protection against wear and corrosion.

For more information about our Universal Transmission Oils range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)

A high-performance Universal Tractor Transmission Oil designed to provide exceptional protection to agricultural and off-highway equipment, especially those operating under severe load conditions.

## UTTO 10W-30 Universal Tractor Transmission Oil



**Opti-Pail 20L**  
1110-020



**Opti-Barrel 205L**  
1110-205



**Opti-Tote 1000L**  
1110-1000



**Opti-Bulk**  
1110-Bulk



**Opti-Cube**  
1110-020BX



Code	Size/Weight	Grade	Specification
UTTO 10W-30 UNDYED	20L, 205L, 1000L	Mineral	API-GL-4

## UTTO 10W-30 Universal Tractor Transmission Oil Dyed



**Opti-Pail 20L**  
1112-020



**Opti-Barrel 205L**  
1112-205



**Opti-Tote 1000L**  
1112-1000



**Opti-Bulk**  
1112-Bulk



Code	Size/Weight	Grade	Specification
UTTO 10W-30 DYED RED	20L, 205L, 1000L	Mineral	API GL-4

A premium low-viscosity universal transmission and hydraulic fluid specifically designed for use in agricultural transmissions, hydraulics and rear axles, including oil-immersed wet brakes. Using high-quality base oils and exceptional additive technology to provide an advanced lubricant which demonstrates excellent performance characteristics against various stringent test requirements of major equipment manufacturers.

### UTTO LV WB102 Universal Transmission & Hydraulic Fluid



**Opti-Pail 20L**  
1113-020



**Opti-Barrel 205L**  
1113-205



**Opti-Tote 1000L**  
1113-1000



**Opti-Bulk**  
1113-Bulk



**Opti-Cube**  
1113-020BX



Code	Size/Weight	Grade	Specification
UTTO LV WB102	20L, 205L, 1000L	Synthetic Blend	WB102

Premium quality super universal tractor oil manufactured from a blend of select mineral and synthetic base oils and specialised additive technology. Suitable to use in four-stroke petrol and diesel engines, hydraulic systems and transmissions, including equipment with oil-immersed wet brakes. It has a very low pour point and a high viscosity index to help ensure minimal wear when cold starting whilst maintaining an effective lubrication film at elevated temperatures to result in a thoroughly high-performance universal oil capable of performing in severe operations conditions.

### SUTO 10W-40 Super Universal Tractor Oil



**Opti-Pail 20L**  
1121-020



**Opti-Barrel 205L**  
1121-205



**Opti-Tote 1000L**  
1121-1000



**Opti-Bulk**  
1121-Bulk



Code	Size/Weight	Grade	Specification
SUTO 10W-30	20L, 205L, 1000L	Mineral	API GL-4

A premium-quality SUTO which offers superior performance in engines, transmissions, hydraulic and wet brake applications for a wide range of agricultural equipment and farming applications where this grade of oil is required.

### SUTO 10W-30 Super Universal Tractor Oil



**Opti-Pail 20L**  
1120-020



**Opti-Barrel 205L**  
1120-205



**Opti-Tote 1000L**  
1120-1000



**Opti-Bulk**  
1120-Bulk



Code	Size/Weight	Grade	Specification
SUTO 10W-30	20L, 205L, 1000L	Mineral	API GL-4



A monograde fluid to meet the requirements of transmissions found in off-highway, construction and earthmoving equipment. Blended from quality base oils with performance additives, these fluids are designed to provide improved frictional properties, anti-wear performance and oxidation stability, leading to longer equipment life.

### CAT 10W Transmission Fluid TO-4



**Opti-Pail 20L**  
1115-020



**Opti-Barrel 205L**  
1115-205



**Opti-Tote 1000L**  
1115-1000



**Opti-Bulk**  
1115-Bulk



**Opti-Cube**  
1115-020BX



Code	Size/Weight	Grade	Specification
CAT 10W TO-4	20L, 205L, 1000L	Mineral	TO-4

### CAT 30W Transmission Fluid TO-4



**Opti-Pail 20L**  
1100-020



**Opti-Barrel 205L**  
1100-205



**Opti-Tote 1000L**  
1100-1000



**Opti-Bulk**  
1100-Bulk



**Opti-Cube**  
1100-020BX



Code	Size/Weight	Grade	Specification
CAT 30W Transmission Fluid TO-4	20L, 205L, 1000L	Mineral	TO-4

### CAT 50W Transmission Fluid TO-4



**Opti-Pail 20L**  
1105-020



**Opti-Barrel 205L**  
1105-205



**Opti-Tote 1000L**  
1105-1000



**Opti-Bulk**  
1105-Bulk



**Opti-Cube**  
1105-020BX



Code	Size/Weight	Grade	Specification
CAT 50W TRANSMISSION FLUID TO-4	20L, 205L, 1000L	Mineral	TO-4



**LARGE STOCK HOLDINGS ALLOWING YOU TO MAXIMISE YOUR UPTIME AND PRODUCTIVITY.**

### HP AXLE PRO GL-4 Heavy-Duty Transmission Fluid



**Opti-Pail 20L**  
1122-020



**Opti-Barrel 205L**  
1122-205



**Opti-Tote 1000L**  
1122-1000



**Opti-Bulk**  
1122-Bulk



**Opti-Cube**  
1122-020BX



Code	Size/Weight	Grade	Specification
HP AXLE PRO GL-4	20L, 205L, 1000L	Mineral	GL-4

# AUTOMATIC TRANSMISSION FLUID

For more information about our Automatic Transmission Fluid range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)

A high-quality ATF (Automatic Transmission Fluid) for use in automatic transmissions, fluid couplings, torque converters, power steering systems, etc., which specify a fluid to meet GM Dexron II standards.

## ATF DII Automatic Transmission and Power Steering Fluid




**Opti-Jug 5L**  
1325-005



**Opti-Pail 20L**  
1325-020



**Opti-Barrel 205L**  
1325-205



**Opti-Tote 1000L**  
1325-1000



**Opti-Bulk**  
1325-Bulk



**Opti-Cube**  
1325-020BX



Code	Size/Weight	Grade	Specification
ATF DII	5L, 20L, 205L, 1000L	Mineral	Dexron II

A premium automatic transmission fluid (ATF) blended from synthetic base fluids and highly refined mineral oil. For use in automatic transmissions, powershift transmissions, fluid couplings, transfer boxes, trans-axles and torque converters, etc., in accordance with the manufacturer's specifications. Backward compatible with all Dexron II applications, this DIII GM alternative has an increased temperature performance window.


## ATF DIII Automatic Transmission and Power Steering Fluid



**Opti-Pail 20L**  
1350-020



**Opti-Barrel 205L**  
1350-205



**Opti-Tote 1000L**  
1350-1000



**Opti-Bulk**  
1350-Bulk



**Opti-Cube**  
1350-020BX



Code	Size/Weight	Grade	Specification
ATF DIII	5L, 20L, 205L, 1000L	Semi-Synthetic	Dexron III

A premium low-viscosity multi-vehicle automatic transmission fluid designed using advanced synthetic base oils and specialised additive technology to offer combined very high performance and extended drain intervals, which exceed the most demanding requirements of intricate eight and nine-speed automatic transmissions.


### ATF HD MV+ Premium Synthetic Transmission Fluid



**Opti-Pail 20L**  
1360-020



**Opti-Barrel 205L**  
1360-205



**Opti-Tote 1000L**  
1360-1000



**Opti-Bulk**  
1360-bulk



Code	Size/Weight	Grade	Specification
ATF HD MV+	20L, 205L, 1000L	Synthetic	-



**OUR TEAM OF EXPERTS ARE ON HAND TO PROVIDE ANY TECHNICAL SUPPORT NEEDED, CALL 01244 390 528**



## GEAR OILS

A high-performance range of gear oils, from single grades such as the 90 ep gear oil, multi-grades like the 80W90 gear oil and other industrial gear oil blends. All offer ultimate performance throughout the whole driveline, from rear axle transmission through to cranes. All products in our range meet and exceed the latest specifications, including GL-5, alongside an entire series of OEM approvals. Our gear oil range has been developed to work in conjunction with the latest generation of OptimOil engine oils. Each product has been specifically designed to cope with increased demands and higher horsepower. Combined, they offer unrivalled wear protection, fuel economy benefits, and reduced emissions.

For more information about our Gear Oils range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)

A blend of high-quality, solvent-refined mineral base stocks combined with selected performance additives.


### GL-4 80W-90 Mineral Gear Oil



**Opti-Pail 20L**  
1450-020



**Opti-Barrel 205L**  
1450-205



**Opti-Tote 1000L**  
1450-1000



**Opti-Bulk**  
1450-Bulk



Code	Size/Weight	Grade	Specification
GL-4 80W-90	20L, 205L, 1000L	Mineral	API GL-4

### GL-4 90W Mineral Gear Oil



**Opti-Pail 20L**  
1470-020



**Opti-Barrel 205L**  
1470-205



**Opti-Tote 1000L**  
1470-1000



**Opti-Bulk**  
1470-Bulk



Code	Size/Weight	Grade	Specification
GL-4 90W	20L, 205L, 1000L	Mineral	API GL-4

### GL-5 90W Mineral Gear Oil



**Opti-Pail 20L**  
1485-020



**Opti-Barrel 205L**  
1485-205



**Opti-Tote 1000L**  
1485-1000



**Opti-Bulk**  
1485-Bulk



Code	Size/Weight	Grade	Specification
EP 90 GL-5 GEARBOX DIFF	20L, 205L, 1000L	Mineral	API GL-5

### GL-5 80W-90 Mineral Gear Oil



**Opti-Jug 5L**  
1490-005



**Opti-Pail 20L**  
1490-020



**Opti-Barrel 205L**  
1490-205



**Opti-Tote 1000L**  
1490-1000



**Opti-Bulk**  
1490-Bulk



**Opti-Cube**  
1490-020BX



Code	Size/Weight	Grade	Specification
80W-90 GL-5	5L, 20L, 205L, 1000L	Mineral	API GL-5



OUR TEAM OF EXPERTS ARE ON HAND TO PROVIDE ANY TECHNICAL SUPPORT NEEDED, CALL 01244 390 528

85W-140 is a heavy-duty hypoid gear oil and axle lubricant that is formulated for use in a wide variety of gearboxes and axles requiring high levels of extreme pressure (EP) performance to API GL-5 specification in various viscosities. Ideal for tractors, excavators and dumpers.


### GL-5 85W-140 Mineral Gear Oil



**Opti-Pail 20L**  
1550-020



**Opti-Barrel 205L**  
1550-205



**Opti-Tote 1000L**  
1550-1000



**Opti-Bulk**  
1550-Bulk



Code	Size/Weight	Grade	Specification
GL-4 80W-90	20L, 205L, 1000L	Mineral	API GL-5

### GL-4 85W-140 Mineral Gear Oil



**Opti-Pail 20L**  
1552-020



**Opti-Barrel 205L**  
1552-205



**Opti-Tote 1000L**  
1552-1000



**Opti-Bulk**  
1552-Bulk



Code	Size/Weight	Grade	Specification
85W-140 GL-4 WBS	20L, 205L, 1000L	Mineral	API GL-4

A range of Industrial gear oils manufactured from solvent-refined paraffinic base oils and extreme pressure anti-wear technology. The HC-EP range is designed to provide excellent oxidation and corrosion protection in industrial gearboxes, carefully formulated to meet the lubrication requirements of a wide range of enclosed gear tooth configurations such as spur, bevel, helical, double helical, worm, spiral bevel and hypoid.

### 68 EP Mineral Industrial Gear Oil



**Opti-Pail 20L**  
1570-020



**Opti-Barrel 205L**  
1570-205



**Opti-Tote 1000L**  
1570-1000



**Opti-Bulk**  
1570-Bulk



Code	Size/Weight	Grade	Specification
68 EP	20L, 205L, 1000L	Mineral	-






### 100 EP Mineral Industrial Gear Oil



**Opti-Pail 20L**  
1572-020



**Opti-Barrel 205L**  
1572-205



**Opti-Tote 1000L**  
1572-1000



**Opti-Bulk**  
1572-Bulk



Code	Size/Weight	Grade	Specification
100 EP	20L, 205L, 1000L	Mineral	-



OUR PRODUCTS ARE RIGOROUSLY TESTED TO ENSURE WE ARE SUPPLYING QUALITY PRODUCTS.

### 150 EP Mineral Industrial Gear Oil



**Opti-Pail 20L**  
1575-020



**Opti-Barrel 205L**  
1575-205



**Opti-Tote 1000L**  
1575-1000



**Opti-Bulk**  
1575-Bulk



**Opti-Cube**  
1575-020BX



Code	Size/Weight	Grade	Specification
150 EP	20L, 205L, 1000L	Mineral	-


### 150 SYN-HC Synthetic PAO Industrial Gear Oil



**Opti-Pail 20L**  
1578-020



**Opti-Barrel 205L**  
1578-205



**Opti-Tote 1000L**  
1578-1000



**Opti-Bulk**  
1578-Bulk



Code	Size/Weight	Grade	Specification
150 SYN-HC	20L, 205L, 1000L	Synthetic PAO	-

### 220 EP Mineral Industrial Gear Oil



**Opti-Pail 20L**  
1580-020



**Opti-Barrel 205L**  
1580-205



**Opti-Tote 1000L**  
1580-1000



**Opti-Bulk**  
1580-Bulk



**Opti-Cube**  
1580-020BX



Code	Size/Weight	Grade	Specification
220 EP	20L, 205L, 1000L	Mineral	-

### 220 SYN-HC Synthetic PAO Industrial Gear Oil



**Opti-Pail 20L**  
1582-020



**Opti-Barrel 205L**  
1582-205



**Opti-Tote 1000L**  
1582-1000



**Opti-Bulk**  
1582-Bulk



Code	Size/Weight	Grade	Specification
220 SYN-HC	20L, 205L, 1000L	Synthetic PAO	-

### 320 SYN-HC Synthetic PAO Industrial Gear Oil



**Opti-Pail 20L**  
1586-020



**Opti-Barrel 205L**  
1586-205



**Opti-Tote 1000L**  
1586-1000



**Opti-Bulk**  
1586-Bulk



Code	Size/Weight	Grade	Specification
320 SYN-HC	20L, 205L, 1000L	Synthetic PAO	-


### 320 EP Mineral Industrial Gear Oil



**Opti-Pail 20L**  
1585-020



**Opti-Barrel 205L**  
1585-205



**Opti-Tote 1000L**  
1585-1000



**Opti-Bulk**  
1585-Bulk



Code	Size/Weight	Grade	Specification
320 EP	20L, 205L, 1000L	Mineral	-

### 460 EP Mineral Industrial Gear Oil



**Opti-Pail 20L**  
1588-020



**Opti-Barrel 205L**  
1588-205



**Opti-Tote 1000L**  
1588-1000



**Opti-Bulk**  
1588-Bulk



Code	Size/Weight	Grade	Specification
460 EP	20L, 205L, 1000L	Mineral	-


### 460 SYN-HC Synthetic PAO Industrial Gear Oil



**Opti-Pail 20L**  
1589-020



**Opti-Barrel 205L**  
1589-205



**Opti-Tote 1000L**  
1589-1000



**Opti-Bulk**  
1589-Bulk



Code	Size/Weight	Grade	Specification
460 SYN-HC	20L, 205L, 1000L	Synthetic PAO	-

### GL-5 75W-90 Synthetic Gear Oil



**Opti-Pail 20L**  
1480-020



**Opti-Barrel 205L**  
1480-205



**Opti-Tote 1000L**  
1480-1000



**Opti-Bulk**  
1480-Bulk



Code	Size/Weight	Grade	Specification
75W-90 GL-5 FS	20L, 205L, 1000L	Fully Synthetic	GL-5


### Limited Slip GL-5 80W-90 Mineral Gear Oil



**Opti-Pail 20L**  
1590-020



**Opti-Barrel 205L**  
1590-205



**Opti-Tote 1000L**  
1590-1000



**Opti-Bulk**  
1590-Bulk



Code	Size/Weight	Grade	Specification
LS 80W-90 GL-5	20L, 205L, 1000L	Mineral	GL-5

### GL-5 75W-80 Semi-Synthetic Gear Oil



**Opti-Pail 20L**  
1475-020



**Opti-Barrel 205L**  
1475-205



**Opti-Tote 1000L**  
1475-1000



**Opti-Bulk**  
1475-Bulk



Code	Size/Weight	Grade	Specification
75W-80 GL-5 SS	20L, 205L, 1000L	Semi-Synthetic	GL-5

# HYDRAULIC OIL

The OptimOil HLP hydraulic oil range is suitable for most hydraulic systems where high levels of anti-wear and protection are required. The attributes make it suitable for a wide range of applications where machinery lubricants with excellent anti-wear and resistance to degradation in service are required. The HLP 68 and HLP 46 hydraulic oils are formulated using extremely high-quality base oils with additive treatments to provide an excellent service life with protection against corrosion, wear, oxidation, and foaming. Applications can include excavator hydraulic oil, gears and bearings, pumps, and blowers where lubricant rationalisation optimises your costs.

For more information about our Hydraulic Oil range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)

## HLP 10 Mineral Anti-Wear Hydraulic Fluid



**Opti-Pail 20L**  
1005-020



**Opti-Barrel 205L**  
1005-205



**Opti-Tote 1000L**  
1005-1000



**Opti-Bulk**  
1005-Bulk



Code	Size/Weight	Grade	Specification
HLP 10	20L, 205L, 1000L	Mineral	ISO 10

A high-performance oil containing a unique blend of ZDDP-based anti-wear, rust and oxidation additives for use in a wide range of hydraulic applications, as well as providing superior performance as a spindle oil.

## HLP 22 Mineral Anti-Wear Hydraulic Fluid



**Opti-Pail 20L**  
1015-020



**Opti-Barrel 205L**  
1015-205



**Opti-Tote 1000L**  
1015-1000



**Opti-Bulk**  
1015-Bulk



Code	Size/Weight	Grade	Specification
HLP 22	20L, 205L, 1000L	Mineral	ISO 22

A premium quality industrial hydraulic oil, HLP 32 grade. It is manufactured from a blend of solvent-refined mineral oils and a multi-purpose hydraulic oil additive package to ensure maximum performance.

### HLP 32 Mineral Anti-Wear Hydraulic Fluid

Code	Size/Weight	Grade	Specification
HLP 32	5L, 20L, 205L, 1000L	Mineral	ISO 32

Suitable for a wide range of closed loop or total loss hydraulic systems and other industrial applications such as a slideway oil 68. Suitable for a wide range of closed loop or total loss hydraulic systems and other industrial applications such as a slideway oil 68.

### HLP 68 Mineral Anti-Wear Hydraulic Fluid

Code	Size/Weight	Grade	Specification
HLP 68	5L, 20L, 205L, 1000L	Mineral	ISO 68

Fantastic for plants with uses from Volvo BM dumpers to mini digger hydraulic oil. The OptimOil HLP46 product just keeps on delivering in the most rugged conditions in mines, building sites, or with repeated use in other machinery. Our excavator hydraulic oil is made from a blend of solvent-refined mineral oils with a multi-purpose additive to combat corrosion or foaming to ensure the best performance.

### HLP 46 Mineral Anti-Wear Hydraulic Fluid

Code	Size/Weight	Grade	Specification
HLP 46	5L, 20L, 205L, 1000L	Mineral	ISO 46

A premium, very high viscosity index hydraulic oil manufactured from a blend of solvent-refined mineral oil, ultra-shear viscosity index improver and a multipurpose additive system to enhance the temperature and viscosity characteristics in use.

### HVI 32 High Viscosity Anti-Wear Hydraulic Fluid

Code	Size/Weight	Grade	Specification
HVI 32	20L, 205L, 1000L	Mineral	ISO 32

A premium, very high viscosity index hydraulic oil manufactured from a blend of solvent-refined mineral oil, ultra-shear viscosity index improver and a multi-purpose additive system to enhance the temperature and viscosity characteristics in use.

### HVI 46 High Viscosity Anti-Wear Hydraulic Fluid



**Opti-Jug 5L**  
1035-005



**Opti-Pail 20L**  
1035-020



**Opti-Barrel 205L**  
1035-205



**Opti-Tote 1000L**  
1035-1000



**Opti-Bulk**  
1035-Bulk



**Opti-Cube**  
1035-020BX



Code	Size/Weight	Grade	Specification
HVI 46	5L, 20L, 205L, 1000L	Bio-Synthetic	ISO 46


### BIO 46 HETG Biodegradable Hydraulic Oil



**Opti-Pail 20L**  
1045-020



**Opti-Barrel 205L**  
1045-205



**Opti-Tote 1000L**  
1045-1000



**Opti-Bulk**  
1045-Bulk



Code	Size/Weight	Grade	Specification
BIO 46	20L, 205L, 1000L	Biodegradeable-	HETG


### BIO-SYN 46 HEES Synthetic Biodegradable Hydraulic Oil



**Opti-Pail 20L**  
1046-020



**Opti-Barrel 205L**  
1046-205



**Opti-Tote 1000L**  
1046-1000



**Opti-Bulk**  
1046-Bulk



**Opti-Cube**  
1046-020BX



Code	Size/Weight	Grade	Specification
BIO-SYN 46	20L, 205L, 1000L	Synthetic	HEES

### ES Fire Retardant HFDU Synthetic Ester Hydraulic Oil



**Opti-Jug 5L**  
1047-005



**Opti-Pail 20L**  
1047-020



**Opti-Barrel 205L**  
1047-205



Code	Size/Weight	Grade	Specification
ES FIRE RETARDANT HFDU	5L, 20L, 205L	Fire Retardant	HFDU



OUR PRODUCTS ARE RIGOROUSLY TESTED TO ENSURE WE ARE SUPPLYING QUALITY PRODUCTS.

# ANTIFREEZE COOLANT

OptimOil's range of antifreeze coolants has been specifically engineered to offer the ultimate protection for your equipment. Coolants have to work harder than ever before to ensure optimum performance and reliability, and by using OptimOil, you can be sure you are offering the very best coolant solution for your equipment. Our range includes blue concentrate, which is suitable for a wide range of engines, and red concentrate, which provides long-lasting corrosion protection for a minimum of five years.

For more information about our Antifreeze Coolant range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)

An ethylene-glycol-based coolant concentrate which provides effective corrosion and frost protection for up to 2 years.

## Antifreeze Coolant Blue Concentrate MEG



Opti-Pail 20L  
1600-020



Opti-Barrel 205L  
1600-205



Opti-Tote 1000L  
1600-1000



Code	Size/Weight	Grade	Specification
ANTIFREEZE COOLANT BLUE CONCENTRATE	20L, 205L, 1000L	Universal	MEG

## Antifreeze Coolant Red Concentrate Longlife MEG



Opti-Pail 20L  
1625-020



Opti-Barrel 205L  
1625-205



Opti-Tote 1000L  
1625-1000



Code	Size/Weight	Grade	Specification
ANTIFREEZE COOLANT RED CONCENTRATE	20L, 205L, 1000L	Longlife	OAT

### Antifreeze Coolant Green Concentrate HOAT



**Opti-Pail 20L**  
1645-020



**Opti-Barrel 205L**  
1645-205



**Opti-Tote 1000L**  
1645-1000



Code	Size/Weight	Grade	Specification
ANTIFREEZE COOLANT GREEN CONCENTRATE	20L, 205L, 1000L	Heavy Duty	HOAT

A premium engine coolant concentrate that is based on mono ethylene glycol with a 5-year Organic Acid Technology (OAT) inhibitor package. This very versatile coolant can be used in a variety of combustion engine cooling systems in cars, vans, trucks, buses, off-highway, agricultural vehicles and industrial systems. Contains no nitrites, amines, phosphates, borates, silicates and no other mineral additives. Suitable for use as a universal OAT coolant and where Volvo VCS is required.

### Antifreeze Coolant Yellow VCS Concentrate Longlife MEG



**Opti-Pail 20L**  
1650-020



**Opti-Barrel 205L**  
1650-205



**Opti-Tote 1000L**  
1650-1000

Code	Size/Weight	Grade	Specification
ANTIFREEZE COOLANT YELLOW VCS (VOLVO) CONC	20L, 205L, 1000L	Ultra Longlife	VCS

## GREASE

OptimOil stocks a large range of high-performance lubricating grease for demanding applications in the construction, mining, and quarrying plant sectors. Only the highest quality ingredients are used to ensure maximum performance and longevity of your machinery, tractors, dumpers, and excavators. From graphite-reinforced hydraulic hammer grease and white Lithium grease to pin and bush grease or red grease, you can rely on us as a supplier for quality grease in cartridges, tubes, or pails.

For more information about our Grease range, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)



### Lithium EP000 Semi-Fluid Grease



12.5KG  
0510-125



Code	Size/Weight	Grade	Specification
Lithium EP000 GREASE 12.5KG	12.5KG	Lithium	EP000

A high-quality multi-purpose EP2 grease for use on all anti-friction and plain bearings. This popular Lithium-based grease is ideal for dozens of applications with grease guns or a mastic gun. We have more than 10,000 units in stock for delivery UK-wide! Used throughout the plant and construction industry as well as by car mechanics and facilities managers.

### Lithium EP2 Grease 36 X 400G



Code	Lithium EP2 GREASE 36X 400G
Part Number	0500-400
Size/Weight	36 x 400g
Grade	Lithium
Specification	EP2

### Lithium EP00 Semi-Fluid Grease



12.5KG  
0510-125



50kg  
0510-050



Code	Size/Weight	Grade	Specification
Lithium EP00 GREASE	12.5KG, 50KG	Lithium	EP00

### Lithium EP2 Grease Lube Shuttle 12 X 400G



Code	Lithium EP2 GREASE LUBE SHUTTLE 12 X 400G
Part Number	0500-400LS
Size/Weight	12 x 400g
Grade	Lithium
Specification	EP2

### Lithium EP1 Grease



36 x 400G  
0530-400



12.5KG  
0530-125



50kg  
0530-050



Code	Size/Weight	Grade	Specification
Lithium EP1 GREASE	36 x 400G, 12.5KG, 50KG	Lithium	EP1

### Lithium EP2 Grease 20 X 500G Screw-In Cartridges



Code	Lithium EP2 GREASE 20 X 500G SCREW-IN CARTRIDGES
Part Number	0500-400SI
Size/Weight	20 x 500g
Grade	Lithium
Specification	EP2

### Lithium EP2 Grease



12.5KG  
0500-125



50kg  
0500-050



180kg  
0500-180



Code	Size/Weight	Grade	Specification
Lithium EP2 GREASE	12.5KG, 50KG, 180KG	Lithium	EP2

A premium quality multi-purpose Lithium complex EP2 grease for lubricating any anti-friction and plain bearings for use in industrial, plant, or automotive vehicle bearing lubrication. This highly adhesive grease has good performance and offers extended lubrication intervals, even under arduous conditions, extreme pressures, and over wide operating temperature ranges.

### Lithium Complex EP2 Grease 36 X 400G - Red



Code	Lithium COMPLEX EP2 GREASE 36X400G-RED
Part Number	0550-400
Size/Weight	36 x 400g
Grade	Lithium Complex
Specification	EP2

### Lithium Complex EP2 Grease 36 X 400G - Blue



Code	Lithium COMPLEX EP2 GREASE 36X400G-BLUE
Part Number	0551-400
Size/Weight	36 x 400g
Grade	Lithium Complex
Specification	EP2



LARGE STOCK HOLDINGS ALLOWING YOU TO MAXIMISE YOUR UPTIME AND PRODUCTIVITY.



### Lithium EP3 grease 36 x 400g



Code	Lithium EP3 GREASE 36 X 400G
Part Number	0540-400
Size/Weight	36 x 400g
Grade	Lithium
Specification	EP3

### Lithium Complex EP2 Grease Lube Shuttle 12 X 400G



Code	Lithium COMPLEX EP2 GREASE LUBE SHUTTLE 12X400G
Part Number	0550-400LS
Size/Weight	12 x 400g
Grade	Lithium Complex
Specification	EP2



### Lithium Complex EP2 Grease Hugo 36 X 400G



Code	Lithium COMPLEX EP2 GREASE HUGO 36X400G
Part Number	0550-400HG
Size/Weight	36 x 400g
Grade	Lithium Complex
Specification	EP2



### Lithium Complex EP2 Grease 500G Screw In 20 X 500G Red



Code	Lithium COMPLEX EP2 GREASE 500G SCREW IN 20X500G RED
Part Number	0550-400SI
Size/Weight	20 x 500g
Grade	Lithium Complex
Specification	EP2



### Lithium Complex EP2 Grease 500G Screw In 20 X 500G Blue



Code	Lithium COMPLEX EP2 GREASE 500G SCREW IN 20X500G BLUE
Part Number	0551-400SI
Size/Weight	20 x 500g
Grade	Lithium Complex
Specification	EP2

### Lithium Complex EP2 Grease Red



**12.5KG**  
0550-125

**50kg**  
0550-050

**180kg**  
0550-180



Code	Size/Weight	Grade	Specification
Lithium COMPLEX EP2 GREASE	12.5KG, 50KG, 180KG	Lithium Complex	EP2

Our moly Lithium grease is a quality multi-purpose grease for use in roller or ball bearings that are subjected to high load conditions. The molybdenum disulphide ingredient imparts a high degree of wear protection to the grease against load, shock, and dusty environments. This is an EP2 (extreme pressure) grease that is used extensively throughout the industry and the automotive sector.

### MolyLithium EP2 Grease



**36 x 400G**  
0525-400

**12.5KG**  
0525-125

**50kg**  
0525-050



Code	Size/Weight	Grade	Specification
MOLYLithium EP2 GREASE	36 x 400G, 12.5KG, 50KG	MolyLithium	EP2



**OUR PRODUCTS ARE RIGOROUSLY TESTED TO ENSURE WE ARE SUPPLYING QUALITY PRODUCTS.**

Our moly Lithium grease is a quality multi-purpose grease for use in roller or ball bearings that are subjected to high load conditions. The molybdenum disulphide ingredient imparts a high degree of wear protection to the grease against load, shock, and dusty environments. This is an EP2 (extreme pressure) grease that is used extensively throughout the industry and the automotive sector.

### MolyLithium EP2 Grease



Code	Size/Weight	Grade	Specification
MOLYLithium EP2 GREASE	36 x 400G, 12.5KG, 50KG	MolyLithium	EP2

A tenacious grease designed for heavy-duty applications where adhesion, shock loading and good corrosion protection are needed. It has been proven ideal for use on bucket pins on heavy earth-moving equipment, 5th wheels, crane slews, etc. It is also suitable for use as an assembly and running in the compound.

### Pin and Bush Grease



Code	Size/Weight	Grade	Specification
PIN AND BUSH GREASE	12 x 400G, 20 x 500G, 12.5KG	-	PinandBush

### Hammer Grease



Code	Size/Weight	Grade	Specification
HAMMER GREASE	36 x 400G, 20 x 500G	Graphite	Hammer Grease



**LARGE STOCK HOLDINGS ALLOWING YOU TO MAXIMISE YOUR UPTIME AND PRODUCTIVITY.**

A tenacious grease designed for heavy-duty applications where adhesion, shock loading and good corrosion protection are needed. It has been proven ideal for use on bucket pins on heavy earth-moving equipment, 5th wheels, crane slews, etc. It is also suitable for use as an assembly and running in the compound.

### HD Quarry Grease



Code	Size/Weight	Grade	Specification
HD QUARRY GREASE	36 x 400G, 20 x 500G, 12.5KG	-	HD Quarry Grease

### CBS1 Calcium Grease Blue 36 X 400G Hugo



Code	CBS1 CALCIUM GREASE BLUE 36 X 400G HUGO
Part Number	0560-400HG
Size/Weight	36 x 400g Hugo
Grade	Calcium
Specification	CBS1



### HT SYNTH 220 GREASE 50KG



Code	HT SYNTH 220 GREASE 50KG
Part Number	0562-050
Size/Weight	50KG
Grade	Synthetic
Specification	HT SYNTH-220

### HT Synth 460 Grease 36 X 400G



Code	HT SYNTH 460 GREASE 36X400G
Part Number	0565-400
Size/Weight	36 x 400g
Grade	Synthetic
Specification	HT SYNTH-460



### ALU-PLEX Copper Grease 20 X 500G



Code	ALU-PLEX COPPER GREASE 20X500G
Part Number	0570-500SI
Size/Weight	20 x 500g
Grade	Chisel Paste
Specification	ALU-PLEX

### HT Synth 220 Grease 36 X 400G



Code	HT SYNTH 220 GREASE 36X400G
Part Number	0562-400
Size/Weight	36 x 400g
Grade	Synthetic
Specification	HT SYNTH-220



### ALU-PLEX Copper Grease 12 X 400G Lube Shuttle



Code	ALU-PLEX COPPER GREASE 12X400G LUBE SHUTTLE
Part Number	0570-400LS
Size/Weight	12 x 400g
Grade	Chisel Paste
Specification	ALU-PLEX



**Open Gear Grease 2.5 ALU Complex  
36 X 400G**

Code	OPEN GEAR GREASE 2.5 ALU COMPLEX 36X400G
Part Number	0580-400
Size/Weight	36 x 400g
Grade	Open Gear
Specification	ALU COMPLEX



**Longlife PTFE Boom Grease  
36 X 400G**

Code	LOGLIFE PTFE BOOM GREASE 36 X 400G
Part Number	0600-400
Size/Weight	36 x 400g
Grade	Boom Grease
Specification	PTFE



**Pro-Calith EPH2 Grease**

Code	PRO-CALITH EPH2 GREASE
Part Number	0582-125
Size/Weight	12.5kg
Grade	Lithium
Specification	EPH2



**Longlife PTFE Boom Grease 12.5KG**

Code	LOGLIFE PTFE BOOM GREASE 12.5KG
Part Number	0600-125
Size/Weight	12.5kg
Grade	Boom Grease
Specification	PTFE

# COMMERCIAL OILS AND FLUIDS

For more information about our Commercial Oils and Fluids, please contact the team on 01244 390 528 or email [sales@optimoil.co.uk](mailto:sales@optimoil.co.uk)


### 15W-40 E7 Commercial Engine Oil



**20L Drum**  
C1200-020



**205L Barrel**  
C1200-205



**IBC**  
C1200-1000



**Bulk**  
C1200-Bulk



**20L Box**  
C1200-020BX



Code	Size/Weight	Grade	Specification
15W-40 E7	20L, 205L, 1000L	COMMERCIAL	E7


### 10W-30 E9 Synthetic Blend Engine Oil



**20L Drum**  
C1125-020



**205L Barrel**  
C1125-205



**IBC**  
C1125-1000



**Bulk**  
C1125-Bulk



**20L Box**  
C1125-020BX



Code	Size/Weight	Grade	Specification
10W-30 E9 LOW SAPS	20L, 205L, 1000L	COMMERCIAL	E9

### 15W-40 E9 Low Saps Engine Oil



**20L Drum**  
C1225-020



**205L Barrel**  
C1225-205



**IBC**  
C1225-1000



**Bulk**  
C1225-Bulk



**20L Box**  
C1225-020BX



Code	Size/Weight	Grade	Specification
15W-40 E9 LOW SAPS	20L, 205L, 1000L	COMMERCIAL	E9


### 10W-40 E6/E7/E9 Low Saps Engine Oil



**20L Drum**  
C1175-020



**205L Barrel**  
C1175-205



**IBC**  
C1175-1000



**Bulk**  
C1175-Bulk



**20L Box**  
C1175-020BX



Code	Size/Weight	Grade	Specification
10W-40 E6/E7/E9 LOW SAPS	20L, 205L, 1000L	COMMERCIAL	E6/E7/E9

### 5W-30 HD Diesel Engine Oil (ECO)



**20L Drum**  
C1130-020



**205L Barrel**  
C1130-205



**IBC**  
C1130-1000



**Bulk**  
C1130-Bulk



**20L Box**  
C1130-020BX



Code	Size/Weight	Grade	Specification
5W-30 HD (ECO)	20L, 205L, 1000L	COMMERCIAL	-


### CAT 10W Transmission Fluid TO-4



**20L Drum**  
C1115-020



**205L Barrel**  
C1115-205



**IBC**  
C1115-1000



**Bulk**  
C1115-Bulk



Code	Size/Weight	Grade	Specification
CAT 10W TO-4	20L, 205L, 1000L	COMMERCIAL	TO-4

### UTTO 10W-30 Universal Tractor Transmission Oil



**20L Drum**  
C1110-020



**205L Barrel**  
C1110-205



**IBC**  
C1110-1000



**Bulk**  
C1110-Bulk



**Opti-Cube**  
C1110-020BX



Code	Size/Weight	Grade	Specification
UTTO 10W-30 UNDYED	20L, 205L, 1000L	COMMERCIAL	API- GL-4

### CAT 30W Transmission Fluid TO-4



**20L Drum**  
C1100-020



**205L Barrel**  
C1100-205



**IBC**  
C1100-1000



**Bulk**  
C1100-Bulk



Code	Size/Weight	Grade	Specification
CAT 30W Transmission Fluid TO-4	20L, 205L, 1000L	COMMERCIAL	TO-4



### CAT 50W Transmission Fluid TO-4



**20L Drum**  
C1105-020



**205L Barrel**  
C1105-205



**IBC**  
C1105-1000



**Bulk**  
1225-Bulk



Code	Size/Weight	Grade	Specification
CAT 50W TRANSMISSION FLUID TO-4	20L, 205L, 1000L	COMMERCIAL	TO-4


### ATF DIII Automatic Transmission and Power Steering Fluid



**20L Drum**  
C1350-020



**205L Barrel**  
C1350-205



**IBC**  
C1350-1000



**Bulk**  
C1350-Bulk



**Opti-Cube**  
C1350-020BX



Code	Size/Weight	Grade	Specification
ATF DIII	20L, 205L, 1000L	COMMERCIAL	Dexron III

### ATF DII Automatic Transmission and Power Steering Fluid



**20L Drum**  
C1325-020



**205L Barrel**  
C1325-205



**IBC**  
C1325-1000



**Bulk**  
C1325-Bulk



**Opti-Cube**  
C1325-020BX



Code	Size/Weight	Grade	Specification
ATF DII	20L, 205L, 1000L	COMMERCIAL	Dexron II


### GL-5 80W-90 Mineral Gear Oil



**20L Drum**  
C1490-020



**205L Barrel**  
C1490-205



**IBC**  
C1490-1000



**Bulk**  
C1490-Bulk



**Opti-Cube**  
C1490-020BX



Code	Size/Weight	Grade	Specification
80W-90 GL-5	20L, 205L, 1000L	COMMERCIAL	API GL-5

### 150 EP Mineral Industrial Gear Oil



**20L Drum**  
C1575-020



**205L Barrel**  
C1575-205



**IBC**  
C1575-1000



**Bulk**  
C1575-Bulk



**Opti-Cube**  
C1575-020BX



Code	Size/Weight	Grade	Specification
150 EP	20L, 205L, 1000L	COMMERCIAL	150 EP

### HLP 32 Mineral Anti-Wear Hydraulic Fluid



**20L Drum**  
C1000-020



**205L Barrel**  
C1000-205



**IBC**  
C1000-1000



**Bulk**  
C1000-Bulk



**Opti-Cube**  
C1000-020BX



Code	Size/Weight	Grade	Specification
HLP 32	20L, 205L, 1000L	COMMERCIAL	ISO 32

### 220 EP Mineral Industrial Gear Oil



**20L Drum**  
C1580-020



**205L Barrel**  
C1580-205



**IBC**  
C1580-1000



**Bulk**  
C1580-Bulk



**Opti-Cube**  
C1580-020BX



Code	Size/Weight	Grade	Specification
220 EP	20L, 205L, 1000L	COMMERCIAL	220 EP


### HLP 46 Mineral Anti-Wear Hydraulic Fluid



**20L Drum**  
C1025-020



**205L Barrel**  
C1025-205



**IBC**  
C1025-1000



**Bulk**  
C1025-Bulk



**Opti-Cube**  
C1025-020BX



Code	Size/Weight	Grade	Specification
HLP 46	20L, 205L, 1000L	COMMERCIAL	ISO 46

### HLP 68 Mineral Anti-Wear Hydraulic Fluid



**20L Drum**  
C1050-020



**Opti-Barrel 205L**  
C1050-205



**IBC**  
C1050-1000



**Bulk**  
C1050-Bulk



**Opti-Cube**  
1050-020BX



Code	Size/Weight	Grade	Specification
HLP 68	20L, 205L, 1000L	COMMERCIAL	ISO 68

### HVI 46 High Viscosity Anti-Wear Hydraulic Fluid



**20L Drum**  
C1035-020



**Opti-Barrel 205L**  
C1035-205



**IBC**  
C1035-1000



**Bulk**  
C1050-Bulk



**Opti-Cube**  
1035-020BX



Code	Size/Weight	Grade	Specification
HVI 46	20L, 205L, 1000L	COMMERCIAL	HVI 46

## CROSS-REFERENCE CHART

OptimOil	Shell	Total	Fuchs	Morris	Mobil
10W-40 E6,7,9	Rimula R6 LM 10W-40	RUBIA TIR 8900	TITAN CARGO LA 10W-40	HD9 10W-40	Mobil Delvac XHP ESP
15W-40 E9	Rotella T4	RUBIA TIR 7900	TITAN CARGO 15W-40	Versimax HD12 15W-40	Mobil Delvac MX ESP
HLP 32/46/68	Tellus S3 M	Azolla ZS	RENOLIN B	Triad Hydraulic Oil	Mobil Hydraulic AW
80W-90 GL-5	Shell Spirax S3 AX	TRANSMISSION TM 80W-90	TITAN GEAR HYP 80W-90	EP 80-90 GL-5	Mobil Hydraulic AW Series
Dexron II	Spirax S2	FLUIDMAX ATX	TITAN ATF 3000	Liquimatic DII Transmission Fluid	Mobil ATF 220
EP2 Greases	Gadus S2	MULTIS EP	RENOLIT EP	K42 EP Grease	Mobilux EP 2
CAT 10W/30W/50W	Spirax S4 CX	DYNATRANS AC	TITAN UTTO TO-4	Terrain CT	Mobiltrans HD
UTTO 10W-30	Spirax S6	DYNATRANS MPV	TITAN UTTO WB	Agrimax JDF Transmission Oil	Mobiltrans HD 10W



**YOUR DEALER**



**OptimOil**

CHURCHES VIEW FARM, KELSALL ROAD,  
ASHTON, CHESTER CH3 8BH

**01244 390528**

**ORDERS@OPTIMOIL.CO.UK**

