

Breckon

CATTLE EQUIPMENT



Product Catalogue

Owned & Manufactured by



Gregory
Fabrications

(07) 4983 1688

BCE@gregoryfab.com.au

www.breckoncattleequipment.com.au



From The Owners

The Breckon Cattle Equipment Team have worked hard over the years, with 2025 marking the 40th Anniversary of the brand. During this time, we are proud of the positive impacts our equipment has had on the individual operations of our clients, as well as the role we have played in Australia's Beef Cattle Industry as a whole.

We believe that our 40 years of experience, which includes monitoring, testing and obtaining client feedback on our equipment, allows us to provide our clients with products that last the test of time and handle the harsh environments we work in on the land. Keeping animal welfare in mind during design, as well as ergonomic and efficient use for the operator, our equipment works hard in the yards so you don't have to and streamlines your processing times.

Innovation is one of the main drivers behind Breckon Cattle Equipment, as we always look to improve ourselves regarding both our equipment designs and our manufacturing and other internal processes. With that in mind, not only do we monitor market demands and present design features to ensure we are at an industry standard, we strive to offer our clients products above and beyond this level. This is only possible thanks to open and honest feedback from our clients, both good and bad, so we can be confident that the equipment we are providing will be an asset to your operation.

If you have any queries regarding our products, or would like to provide feedback, please do not hesitate to contact us on (07) 4983 1688.

We look forward to seeing what the next 40 years bring for Breckon Cattle Equipment.

Jarrod & Caitlin Humphreys,
and family



Contents

- 1 - FROM THE OWNERS
- 3 - INTRODUCTION/VISION
- 4 - THE BIG RED RANGE
- 5 - BIG RED 28' BASIC WEIGHING CRUSH
- 6 - BIG RED MANUAL VEE SQUEEZE CRUSH
- 7 - BIG RED 3 FEATURE PNEUMATIC WEIGHING CRUSH
- 8 - BIG RED STANDALONE HEAD BAILS
- 9 - BIG RED MANUAL CALF & WEANER CRADLES
- 10 - COMPLETE BRANDING SETUP
- 11 - BIG RED PNEUMATIC BRANDING CRADLE
- 12 - THE TOP ENDER RANGE
- 13 - TOP ENDER BASIC WEIGHING CRUSH
- 14 - TOP ENDER PARALLEL SQUEEZE CRUSH
- 15 - TOP ENDER HYDRAULIC CRUSH
- 16 - CRUSH FEATURES
- 17 - CRUSH OPTIONS
- 18 - DRAFTS
- 19 - LANE DRAFTS
- 21 - FEEDING EQUIPMENT
- 22- JUMBO HAY FEEDER
- 23 - GRAIN FEEDERS
- 24 - OTHER EQUIPMENT
- 25 - LOADING RAMP
- 25 - STEEL PLUNGE DIP



Introduction

Gregory Fabrications and Breckon Cattle Equipment are family-owned and operated businesses based in Clermont, Queensland. Run side by side, Breckon Cattle is able to capitalise on Gregory Fabrication's superior engineering workshop when manufacturing their equipment.

Our Ranges:

- The Big Red Range - Manual and Pneumatic Calf & Weaner Cradles, and Crushes
- The Top Ender Range - Manual and Hydraulic Crushes, Hydraulic Calf Cradles
- Feeding Equipment, including Hay Feeders and Grain Feeders



Our Vision

To be recognised by our customers as a company that continually strives to be a leader in the rural industry through innovation and value-for-money for our products.

We will achieve this through our dedication to our customers, continued research and development, and working with our customers to follow market trends.





The Big Red Range

TOUGH ENOUGH TO TAKE
THE 'HARD' OUT OF HARD
WORK

Big Red 28" Basic Weighing Crush

FEATURES

- Legendary Big Red Head Bail featuring single action catch and release
- 28" walk through
- Basic squeeze
- Full vet section
- Telescoping rear slide
- Heavy-duty spring-loaded catches
- Fully greaseable
- Weigh scale mounts customisable to your chosen brand of scale
- Full Chequer Plate floor with cleats
- Neck extenders and head immobiliser to increase efficiency when working at the head
- Allows single handler operation

A rugged, no-frills crush for simple & efficient working

OPTIONAL EXTRAS

- Humping Bar
- Rear Slide control
- Head Bail Catch at rear
- Baulk Gates
- Manual Supa Scooper
- Scanning Panel
- Gate for semen testing
- Lengthened Head Yokes (recommended when handling large bulls)

DIMENSIONS

- Height: 2,900mm
- Length: 3,100mm
- Width: 1,700mm

EASY ACCESS TO ANIMAL FOR

- Cross branding
- Pregnancy testing
- De-horning (Scoops or Keystone)
- Other tasks around the head



Big Red Manual Vee Squeeze Crush



AVAILABLE IN TWO SIZES - 28" OR 34"
TWO MODELS - COMMERCIAL OR FEEDLOT

FEATURES

- Heavy-duty construction using 3mm and 5mm steel
- Full walk-through head bail and vet section
- Parallel bail catch
- Vee squeeze into 17"
- Head restraint and neck extenders for easy access to the head
- Replaceable ratchet/handle
- Heavy-duty spring-loaded catches with solid striker plates
- Telescoping rear slide (single or double slide options)
- Full Chequer Plate floor with cleats
- Sikaflex sealed and 2-pac painted
- Allows single handler operation

EASY ACCESS TO ANIMAL FOR

- Cross branding
- Pregnancy testing
- Spaying
- Scrotum Inspection
- Semen testing
- De-horning (Scoops or Keystone)

OPTIONAL EXTRAS

- Humping Bar
- Rear Slide control
- Head Bail Catch at rear
- Baulk Gates
- Manual Supa Scooper
- Scale Mounts (customisable to your chosen brand)
- Lengthened Head Yokes (recommended when handling large bulls)

A reputation as
solid as it is made

DIMENSIONS

- Height: 2,900mm
- Length: 3,500mm
- Width: 1,700mm
- Weight: 900kg



Big Red 3-Feature Pneumatic Weighing Crush

FEATURES

- 3 Pneumatic features - Head Bail, Rear Slide and Top Squeeze
- Heavy-duty construction using 3mm and 5mm steel
- Reinforced 5mm Chequer Plate floor with cleats
- Fully greaseable
- Full walk-through crush, with full vet section
- Scale mounts to suit chosen brand of scales
- Two different hinge point options on the bottom of Vee
- Head restraint and neck extenders for maximum exposure and easy access
- Toggle switch controls on a swinging arm
- Minimum 25 CFM or 710 LPM to operate
- Air reservoir
- Replaceable bushes
- Sikaflex sealed and 2-pac painted
- Air products sourced through SMC Air Products

Typically used in
Commercial Herds
& Bull Depots

AVAILABLE IN 28" OR 34"



OPTIONAL EXTRAS

- Timber Insert for panel reader (forfeit a gate)
- Humping Bar
- Pneumatic Bulk Gates
- Pneumatic Scoop
- Remote Control
- Pedestal Control Stand rather than swinging Control Arm
- Pneumatic Kick Around Gate (will make a 4-feature crush)

DIMENSIONS

- Height: 2,900mm
- Length: 3,400mm
- Width: 1,700mm
- Weight: 1000kg




Big Red Standalone Head Bails

- Available in 28" or 34" sizes
- Adaptable to any kind of crush
- Heavy-duty construction using Australian steel
- Neck restraint and extenders for maximum access at head
- Bisalloy ratchet and pawl linkage
- Quick-release handle with a single action
- Manual Head Bail allows single handler operation
- Pneumatic Head Bail includes swinging arm Control Panel



**BIG RED STANDALONE HEAD BAIL
MANUAL**

**BIG RED STANDALONE HEAD BAIL
PNEUMATIC**



Big Red Manual Calf & Weaner Cradles



FEATURES

- Adjustable non-slip ratchet catch
- Adjustable loin clamp
- Working platform with rubber stoppers (no need for a tyre)
- Helper spring to assist with lifting the cradle once animal has moved off
- When consistently processing animals approximately 300kg or less, Calf Cradle is recommended

OPTIONS

- Full Calf or Weaner Branding Setups
- Calf or Weaner Combo (Cradle, Waiting Pen & Back Stop)
- Standalone Cradles
- Standalone Back Stop available to inhibit damage to springs and hinges



Big Red Pneumatic Branding Cradle



Our Pneumatic Branding Cradles have proven reliable and are successful at lightening the intensity of physical work in the yards, improving processing times

FEATURES

- Inclusive of Waiting Pen and Cradle
- Designed to handle large volumes of stock
- 25 CFM or greater required to drive Cradle
- Chequer Plate platform, with fold down front platform
- Waist-height tipping table to reduce continuous bending
- Adjustable loin clamp
- Option to use leg rope
- Opens fully to allow beast to move out
- Swing arm Control Panel
- Isolation switch
- Quick functions with adjustable speed control
- Easy access to head for tagging and marking
- When consistently processing animals approximately 300kg or less, Calf Cradle is recommended

DIMENSIONS

Calf Cradle

- Height: 2,700mm
- Length: 4,400mm
- Width: 2,000mm

Weaner Cradle

- Height: 2,800mm
- Length: 4,650mm
- Width: 2,070mm

Top Ender Range

DESIGNED BY VETS, BUILT BY
TRADESMEN, TESTED BY
CATTLEMEN

**BRECKON
TOP ENDER
CRUSH**

**MANUFACTURED
AND OWNED BY
GREGORY FABRICATIONS
CLERMONT 07 4983 1688**

**TOP ENDER
CRUSH**

Top Ender Basic Weighing Crush



FEATURES

- Full 30" walk through
- Upgraded single-action Head Bail
- Quick catch and release
- Bisaloy ratchet and pawl
- Full neck restraints
- Fully greaseable
- Full set of working gates, including full vet section and Kick Around Gate
- Heavy-duty spring-loaded catches
- Scale mounts to suit your chosen brand of scale

OPTIONAL EXTRAS

- Humping Bar
- Rear Slide control
- Bulk Gates
- Manual Supa Scooper
- Scanning Panel

DIMENSIONS

- Height: 2,300mm
- Length: 3,100mm
- Width: 1,600mm
- Weight: 700kg



Top Ender Parallel Squeeze Crush

FEATURES

- Full 30" walk through
- Upgraded single-action Head Bail
- Quick catch and release
- Bisaloy ratchet and pawl
- Full neck restraints
- Fully greaseable
- Full set of working gates, including full vet section and Kick Around Gate
- Parallel Squeeze
- Telescoping Rear Slide
- Heavy-duty spring-loaded catches
- Scale mounts to suit your chosen brand of scale

OPTIONAL EXTRAS

- Humping Bar
- Rear Slide control
- Bulk Gates
- Manual Supa Scooper
- Scanning Panel

DIMENSIONS

- Height: 2,300mm
- Length: 3,100mm
- Width: 1,600mm
- Weight: 700kg



Top Ender Hydraulic Crush

FEATURES

- 3 Hydraulic Features - Head Bail, Parallel Squeeze & Rear Slide
- Full 30" walk through
- Double rear slide gate
- Full set of working gates, including full vet section
- Head restraints with neck extenders
- Full floor built for weigh scales
- Hydraulics driven by Petrol or Electric Power Pack
- 8m of hydraulic hose to keep noise from Power Pack distant from work area

OPTIONAL EXTRAS

- Humping Bar
- Balk Gates
- Hydraulic Supa Scooper
- Hydraulic Kick Around Gate

DIMENSIONS

- Height: 2,300mm
- Length: 3,030mm
- Width: 1,700mm



Top Ender Hydraulic Calf Cradle



FEATURES

- Table tip for easy working
- Easy access to beast for cutting, branding, and working at the head
- Compact in size, can fit into any yards
- Ideal for permanent mounting
- Swinging arm control panel
- Manually adjustable loin clamp
- **Waiting pen included**

POWER PACK DETAILS

- Honda Petrol Power Pack or Electric Power Pack options
- Power Pack trolley mounted for easy moving
- 40L oil tank
- Filtered system
- Quick couplers
- Fitted with 10m of extension hose to allow the power pack to be placed away from working area



DIMENSIONS

- Length (incl. pen): 3,310mm
- Width (cradle): 1,460mm
- Width (pen): 510mm



Customisations

FOR BIG RED
&
TOP ENDER CRUSHES

**BRECKON
TOP ENDER
CRUSH**

**MANUFACTURED
AND OWNED BY
GREGORY FABRICATIONS
CLERMONT 07 4983 1688**

**TOP ENDER
CRUSH**

Crush Features



Neck extenders to ensure the head is presented for easier work



20mm Bisalloy Ratchet



Heavy-duty Spring Latches & Striker Plates



Single-action Handle



Flat-edged Vee at the base of the yokes for a clean catch without catching hooves



Crush Options



Baulk Gate (Manual or Pneumatic)



Supa Scoop (Manual, Pneumatic or Hydraulic)



Timber insert



Double Acting Slide Gate

NEW!
 Now available:
 Rubber floor
 matting - ask us
 about the options
 available



Rear Slide Control & Rear Head Bail Catch



Kick Around Gate (Manual, Pneumatic or Hydraulic)





Drafting

MANUAL & PNEUMATIC,
3-WAY & 5-WAY

Lane Drafts

FEATURES

- Heavy-duty 5mm RHS steel frame
- Heavy-duty 3mm RHS steel frame for working gates
- Heavy-duty hinges
- Rubber stoppers on swinging gates
- Fully sheeted using 1.6mm sheet
- Working gates at the front of the crush

MANUAL OPTIONS

- Draft on the ground operation
- Drafting from a crow's nest
- Upgrade to the feedlot version

PNEUMATIC OPTIONS

- Operate as standalone or off the crush
- Automatic drafting
- Upgrade to the feedlot version





MANUAL LANE DRAFT



PNEUMATIC LANE DRAFT



PNEUMATIC AUTO DRAFTER (FEEDLOT)





Feeding Equipment

Jumbo Hay Feeder



FEATURES

- Fit two round bales at 1.8m each
- Full length trays to catch extra hay and reduce wastage
- Cattle can feed full 360 degrees, or alternatively the ends can be sheeted
- Spacing between bars allows for easy access to the hay without the animal getting caught
- Skid-mounted for easy moving
- Manufactured using 50x50x3mm RHS, 40NB med wall pipe, and 1.6mm sheet for the trays

Built to feed large volumes of cattle ranging from weaner to adult size

DIMENSIONS

- Length: 3.1m
- Width: 2.13m
- Height: 2m



Grain Feeders



Regulated feeding
for better results

FEATURES

- Heavy-duty construction
- Easy loading
- Skid frame mounted making moving easy
- Lids operated with one handle
- Design provides good protection over the troughs (from excessive sun or poor weather)
- White painted troughs and overhangs to lighten up feeding area
- Good control on slides to regulate feeding
- Designed to feed animals of varying size, from calves to bulls
- Firm lid-locking device
- Site glass and ladder built in for easy observation
- Finished with a high-quality, protective coating using 2-pac paint system

OPTIONS

- 8ft (holds 3-4t)
- 16ft (holds 6-8t)
- Painted or Galvanised
- 'Sundance' Grain Feeder - 8ft or 16ft

DIMENSIONS

8ft Feeder

- Length: 2,500mm (8ft)
- Width: 2,600mm
- Height: 2,200mm
- Weight: 350kg

16ft Feeder

- Length: 5,000mm (16ft)
- Width: 2,600mm
- Height: 2,200mm
- Weight: 700kg



Other Equipment



Steel Plunge Dip



FEATURES

- Supplied as a complete kit - Dip, hard wood Walkout, Roof, Splash Guard
- The Dip is manufactured as a single piece with all joints and seams fully welded, ensuring structural integrity and simplified installation
- Installation of the Walkout, Roof and Splash Guard can be done on site
- The Roof and Splash Guard channels are positioned 2m higher than the Dip to prevent ground pressure and reduce the risk of potential cave-ins
- Prior to installation, we recommend for sand to be placed beneath the Dip and used for backfilling under the Walkout and along the sides, particularly in clay and black soils

SPECIFICATIONS

- 6mm thick stainless steel used for construction of Dip component
- Dip component fully welded (single-piece fabrication)
- External walls are ribbed horizontally and vertically with stainless steel flat bar
- Heavy-duty hardwood timber used for Walkout
- Splash Guard extends 2m above the waterline (manufactured using 1.6mm stainless steel)

OPTIONS

- 1,200mm wide (internal measurement)
- 1,500mm wide (internal measurement)

DIMENSIONS

- Overall Depth: 2.4m (allowing 2.1m water depth)

Trench Requirements (approx.)

- Length: 11.5m
- Width: 2.1m
- Depth: 2.5m



Loading Ramps

FEATURES

- Highly customisable
- 2 Batts Gates
- Platform at front of ramp
- Walkway on chosen side
- Heavy duty construction to ensure longevity

OPTIONS

- Single Deck or Double Deck
- Single or double slide gate at the base



Pricing pending requirements due to highly customisable nature.







Location: Lot 9 Gregory HWY, Clermont QLD 4721
Ph: (07) 4983 1688 | **Email:** bce@gregoryfab.com.au
Website: www.breckoncattleequipment.com.au
Find us on **Facebook, Instagram & TikTok**