

SMART PARKING METER

Unattended Revenue Collection: Credit, Bills, Coins (no change) Payment at Start of Parking – No Gates

- CloudEASE is the 24/7 parking management software that allows for manage multiple rate structures & coupons.
- Sunlight readable display offers customizable text, multiple languages & easy navigation.
- Illuminated numeric keypad improves usability in low-light conditions. Includes Numeric and Alpha Keypad for Pay By Plate Mode.
- Processes real-time payments via EMV reader (mag stripe, chip, and tap/NFC).
- Use coupons to provide printed or JPG images that you may email for parking validation and discounts.
- Prints up to 9,500 receipts per paper roll. Receipt printing may be automatic or optional.
- Continues to operate in off-line mode in case of network loss.
 Optional credit-card off-line approvals will submit connection is reestablished.
- Print audits and perform self-diagnostic tests.
- UPS backup protects electronics and provides stable current.
- Include a thermostatically controlled heater or dehumidifier.
- Stainless steel cabinet is powder coated, multi-point security locks and concealed hinges.
- Slim profile: 11" deep (28cm). Fits in narrow places.
- Custom branding: corporate colors, logo and customized text.

OPTIONS

- Option to accept payments via bills & coin (no change given).
 Vaults have locks to secure in cabinet and a second lock/key to open the vault.
- Add a 4G Modem System & network service.
- Add an intrusion alarm that monitors unauthorized door opening.
- 2D scanner reads QR codes and phone screens.
- Optional secondary document print, such as a coupon in addition to a receipt.
- Add P-123 pay-by-phone option in conjunction with machine.
- Add P-123 Validation (web or handheld with printer)
- Add Lot Open & Dynamic Rate Signage (Small or Big)
- Add Cameras & NVR
- Add Call for Assistance: Audio or Audio & Video
- Integrate with Third Party APIs






CloudEASE™







Receipt Setup/Preview On-line



Site Map



Complex Rate Configurations, Update real-time









Bills, Coins, EMV Card Reader & Tap Bills, EMV Card Reader & Tap







TECHNICAL SPECIFICATIONS

Cabinet Size 60" x 15" x 12" (152.4cm x 38cm x 32.4cm) (l x w x d)

Housing Stainless steel with powder coating

Locks Drill resistant exterior lock + separate coin vault lock & bill vault lock

Operating Temp 32°F to 150°F (-0°C to 65°C). -40°F/C with optional heater

Relative Humidity 97%

Power 120VAC, 60Hz, 5A with backup battery

Weight 225lbs (102kg) without UPS/battery.

Printer Thermal paper roll, 9,700 tickets max, 7,300 average ticket length

Display Sunlight readable LCD

Card Reader USA: EMV (chip, magnetic stripe, tap), Canada: EMV+ Interac + PIN

Warranty 1-year parts warranty

Certifications CSA, PCI, ADA & AODA Compliant