FAMOUS **TOLEDO** EXCELLENCE BY DESIGN

NEW Hex Key Sets

Ball end allows 25° angled access

Chamfered, precise tips

• 180° rotating blades

 Ergonomic dual-composite handle Blade separators for easy access Durable heavy-duty steel

320994 8 piece Metric 1.5, 2, 2.5, 3, 4, 5, 6, 8mm

320995 9 piece Imperial 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

T9, T10, T15, T20, T25, T27, T30, T40

Long arm for leverage, short arm for tight spaces

Heavy-duty SNCM-V steel with UltraShield finish

Stubby **Metric** 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Long **Metric** 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm **320993** Long **Imperial** 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

HOT TOOL FAMOUS TOLEDO EXCELLENCE BY DESIGN TOUTOOL SPECIALS





TOLEDO

\$269^{.00} **Ball Joint C Frame** Press Kit 311019 10 Piece • For the removal and installation of ball joints including brake anchor pins and tail shaft U joints Universal tool applicable for AWD, FWD & RWD passenger and light commercial vehicles Includes various sleeves and adaptors for pressing or to draw bushes Max load: 4 tonnes

\$52.00

\$52.00

0

0

0 \$29.00

\$24.00

\$24.00

320994





D-Sub Deutsch 4 Way Indent Crimpers

- Crimps round barrel contacts, pins or sockets
- Built in locator ensures accurate positioning of the pin and socket prior to crimping
- Handy tool for Harley-Davidson and Caterpillar

Part No.	Туре	
321024	AWG 26-20, 0.14-0.5mm ²	
321025 AWG 20-12, 0.5-4.0mm		
321093	AWG 16-18, 1.5-1.0mm ²	
321094 AWG 20-22, 0.5-0.3m		
321854	AWG 12-14, 4.0 - 2.5mm ²	



\$149.00 NEW



Cleaning Gun 305168 High Velocity

- Ideal for various cleaning applications including vehicle interior & exterior detailing, floor mats, upholstery, door jams and engine bay detailing
- The cleaning solution combined with the fine mist agitates and lifts dirt and grime without saturating the surface
- · Capacity: 1 Litre



Technician's Knives

Drive Shaft Removal Fork Set

• For the removal of drive shafts in most front wheel drives

2 Piece 306990 350mm

• Fork Capacity: 50mm

- Designed for electricians and technicians
- Suitable for heavy duty cutting including wire insulation, rope twine, belting, hoses, leather, linoleum, carpet and tape
- Folding design for portability
- Features safety locks that auto deploy when opened

Part No.	Blade Style	Blade Length	PRICE
321510	Utility Blade (Trapezoid)	60mm	\$35.00
321511	Hawkbill	70mm	\$43.00



Cylinder Head Straight Edge

- Professional straight edge tool for inspecting distorted cylinder heads and engine blocks
- Manufactured from heavy duty rolled steel
- Overall length: 610mm
- Thickness: 6mm



Made in Japan

Centre Punch

321040 Automatic 160mm

Simply adjust to desired spring

tension, press firmly against work

piece for automatic centre punch



AUTOMOTIVE · AUTOMOTIVE

\$309.00 NEW!

Brake Anchor Pin Press 245505

- Firm close-packed C-frame design allows service to anchor pins and bushes without $removing\ hubs\ and\ heat\ shields$
- Capacity: 53mm
- Length: 150mm





Cylinder Hones Engine Cylinder Hone Triple Leg • This comprehensive specialist tool is designed for honing and deglazing engine cylinder bores • Three legs featuring 100mm long, medium grit hone stones remove glaze in engine bores

Part No.	Overall length	Bore capacity	PRICE
301044	365mm	50-135mm	\$77.00
301046	210mm	25-64mm	\$21.00

\$Q.00

Windscreen Washer Tool Nozzle Cleaning Needle 301164

- Universal double ended windscreen washer jet cleaning and adjustment tool
- Handy pocket clip style with knurled body
- Overall length: 95mm, Needle size: Ø0.60mm



\$124.00

NEW!

Exhaust Gas Temperature Sensor Socket Set

- 301561 6 Piece
- Specific socket set for removing exhaust gas temperature sensors (EGT)
- Includes single hex sockets in offset shallow and straight $deep\ configuration$
- Square drive: 3/8"
- Size: 13, 14, 17mm



NEW!

Wire Insertion Tool Set 302049 5 Piece

- Ideal for feeding wire through protective sheaths, firewalls and interior door trims
- Overall Lengths: 100 and 200mm
- Extension Openings: 6 and 11mm



\$39.00

- Unlocks and removes push tab
- Reach: 70mm
- Jaw opening: 0-50mm
- Overall length: 200mm



Engine Oil Pressure Test Kit 304512

- Suitable for diagnosing low engine oil pressure issues and worn oil pumps
- Includes adaptors: 3/8" NPT, 1/4" NPT, M8, M10, 1/8" NPT and 90° elbow
- Supplied in a heavy duty case

\$49.00

Wiper Arm Puller

304997 Adjustable

- Ideal for removing stubborn wiper arms
- Spread: 15-40mm
- Reach: 38mm





\$219^{.00}

Drive Pulley Spanner Set 304047 15pc

- Ideal for holding, removing and tightening damper, crank, power steering pump, alternator, radiator fans and difficult to access
- Metric 12 Pt: 12, 13, 14, 15, 16, 17, 18, 19mm
- E-Star: E10, E12, E14, E16, E18
- Overall length: 440mm

Electrical Disconnect

Pliers 302124 200mm

- connectors





- Professional tool for measuring internal diameter of cylinder bores
- Essential for engine rebuilding and modifications
- Check for taper, out of round and oversize measurements

Oil Drain Plug Socket Set

305398 18 Piece

- Universal oil drain plug set ideal for servicing transmissions, transfer cases, differentials, oil reservoirs
- 3/8" Square drive sockets
- Overall Socket Lengths: 36mm

Low Pressure Fuel Tester

• Professional kit designed for inspecting and diagnosing low-pressure diesel

307019 Diesel

fuel systems • Includes ten quick-connect fuel line adaptors and two pressure gauges for accurate readings (-1-5 bar and -1-15 bar)





- Specialty socket set kit to assist with the disassemble and repair of Bosch VE, VP EDC TDI & CR VP 37 Injection pumps
- 1/2" Square Drive Sockets



Cooling System Tester Truck 308380 Tapered Adaptor 5 Piece

- Universal cooling system tester set suitable for heavy vehicle applications including four expandable tapered adaptors and pressure pump
- Pressure pump ranges from 0-35psi (0-2.5bar)
- Adaptor sizes: 17-35mm, 26.5-41mm, 37-50mm & 47-60mm

2.00

Antifreeze Tester

308499 Ethylene Glycol

- Designed for testing ethylene glycol based coolant and also suitable for OAT (Organic Acid Technology) antifreeze
- Temperature range: -37°C to -7°C







Cooling System Vacuum Purge Kit 308500

Master 36 Piece

- Enables cooling system pressure testing, radiator cap pressure testing and cooling system purge and refill
- Vacuum purge allows the evacuation of air pockets in cooling system after service or repairs



Wheel Stud Installer Kit 309251

- Easily install wheel studs
- Self-centering bearing and nuts avoid misalignment
- Sizes: 7/16" x 20, • 1/2" - 20 UNF,
- M12 x 1.25, M12 x 1.5, M12 x 1.75, M14 x 1.5



Disc Brake & Tyre Depth Gauge

310020 0-60mm

- Measure brake disc thickness or tyre tread depth
- Floating jaw enables to be removed from disc while retaining reading • Robust aluminium construction





\$9.00



Brake Spring Compressor 310256

- For removing and installing brake shoe retaining springs on vehicles with drum brakes
- Notched design for washers with
- Suitable for most retaining rings Suits 8 - 24mm washers



AUTOMOTIVE · AUTOMOTIVE

\$39.00

Brake Spring Pliers 310257 Heavy Duty

- Used to remove and install brake shoe retaining springs on most drum brakes (where the return spring hooks over a post)
- Socket end removes spring from anchor stud and notched end installs



Brake Pin Punch Set 310275 2 Piece

- Removes brake pad retaining pins without damaging caliper
- Size: Ø 5.5mm & Ø 6mm
- Overall Lengths: 165mm



Brake Caliper Ratchet Tool 310377 40 - 65mm

- Easily retracts the brake piston during brake pad replacement
- Ideal for use on single, twin and quad piston fixed or floating type
- Applications include: ATE / Bendix / Delco / Brembo and Girling



\$94.00 NEW!

Strut Nut Socket Set 311027 8pc

- Disassembles front and rear suspension struts
- Features three Macpherson strut nut tools
- Special top nut sockets for popular VAG models



\$169.00 NEW!

Pitman Arm Spreader 311028


- Effectively remove Pitman arms
- Spread: 25-50mm
- Reach: 58mm



つ.00

- Professional brake lining thickness gauge
- Manufactured from heavy duty plastic (ABS) to prevent any scratching or damage
- Blades marked in Metric and Imperial (301308)








Pipe/Tube Bender 320990 425mm

- Bends copper, brass, aluminium and mild steel tubing
- Knurled handles for maximum grip and comfort • Sizes: 1/4", 5/16", 3/8", 1/2"
- Overall Length: 425mm



Universal Spanner **Extenders**




for increased leverage Made in Germany

Part No.	Overall length	Bore capacity	PRICE
321045	340mm	50-135mm	\$109.00
321047	600mm	25-64mm	\$289.00



Oil Seal Puller 321098 Adjustable

- Ideal for the removal of grease seals, o-rings, oil seals at multiple angles
- Fully adjustable 180° Head
- Overall Length: 280mm



Hose Clamp Pliers 321266 Thin Jaw

0

- For installation & removal of Clic type irrigation clamps
- Clamp range: 12 36mm
- Overall Length: 180mm







321853 Pass Through

- Fits over hoses up to a capacity of 50mm
- Overall Length: 350mm
- Jaw Capacity: 0-125mm



\$59.00

Automotive File Set TFR250B 4 Piece

- Specially created file set to cater for automotive use
- Includes 2nd cut round, half round, square and bastard cut flat
- Length: 250mm





Ratcheting Crimping Pliers 302021 Standard 220mm

- Heavy duty ratcheting crimping pliers for fast, efficient and easy crimp work
- Designed to achieve correct compression and superior electrical connection
- Crimp range: 0.5-1, 1.5-2.5, 4-6(mm²) - 22-18, 16-14, 12-10
- Overall length: 220mm



\$89.00



302191 Digital LCD 6-24 Volt

- Trade quality circuit testing tool with unique digital LCD display that provides an accurate voltage value of the circuit • LED indication lights illuminate green for ground and red for
- Flexible cord: 700-3000mm
- Voltage range: 6-24V (DC)



Oil Filter Remover

305021 3 Jaw

- Adjustable 3 jaw oil filter remover suitable for 60-120mm diameter filters
- Includes 1/2" to 3/8" square drive reducer adaptor
- Suitable for loosening and tightening oil filters



Tyre Lever 309035 600mm

- Heavy duty 600mm tyre lever to easily remove and refit tyres on to rims
- Manufactured from hardened and tempered drop forged chrome vanadium steel





Brake Bleeder & Fluid Extractor 310005 1 Litre

• Air operated brake bleeder simplifies bleeding of brake and clutch systems in automotive applications



CV Boot Installation Tool 311018

- Specialised tool designed to stretch the CV boot over the CV joint without the need to dismantle the CV shaft
- Suitable for most CV boots









GENERAL TOOLS · GENERAL TOOLS

\$199.00

Rolled Head Pry Bar Set

321076 Adjustable 3 Piece

- High leverage design with smooth curved head
- Adjustable head 180° permits prying and lifting in confined area
- Lengths: 200mm, 250mm & 330mm









\$58.00

Stock Knife

SK5 Single Blade 225mm

- Stainless steel blade with locking function
- 420 stainless steel with leather pouch
- Handle: Wood & Steel
- Blade Length: 100mm
- Overall length (blade open):



Outdoor Knife

FHK1S 200mm

- Stainless steel blade supplied with heavy duty plastic sheath
- Suitable for outdoor applications
- Blade thickness: 1.9mm
- Blade length: 100mm • Overall length: 200mm



\$34.00 NEW!

Plier Rack Organiser 301537

- Professional quality plier rack organiser
- Features 12 slots suitable
- for various style pliers • Overall length: 300mm





Circlip Plier Set 303197 Heavy Duty

- 4 Piece
- Plier set for internal and external circlips
- Anti-slip PVC handles
- Heavy duty hardened
- Circlip range: 12-60mm



\$99.00

Plier Set TPSA03 4 Piece

- Premium trade quality set features three different tip styles including straight, 45° bent and 90° bent
- Manufactured from chrome molybdenum with PVC dipped handles
- Supplied in high grade EVA foam tray
- Overall lengths: 280mm



\$149^{.00}

Plier Set

TPSA01 4 Piece

- Professional trade quality plier set includes combination, diagonal cutter, long nose and multigrip pliers
- Manufactured from chrome molybdenum with black phosphate finish
- Supplied in high grade EVA foam tray



\$39.00

Combination Fencing Pliers FP12 300mm

- For cutting, gripping and manipulating components and wires, commonly used in fencing and farming applications
- Combination plier including three specially designed wire cutters





321268 254mm

- Professional trade quality plier wrench ideal for multiple applications including gripping, bending, holding, tightening and loosening
- Overall Length: 254mm • Jaw Capacity: 46mm
- Jaw Width: 8mm



\$22.00 FROM

Air Blow Guns

- Handy and reliable unit for air cleaning work areas and equipment etc.
- Manufactured from premium quality high impact plastic for longevity
- Inbuilt adjustable air flow control

ı	Part No.	Nozzle width	Length	PRICE
	321100	8mm	100mm	\$24.00
	321101	8mm	355mm	\$27.00
	321102	8mm	60mm	\$22.00
	321103	6-16mm	120mm	\$22.00
	321103	6-16mm	120mm	\$22.00





Long Reach Hose Clamp Pliers

- Extra long reach pliers
- Ideal for use on spring band clamps
- Cross cut tip jaws enable multiple gripping angles

Part No.	Style	Length	PRICE
321851	Standard	440mm	\$89.00
321852	Angled	440mm	\$94.00







\$69.00 **NEW!**

Ergo Line Screwdriver Set

321993 6 Piece

- Professional set contains slotted, phillips screwdrivers in standard and stubby lengths
- Ergonomic dual piece handle with magnetic tip
- Made in Japan





- **321994** 2 Piece Contains slotted and Phillips screwdrivers
- Ergonomic dual piece handle with magnetic tip
- Shatterproof impact steel cap with strike-thru blade
- Made in Japan



\$79.00

Tamperproof Torx Driver Set

321995 5 Piece

- Contains Tamperproof TORX® screwdrivers • Ergonomic dual piece
- handle with magnetic tip • Made in Japan



\$14.00



Pozi-Drive Screwdriver

321919 PZ2 x 150mm

- Designed with user comfort in mind • Grips the hand firmly and comfortably
- Suitable for heavy duty professional use
- Type: Pozi-Drive PZ2 • Blade length: 150mm
- Overall length: 262mm
- Made in Japan



Hose Clamp Pliers

• Designed for installation and removal of constant tension style hose clamps

• Flexible cable allows extra reach for difficult applications Locking mechanism holds clamp in position



\$**15**.00



Designed specifically for

- manipulating the seal when removing or working with hoses
- Overall length: 200mm



GENERAL TOOLS · GENERAL TOOLS




Spray Cleaning Gun Flexible Head

- 305165 Pneumatic 1 Litre
- Air operated cleaning gun for degreasing and cleaning
- Flexible head allows for deep cleaning in hard to reach areas and crevasses

\$99.00

Sandblasting Gun 305166 1 Litre

 Effective way contaminants on hard surfaces such as rust. paint and lacquer or smooth or roughen surfaces







- Strike-thru design with heavy duty steel end cap allows continuous blows without flaring handle
- Slip resistance handles manufactured from PVC with rubber moulded grips
- Length: 200, 300, 450, 600mm

Pick & Hook **Set Miniature**

301043 4 Piece

- Ideal for scraping, scribing, marking, picking and seal removal
- Contents: hook, scratch awl straight, pick 45° & 90°



PULLERS & BEARING SERVICE · PULLERS & BEARING SERVICE · PULLERS & BEARING SERVICE · **PULLERS & BEARING SERVICE**



Triple leg mechanical puller suitable for external and internal applications Suitable for pulling gears, bearings and sprockets etc in automotive and industrial applications

Part No.	Spread (min/max)	Reach	Capacity	PRICE
223030	35 - 75mm	75mm	1 Tonne	\$49.00
223040	50 - 100mm	100mm	2 Tonne	\$69.00
223060	65 - 150mm	150mm	5 Tonne	\$89.00
223080	105-200mm	200mm	7 Tonne	\$189.00
223100	125-250mm	250mm	9 Tonne	\$259.00
223120	155-300mm	300mm	13 Tonne	\$499.00

Twin Pull Puller Kit **227020** Large

- Special puller for the removal of blind housing bearings without the need to dismantle machinery or remove the running shaft
- Spread: 56-220mm Reach: 340mm
- Adapter Sizes: 15, 17.4 20, 25.2, 30, 36.4mm
- Bearing Ranges: 6021 - 6032, 6212 - 6230, 6309 - 6321, 6406 - 6417



- Simplifies the removal of the driveshaft mid-ship end yoke, differential pinion end yokes and transmission end
- yoke without damaging surrounding components • Capable of generating approx. 25,000 lbs. of pulling power
- Saddle bolt sizes: M12 x 1.25, 1/2" 20tpi, 3/8" 24tpi
- Heavy duty grade steel for strength and durability

\$699.00



Axle Shaft Puller 245506

- Removes seized axel shafts on medium to heavy vehicles
- The force of the impact shocks and loosens the cone washers free, allowing the axle shaft to be released with
- Heavy duty heat treated steel
- Overall length: 260mm

\$49.00 NEW

Harmonic **Balancer Master Puller Set**

254230 46 Piece

 Designed for the removal of harmonic balancers, timing gears and pulleys where access to 2 or 3 tapped holes is available





Heavy Duty Puller Kit

265022 22 Tonne - Hydraulic

• Suitable for internal and external applications • 22 Tonne hydraulic ram for extra heavy duty applications where a large force is required

- Spread: 270 570mm
- Reach: 300mm





Hydraulic Puller Set 265050

Twin & Triple Leg 200mm

- Suitable for all applications in automotive, agriculture, industrial, marine, mining industries etc.
- Twin and triple head set up with 10 tonne hydraulic ram and nose piece
- Spread: 75-150mm
- Reach: 200mm
- Capacity: 10 Tonnes





Master Bearing Race & Seal Drivers

- Universal tool for replacing race seat, bearings and seals
- Simply twist head to adjust jaw size
- Aluminium body with hardened steel striking cap

Part No.	Size	PRICE
321084	9.5-50mm	\$199.00
321085	18-90mm	\$249.00





\$149.00 NEW!

Slide Hammer Puller Assembly 269014 490mm

- Ideal for removing bearing cups, outer races and oil seals
- Puller reach: 55mm
- Puller spread: 13-60mm







Bearing & Seal Installer Kit

301540 20 Piece


- Comprehensive complete kit allows installation of bearing race and seals without damage
- Set includes 3 drivers and 16 adaptors ranging from
- 9.5mm 35mm (3/8" to 1 3/8")



Sprocket Puller 304511 Universal

- Universal puller for removing steering wheels, camshaft pulleys, crankshaft pulleys
- Suitable for automotive and industrial applications
- Size: M6 x 1.0, M7 x 1.0, M8 x 1.25

Portable Bearing



- Bearing range: Ø 50 - 95mm O.D
- Bearing hieght (Min.): 20mm



Heavy Duty Bearing

- Suitable for heavy vehicle and industrial applications • Grease is filled with grease
- gun via centre grease nipple • Suits bearings with an outside diameter of 120 - 170mm
- Weight: 5.8kg



Heavy Duty Grease Filler Disnenser 305155

- Forces out old grease from bearings and evenly replaces with fresh grease
- Simply sits on top of a 20kg grease drum for mess free operation
- Suits bearings from 100mm to 200mm in diameter







LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE

\$64.00 FROM

Heavy Duty Grease Gun 450g

- Cartridge capacity: 450g
- Bulk capacity: 650cm3
- Thread: 1/8" BSPT
- Notched lock style plunger



Part No.	Description	Output	Pressure	Includes	PRICE
305219	Lever Action Grease Gun	1g per stroke (1oz per 28 strokes)	69,000 kPa (10,000 PSI, 690 Bar)	150mm steel extension, 300mm flexible hose & 4 jaw coupler	\$64.00
305221	Pistol Grease Gun	0.5g per stroke (1oz per 57 strokes)	34,500 kPa (5,000 PSI, 345 Bar)	100mm steel extension, 300mm flexible hose & 4 jaw coupler	\$74.00

\$39.00

Mini Pistol Grease Gun 305222 85g

- Single hand operated pistol grip grease gun with convenient pull type operating mechanism
- Output: 0.4g per stroke (1oz per 71 strokes)
- Pressure: 24,000 kPa (3,500 PSI, 240 Bar)
- Comes with 100mm steel extension & 4 jaw coupler

\$109.00 FROM

- Bulk capacity: 120cm3
- Thread: 1/8" BSPT



\$13.00 FROM

Heavy Duty Flexible Grease Hose

- Superior construction inner tubing is polyamide with polyurethane sheathing, reinforced diagonally in highly tear resistant polyester with zinc plated end connections
- Thread: 1/8" BSPT

Part No.	Length	PRICE
305234	300mm	\$13.00
305235	450mm	\$16.00
305236	500mm	\$19.00

Clear Canister Grease Gun 450g

- Prevent cross contamination by using clear canister grease guns to enable easy grease identification
- Before attaching nozzle to grease nipple, loosen the sleeve to adjust the tension and avoiding damaging the grease nipple
- Notched lock style plunger

Part No.	Description	Output	Pressure	Includes	PRICE
305100	Lever Action Grease Gun	1g per stroke (1oz per 28 strokes)	69,000 kPa (10,000 PSI, 690 Bar)	150mm steel extension, 300mm flexible hose, Hydraulic 4 jaw coupler & Bulk loading filler nipple	\$109.00
305101	Pistol Grease Gun	0.5g per stroke (1oz per 57 strokes)	34,500 kPa (5,000 PSI, 345 Bar)	150mm steel extension, 300mm flexible hose, 4 jaw coupler & Bulk loading filler nipple	\$129.00

\$7.00

Grease Injector Needle

- Stainless steel needle lubricates in very tight spaces such as universal joints and sealed bearings
- Standard grease fitting with dust cover • Needle length: 38mm stainless steel

Part No.	Gauge	PRICE
305237	18	\$7.00
305238	21	\$7.00

\$5.00

Hydraulic Coupler 4 Jaw

305231 Hand Operated

- Hydraulic coupler with 4 jaw design allows greater working angle
- Spring loaded ball check to retain pressure • For use on hand held grease guns
- only • Thread: 1/8" BSPT
- Pressure: 42,300 kPa





Heavy Duty Grease Gun Holder 305001

- Heavy duty grease gun holder suitable for automotive, industrial, construction and farm applications
- Sturdy all steel construction with four bolt mounting suitable for workshop or mobile van or trailer
- Suitable for most 400g and 450g grease guns with body diameters from 57–63.5 mm



Drum Tap 305071

- Fits into 3/4" threaded opening on 20–65 litre drums
- Facilitates convenient dispensing of media under gravity flow
- Lockable with bucket hanger
- Not suitable for use with corrosive media

\$149^{.00}

Rotary Drum Pump 305251

- Suitable for transfer of diesel, kerosene, heating oils, motor oils, lubricating oils (up to SAE 90) and non-corrosive fluids of light to medium viscosity
- Heavy duty cast iron vanes with hi nitrile seals
- Adjustable telescopic suction tube with 2" cast iron bung
- Output: 5 litres per 20 turns
- Capacity: 50-205 litre drums





\$399.00

Rotary Industrial Fuel Transfer Pump

305019 Heavy Duty

- Suits 50-205 litre drums
- Solid cast iron construction, Computer Numerical Control (CNC) machined
- Pump handle rotates a sintered powder metal 3 vein rotor inside a pumping chamber
- Graphite veins are self lubricating and non-
- Graphite seal allows the pump to be used with a wide variety of fluids including diesel and petrol with up to a 15% ethanol blend



Variable Length Vertical Lift Pump Ezee Flo Down-Stroke 305500

- Engineered for use on 20 litre containers with seven adaptors to suit most drum types including those with Rieke or regular openings
- Down stroke dispensing pump with variable length telescopic tube to suit almost all drums on the market
- Output: 1 litre (1.06 quarts) per 15 strokes
- Hose length: 1.2m
- Hose size: 1/2" (12x18mm)
- Hose burst pressure: 18bar






Drum Lid Opening Wrench 305248

- Hardened and tempered cast aluminium (LM25)
- Non sparking







LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE · LUBRICATION SERVICE



- Seamless, heavy gauge tin sheet with a powder coated finish
- Deluxe brass suction pumps with two ball valves for large volume delivery per stroke
- The suction valve at the bottom of the pump has no spring to prevent sticking valve due to resinous oil

Part No.	Туре	Capacity	Spout	PRICE
305257	Lever	200ml	Rigid Spout	\$13.00
305258	Lever	300ml	Rigid & Flexible Spout	\$14.00
305259	Lever	500ml	Rigid & Flexible Spout	\$15.00
305260	Lever	700ml	Rigid & Flexible Spout	\$18.00
305261	Pistol Grip	125ml	Rigid & Flexible Spout	\$10.00

\$49.00 FROM

Fluid Change Syringes

- For neat, clean and accurate fluid suction and dispensing
- Suitable for brake fluid. gear oil, differential oil etc

Part No.	Capacity	Extension Hose	PRICE
305151	1.5L	400mm	\$99.00
305152	0.2L	200mm	\$49.00







Pump Up Pressure Sprayers

- Ideal for most workshop liquids and solvents such as brake cleaner, degreaser, tyre shine, detergents, light acids and specialised lubricants
- Easy to fill with bulk liquids
- Durable plastic polyethylene bottle with moulded in measuring scale
- Working Pressure: 50-70psi

Part No.	Capacity	PRICE
305153	1 Litre	\$42.00
305154	2 Litre	\$54.00



Superior Viton Seals



Portable Oil Drain Pans

- Storage and evacuation oil drain pans
- Manufactured from strong durable plastic • Ensures safe transportation and storage

without spillage						
Part No.	Capacity	Size	PRICE			
305090	101	580 x 140 x 330mm	\$49.00			

700 x 140 x 400mm **\$72.00**







Transmission Oil Drain Pan

305053 17.3L

- Unique design for use in servicing vehicle transmissions and gearboxes
- Large surface area ensures effective waste fluid collection
- Size: 820 x 545 x 200 (mm)



Drain Pan 305089 20L • Low profile drain pan suitable for automotive fluids such as engine oil, coolant, brake fluid, transmission oil, petrol and diesel fuel, etc

• Dimensions:





Universal Funnel 305080

• Unique universal clamp design provides effective and mess free filling of fluids into engines, containers, drums and barrels

Adjustable clamp range





Coolant Filler Funnel Set 305092

- Universal 8 piece set for clean, efficient cooling system, bleeding and refilling
- Includes five rubber seal adaptors to suit most vehicles, plus a tapered cone adaptor for versatile use
- Raises the coolant filler point to aid bleeding and eliminate air pockets common in modern vehicles
- Adaptor sizes: 31, 35, 40, 42, 45mm



Grease Nipple Thread Gauge 305016

- Aluminium construction with mounting holes
- For checking 21 of the most popular thread types
- Grease nipple identification made easy • Size: 207 x 75mm

Mouldable Funnel 305094

- Flexible rubber funnel allows you to bend, fold and mould to create a desired shape for filling or draining fluids
- Size: 370 x 170 x 3mm



Jaw opening: 50mm Overall Length: 220mm

Pail Lid & Drum Opener Wrench 305700

- Fits most standard 3/4" and 2" drum lids
- Remove pail lids effortlessly





Drum Adaptor 305503 2 Piece

- Suits 205L (45 gallon) poly drums
- Converts the pump thread to Mauser or Tri-Sure type drum
- Suitable for rotary drum pump



Long Reach Filling Funnel Set 305399

- Universal long reach funnel allows for filling in confined spaces
- Straight or angled configurations Manufactured from polycarbonate with extension tube
- and polypropylene adaptor Overall Length: 535mm



Fluid Transfer Pump

- Compact design ideal for fluid top ups and refilling
- Suitable for automatic transmission fluids, differential oils, brake fluids and hydraulic fluids
- Overall hose length: 525mm
- Capacity: 1L











ENGINEERING · ENGINEERING

\$32.00 FROM

Spring Dividers Solid Nut

• For reliable, quick and accurate measurements during layout procedures and jobs

• Made in Japan

Part No.	Length	Jaw	PRICE
50150	150mm	150mm	\$32.00
50200	200mm	200mm	\$35.00
50250	250mm	250mm	\$43.00
50300	300mm	300mm	\$49.00

Inside Caliper

Solid Nut

- For reliable, quick and accurate measurements during layout procedures and jobs
- Made in Japan

Part No.	Length	Jaw	PRICE
51150	150mm	150mm	\$33.00
51200	200mm	200mm	\$36.00
51250	250mm	250mm	\$44.00
51300	300mm	300mm	\$49.00

Outside Caliper

Solid Nut

- For reliable, quick and accurate measurements during layout procedures and jobs
- Made in Japan

Part No.	Length	Jaw	PRICE
52150	150mm	150mm	\$33.00
52200	200mm	200mm	\$36.00
52250	250mm	250mm	\$44.00
52300	300mm	300mm	\$49.00



Pocket Clip Rule

150PCM Double Sided Metric 150mm

• Graduations and numerical markings on both upper and lower edges with millimetre numerical markings in centre

Minister francis finishis din di la faliantinia (1

- Rule with pocket clip for easy storage
- Features inch to mm conversion table on reverse side
- Manufactured from stainless steel
- Width: 20mm

Protractors Double Blade 1809

- Stainless steel double blade etched with bold, easy to read graduations
- Features convenient centre lock nut to secure measurement
- Double blade maintains stability and firmly contours shape at any angle
- Made in Japan

Part No.	Blade Length	Angle Plate Size	Thickness	Angle Pitch	PRICE
321114	100mm	40mm	1.0mm	2°	\$34.00
301955	153mm	90mm	1.2mm	1°	\$44.00
321110	385mm	210mm	2.0mm	0.5°	\$399.00
321111	650mm	320mm	2.5mm	0.5°	\$699.00
321112	1,050mm	320mm	2.5mm	0.5°	\$899.00
					Van





Radius Scales

- Pocket size precision tool designed to measure radius and diameter
- Centre cut out to measure diameter, side cuts to measure
- Hardened Japanese stainless steel
- Made in Japan

Part No.	Radius Range	Diameter Range	Rule Range	
321068	0.5 - 7mm	0.5-6mm	0-150mm	
321069	8 - 15mm	0.5-6mm	0-150mm	



Rule & Crack Measure

150mm 321079

- Gauge: 0.10 2.20mm
- Check the width of cracks in walls and foundations
- Hardened Japanese stainless steel
- Made in Japan



Machinist's Scriber

MS7 190mm

- For use in scribing and marking
- Suitable for use on metal, glass, plastic, O-rings or ceramics
- Tip 1: Straight Pin
- Tip 2: Angled Pin 90°
- Overall Length: 190mm

Metric Analogue Micrometers

- High precision micrometers for precision measuring work
- Robust C/U-Frame design with carbide tipped measuring faces and knurled thimble and ratchet knob Supplied with micro-spanner for fine adjustment
- Supplied with calibrated 25mm gauge block



mm	700.600 322206	522200 0-11 anne
raduations x Range	Force	PRICE
0.01 x 0-25mm	5 - 10nm	\$79.00
0.01 x 25-50mm	5 - 10nm	\$99.00





Dial Gauges Analogue

- High-precision dial gauges for accurate measurement
- Waterproof and dustproof with shock proof housing
- Hardened SK steel stem with secure fastening
- JIS B 7503 compliant

•	Made	in	Japan

Part No.	Type	Graduations x Range	Reading	PRICE
322100	Metric	0.01 x 10mm	±0-50-100	\$139.00
322101	Metric	0.001 x 1mm	0 - 100 - 0	\$279.00
322102	Imperial	0.001 x 1"	±0-50-100	\$149.00



Part No.

322206


Mitre Squares Metric & Imperial

• Suitable for use as inner or outside try square, mitre square, horizontal, 45° marking gauge and rule

Graduations x F

- Graduated blade with metric and imperial markings
- Stainless steel blade with reinforced plastic stock
- Made in Japan

Part No.	Length	Thickness	PRICE
MS150	150mm	1mm	\$37.00
MS200	200mm	1mm	\$39.00
MS250	250mm	1mm	\$42.00
MS300	300mm	1mm	\$44.00



Dial Test Indicators Metric Analogue

- High-precision for measuring work
- Auto-reversing needle ensures consistent readings
- Miniature pivot bearing for accuracy, no rod play • Waterproof and dustproof
- Durable gear and spindle components
- JIS B 7503 compliant
- Made in Japan

Part No.	Туре	Graduations x Range	Reading	PRICE
322103	Metric	0.01 x 0.8mm	0 - 40 - 0	\$279.00
322104	Metric	0.001 x 0.14mm	0 - 70 - 0	\$319.00



Thickness Gauges Metric

- High-precision for measuring small dimensions
- Quick, accurate readings with simple lever operation • Ideal for thin materials: metal, glass, plastic, rubber, vinyl, foil
- Ceramic body available in standard or deep throat options
- Made in Japan

Part No.	Throat Depth	Graduations x Range	PRICE
322105	20mm	0.01 x 10mm	\$149.00
322108	120mm	0.01 x 10mm	\$189.00







ENGINEERING · ENGINEERING

\$19.00 **NEW!**

Taper Gauges

- Used to measure internal diameters. Ideal for measuring gaps, slot widths, hole or bore sizes and flange face to face dimensions
- Made in Japan

Part No.	Material	Range	Accuracy	PRICE
700AB	ABS resin	1-15mm	-/+ 0.2mm	\$19.00
700AD	Stainless steel dual blade	1-15mm	-/+ 0.5mm	\$59.00
700AM	Stainless steel	1-15mm	-/+ 0.5mm	\$49.00
700AR	Stainless steel dual blade	0-15mm	-/+ 0.5mm	\$59.00











\$149^{.00}

Precision Measuring Set

321904 6 Piece Stainless Steel

- Heat treated and hardened stainless steel with photographically etched markings
- Satin chrome finish with photographically etched markings
- Accurate to Japanese Industrial Standard
- Made in Japan

Contents

Mini Square Metric 300 x 150mm, Protractor 180°, Scriber - Pen Style with Pocket Clip, Spring Divider-Solid Nut 150mm, Stainless Steel Single Sided Rule Metric 300mm, Taper Gauge with hanger hole 1-15mm





\$109^{.00}

Combination Set 322210

- Versatile and useful multi-application set for a wide range of measuring and lay out jobs
- Suitable for use as a rule, spirit level, plumb level, 45° level, try square (internal and external), height/depth gauge, marking gauge and scriber





\$29.00

Rule Set

TRS01 2 Piece Stainless Steel

- Two piece rule set contains 150mm and 300mm rules
- Double sided metric and imperial with upper and lower graduations
- High grade stainless steel
- Supplied in foam tray







Vernier Calipers

NEW! See No. 100 See No. 100



Stainless Steel Rules

- Manufactured from stainless steel
- Accurate to Japanese Industrial Standard B 7516 grade one specifications
 The only Japanese manufactured rules that are certified by both JIS (Japan
- Industrial Standards) and JCSS (Japan Calibration Service System)
- Made in Japan



10	20	30 No.7000	40	50	60	70	80	90	100	110 12	130	140	150160	170	180	1902	2002	0 220	230
										10000									

Double Sided Metric and Imperial

One Square End, One Round End

Part No.	Length	Width	Style	PRICE
100036	1000mm	35mm	Metric & Imperial	\$89.00

\$189.00


PRICE

\$99.00

Single Sided Metric

One Square End, One Round End

Part No.	Length	PRICE	Part No.	Length	PRICE
1000M	1000mm	\$59.00	2000M	2000mm	\$369.00
1500M	1500mm	\$249.00	3000M	3000mm	\$799.00



Flush End Zero Centre, Side graduation

Part No.	Length	Width	Style	PRICE
321997	150mm	20mm	Metric	\$19.00
321998	300mm	28mm	Metric	\$37.00

Mini Squares

- Double sided photographically etched markings for ultimate accuracy and precision
- Manufactured from quality stainless steel to the strict standards of all Toledo rules

standards o	3			
Part No.	Length	PRICE	8	
301959	150 x 75mm	\$21.00	Andreas	200
321015	300 x 150mm	\$23.00	UN S	
				2000
		with the Same	beriette bit trobate	

744. NEW!

Sliding Bevels

- Professional sliding bevel to draw or scribe precise angles on most flat surfaces
- Suitable for metal fabrication, carpentry, construction, industrial and engineering applications
- Made in Japan

Part No.	Length	Width	PRICE
322019	200mm	25mm	\$44.00
322020	250mm	25mm	\$54.00







\$169.00

Magnetic Base 322110 8mm 80kg

- Professional measuring stand with 8mm gauge mount hole
- Cast iron base with ON/OFF permanent magnet for stable, vibration-free use
- Dual pivot joints for versatile positioning
- Fine adjustment clamp for precise measurements
- Attaches to flat or round surfaces
- Ideal for milling machines, lathes, and similar equipment





CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION



Box Level Magnetic

- Magnetic box level with epoxy shockproof vials provides side view for accurate read out
- V-groove for pipes and curved surfaces
- Fitted with powerful rare earth magnets

Part No.	Thickness	Length	PRICE
322060	31mm	600mm	\$91.00
322090	31mm	900mm	\$99.00
322120	31mm	1200mm	\$105.00
322180	31mm	1800mm	\$145.00
322240	31mm	2400mm	\$165.00





Digital Box Level Magnetic

- Digital magnetic box level with degree, percentage and pitch modes
- Tilted backlit LCD screen swivels for upright read out
- Hold function with up to 9 memory store and recall spaces
- Audible buzzer at buzzer at 0°, 45°, 90°
- Auto-Off (10 minutes)

Part No.	Thickness	Length	PRICE
322050	31mm	600mm	\$165.00
322051	31mm	1200mm	\$210.00



\$25.00

Concrete Nippers

- **EN8** 200mm • Precision cutting edges for cutting and twisting steel fixing
- For most soft and hard wire





Fibreglass Measuring Tape TF30M Metric 30m

- Non-metalic fibreglass metric tape measure
- Double sided metric markings
- Built in rubber hand strap and wind back handle for easy tape retraction
- Graduated in 2mm increments up to 30 metres
- Waterproof, dirt resistant, durable practical option
- Length: 30m
- Width: 13mm

\$15.00



Mini Magnetic Level 322013 100m

- Handy pocket size magnetic level
- Lightweight aluminium with rubber shockproof end caps



\$20.00

T-Bevel with Level

322016 180mm

- Heavy duty design suitable for various industrial applications
- Double sided, etched stainless steel blade with metric and imperial graduations
- Overall length: 335mm



Aluminium Cutting Rule

- Inbuilt handle provides ease of use and maximum safety when cutting
- Lightweight aluminium construction
- Handy for all drafting and marking out applications on walls, ceilings and floors
- Width: 60mm, Thickness: 12mm

Part No.	Length	PRICE
322001	500mm	\$30.00
322002	600mm	\$33.00
322003	800mm	\$38.00
322004	1000mm	\$42.00
322005	1200mm	\$46.00
16. 6.	15 10	



T-Square 322216 900mm

- Ideal tool for all measuring and technical drawings
- Aluminium construction with special UV resistant ink printed graduations
- Upper and lower graduations
- Length: 900mm
- Width: 38mm
- Thickness: 1.2mm

Soft Face Hammer 321855 290Z

- Dual nylon face Genuine hickory
- ergonomic handle • Head Diameter: 40mm
- Head Length: 120mm
- Overall Length: 360mm
- Weight: 29oz











\$20.00



Rafter Square 322015 Ergocast Plastic 7"

- For marking and cutting of rafters, stairs or any basic angle
- Tri-square, miter square, protractor, line scriber and saw guide all in one tool







- casing
- Double sided metric graduations
- Automatic blade lock function provides easy set-up allowing one person operation
- Ergonomic design with belt clip and hanging tether





Measuring Tape Steel Long 322018 Metric 30 Metre Single Sided

- Heavy duty design with ABS and TPE shock-proof casing
- Single sided metric graduations
- 30m nylon coated blade features a fold out hook and D ring anchor
- Belt clip for easy transportation and storage



Pipe Level Set

- Handy five piece pipe level set suitable for standard metal, copper and plastic PVC pipes
- Perfect for all plumbing and electrical pipe/conduit work







Level 322012 Magnetic

- Handy tool designed to check the level for all posts, pipes and signs
- Folds closed and opens flat with a click-lock every 15°
- Four powerful magnets for metal surfaces







Magnetic Torpedo Level 322010 250mm

- Handy magnetic level suitable for $minor\,and\,major\,tasks$
- Features horizontal and vertical shockproof acrylic vials Precision milled flat surface with an accuracy of < 0.5 mm/m (0.0005
- Overall length: 250mm

in/in)







CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION · CONSTRUCTION

Carpenter's Square 322453 600 x 400mm

- Heavy duty carbon steel frame with black painted coating
- Durable high visibility easy-read silkscreen printing
- Double side graduations
- Size: 600x400mm



Mini Magnetic Cross Level

- For horizontal and vertical applications
- Pre-cast hoses for permanent fixation
- Height: 60mm Width: 53mm





\$Q.00

Bulls-Eye Level Mini 322451 42mm

- Handy multi-purpose general level provides measurement in all directions
- Diameter: 42mm
- Thickness: 12mm
- Sensitivity: 30 arc/min









Line Level

322455 20m & 2 Piece Level

- Includes two line levels with pocket clips and 20 metre line
- Lightweight levels eliminates sag
- V-groove for pipe work

Digital Laser Distance Measurer 322053 70m

- Professional distance measurer for simple, quick and precise distance reading with the push of a button
- Capable of measuring distance up to 70 metres
- Accuracy: ±1.5mm



Digital Cross Laser with Tripod 322055

- Suitable for all measuring and marking applications
- Features 'out of level' visual and audible warning and "Tilt" mode for angular layout/marking
- Includes 1.2m tripod with bag and protective pouch with belt clip for laser unit
- Accuracy: 0.2mm/m








Crack Measure Gauges

- Check the width of cracks in concrete walls and foundations
- Accuracy: ±0.02mm
- Made in Japan

Part No.



0.03 - 2.20mm

	Mathing Cresh Unesert Lange	2 1000
	E HE H	2 200
23804	E.IBE.I	1 1000
	ENSEN	4 2000
		550
-12/5		
W. C	111 1 12	S1 19894
6 130	STOR Mark Japan	-



Hardened Japanes



003 103100 0	
Material	PRICE
ed Japanese stainless steel	\$22.00
Polyester (clear)	\$18.00

\$6.00

Wire Brush 321077

Wooden Handle 235mm

- Heavy duty steel bristles suitable for removing rust, corrosion, scale and ingrained dirt
- Bristles are hardened and tempered for strength and durability Oil resistant ergonomic wooden handle prevents slippage when in use







Size

55mm x 91mm x 0.2mm

Rubber Mallet

321090 16oz

- Ideal hammer for applications that require soft blows that will not damage the surface on impact
- Fitted with wooden handle
- Weight:16oz

Build in Rule

80mm



321053 32oz

- Ideal for a various striking applications
- Unique ergonomic handle design prevents slippage when in use
- Made from durable alloy steel construction with a carbon fibre core
- Weight: 32oz



- Made from durable alloy steel construction with a carbon
- Carbon fibre core increase bending when striking by more than 25% over a conventional fibreglass type



\$49.00



Made from carbon steel with a fibreglass and rubber

- The durable hardened carbon steel head is ideal for repeated high impact striking applications
- Small compact size is ideal for use with steel chisels,

- Suitable for general purpose use with soft and medium metal applications only
- Slim head centre cut jaw design enables close surface cutting
- Ideal for mining, industrial and hardware applications

Part No.	Soft Metal	Medium Metal	Length	PRICE
316002	8mm	6mm	450mm (18")	\$69.00
316004	13mm	8mm	750mm (30")	\$119.00
316005	16mm	10mm	900mm (36")	\$159.00





Wire Rope & Spring Wire Cutter 316022 190mm

- Triangular cutting blade design delivers a clean cut without causing distortion of the cable or frayed ends
- Features spring return and locking latch for single handed operation
- Steel wire rope: 5mm (3/16") • Cutting capacity: 1.5mm (1/16")











Caliper Hanging Hooks 310307 2 Piece

- Ideal for mounting brake caliper for service and
- PVC dipped hooks avoid scratching and scuffing painted surfaces
- Thickness: Ø 7 6mm
- Overall Length: 210mm



Cranked Feeler Gauge

- 303198 14 Blade Metric
- Ideal for intake and exhaust valve adjustments • Suits HGV engine brake systems also known as Jake **Brake Gauges**
- Suitable for Volvo and Mack trucks
- 0.2mm, 0.3mm, 0.5mm, 0.6mm, 0.8mm, 1.0mm, 0.045", 1.6mm, 2.0mm, 2.3mm, 2.5mm, 3.5mm, 3.6mm, 4.2mm



- Laser etched size marking on each blade for easy

- Blade width: 12.8mm/0.50'



\$149.00




components such as retaining rings, couplings, or

range and interchangable heads for both hook and

any notched or multi-faced tool







Electro Mechanical Cutters

PC6 150mm

- Hardened precision cutting edges for cutting and twisting soft wire
- For use in fine electrical and electronics applications
- Light weight tool with low friction spring return
- High carbon steel for superior strength and durability
- Jaw length: 20mm
- Jaw opening: 0-20mm
- Cut type: Flush

Straight Feeler Gauge 321669 25 Blade Metric & Imperial • Suitable for hard to reach measurements in automotive, engineering and manufacturing etc

- identification
 - Manufactured from heavy duty spring steel
 - Blade length: 300mm/12"

\$199.00





304513 3 Leg

- Ideal for the removal of harmonic balancers
- Suitable for GM and Ford models
- Eliminates removal of radiator and fan
- Puller leg design securely grips the back of the pulley
- Manufactured from heavy duty steel finished in black









\$**499**.00

Transmission Filling Kit

306991 Manual 6 Litre

- Versatile kit enables rapid and effective transmission refills and
- Includes compatible adaptors for widely used make and models available in Australia and New Zealand, as well as universal adaptors
- Kit contains Mercedes Benz 9G-Tronic transmission drain/refill tools and filling funnel
- Fills manual/automatic transmissions, transfer cases and
- Application list and user guide



Air Blow Gun 321504

Tube Cleaner 600mm

- Suitable for confined cleaning in the engine compartment or chassis
- Utilises compressed air to remove dust and debris
- Five port nozzle air outlet design
- Includes quick connect airline fitting • Heavy duty stainless steel tube









0188-25. Prices valid 1 July to 30 September 2025. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information.

As participating stores are independent businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698

