



PHOENICIA
STONE GROUP

CATALOGUE 1.09

Ledgestone Series

Classic Ledge
Country Ledge
Mountain Ledge
Quick Stack Ledge
Rustic Ledge
Soft Ledge

Fieldstone Series

Cultured Fieldstone.
Eastern Fieldstone
Eldorado River Rock.

Travertine Fielstone
Western Fieldstone1

Villastone Series

Italian Villa Stone
Swiss Villa Stone

Ashlarstone Series

European Ashlar Stone

Castle Stone Series

Castle Stone

Classic Stone Series

Byblos Sandstone
Classic Slate
Cour Stone

European Rock Face
Indian Slate
Mouzanbar Bic.
Rock Face h=20cm
Rock Face h=27cm
Sandstone
Strille
Wood Stack

Thin Brick Series

Classic Brick
French Brick
King Size Brick
Rustic Brick
Rustic French Brick
Used Brick

Floor Tiles Series

Basalt Stone
Fourney Stone
Italian Tiles.
London Cobble.
Mexican Pavers
Woodstone
Rotondo
Veneer Stones Accessories
Veneer Stones Installation.

Veneer Slab Series

Stone Skin Slabs
Travertino Slabs
Travertino Poroso Slabs
Travertino Rustica Slabs
Veneer Earth Slabs
Wood Plank Slabs

Terrazzo

Technical Features
Terrazzo Polished
Terrazzo Brushed
Terrazzo Light Hammered
Terrazzo Bush Hammered
Terrazzo Installation

Landscaping Products

Pebbles.Gravels
Gravel Stabilizer
Deco Uni
Easihold



Fourney Stone / Fourney

PHOENICIA STONE GROUP



Established in 1985, **Hajj Art Stone**, brought to Lebanon and the Arab world a new concept in the manufacturing field: the manmade stone. This invention has changed the architects, builders, and designers perspectives. They finally had within their reach durable and ecofriendly products made of natural components with unique features: genuine natural stone look, water resistant, easy installation, lower material and labor costs, maintenance free, and an innumerable amount of customization options.

Through the years, Hajj Art Stone has grown to be the Leader in Manufactured Stone in the region.

Our experienced and highly qualified team has succeeded during the last two decades to develop our portfolio with unmatched products based on mold making and hand coloring. We were able to provide our valued clients with premium quality stone within a large variety of colors and textures, and one of the largest selections of manufactured stone in the world.

We, at Hajj Art Stone, are always looking to incorporate natural beauty in our products and to diversify our selection in order to meet all kinds of demands. We are proud to feature 200 different types of Stone: Veneer, floor tiles, steps, edges, slabs, wall caps, window frames, cornices, columns, stone materials, accessories, 3D Stones, Terrazzo, GFRC, and concrete roof tiles.

Our Mission

To provide a premium quality man-made stone with unmatched features that meets all needs, tastes and expectations.

Our Vision

To become one of the worldwide leaders in manufactured stone and promote ecofriendly stone products to help preserve our planet.



PHOENICIA
STONE GROUP

VENEER STONES

Ledgestone Series

Fieldstone Series

Villastone Series

Ashlarstone Series

Castlestone Series


Classicstone Series

Thin Brick Series

Floor Tiles Series

Accessories

Veneer Stone Installation



CLASSIC LEDGE

Origin: Spain

With an easy-to-install design that does not require grout joints, Classic Ledge allows even the most inexperienced builder to create professional facings for any kind of space

TECHNICAL SPECS

Dimensions:
8x4 - 12x4 - 20x4 / Inch

Thickness:
1.20 Inch

Weight:

1sqm =11sqf / 143lb

Corners:
8 x 4.5 x 4 / Inch

APPLICATION:
Outdoor, Indoor, wall

LEDGESTONE SERIES



Classic Ledge/ Desert Brown



Classic Ledge I Rustic Beige



Classic Ledge/ Mountain Grey



Classic Ledge I Carmel Mountain



Classic Ledge/ Rustic Beige



Classic Ledge I Rustic Beige



Country Ledge I Cream



Country Ledge I Fourney



Country Ledge I Mountain Grey



Country Ledge I Cream

COUNTRY LEDGE

Origin: USA

Country ledge is a practical way to achieve a custom look. ma/I-scale, low relief stones are all meticulously bundled together to form modular components of equal heights. The component pieces of the stone feature a patented interlocking mortar groove for a secure adhesion without grouted joints.

TECHNICAL SPECS

Dimensions:
8x4 - 12x4 - 20x4 / Inch

Thickness:

1.20 Inch

Weight:

1sqm = 11 SQF / 143 lb

Conner:
8 x 4.5 x 4 / Inch

Applications:
Outdoor, Indoor, wall

LEDGESTONE SERIES



MOUNTAIN LEDGE

Origin: USA

Mountain Ledge is known to be an excellent stone that helps you in adding rugged, mountainous appeal to your home or building. Stratification on the stone face and a greater level of protrusion than other stone patterns help in creating this timeless look.



Mountain Ledge/ Antique Brown



Mountain Ledge/ Carmel Mountain



Mountain Ledge/ Fourney



Mountain Ledge/ Mountain Grey

TECHNICAL SPECS

Dimensions:

27.5x8 Max - 3x1.20 Min / Inch

Thickness:

:

1.20-1.80 Inch

Weight:

1 sqm =11 sqf / 165 lbs

Corner (Inch)

Available

Applications:

Outdoor, Indoor, wall



Mountain Ledge I Carmel Mountain



Mountain Ledge I Mountain Grey



LEDGESTONE SERIES



Quick Stack Ledge/ Antique Cream



Quick Stack Ledge/ Carmel Mountain

QUICK STACK LEDGE

Origin: USA


Quick Stack Ledge evokes the charm and character of your estate. With a smaller yet distinctive ledgestone, this small stone provides strong shadows and dramatic depth to any vertical surface. Designed for easy installation!



Quick Stack Ledge/ Carmel Mountain



Quick Stack Ledge/ Antique Cream



Quick Stack Ledge/ Carmel Mountain

TECHNICAL SPECS

Dimension:

12x4 - 20x4 /Inch

Thickness:

1.20 - 2 / Inch

Weight:

1sqm =11 sqf / 143 lbs

Corner (Inch):

Available

Outdoor, Indoor, wall
Applications

LEDGESTONE SERIES



RUSTIC LEDGE

Origin: USA

Rustic Ledge is a textured and layered full scale ledge stone with long dimensional stones. Split along parallel planes, the stones possess distinctive textural foliation as well as a pronounced rock c/eavag

TECHNICAL SPECS

Dimensions:

18x4.5 Max - 7x1.5 Min / Inch

THICKNESS:

1.20-1.60 / Inch

Weight:

15sqm = 11Sqm: 143 lbs

Corner (Inch)
Available

APPLICATION:
Outdoor, Indoor, wall

LEDGESTONE SERIES



Rustic Ledge / Carmel Mountain



Rustic Ledge / Desert Brown



Rustic Ledge / Fournery



Rustic Ledge / Mountain Grey



Rustic Ledge / Mountain Grey



Rustic Ledge / Mountain Grey



Soft Ledge / Antique Brown



Soft Ledge / Carmel Mountain

SOFT LEDGE

Origin: Portugal

Soft Ledge is a smoother version of our Classic Ledge. This stone is great for adding texture and variety to your projects.



Soft Ledge / Desert



Soft Ledge Light Grey

TECHNICAL SPECS

Dimensions:
20 x 8 / Inch

Thickness:

1.20 Inch


Weight:

For 1sqm = 11sqm /143lbs

Corner:
10 x 5 x 8 / Inch
Outdoor, Indoor, wall

APPLICATION:

LEDGESTONE SERIES



Soft Ledge /Light Grey



Soft Ledge / Desert

**CULTURED
FIELDSTONE**

Origin: Lebanon


The distinctive look of Stone Cultured Fieldstone is designed to emulate the Lebanese architecture of the 19th century.



Cultured Fieldstone / Fournay



Cultured Fieldstone / Cream



Cultured Fieldstone / Fournay



Cultured Fieldstone / Fournay

TECHNICAL SPECS

Dimensions:

Height = 7 - 10 - 12 / Inch

Thickness:

1.60 Inch

Weight:

1sqm = 11 SQF / 165lbs

Corner (Inch)

Available

APPLICATION:

Outdoor, Indoor, wall

FIELDSTONE SERIES



Cultured Fieldstone / Fournay



Cultured Fieldstone / Custom Color

**ELDORADO
RIVER ROCK**

Origin: USA

Randomly shaped Eldorado River Rock has the warm and inviting look of stones that have been rounded by years of tumbling in a riverbed. Comfortable and timeless, Eldorado River Rock can be used to accentuate a variety of interior and exterior designs.



Eldorado River Rock / Antique Cream



Eldorado River Rock / Rustic Beige

TECHNICAL SPECS

DIMENSIONS:

10x8 Max / Inch

0.80x0.60 Min/ Inch

THICKNESS :

1 Inches :

Weight

1sqm = 11sqm / 121 lbs

Corners (Inch):

Available

APPLICATION:

Outdoor, Indoor, wall

FIELDSTONE SERIES



Eldorado River Rock / Blended



Eastern Fieldstone / Blended



Eastern Fieldstone / Blended

**EASTERN
FIELDSTONE**

Origin: Lebanon

By blending our stones with a variety of shapes and colors, the popular Eastern Fieldstone lends the impression that each stone has been carefully hand-picked to fit within the pattern. It's easy to install design allows even novice do-it-yourselfers to create beautiful, unique facings with ease.

TECHNICAL SPECS

Dimensions:
9x7 Max / Inch
1.60x1/60 Min / Inch

THICKNESS:
1.20 Inch

Weight:
1sqm = 11 sqf / 143 lbs

Corner (Inch):
Available

APPLICATION:
Outdoor, Indoor, wall

FIELDSTONE SERIES




Eastern Fieldstone / Mountain Grey



Eastern Fieldstone / Antique Cream



Eastern Fieldstone / White



Eastern Fieldstone / Blended

**WESTERN
FIELDSTONE**

Origin: USA

Western Fieldstone offers a unique uniformity found only on the Atlantic seaboard of the United States; a widely shared heritage of rural, urban, provincial prestige and modern sensation.

TECHNICAL SPECS

Dimensions:
21.5x16.5 Max / Inch
5x2.5 Min / Inch

THICKNESS :
Approximately Inch: 1.40

Weight:
1sqm = 11sqf / 154 lbs

Corner (Inch):
Unavailable

Applications:
Outdoor, Indoor, wall

FIELDSTONE SERIES



Western Fieldstone / Blended



Western Fieldstone / Rustic Beige



Western Fieldstone / Rustic Beige



Western Fieldstone / Rustic Beige



Western Fieldstone / Fournay



Western Fieldstone / Custom Color



Italian Villa Stone / Cream



Italian Villa Stone / Fournery

ITALIAN VILLA STONE

Origin: Italy

We searched up and down the Italian coast to find the perfect blend of stone shapes and texture that embodies Europe's old world architecture



Italian Villa Stone / Grey



Italian Villa Stone / Mountain Grey

TECHNICAL SPECS

Dimensions:
16x8 Max / Inch
2x2 Min / Inch

THICKNESS:
1.20 Inch

Weight:
1sqm = 11sqf / 143lbs

Corner (Inch):
Available

APPLICATION:
Outdoor, Indoor, wall

VILLA STONE SERIES



Italian Villa Stone / Mountain Grey



Italian Villa Stone / Custom Color

SWISS VILLA STONE

Origin: Switzerland

Swiss Villa Stone exemplifies the unique characteristics of some of the most sought after types of stone adorning villas and castles all around Europe.

TECHNICAL SPECS

Dimensions:
16x10 Max / Inch
2x2 Min/ Inch

THICKNESS:
Inch 1.20

Weight:
1sqm = 11sqf / 143lbs

Corner (Inch):
Available

APPLICATION:
Outdoor, Indoor, wall

VILLA STONE SERIES



Swiss Villa Stone / Cream



Swiss Villa Stone / Fournery



Swiss Villa Stone / Grey



Swiss Villa Stone / Rustic Grey



Swiss Villa Stone / Fournery



Swiss Villa Stone / Custom Color

EUROPEAN ASHLAR STONE

Origin: Austria

Our European Ashlar Stone is a blend of Fieldstone, Villa Stone and Brick Stone that creates this magnificent look!

TECHNICAL SPECS

Dimensions:
16x12 Max / Inch
2x2 Min / Inch

Thickness:
Inches 1.20

Weight:
1sqm = 11sqf / 143lbs

Corner:
12x3 Max / Inch
6x3 Min / Inch

APPLICATION:
Outdoor, Indoor, wall

ASHLAR STONE SERIES



European Ashlar Stone / Cream



European Ashlar Stone / Fournery



European Ashlar Stone / Grey



European Ashlar Stone / Rustic Grey



European Ashlar Stone / Fournery



European Ashlar Stone / Fournery

CASTLE STONE

Origin: Germany

Adorning the estates and castles of European royalty for centuries, Castle Stone adds a strong, regal look for your home. Recreating the time-honored style of the English country home, the Master Craftsmen of Hajj Art Stone have created many color patterns.

TECHNICAL SPECS

Dimensions:
16x12 Max / Inch
2x2 Min / Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 143lbs

Corner:
12x3 Max / Inch
6x3 Min / inch

APPLICATION:
Outdoor, Indoor, wall

CASTLESTONE SERIES



Castle Stone / Golden Sand




Castle Stone / Rustic Grey



Castle Stone / Rustic Grey



Castle Stone / Volcano




Castle Stone / Rustic Grey



**BYBLOS
SANDSTONE**

Origin: Lebanon

This stone is created to mimic the old walls of one of the most ancient cities in the world.



TECHNICAL SPECS

Dimensions:
23.5 x 12 / Inch

Thickness:
(1.20 Inches)

Weight:
1sqm = 11sqf / 143lbs

Corner:
16 x 8 x 12 Inch

APPLICATION:
Outdoor, Indoor, wall, floor

CLASSIC STONE SERIES



CLASSIC SLATE

Origin: India

The lively fossil patterns and unique surface characteristics of our Classic Slate stone that complement contemporary architecture with the beauty of design.

TECHNICAL SPECS

Dimensions:
20x4 - 12x4 / Inch

Thickness: :
2.5 to 4 / Inch

Weight:
1sqm = 11 SQF / 154lbs

Corner (Inch):
Available

APPLICATION:
Outdoor, Indoor, wall

CLASSIC STONE SERIES





Cour Stone / Fourny



Cour Stone / Rustic Grey

COUR STONE

Origin: Lebanon

For years, stone masons have been splitting Cour Stones to reveal the inner beauty of rocks. Now, the same effect can be achieved through Hajj Art Cour Stone pattern without the labor of natural stone.



Cour Stone / / White

TECHNICAL SPECS

Dimensions:
25.5 x 10 Max / Inch
15 x 14 Min / Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 143lbs

Corner:
16 x 10 x 14 / Inch

APPLICATION:
Outdoor, Indoor, wall, floor

CLASSIC STONE SERIES



EUROPEAN ROCK FACE

Origin: Greece

Remarkable product designed to replicate the stunning texture of European Rock Face.



European Rock Face / White



European Rock Face / Beige



European Rock Face / Fourny



European Rock Face / Grey



European Rock Face / Rustic Grey



European Rock Face / Black

TECHNICAL SPECS

Dimensions:
Length Between
16 to 27.5 Inch

Thickness:
1.20 Inches)

Weight:
1sqm = 11sqf / 198lbs

Corners (Inch) :
Available

APPLICATION:
Outdoor, Indoor, wall

CLASSIC STONE SERIES





Indian Slate / Cream



Indian Slate / Fournery



Indian Slate / Rustic Grey



Indian Slate / Rustic Grey

INDIAN SLATE

Origin: India

Indian Slate is an elegant stone with a modern look.

TECHNICAL SPECS

Dimensions:
Length 47 & 27.5 / Inch

Thickness:
(1.5 Inches)

Weight:
1sqm = 11sqf / 176lbs

Height:
12 - 8 - 4 / Inch

APPLICATION:
Outdoor, Indoor, wall, floor

CLASSIC STONE SERIES



MOUZANBAR BIC

Origin: Lebanon

Mouzanbar Bic is an excellent stone choice for those looking to add durability to their next home or building. Mouzanbar Bic creates a unique feel of permanence and stability.

TECHNICAL SPECS

Dimensions:
27.5x10 Max / Inch
16x10 Min / Inch

Thickness:
0.80 Inch

Weight:
1sqm = 11sqf / 110lbs

CORNER (Inches):
Unavailable

Applications:
Outdoor, Indoor, wall


CLASSIC STONE SERIES



Mouzanbar Bic / Cream



Mouzanbar Bic / Yellow



Mouzanbar Bic / Yellow



Rock Face Height = 8 Inch
Cream



Rock Face Height = 8 Inch
Beige



Rock Face Height = 8 Inch / Yellow



Rock Face Height = 8 Inch / Cream



Rock Face Height = 8 Inch / Yellow

ROCK FACE
Hight = 8 Inches
Origin: Lebanon

Rock Face is a classic Lebanese stone that has quickly become our builders favorite. With its clean, rectangular shape, and soft, weathered appearance, Rock Face is certain to add a special touch to your home or building.

TECHNICAL SPECS

Dimension
18x8 Max / Inch
10x8 Min / Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 143lbs

Corners:
16 x 8 x 8 Inch

Application:
Outdoor, Indoor, wall

CLASSIC STONE SERIES



ROCK FACE
Hight = 10.5 Inch
Origin: Lebanon

Rock Face h=10.5 Inch is a perfect fit for two of today's hottest looks; contemporary and old world. Rock Face h=27cm not only lends itself to varying styles, but also too various applications including homes, landscaping and commercial environments.

TECHNICAL SPECS

Dimensions:
18.5x10.5 Max / Inch
10.5x10.5 Min / Inch

Thickness:
1.5 Inch:

Weight:
1sqm = 11 SQF / 154lbs :

Corner:
13 x 8 x 10.5 / Inch

APPLICATION:
Outdoor, Indoor, wall

CLASSIC STONE SERIES



Rock Face Height = 10.5 Inch / Cream



Rock Face Height = 10.5 Inch / Beige



Rock Face Height = 10.5 Inch / Yellow



Rock Face Height = 10.5 Inch / Yellow



Rock Face Height = 10.5 Inch / Cream & Yellow



Sandstone 60x30 / Yellow



Sandstone 60x30 / Cream

SANDSTONE

Origin: Lebanon

Sandstone gives you the beauty of Fair Face Stone with a sandy surface.



Sandstone 60x30 / Light Beige



Sandstone 60x30 / Yellow

TECHNICAL SPECS

Dimensions:

23.5 x 12 x 1.20 Inch
23.5 x 23.5 x 1.5 Inch
47 x 12 x 2 Inch

Thickness:

1.20 Inch - 1.5 Inch - 2 Inch

Weight:

1sqm = 11sqf /
143 - 165 - 220 / LBS

Corners:

18 x 8 x 12 x 1.20 / Inch

APPLICATION:

Outdoor, Indoor, wall, floor

CLASSIC STONE SERIES



Sandstone 60x30 / Yellow

STRILLE

Origin: Italy

Strille dramatic appearance is the choice for true creative expression and Italian charm.

TECHNICAL SPECS

Dimensions:

18.5 x 9 / Inch

Thickness:

1 Inch

Weight:

1sqm = 11sqf / 110lbs

Corner (Inch):

Unavailable

APPLICATION:

Outdoor, Indoor, wall


CLASSIC STONE SERIES



Strille / Rustic Grey



Strille / Golden Sand




Strille / Brick



Strille / Rustic Grey



Strille / Brick



Wood Stack / White



Wood Stack / Fournery



Wood Stack / Fournery



Wood Stack / Rustic Grey

WOOD STACK

Origin: USA

Combine the beauty and warmth of natural wood with the durability of concrete!

TECHNICAL SPECS

Dimensions:

23.5 x 6 Inch

Thickness:

1.20 Inch

Weight:

1sqm = 11sqf / 143lbs

Corner:

Available

APPLICATION:

Outdoor, Indoor, wall

CLASSIC STONE SERIES




CLASSIC BRICK

Origin: Turkey

Classic Brick veneer looks like full thickness brick, but since it's only 3 cm thick it can be installed anywhere.



Classic Brick / White



Classic Brick / Desert Brick

TECHNICAL SPECS

Dimensions:

8.5 x 2.20 / Inch

Thickness:

1.20 Inch

Weight:

1sqm = 11sqf / 154lbs

Corners::

8 x 4 x 2.20 Inch

APPLICATION:

Outdoor, Indoor, wall, floor

THIN BRICK SERIES



Classic Brick / Black



Classic Brick / Black



Classic Brick / Desert Brick



French Brick / Blended



French Brick / White



French Brick / Red



French Brick / Grey



French Brick /
Beige



French Brick / Dark
Red



French Brick / Black

FRENCH BRICK

Origin: France

With its rustic texture and sophisticated beauty, French Brick brings simplicity to a once challenging discipline.

TECHNICAL SPECS

Dimensions:
9.25 x 2 / Inch

Thickness:
0.32 - 0.39 Inch

Weight:
1sqm = 11sqf / 22lbs

Corner:
Unavailable

APPLICATION:
Outdoor, Indoor, wall

THIN BRICK SERIES



KING SIZE BRICK

Origin: USA

King Size Brick once installed gives the appearance of hand laid brick walls. Our King Size Brick will give you the convenience of easy installation, a large range to choose from and the benefit of huge cost savings.

TECHNICAL SPECS

Dimensions:
10 x 3 / Inch

Thickness:
0.40 Inch

Weight:
1sqm = 11sqf / 48lbs

Corner:
10 x 3 / Inch

APPLICATION:
Outdoor, Indoor, wall, floor

THIN BRICK SERIES



King Size Brick / White



King Size Brick / Desert



King Size Brick / Old World



King Size Brick / Mountain Grey



King Size Brick / Custom Color



King Size Brick / Old World

RUSTIC BRICK

Origin: England

Rustic Brick gives you the freedom to explore color and installation options unlike traditional brick. Rustic Brick effectively creates the illusion of full brick without the hassle of installation.

TECHNICAL SPECS

Dimensions:
6.5 x 3.5 / Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 154lbs

Corner:
Available

APPLICATION:
Outdoor, Indoor, wall, floor

THIN BRICK SERIES



Rustic Brick / Rustic Beige

Rustic Brick / Brick World

Rustic Brick / Custom Color

RUSTIC FRENCH BRICK

Origin: France

New Version of French Brick, Rustic French Brick lends a feeling of comfort and warmth sure to brighten any home or business.

TECHNICAL SPECS

Dimensions:
9.25 x 2 / Inch

Thickness:
0.40 - 0.60 / Inch

Weight:
1sqm = 11sqf / 26.5lbs

Corners:
Unavailable

APPLICATION:
Outdoor, Indoor, wall

THIN BRICK SERIES



Rustic French Brick / Blended



Rustic French Brick / White



Rustic French Brick / Beige



Rustic French Brick / Red



Rustic French Brick / Brick



Rustic French Brick / Grey



Rustic French Brick / Black






Used Brick / White



Used Brick / Blended



Used Brick / Old World



Used Brick / Blended



Used Brick / Custom Color

USED BRICK

Origin: Switzerland

The charm and individuality of old world, hand crafted brick is replicated in our Used Brick pattern. Used Brick is an excellent thin brick for adding a personal touch to homes or buildings.

TECHNICAL SPECS

Dimensions:
8 x 2 / Inch

Thickness:
0.80 / Inch

Weight:
1sqm = 11sqf / 110lbs

Corner: Inch
Available

Applications:
Outdoor, Indoor, wall

THIN BRICK SERIES



BASALT STONE

Origin: Lebanon

Basalt Stone is a stately paving stone that reminds us of Down Town Beirut.



Basalt Stone / Black



Basalt Stone / Black

TECHNICAL SPECS

Dimensions:
10 x 6.5 - 6.5 x 6.5 / Inch


Thickness:
1.40 / Inch

Weight:
1sqm = 11sqf / 154 lbs

Corner:
Unavailable

APPLICATION:
Outdoor, Indoor, wall, floor

FLOOR TILES SERIES



Basalt Stone / Black



Fournery Stone / Fournery



Fournery Stone / Beige

FOURNEY STONE

Origin: Lebanon

*After meticulous research and careful hand picked selection, we found a stone paver that puts the ancient world at your footsteps. Replicating the old cobble roads of **Jerusalem & Rome** with highly detailed textures and rustic earth tone colors. Fournery Stone adds an old world feel to any setting.*

TECHNICAL SPECS

Dimensions:

33.5 x 21.5 Max / Inch
8 x 5 Min / Inch

Thickness:

1.40 Inch

Weight:

1sqm = 11sqf / 154lbs

Corners:

Unavailable

APPLICATION:

Outdoor, Indoor, wall, floor

FLOOR TILES SERIES



Fournery Stone / Beige



Fournery Stone / Fournery

ITALIAN TILES

Origin: Italy

Now close your eyes. You're sipping vino in an Italian villa, taking a gondola ride or slaloming the Alps. Rugged. Rustic. Romantic. Take your choice, Italian Tiles is as versatile as your vision needs to be. Open your eyes. You're home.

TECHNICAL SPECS

Dimensions:

4 x 4 / Inch

Thickness:

1.20 Inch

Weight:

1sqm = 11sqf / 143lbs

Corners:

Unavailable

APPLICATION:

Outdoor, Indoor, wall, floor

FLOOR TILES SERIES




Italian Tiles / Golden Sand



Italian Tiles / Rustic Grey



Italian Tiles / Blended



Italian Tiles / Golden Sand



Italian Tiles / Blended



London Cobble / Rustic Grey




London Cobble / Fournery



London Cobble / Rustic Beige



London Cobble / Rustic Cream



London Cobble / Fournery



London Cobble / Blended

LONDON COBBLE

Origin: England

Our London Cobble stone will bring the exact feel of an English Garden right to your own backyard.

TECHNICAL SPECS

Dimensions:
10 x 6.5 - 6.5 x 6.5 / Inch

Thickness:
1.40 Inch

Weight:
1sqm = 11sqf / 154lbs

Corners:
Unavailable

APPLICATION:
Outdoor, Indoor, wall, floor

FLOOR TILES SERIES



MEXICAN PAVERS

Origin: Mexico

A replica of the authentic textured clay pavers from Mexico.



Mexican Pavers / Fournery



Mexican Pavers / Rustic Grey

TECHNICAL SPECS

Dimensions:
20x20 Inch
31.5x20 Inch
47x20 Inch


Thickness:
1.40 Inch

Weight:
1sqm = 11sqf / 154lbs :

Corners (Inch):
Unavailable

Applications:
Outdoor, Indoor, wall, floor

FLOOR TILES SERIES



Mexican Pavers / Fournery



Mexican Pavers / Grey



Woodstone / Fournay



Woodstone / Red Brown



Woodstone / Dark Brown



Woodstone / Dark Brown



Woodstone / White

WOODSTONE

Origin: Lebanon

Combine the beauty and warmth of natural wood with the durability of concrete!

TECHNICAL SPECS

Dimensions:
39x8 / Inch
33.5x8 / Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 143lbs

Corners:
Unavailable

APPLICATION:
Outdoor, Indoor, wall, floor

FLOOR TILES SERIES



ROTONDO

Origin: Italy

Beautiful for tranquil sitting areas or a patio. Rotondo will add a European favor to your landscape. It is also used as a central focal point for driveways and walkways.

TECHNICAL SPECS

Dimensions:
5 Distinctive Shapes
Height = 6.5 Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 132lbs

Corners: (Inch)
Unavailable

APPLICATION:
Outdoor, Indoor, wall, floor

FLOOR TILES SERIES



Rotondo / Blended



Rotondo / Blended



Rotondo / Blended

VENEER STONES ACCESSORIES

Bullnose Wall Cap



Length: 24 inch
Width: 12 inch
Thickness: 2.75 Inch

Cultured step



Length: 47 Inch
Width: 16.5 Inch
Thickness: 2 Inch

Cultured Window Frame



Length: 59 Inch
Width: 10 Inch
Thickness: 4 Inch

Double Edge Wall Cap



Length: 40/47 Inch
Width: 12/14/16/18 Inch
Thickness: 2 inch

Edge



Length: 23.5 Inch
Width: 8 Inch
Thickness: 6 Inch

Fair Face Wall Cap



Length: 39.5 Inch
Width: 8/10/12/14/16/ In
Thickness: 1.5 Inch

Fourney Step



Length: 43*12*6 Inch
51*12*6.70 Inch
Thickness: 1.20 Inch

Mexican Step



Length: 47*31*20 Inch
Width: 20 Inch
Thickness: 1.20 Inch

Roman Wall Cap



Length: 25.5 Inch
Width: 13 Inch
Thickness: 4 Inch

Rustic Cornice



Length: 59 Inch
Width: 6 Inch
Thickness: 1.20 Inch

Roman Window Frame




Length: 39.5 Inch
Width: 6.30 Inch
Thickness: 2.36 Inch

Sill



Length: 39 Inch
Width: 5.5/6.7/7.5/8.66
Thickness: 2 Inch



VENEER SLABS SERIES

Stone Skin Slabs


Travertino Slabs

Travertino Poroso

Travertino Rustica

Veneer Earth Slabs

Wood Plank Slabs



 **PHOENICIA**
STONE GROUP

STONE SKIN SLABS



Stone Skin Slab / Rustic Grey

STONE GROUP



Stone Skin Slab / Earth White




Stone Skin Slab / Beige



Stone Skin Slab / Fournery



Stone Skin Slab / Grey



STONE SKIN SLABS

Origin: Lebanon

Stone Skin Slab is a revolutionary product that gives the allure of large stone blocks cladded inside and out!

TECHNICAL SPECS

Dimensions:
96 x 46 Inch

Thickness:
Between 0.80 & 2.75 / Inch

Weight:
1sqm = 11sqf / 220lbs

Corners (Inch):
Available

1 Slab = 31 SQF

APPLICATION:
Indoor, Outdoor, Wall

STONE GROUP


STONE GROUP

Origin: Italy

Travertino is a stone reminiscent of the golden ages perfectly capturing its charm!



Travertino Slab / Bianco



Travertino Slab / Beige



Travertino Slab / Yellow



Travertino Slab / Silver



Travertino Slab / Rustic Grey



Travertino Slab / Rustic Grey

TECHNICAL SPECS

Dimensions:

98 x 46 Inch
90 x 39 Inch

TRAVERTINO SLABS

Thickness:

1.20 Inch

Weight:

1sqm = 11sqf / 154 lbs

Corners:

Available

98.5x46 1 Slab = 31.5 SQF

94x39 1 Slab = 24.75 SQF

APPLICATION:

Indoor, Outdoor, Floor, Wall

veneer slabs series



Travertino Poroso SLabs

Origin: Italy

Timeless, textured, and rich with character, our Travertino Poroso slabs bring the iconic beauty of natural travertine to life. Defined by its open pores and layered elegance, each slab reveals the raw soul of stone, making it ideal for both contemporary and classic settings.

TECHNICAL SPECS

Dimensions:

98.5x47 / Inch

Thickness:

1.20 Inch

Weight:

1sqm = 11sqf / 154lbs

Corners:

Available

1 Slab = 32.30 SQF

APPLICATION:

Outdoor, Indoor, wall, floor

veneer slabs series



Travertino Poroso Slab / White



Travertino Poroso Slab / Beige



Travertino Poroso Slab / Rustic Grey

Travertino Rustica SLABS

Origin: Italy

Bold, rugged, and unapologetically raw — the Travertino Rustica slab captures the untamed spirit of natural stone. With its deeply textured surface, earthy tones, and weathered finish, it evokes the charm of ancient architecture while standing strong in modern design.

TECHNICAL SPECS

Dimensions:
98.5x47 Inch

Thickness:
1.60 Inch

Weight:
1 sqm = 11sqf / 209lbs

Corners: Inch
Available

1 slab = 32.30 SQF

APPLICATION:
Indoor, Outdoor, Wall

VENEER SLABS SERIES



Travertino Rustica Slab / White



Travertino Rustica Slab / Fournery



Travertino Rustica Slab / Silver



Travertino Rustica Slab / Grey



Veneer Earth / Earth White



Veneer Earth / Earth Beige



Veneer Earth / Earth Yellow



Veneer Earth / Earth Grey



Veneer Earth / Earth White



Veneer Earth / Earth Grey - Brushed

VENEER EARTH SLABS

Origin: Lebanon

The Veneer Erath Slabs is the newest revolutionary product added to the Hajj Art Stone family, giving your building that modern look while keeping your budget in check. They come in large Slabs (250x120x3 cm), which are then cut with a bush hammered texture. What is unique about this product is its cost effective wet cladding installation technique!

TECHNICAL SPECS

Dimensions:
98.5x47 Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 154lbs

Corners (Inch):
Available

1 Slab = 32.30 SQF

APPLICATION:
Indoor, Outdoor, Floor, Wall

VENEER SLABS SERIES



WOOD PLANK SLABS

Origin: Lebanon

Wood Plank Slabs is an ideal product for cladding that mimics the real wood effect without any maintenance required!



Wood Plank Slab / Beige



Wood Plank Slab / Beige

TECHNICAL SPECS

Dimensions:
98.5x47 Inch

Thickness:
1.20 Inch

Weight:
1sqm = 11sqf / 154lbs

Corners:
Available

1 Slab = 32.30 SQF

APPLICATION:
Indoor, Outdoor, Floor, Wall



Wood Plank Slab / Fournery



Wood Plank Slab / Grey

VENEER SLABS SERIES



TERRAZZO (Agglomerate)


Terrazzo Polished

Terrazzo Brushed

Terrazzo Light Hammered

Terrazzo Bush Hammered

Terrazzo Stone installation



PHOENICIA
STONE GROUP

Hajj Art Terrazzo Stone has become the material of choice for contemporary cladding as it meets and surpasses the technical and aesthetic features of natural stone.

Hajj Art Stone state of the art Terrazzo factory, with its capacity of producing 20,000 sqm/month, utilizes cutting edge technology machines and a special admixture to ensure that the Terrazzo exceeds requirements set by the industry mainly and not limited to: compressive & flexural strength, water absorption, aggregate dispersion and the consistency of the stone over the years.

Hajj Art Terrazzo can be used in a range of settings; whether you choose to place indoor or outdoor, in your home or in your commercial project Terrazzo will give your floors, walls, worktops & arches a distinguished look and feel. Terrazzo is manufactured by mixing the most reliable and guaranteed pigments in the market allowing our clients to create a bespoke design and color to suit their needs. Other than its technical, aesthetic and availability advantages over natural stone, Terrazzo is a much more eco-friendly choice for your cladding as we utilize crushed stones left in quarries or from natural stone beds. Hajj Art Stone ensures that all special admixtures used during production becomes inert once the Terrazzo is cured making the product safe and suitable for any area. With the help of a specialized team in forwarding and shipping Hajj Art Terrazzo is easily shipped and packed to any destination in the world.

TECHNICAL FEATURES

IT IS POSSIBLE TO "DESIGN AND GIVE" SPECIFIC TECHNICAL FEATURES TO HAJJ ART TERRAZZO STONE



Wear resistant: with a high resistance to wear, classifying it as "anti-scratch".



Chemical Resistant: with a high resistance to corrosive substances which are commonly used in everyday and domestic surroundings, classifying this product as "resistant to acid attacks".



Resistant to Mechanical Stresses: substantially surpassing impact resistance and flexural strength parameters of natural stone.



Stain Resistant: practically non-porous, classifying it as "resistant to stains".



Antistatic: can discharge electrostatic charges that are normally created in everyday surroundings.



Ice Resistant: resistant to climatic changes such as freezing or thawing cycles so it can be used outside.



UV ray resistant: ideal for outside use.



Anti-slip: making it the perfect product for surfaces that require anti-slip properties.



Antismog: as it absorbs a part of the pollutants in the atmosphere and transforms them into innocuous substances, ideal for outside use.




Antibacterial: Makes surfaces inhospitable to bacteria & mould or even destroys the most common bacteria & moulds found in domestic surroundings.


Abrasion	Capillary water absorption	Determination of the breaking strength	Pull-out	Freez And Thaw
Loss in Thickness after 1000 revolutions (mm)	Absolute water absorption (Wm,a)%	(MPa)	N	Cycle: (20-c/Boiling Water)
0.56	5.5	8.5	1400	Resistant



Terrazzo Polished / Pietra Luna



Terrazzo Polished / Spiaggia Rosa



Terrazzo Polished / Venice



Terrazzo Polished / Botticino Beige



Terrazzo Polished / Carrara Black




Terrazzo Polished / Vesuvio



Terrazzo Polished / Dark Grey



Terrazzo Polished / Valentino



Terrazzo Polished / Verona

POLISHED

TECHNICAL SPECS

Dimensions:
98.5x47 Inch

Thickness: 1.20 Inch

Weight For 11 SQF / 143 LBS

1 Slab = 32.30 Inch

APPLICATION:

Indoor, Outdoor, Floor, Wall



BRUSHED



Terrazzo Brushed / Grigio



Terrazzo Brushed / Beige



Terrazzo Brushed / Pietra Luna

TECHNICAL SPECS

Dimensions:

98.5x47 Inch

Thickness:

1.20 Inch

Weight For 11 SQF 143 LBS

1 Slab = 32.30 SQF

APPLICATION:

Indoor, Outdoor, Floor, Wall



Terrazzo Brushed / Bianco



Terrazzo Brushed / Pink



Terrazzo Brushed / Dark Grey



Terrazzo Brushed River Pebbles /
Dark Grey



Terrazzo Brushed River Pebbles / Grey



Terrazzo Brushed River Pebbles / White



Terrazzo Light Hammered / Bianco



Terrazzo Light Hammered / Beige



LIGHT HAMMERED

TECHNICAL SPECS

Dimensions:

98.5x47 Inch

Thickness: **1.20 Inch**

Weight For 11 SQF / 143 LBS

1 Slab = 32.30 SQF

APPLICATION:


Indoor, Outdoor, Floor, Wall



Terrazzo Light Hammered / Golden Nugget



Terrazzo Light Hammered / Anthracite



Terrazzo Light Hammered / Grigio



Terrazzo Light Hammered / Dark Grey





BUSH HAMMERED



Terrazzo Bush Hammered / Bianco



Terrazzo Bush Hammered / Beige

TECHNICAL SPECS

Dimensions:
89.5x47 / Inch

Thickness: **1.20 Inch:**

Weight For 11 SQF / 143 LBS

1 Slab = 32.30 SQF

APPLICATION:
Indoor, Outdoor, Floor, Wall



Terrazzo Bush Hammered / Golden Nugget




Terrazzo Bush Hammered / Anthracite



Terrazzo Bush Hammered / Grigio



Terrazzo Bush Hammered / Dark Grey



Z BRACKET FIXATION



INSTALLATION

1. Accurately locate the position of the drilling hole.
2. Drill a hole of the required depth and diameter.
3. Insert the expansion bolt into the hole and cause it to expand by screwing down the nut.
4. To regulate the distance from the wall to the angle, rotate the screw, while keeping the nut locked tightly in position. If necessary, to facilitate the operation, loosen the nut, which will be re-tightened at the end of the operation.
5. Tighten the lock-nut for the final locking of the angle in the desired position.
6. Insert the pin in the angle to match the hole in the cladding slab.





WHEN I WAS A BOY SOMEONE
ONCE ASKED ME WHAT MY
FAVOURITE COLOUR WAS.
FOR YEARS IT BECAME A FAMILY
JOKE BECAUSE I HAD REPLIED,
HESITATING, "MY FAVOURITE
COLOUR IS **MULTICOLOUR**".
WALTER GROPIUS



Terrazzo Light Hammered / Bianco

KING SIZE BRICK

USA

King Size Brick once installed gives the appearance of hand laid brick walls. Our King Size Brick will give you the convenience of easy installation, a large range to choose from and the benefit of huge cost savings.



Terrazzo Light Hammered / Bianco & Grigio



Landscaping Products

Pebbles

Gravels

Gravel Stabilizer

Deco Uni

EasyHold



PHOENICIA
STONE GROUP

PEBBLES

Origin: European

Make your garden the talk of the streets, shop from our large range of Pebbles and Garvels!



Basalt Pebbles / 20-40 & 40-60 mm



Granite Pebbles / 20-40 & 40-60 mm

TECHNICAL SPECS

Available in 44Lb Bags & Big Bags (1,300 kg)



Green Angel Pebbles / 20-40 & 40-60 mm



NYX Pebbles / 20-40 & 40-60 mm



P on z a / 10-30 mm



Pure White / 20-40 & 40-60 mm

LANDSCAPING PRODUCTS
PHOENICIA
STONE GROUP



Rainbow Pebbles / 20-40 & 40-60 mm



River Pebbles / 7-15 & 15-30 & 40-60


PEBBLES

Origin: European

Make your garden the talk of the streets, shop from our large range of Pebbles and Garvels!




Thasos Pebbles / 0-1, 1-3, 3-6 & 6-10 cm



Basalt Pebbles / 40-60 mm

TECHNICAL SPECS

Available in 44Lb Bags & Big Bags (1,300 kg)



River Pebbles/ 15-30 mm



Thasos Pebbles / 6-10 cm

LANDSCAPING PRODUCTS
PHOENICIA
STONE GROUP

GRAVELS

Origin: European

Make your garden the talk of the streets, shop from our large range of Pebbles and Garvels!



Basalt Gravels / 0-0.5, 0.5-1 & 1.5-4 mm



Gravel Black Mix / 5-20 mm



Gravel Grey Mix / 5-20 mm



Gravel White Mix / 5-20 mm



Gravel Yellow Mix / 5-20 mm



Thasos Gravels / 2-4 & 8-16 mm

LANDSCAPING PRODUCTS



Polypropylene gravel panel

An even and safe gravel surface under all conditions

The thermally attached weed control membrane is not just very strong, but also has a very strong adhesion to the gravel grid. This prevents gravel from falling between the membrane and the gravel grid under intensive use and keeps the gravel grids completely even at all times. In addition, the non-woven structure of the polypropylene weed control membrane prevents silting up and rotting.

Proven strong

The research institute TNO did a test that proves the EuroGravel PLUS stabilisation grids can be loaded with very high loads, with the right base.

Test	Maximum permissible load:
Empty panel	> 129 tons per square metre
Filled panel	> 11,857 tons per square metre

Freeze thaw resistant

In accordance with NEN-EN-1338, no noticeable damage. It would be advisable, however, to install and cover the product within 2 weeks of removing the shrink sleeves.

GRAVEL STABILIZER

Origin: European

Enhance outdoor projects with easy installation and weed-resistant features, covering 120 square meters in just one hour.



Weed-resistant

The high-quality weed control membrane (80 g/m²) protects against weed growth from below



Large surface area

With a surface area of 1.15 m², the gravel grids are currently the largest single-piece gravel grids available on the market!



Quick to install

Simple to cut to size and easy to lay out



Water permeable

The gravel grids and the weed control membrane have excellent water permeability properties



Larger gravel grids

The large diameter of the cells makes the gravel grid suitable for larger gravel and chipping sizes too



Easy to recycle

The weed control membrane and the gravel grid are made of polypropylene plastic, making the gravel grid easy to recycle

LANDSCAPING PRODUCTS



+ Very strong thermally attached weed control membrane



+ Comfortable and safe for everyone



+ Very strong and flexible honeycomb structure

DECO UNI

Origin: European

Déco Uni the perfect separation chanel for your garden.



TECHNICAL SPECS

4 x DECO UNI 100cm
8 x Plastic pegs



LANDSCAPING PRODUCTS



FACTORY

Experts in hi-tech precision

At its Kortada factory Hajj Art Stone uses the very latest stone industry technology, with our computer controlled mixing machines that are able to work to precise mixing measurements.

We enjoy the challenge of producing the impossible. Our modern manufacturing methods allow us to create any concrete design items. Hajj Art Stone team actively enjoy the challenge of creating new and exciting items in manufactured stone.

European racking system

Hajj Art Stone products are stored in an independent warehouse containing a European racking system to ensure proper palette storage.





Stone Skin Slab / Rustic Grey



PHOENICIA
STONE GROUP



THIN BRICK SERIES

Swiss Villa Stone / Fournay



PHOENICIA
STONE GROUP



 **PHOENICIA**
STONE GROUP