





Quality Assessment Schemes

Program

2026



CONTENT - ESFEQA PROGRAMS

Content ESfEQA Programs Introduction	3 6	
Bilirubin neonatal Blood Gas and Electrolytes Cardiac Marker Clinical Chemistry Coagulation Co-Oximetry CSF diagnostics Drugs of Abuse Ethanol, Ammonia and Bicarbonate Fecal Occult Blood Glucose POC - Whole Blood Glycated Hemoglobin (HbA1c) Prothrombin Time (POCT) Qualitative Urine Analysis (Urine stick) Therapeutic Drugs Urine Chemistry Urine Sediment for microscopic methods Urine Sediment for microscopic methods	7 7 7 8 8 8 9 9 9 10 10 10 10 11 11 11 11	BIOCHEMISTRY
Immunoassay Programs hCG in serum Hormones Procalcitonin Specific Proteins Thyroid Antibodies Tumor Marker Tumor Marker & Hormones	13 13 13 14 14 14 14	IMMUNOASSAYS
Microbiology Programs Adenovirus Serology Aspergillus Fumigatus Serology Aspergillus Galactomannan Antigen Bacteriology Bacterioloy Blood Culture Bacterioloy Urine Culture Bordetella Serology Borrelia Serology Borrelia IgG antibody index Borrelia IgM antibody index Brucella Serology Chagas Serology Chikungunya Virus Serology Chikungunya Virus Serology Coxsackievirus Serology Dengue Virus Antibodies Dengue Virus NS1 Antigen	16 16 16 16 17 17 17 17 18 18 18 18 19 19	MICROBIOLOGY



CONTENT - ESFEQA PROGRAMS

ECHO Virus Serology Enterovirus Serology Epstein-Barr Virus Serology Helicobacter Pylori-Antibodies Helicobacter Pylori Antibedies Hepatitis A Virus Serology Hepatitis B Virus Serology Hepatitis E Virus Serology Hepatitis E Virus Serology HIV Antibodies and Antigen HTLV I/II Infectious Disease Combination Control (HBV, HCV, HIV) Serology Influenza A Virus Serology Influenza B Virus Serology Legionella Pneumophila Antibodies Leptospira Serology Malaria Microscopy Measles Serology Mycoplasma Antibodies Parainfluenza Virus Serology Parvovirus B19 Serology Respiratory Viral Antigen Detection SARS-CoV-2 Antigen SARS-CoV-2 Serology Streptococcus A Antigen Syphilis Serology TBEV IgG antibody index TBEV IgM antibody index TBEV IgM antibody index TORCH Serology West Nile Virus Serology West Nile Virus Serology	20 20 21 21 21 21 21 22 22 22 22 23 23 23 23 23 24 24 24 24 24 25 25 25 25 25 26 26 26 27 27 27
Molecular Diagnostics Programs HBV Molecular HCV Molecular HIV Molecular SARS-CoV-2 Molecular	28 28 28 28
Hematology Programs Blood grouping Erythrocyte sedimentation rate Erythrocyte sedimentation rate for Alcor iSED analysers Erythrocyte sedimentation rate for Alifax and Mindray analysers Hemogram Hemogram incl. 3-part diff. Hemogram incl. 5-part diff. Immunohematology	29 29 29 29 30 30 30 31



CONTENT - ESFEQA PROGRAMS

Educational Programs Clinical Case Study Program 31 Case Studies in Clinical Laboratory Science 31	EDUCATIONAL PROGRAMS
Calendar General Terms for the Participation 32 34	

ESfEQA GmbH

Siemensstraße 38
69123 Heidelberg
GERMANY
phone +49(0)6221-4166-700
fax +49(0)6221-4166-790
info@esfeqa.eu
www.esfeqa.eu



INTRODUCTION

A high quality standard is essential for every medical laboratory since test results are the basis for medical decisions and have an important impact on the wellbeing and treatment of patients. There are different approaches to maintain and improve quality in medical laboratories.

ESfEQA – European Society for External Quality Assessment– supports laboratories to assess the quality of their analytical results and ultimately improve their performance by providing well-designed external quality assessment programs.

ESfEQA offers a wide range of External Quality Assessment Schemes.

ESfEQA was founded in Heidelberg/Germany in 2013 and is accredited according to the international standard ISO 17043:2023 by the German national accreditation body DAkkS. Since its foundation, ESfEQA has expanded its program portfolio and at the same time the number of laboratories participating in ESfEQA's external quality assessment schemes.

Extension of Accreditation Scope

Due to the flexible scope of the ESfEQA ISO 17043 accreditation the number of accredited EQA programs in our portfolio has increased. Non-accredited programs / analytes are highlighted in our catalog as follows: "This program / parameter is not accredited according to DIN EN ISO/ IEC 17043."

Registration and Sample Ordering

ESfEQA offers EQA schemes worldwide and cooperates with reliable regional distributors. They are the direct business partners of participants, responsible for the ordering process, invoicing and local shipment of survey samples. ESfEQA offers programs with 2, 4 or 12 surveys per year. Participants generally sign up for a subscription for an entire calendar year.

Survey Calendar

The dates when participants can enter results and the deadlines are published in this catalogue and on the ESfEQA website (www.esfeqa.eu).

The testing periods of our proficiency test programs are synchronized in order to make the samples of a year available to participants in as few shipments as possible. Thus, a maximum of 4 shipments per year are required per participant.

Survey samples are sent to the participants in good time, usually at the beginning of the respective testing period. In order to keep the logistical, environmental and financial effort as low as possible, the samples of the first and second quarters of the monthly and quarterly programs are sent together; as well as the samples for the third and fourth quarters. This procedure is chosen for samples with sufficient stability for a period of at least 6 months. Samples

with a shorter shelf life, as well as the samples for the semi-annual programs are sent quarterly.

Submission of Results, Survey Reports and Certificates

Participants submit their results online via the TEQA web-application. Requests for new method, instrument and reagent codes can be made online. The subscription to any ESfEQA program allows participants to submit up to three results obtained from a single control set using different devices. Reports and certificates are provided online as pdf-files within 3 weeks (within one week for monthly programs) after the deadline of result submission. Report files and certificates can be stored electronically, forwarded and printed.

Educational Programs

For laboratory medicine we added the CASE and CASE-T programs to our portfolio. Each case study presents a different hypothetical patient case.

The CASE-T program is intended for medical laboratory technicians to strengthen analytical troubleshooting skills. Participants are invited to evaluate a basic patient profile and to answer multiple-choice questions designed to test knowledge of pre-and post-analytical phases of laboratory medicine. A total of six CASE-T cases are offered every year (bimonthly)

The CASE program is intended for clinicians to strengthen diagnostic acumen. A more detailed hypothetical patient profile is provided with anonymized clinical data including age, sex, patient history, laboratory test results (Clinical Chemistry, Hematology, Coagulation etc). The multiple choice questions are designed to invite participants to provide a suspected diagnosis, to recommend tests to support or exclude the diagnosis and to suggest further investigations or therapeutic considerations. A total of twelve CASE cases are offered every year (monthly).

Participants can join the CASE or CASE-T programs at any time of the year (since no sample shipment is required). Please contact your distributor or ESfEQA (info@esfeqa.eu) to register. COMPLIMENTARY (free of charge): When you register as a first-time participant you will receive two complimentary CASE-T cases and/or three CASE cases.

New Programs

Based on the feedback of our participants, ESfEQA extends the EQA portfolio continously. Please contact us for further suggestions on new programs.

Heidelberg, September 2025



BIOCHEMISTRY PROGRAMS

BILIRUBIN NEONATAL

BILI-N

Program: BILI-N: 4 surveys/year x 2 samples

Material: Lyophilized samples of human Serum (minimum 0,5mL)

Evaluation: Quantitative

Analytical parameters:

Bilirubin direct Bilirubin total

Bilirubin conjugated* Bilirubin non-conjugated*

BLOOD GAS AND ELECTROLYTES

BG

Program: BG12: 12 surveys/year x 1 sample

4 surveys/year x 2 samples BG4:

Material: Liquid buffered aqueous solution or serum-based samples (minimum 2 mL)

Evaluation: Quantitative

New: Creatinine

Analytical parameters:

Bicarbonate (HCO ₃ -)	Glucose	рН	Urea	
Calcium	Lactate	pO2		
Chloride	Magnesium	Potassium		
Creatinine	pCO2	Sodium		

CARDIAC MARKER

CM

New:

hsCRP

Program: CM12: 12 surveys/year x 1 sample

CM4: 4 surveys/year x 2 samples 2 surveys/year x 2 samples

Material: Lyophilized samples of human sera with added analytes of human origin (minimum 1 mL)

Evaluation: Quantitative

Analytical devices that are intended for whole blood only are not suitable for these samples.

Analytical parameters:

BNP	Homocysteine	NT-proBNP	
CK-MB (mass)	hsCRP	Troponin I	
CK-MB (activity)	Myoglobin	Troponin T	



^{*} This parameter is not accredited according to DIN EN ISO/ IEC 17043.

Program: CC12: 12 surveys/year x 1 sample

CC4: 4 surveys/year x 2 samples CC2: 2 surveys/year x 2 samples

Material: Lyophilized samples of human sera with added enzymes and proteins of human origin (5 mL)

Evaluation: Quantitative

Analytical parameters:

AST/GOT Gamma GT TIBC Total Iron Binding Capacity

Bilirubin, direct Glucose Total protein Bilirubin, total HDL Cholesterol Triglycerides

Bilirubin conjugated Iron UIBC Unsaturated Iron Binding Capacity

Bilirubin non-conjugated Lactate Urea
Calcium LDH Lactate Dehydrogenase Uric acid
Calcium (ionized) LDL Cholesterol Zinc

Chloride Lipase

COAGULATION COA

Program: COA12: 12 surveys/year x 1 sample

COA4: 4 surveys/year x 2 samples COA2: 2 surveys/year x 2 samples

Material: Lyophilized samples of human plasma (1 mL)

Evaluation: Quantitative

Analytical parameters:

aPTT (activated Partial D-Dimer Protein C
Thromboplastin Time) Fibrinogen Protein S
Antithrombin III PT (prothrombin time) Thrombin Time

CO-OXIMETRY OXI

Program: OXI: 4 surveys/year x 2 samples

Material: Purified bovine hemoglobin solution treated with carbon monoxide (minimum 1,0 mL)

Evaluation: Quantitative

This program is not accredited according to DIN EN ISO/ IEC 17043

Analytical parameters:

Oxyhemoglobin	Carboxyhemoglobin	Total Hemoglobin
Desoxyhemoglobin	Methemoglobin	



CSF DIAGNOSTICS CSF

Program: CSF: 4 surveys/year x 2 samples

Material: Liquid samples made from human serum and other human and chemical components

(minimum 1 mL)

Evaluation: Quantitative

This program is not accredited according to DIN EN ISO/ IEC 17043

Analytical parameters:

Albumin	IgG	Sodium	
Chloride	IgM	Proteins	
Glucose	Lactate		
IgA	LDH		

DRUGS OF ABUSE

DAT

Program: DAT12: 12 surveys/year x 1 sample

DAT4: 4 surveys/year x 2 samples

Material: Liquid or lyophilized samples of filtered human urines with added drugs for qualitative analysis

(minimum 2 mL) **Evaluation**: Qualitative

New Program DAT12

New:

Ketamine

Tramadol

Analytical parameters:

Acetylmorphine Amphetamines	Cannabinoids Cocaine and metabolites	MDMA Methadone	Synthetic Cannabinoids (K2/Spice)
Barbiturates	EDDP	Metamphetamines	Tramadol
Benzodiazepines	Fentanyl	Opiates	Tricyclic Antidepressants
Buprenorphine	Ketamine	Phencyclidine	

ETHANOL, AMMONIA AND BICARBONATE

ETH

Program: ETH12: 12 surveys/year x 1 sample

ETH4: 4 surveys/year x 2 samples

Material: Liquid samples with added compounds (minimum 1 mL)

Evaluation: Quantitative

Analytical parameters:

FECAL OCCULT BLOOD

FOB

Program: FOB: 2 surveys/year x 2 samples

Material: Liquid samples simulating extracted stool samples (minimum 0.5 mL)

Evaluation: Qualitative and quantitative

Analytical parameters:

Human Hemoglobin (qualitative and quantitative)



Program: 4 surveys/year x 2 samples

GLUWB: Registration of 1-3 measuring systems

GLUWB 6 DEVICES: Registration of up to 6 measuring systems GLUWB 9 DEVICES: Registration of up to 9 measuring systems

Material: Simulated whole blood (minimum 1 mL)

Evaluation: Quantitative

Analytical parameters:

Glucose

GLYCATED HEMOGLOBIN (HbA1c)

GHB

Program: GHB12: 12 surveys/year x 1 sample

GHB4: 4 surveys/year x 2 samples

Material: Lyophilized samples of hemolysate of human blood (minimum 0,5 mL)

Evaluation: Quantitative

Analytical parameters:

HbA1c

PROTHROMBIN TIME (INR)-POCT

INR-POCT

Program: 4 surveys/year x 2 samples

INR-POCT: Registration of 1-3 measuring systems

INR-POCT 6 DEVICES: Registration of up to 6 measuring systems INR-POCT 9 DEVICES: Registration of up to 9 measuring systems

Material: Liquid samples (minimum 0,3 mL)

Evaluation: Quantitative

Suitable for POCT analyzers, e.g. Roche Coaguchek, Siemens Xprecia Stride, Abbott iStat.

Analytical parameters:

Prothrombin Time (INR)

QUALITATIVE URINE ANALYSIS (URINE STICK)

US

Program: US4: 4 surveys/year x 2 samples

US2: 2 surveys/year x 2 samples

Material: Liquid or lyophilized samples of urine preparation of human origin with added preservatives and

stabilizers (minimum 10 mL) **Evaluation**: Semi-quantitative

Analytical parameters:

BilirubinKetone bodiesSpecific GravityGlucoseLeucocytesTotal ProteinhCGNitriteUrobilinogenHemoglobinpH



Program: TDM: 4 surveys/year x 2 samples

Material: Liquid samples with added compounds (minimum 2 mL)

Evaluation: Quantitative

Analytische Parameter:

Amikacin	Gentamicin	Primidone
Carbamazepine	Lidocain	Salicylate
Chinidine	Paracetamol	Theophylline
Digoxin	Phenobarbital	Valproic Acid
Ethosuximide	Phenytoin	Vancomycin

URINE CHEMISTRY

UC

Program: UC: 4 surveys/year x 2 samples

Material: Liquid or lyophilized samples of human urine (minimum 5 mL)

Evaluation: Quantitative

Analytical parameters:

	Microalbumin Amylase Calcium Chloride Creatinine	Glucose Magnesium Osmolality* Phosphate	Total protein Sodium Urea Uric acid
l	Creatinine	Potassium	

^{*} This parameter is not accredited according to DIN EN ISO/ IEC 17043.

URINE SEDIMENT FOR LIGHT SCATTERING METHODS

USEDL

Program: USEDL4: 4 surveys/year x 2 samples

USEDL2: 2 surveys/year x 2 samples

Material: Liquid samples of human urine (minimum 5 mL) Evaluation: Qualitative, quantitative and semi-quantitative

This program is suitable for light scattering methods, e.g. Sysmex UF-5000/4000/1500.

Analytical parameters:

Bacteria qual., semi-quant., quant.	Red cells qual., semi-quant., quant.
Casts qual., semi-quant., quant.	White cells qual., semi-quant., quant.
Crystals qual_semi-quant_quant	



Program: USEDM4: 4 surveys/year x 2 samples

USEDM2: 2 surveys/year x 2 samples

Material: Liquid samples of human urine (minimum 5 mL) **Evaluation**: Qualitative, quantitative and semi-quantitative

This program is suitable for manual microscopy and automated microscopy, e.g. Siemens Atellica, Beckman Coulter Iris, Roche Cobas u 701, Menarini Sedimax, 77 Elektronika UriSed, Dirui FUS, Analyticon Urilyzer Cell, Mindray EH Series, Mindray EU series.

Analytical parameters:

Bacteria qual., semi-quant., quant. Casts qual., semi-quant., quant. Crystals qual., semi-quant., quant. Red cells qual., semi-quant., quant. White cells qual., semi-quant., quant.



IMMUNOASSAY PROGRAMS

HCG IN SERUM HCG

Program: HCG: 4 surveys/year x 1 sample

Material: Lyophilized or liquid sample of human serum with added analytes of human origin (minimum 1 mL)

Evaluation: Qualitative

Analytical parameters:

hCG qualitative

HORMONES

Program: HOR12: 12 surveys/year x 1 sample

HOR4: 4 surveys/year x 2 samples

Material: Lyophilized samples of human sera with added analytes (minimum 3 mL)

Evaluation: Quantitative

Analytical parameters:

17-OH-Progesterone FSH Prolactin Aldosterone hCG (qualitative and quantitative) **SHBG AMH** Homocysteine T3. free Androstenedione Human Growth Hormone T3, total T4, free Calcitonin ΙgΕ IGF-1 C-Peptide T4, total Cortisol Insulin Testosterone **DHEA-S** LH (Luteinizing Hormone) Thyroglobulin

Estradiol Methylmalonic Acid TSH

Ferritin PTH Vitamin B12
Folate Progesterone Vitamin D (25-OH)

PROCALCITONIN PCT

Program: PCT: 4 surveys/year x 2 samples

Material: Lyophilized samples of human sera with added analyte (minimum 0,5 mL)

Evaluation: Quantitative

Analytical parameters:

Procalcitonin



Program: SP12: 12 surveys/year x 1 sample

SP4: 4 surveys/year x 2 samples

Material: Liquid or lyophilized samples of human sera with added analytes of human origin (minimum 1 mL)

Evaluation: Quantitative

Analytical parameters:

Albumin Ceruloplasmin Prealbumin

Alpha-1-acid glycoprotein CRP (C-Reactive Protein) R

Alpha-1-antitrypsin Cystatin C* soluble Transferrin receptor
Alpha-2-macroglobulin Haptoglobin (sTfR)*

Alpha-2-macroglobulin Haptoglobin (sTfR)*
ASO IgA, IgE, IgG, IgM Transferrin

Beta-2-microglobulin Kappa light chains, total* and free Lambda light chains, total* and free

THYROID ANTIBODIES

ANTI-THYR

Program: ANTI-THYR: 4 surveys/year x 2 samples **Material**: Samples liquid or lyophilized (0,5 mL) **Evaluation**: Qualitative and quantitative

Analytical parameters:

anti-TPO anti-TPO

TRAb (TSH-Receptor Antibodies)

TUMOR MARKER TM

Program: TM12: 12 surveys/year x 1 sample

TM4: 4 surveys/year x 2 samples

Material: Lyophilized samples of human sera with added analytes (minimum 3 mL)

Evaluation: Quantitative

Analytical parameters:

AFP	CA 125	PSA, total	
CEA	CA 15-3	PSA, free	
CA 19-9	Ferritin		J



^{*} This parameter is not accredited according to DIN EN ISO/ IEC 17043.

Program: TMH12: 12 surveys/year x 1 sample

4 surveys/year x 2 samples TMH4: TMH2: 2 surveys/year x 2 samples

Material: Lyophilized samples of human sera with added analytes (minimum 3 mL)

Evaluation: Quantitative

Analytical parameters:

17-OH-Progesterone Ferritin PSA, total AFP Folate PTH FSH SHBG Aldosterone hCG (qualitative and quantitative) AMH T3, free Androstenedione Homocysteine T3, total CA 125 Human Growth Hormone T4, free CA 15-3 T4, total IgE CA 19-9 IGF-1 Testosterone Calcitonin Insulin Thyroglobulin CEA LH (Luteinizing Hormone) TSH

Cortisol Methylmalonic Acid Vitamin B12 C-Peptide Progesterone Vitamin D (25-OH)

DHEA-S Prolactin PSA, free Estradiol



MICROBIOLOGY PROGRAMS

ADENOVIRUS SEROLOGY

ADE

Program: ADE: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for NovaLisa, Virion/Serion and Euroimmun ELISA reagents. Other reagents upon

request.

Analytical parameters:

IgA, IgG and IgM antibodies against Adenovirus

ASPERGILLUS FUMIGATUS SEROLOGY

ASF

Program: ASF: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for Virion/Serion ELISA reagents. Other reagents upon request.

Analytical parameters:

IgA, IgG, IgM and total antibodies against Aspergillus fumigatus

ASPERGILLUS GALACTOMANNAN ANTIGEN

ASPAG

Program: ASPAG: 2 surveys/year x 2 samples

Material: Liquid samples of simulated bronchoalveolar lavage (BAL) fluid or serum (minimum 0,5 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

Aspergillus Antigen (Galactomannan)

BACTERIOLOGY BAC-C, BAC-E

Program: BAC-C or BAC-E: 4 surveys/year x 4 samples

Material: Lyophilised samples (pure strain and/or mixture of bacteria): 2 for identification and 2 for antibiotic susceptibility testing (AST). AST according to EUCAST or CLSI guidelines.

In this program we simulate different types of specimens: blood, urine, swabs (e.g. surgical/wound site, etc.), sputum/bronchospcopy specimen, paracentesis samples (e.g. ascites), joint/synovial fluid, sonicate fluid of explanted prosthetic joints, and CSF.

Evaluation: Qualitative

Analytical parameters:

Identification (genus and species)

Antibiotic susceptibility testing (according to EUCAST or CLSI guidelines)



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

BACTERIOLOGY BLOOD CULTURE

BACBC-C, BACBC-E

New Program

Program: BACBC-C or BACBC-E: 4 surveys/year x 4 samples

Material: Lyophilised samples (pure strain and/or mixture of bacteria): 2 for identification and 2 for antibiotic susceptibility testing (AST). AST according to EUCAST or CLSI guidelines.

In this program we simulate blood specimens focusing on blood culture pathogen identification and antimicrobial susceptibility testing.

Evaluation: Qualitative

Analytical parameters:

Identification (genus and species)

Antibiotic susceptibility testing (according to EUCAST or CLSI guidelines)

BACTERIOLOGY URINE CULTURE

BACUC-C, BACUC-E

Program: BACUC-C or BACUC-E: 4 surveys/year x 2 samples

Material: Lyophilised samples (pure strain and/or mixture of bacteria): 1 for identification and 1 for antibiotic susceptibility testing (AST). AST according to EUCAST or CLSI guidelines.

In this program we simulate urine specimens focusing on urine culture pathogen isolation, identification, and antimicrobial susceptibility testing.

Evaluation: Qualitative

Analytical parameters:

Identification (genus and species)

Antibiotic susceptibility testing (according to EUCAST or CLSI guidelines)

BORDETELLA SEROLOGY

BPES

New Program

Program: BPES: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

IgA, IgG and IgM antibodies against Bordetella IgA antibodies against Bordetella Pertussis-Toxin IgG antibodies against Bordetella Pertussis-Toxin

BORRELIA SEROLOGY

BOR

Program: BOR: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG and IgM antibodies against Borrelia burgdorferi



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

BORRELIA IgG ANTIBODY INDEX

BOR-G-AI

Program: BOR-G-AI: 2 surveys/year x 2 samples

Material: One CSF/serum sample pair and (simulated) clinical information on the patient needed to calculate

the antibody index is provided to the participant (CSF sample: 0,8 mL; serum sample: 0,3 mL)

Evaluation: Qualitative and quantitative

Analytical parameters:

Borrelia IgG-antibody index (AI), qualitative and quantitative

BORRELIA IGM ANTIBODY INDEX

BOR-M-AI

Program: BOR-M-AI: 2 surveys/year x 2 samples

Material: One CSF/serum sample pair and (simulated) clinical information on the patient needed to calculate

the antibody index is provided to the participant (CSF sample: 0,8 mL; serum sample: 0,3 mL)

Evaluation: Qualitative and quantitative

Analytical parameters:

Borrelia IgM-antibody index (AI), qualitative and quantitative

BRUCELLA SEROLOGY

BRU

Program: BRU: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

IgA, IgG, IgM and agglutinating antibodies against Brucella

CHAGAS SEROLOGY

CHA

Program: CHA: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

IgG, IgM and total antibodies against Trypanosoma cruzi (qualitative) IgG and total antibodies against Trypanosoma cruzi (quantitative)



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

CHIKUNGUNYA VIRUS SEROLOGY

CHIKV

Program: CHIKV: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0.3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG and IgM antibodies against Chikungunya Virus

CHLAMYDIA TRACHOMATIS SEROLOGY

CHT

Program: CHT: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgA, IgG and IgM antibodies against Chlamydia trachomatis

COXSACKIEVIRUS SEROLOGY

COX

Program: COX: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for Virion/Serion ELISA and Euroimmun IFT reagents. Other reagents upon request.

Analytical parameters:

IgA, IgG and IgM antibodies against Coxsackievirus

DENGUE VIRUS ANTIBODIES

DENV

Program: DENV: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG and IgM antibodies against Dengue Virus



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

Program: DENVAG: 2 surveys/year x 2 samples

Material: Liquid or lyophilized samples. The samples are either serum or plasma samples or simulated samples consisting of an aqueous protein matrix. Dengue virus NS1 antigen positive samples contain

recombinant DENV NS1 protein

Evaluation: Qualitative

This programme is intended for immunochromatographic tests (Lateral Flow Rapid tests) and ELISA. Other reagents on request.

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

Dengue Virus NS1 antigen

ECHO VIRUS SEROLOGY

ECH

Program: ECH: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0.3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for Virion/Serion ELISA reagents. Other reagents upon request.

Analytical parameters:

IgA, IgG and IgM antibodies against ECHO-Virus

ENTEROVIRUS SEROLOGY

ENT

Program: ENT: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for Virion/Serion, Virotech and Euroimmun ELISA reagents. Other reagents upon request.

Analytical parameters:

IgA, IgG and IgM antibodies against Enterovirus

EPSTEIN-BARR VIRUS SEROLOGY

EBV

Program: EBV: 4 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

anti-EBV EBNA-1 IgG + total anti-EBV VCA IgG + total anti-EBV VCA IgM



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

New

Program

HELICOBACTER PYLORI ANTIBODIES

HPYI

Program: HPYL: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

IgA, IgG, IgM and total antibodies against Helicobacter pylori

HELICOBACTER PYLORI ANTIGEN

HPYLAG

Program: HPYLAG: 2 surveys/year x 2 samples

Material: Liquid or simulated stool samples (minimum 0,3 mL)

Evaluation: Qualitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

Helicobacter pylori Antigen

HEPATITIS A VIRUS SEROLOGY

HAV

Program: HAV12: 12 surveys/year x 1 sample

HAV4: 4 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

New Program HAV12

Analytical parameters:

IgG, IgM and total antibodies against HAV

HEPATITIS B VIRUS SEROLOGY

HBV

Program: HBV12: 12 surveys/year x 1 sample

HBV4: 4 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 1 mL)

Evaluation: Qualitative and quantitative*

New Program HBV12

Analytical parameters:

anti-HBs	anti-HBe	HBsAg
anti-HBc lgG + total	anti-HBc IgM	HBeAg

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

HEPATITIS E VIRUS SEROLOGY

HEV

Program: HEV: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG, IgM and total antibodies against HEV



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

HIV ANTIBODIES AND ANTIGEN

Program: HIV: 4 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Please note that the HIV survey is designed for assays that detect HIV antibodies and HIV antigen separately. For combo tests (e.g. HIV 4th generation assays) that detect HIV antibodies and HIV antigen

simultaneously we recommend the enrollment in the ESfEQA INF survey.

Analytical parameters:

anti-HIV 1/2 antibodies HIV p24 Antigen

HTLV I/II HTL

Program: HTL: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

total antibodies against HTLV I/II

INFECTIOUS DISEASE COMBINATION CONTROL SEROLOGY

INF

Program: INF12: 12 surveys/year x 1 sample

INF4: 4 surveys/year x 2 samples INF4x4: 4 surveys/year x 4 samples INF2: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 1 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

anti-HIV 1/2 / p24 Ag	anti-HBc
anti-HCV	HBsAa

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

INFLUENZA A VIRUS SEROLOGY

INA

Program: INA: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for NovaLisa, Virion/Serion and Euroimmun ELISA reagents. Other reagents upon request.

Analytical parameters:

IgA, IgG and IgM antibodies against Influenza A Virus



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

INFLUENZA B VIRUS SEROLOGY

Program: INB: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for NovaLisa, Virion/Serion and Euroimmun ELISA reagents. Other reagents upon request.

Analytical parameters:

IgA, IgG and IgM antibodies against Influenza B Virus

* The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

LEGIONELLA PNEUMOPHILA ANTIBODIES

LPAB

INB

Program: LPAB: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

IgG, IgM and total antibodies against Legionella pneumophila

LEPTOSPIRA SEROLOGY

LEP

Program: LEP: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

IgG and IgM antibodies against Leptospira

MALARIA MICROSCOPY

MALM

Program: MALM: 4 surveys/year x 2 samples

Material: Slides of stained smears **Evaluation**: Qualitative and quantitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

Malaria Parasite Detection Stage Identification

Species Identification Quantification of Plasmodium falciparum



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

MEASLES SEROLOGY

MEA

Program: MEA: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG and IgM antibodies against Measles Virus

MYCOPLASMA ANTIBODIES

MYPL

Program: MYPL: 2 surveys/year x 2 samples

Material: Samples of human serum (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgA, IgG, IgM and total antibodies against Mycoplasma pneumoniae

PARAINFLUENZA VIRUS SEROLOGY

PIN

Program: PIN: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for NovaLisa, Virion/Serion and Euroimmun ELISA reagents. Other reagents upon request.

Analytical parameters:

IgA, IgG and IgM antibodies against Parainfluenza Virus

PARVOVIRUS B19 SEROLOGY

PAR

Program: PAR: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG and IgM antibodies against Parvovirus B19



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

RESPIRATORY SYNCYTIAL VIRUS (RSV) SEROLOGY

RSV

Program: RSV: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

The scheme is intended for NovaLisa, Virion/Serion and Euroimmun ELISA reagents. Other reagents upon request.

Analytical parameters:

IgG, IgM and IgA antibodies against Respiratory Syncytial Virus (RSV)

RESPIRATORY VIRAL ANTIGEN DETECTION

RESPAG

Program: RESPAg: 2 surveys/year x 3 samples

Material: Lyophilized samples (minimum 0,3mL) simulating swab specimens (e.g. oropharyngeal, nasopharyngeal, nasal etc.) or swabs. Antigen positive samples contain inactivated whole virus.

Evaluation: Qualitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

Influenza A Antigen Influenza B Antigen RSV Antigen

SARS-CoV-2 ANTIGEN

COVAG

Program: COVAG: 4 surveys/year x 3 samples

Material: Liquid or lyophilized samples simulating swab specimens (e.g. oropharyngeal, nasopharyngeal, nasal etc.). SARS-CoV-2 antigen positive samples contain inactivated whole virus (minimum 0,3 mL).

Evaluation: Qualitative

Analytical parameters:

SARS-CoV-2 Antigen (qualitative)

SARS-CoV-2 SEROLOGY

COVID

Program: COVID: 2 Surveys/year x 4 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

IgA, IgG, IgM and total antibodies against SARS-CoV-2

SARS-CoV-2 neutralising antibodies



^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.

STREPTOCOCCUS A ANTIGEN

Program: STAA: 2 Surveys/year x 2 samples

Material: Swab, liquid or lyophilized samples (minimum 0,3 mL) simulating swab specimens.

Evaluation: Qualitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

Streptococcus A Antigen

SYPHILIS SEROLOGY

SYP

Program: SYP12: 12 surveys/year x 1 sample SYP4: 4 surveys/year x 2 samples SYP2: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (1 mL)

Evaluation: Qualitative and quantitative

Analytical parameters:

Total antibodies against Treponema pallidum (qualitative, semi-quantitative* and quantitative*)

IgG and IgM antibodies against Treponema pallidum (qualitative*) Non-treponemal Lipoid antibodies (RPR/VDRL Tests) (qualitative)

Non-treponemal Lipoid antibodies (RPR/VDRL Tests Titers) (semi-quantitative*)

TBEV IgG ANTIBODY INDEX

TBEV-G-AI

Program: TBEV-G-AI: 2 surveys/year x 2 samples

Material: CSF/serum sample pair and (simulated) clinical information on the patient needed to calculate the

antibody index is provided to the participant (CSF sample 0,8 mL; 0,3 mL for the serum sample)

Evaluation: Qualitative and quantitative

Analytical parameters:

TBEV IgG-antibody index (AI), qualitative and quantitative

TBEV IgM ANTIBODY INDEX

TBEV-M-AI

Program: TBEV-M-AI: 2 surveys/year x 2 samples

Material: CSF/serum sample pair and (simulated) clinical information on the patient needed to calculate the

antibody index is provided to the participant (CSF sample 0.8 mL; 0.3 mL for the serum sample)

Evaluation: Qualitative and quantitative

Analytical parameters:

TBEV IgM-antibody index (AI), qualitative and quantitative



^{*} This parameter is not accredited according to DIN EN ISO/ IEC 17043.

Torch Serology Torch

Program: TORCH12: 12 surveys/year x 1 sample

TORCH4: 4 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 1 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

anti-CMV IgG anti-HSV 1 IgG anti-Rubella IgG anti-CMV IgM anti-HSV 2 IgG anti-Rubella IgM anti-HSV 1/2 IgG anti-HSV 1 IgM anti-Toxoplasmose gondii IgG anti-HSV 1/2 IgM anti-Toxoplasma gondii IgM

VARIZELLA ZOSTER VIRUS SEROLOGY

VZV

New Program

ToRCH12

Program: VZV: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative and quantitative*

Analytical parameters:

IgA, IgG, and IgM antibodies against Varizella Zoster Virus (VZV)

WEST NILE VIRUS SEROLOGY

WNV

Program: WNV: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG and IgM antibodies against West Nile Virus

ZIKA VIRUS SEROLOGY

ZIKV

Program: ZIKV: 2 surveys/year x 2 samples

Material: Liquid samples of defibrinated human plasma (minimum 0,3 mL)

Evaluation: Qualitative

Analytical parameters:

IgG and IgM antibodies against Zika Virus



^{*} The quantitative antibody determination is not accredited according to DIN EN ISO/ IEC 17043.

^{*} The quantitative antibody determination is not accredited according to DIN EN ISO/ IEC 17043.

MOLECULAR DIAGNOSTICS PROGRAMS

HBV MOLECULAR HBVM

Program: HBVM: 4 surveys/year x 3 samples

Material: Lyophilized samples of human serum. Virus positive samples contain the whole genome of

inactivated HBV (minimum 1 mL) **Evaluation**: Qualitative and quantitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

HBV-DNA (qualitative and quantitative)

HCV MOLECULAR HCVM

Program: HCVM: 4 surveys/year x 3 samples

Material: Lyophilized samples of human serum. Virus positive samples contain the whole genome of

inactivated HCV (minimum 1 mL) **Evaluation**: Qualitative and quantitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

HCV-RNA (qualitative and quantitative)

HIV MOLECULAR HIVM

Program: HIVM: 4 surveys/year x 3 samples

Material: Lyophilized samples of human serum. Virus positive samples contain the whole genome of

inactivated HIV (minimum 1 mL) **Evaluation**: Qualitative and quantitative

This program is not accredited according to DIN EN ISO/ IEC 17043.

Analytical parameters:

HIV-RNA (qualitative and quantitative)

SARS-COV-2 MOLECULAR

COVM

Program: COVM: 4 surveys/year x 3 samples

Material: Liquid or lyophilized samples containing human epithel cells or fibroblasts as control for positive nucleic acid extraction and amplification. Virus-positive samples contain the whole genome of inactivated SARS-CoV-2, thus covering all possible gene targets used in different NAT/PCR assays (minimum 1 mL). **Evaluation**: Qualitativ and quantitative*

Analytical parameters:

SARS-CoV-2 RNA (qualitative)
General detection as well as reporting per gene
target

SARS-CoV-2 RNA (quantitative) General indication as well as reporting of quantitative value per gene target

^{*} The quantitative parameters are not accredited according to DIN EN ISO/ IEC 17043.



HEMATOLOGY PROGRAMS

BLOOD GROUPING ABO

Program: ABO: 4 surveys/year x 2 samples

Material: Liquid samples of stabilized human red cells suspended in a buffered fluid and preservative. Erythrocyte suspensions contain a red blood cell concentration of 8% minimum (minimum 4 mL).

Evaluation: Qualitative

Analytical parameters:

ABO-Typing

Rhesus (D)-Detection

ERYTHROCYTE SEDIMENTATION RATE

ESR

Program: ESR: 4 surveys/year x 2 samples

Material: Liquid samples containing erythrocytes in blood collection tubes (75x13mm) with pierceable caps

(3 mL)

Evaluation: Quantitative

The samples are not suitable for testing on Alifax and Alcor iSED instruments.

Analytical parameters:

Erythrocyte Sedimentation Rate

ERYTHROCYTE SEDIMENTATION RATE FOR ALCOR

ESRAL

Program: ESRAL: 2 surveys/year x 2 samples

Material: Liquid samples of stabilized human red cells suspended in a buffered fluid and preservative (mini-

mum 2 mL)

Evaluation: Quantitative

Analytical parameters:

Erythrocyte Sedimentation Rate

ERYTHROCYTE SEDIMENTATION RATE FOR ALIFAX AND MINDRAY

ESRAF

Program: ESRAF-G: 2 surveys/year x 3 samples in Greiner tubes

ESRAF-S: 2 surveys/year x 3 samples in Sarstedt tubes

Material: Liquid samples for transmittance measurement related to ESR values in human samples (3 mL)

Evaluation: Quantitative

Analytical parameters:

Erythrocyte Sedimentation Rate



HEMOGRAM HEM

Program: HEM12: 12 surveys/year x 1 sample

HEM4: 4 surveys/year x 2 samples HEM2: 2 surveys/year x 2 samples

Material: Plasma like fluid samples that contain stabilized human red blood cells, white blood cells and

platelets of human and/or non-human analogs (minimum 2 mL)

Evaluation: Quantitative

Analytical parameters:

HCT (hematocrit) hemoglobin concentration) PLT (platelets)
HGB (hemoglobin) MCV (mean corpuscular volume) RBC (red blood cells)

MCH (mean corpuscular MPV (mean platelet volume) RDW (RBC distribution width)

hemoglobin) PCT (Plateletcrit)

MCHC (mean cellular PDW (Platelet distribution width)

WBC (white blood cells)

HEMOGRAM INCL. 3-PART DIFF.

HEM3D

Program: HEM3D: 4 surveys/year x 2 samples

Material: Plasma like fluid samples that contain stabilized human red blood cells, white blood cells and

platelets of human and/or non-human analogs (minimum 1,5 mL)

Evaluation: Qualitative

This program is dedicated for 3-part WBC/leucocyte differential hematology analyses

Analytical parameters:

GRAN (granulocytes) hemoglobin concentration) PCT (plateletcrit)

HCT (hematocrit) MCV (mean corpuscular volume) PDW (Platelet distribution width)

HGB (hemoglobin) MID, MXD (mid-sized PLT (platelets)

LYMPH (lymphocytes) RBC (red blood cells)

MCH (mean corpuscular MONO (monocytes) RDW (RBC distribution width)

hemoglobin) MPV (mean platelet volume) WBC (white blood cells)
MCHC (mean cellular NEUT (Neutrophiles)

HEMOGRAM INCL. 5-PART DIFF.

HEM5D

PDW (platelet distribution width)

RDW (RBC distribution width)

PLT (platelets)

RBC (red blood cells)

WBC (white blood cells)

RET (reticulocytes)

Program: HEM5D12: 12 surveys/year x 1 sample

HEM5D4: 4 surveys/year x 2 samples

Material: Plasma like fluid samples that contain stabilized human red blood cells, white blood cells and

platelets of human and/or non-human analogs (minimum 1,5 mL)

Evaluation: Quantitative

This program is dedicated for 5-part WBC/leucocyte differential hematology analyses

Analytical parameters:

BASO (basophiles)* MCHC (mean cellular hemoglobin

EO (eosinophiles)* concentration)

HCT (hematocrit) MCV (mean corpuscular volume)

HGB (hemoglobin) MONO (monocytes)

LYMPH (lymphocytes) MPV (mean platelet volume)

MCH (mean corpuscular NEUT (neutrophiles) hemoglobin) PCT (plateletcrit)

* This parameter is not accredited according to DIN EN ISO/ IEC 17043.



Program: IMHEM4x3: 4 surveys/year x 3 samples

IMHEM2x6: 2 surveys/year x 6 samples

Material: 1 (IMHEM4x3) or 2 (IMHEM2x6) tubes of the patient's red blood cell suspension (minimum 4 mL), 1 (4x3) or 2 (2x6) tubes of the patient's serum (minimum 4 mL) and 1 (4x3) or 2 (2x6) tubes of the donor's red blood cell suspension (minimum 4 mL). Erythrocyte suspensions contain a red blood cell concentration of 8%

minimum

Evaluation: Qualitative

New Program IMHEM 4x3

Analytical parameters:

ABO-Typing	Rh-Typing	Antibody screening
A-Subtypes	Kell-Antigen Detection	Antibody identification
Rhesus (D)-Detection	Direct Coombs test	Cross-matching

EDUCATIONAL PROGRAMS

CLINICAL CASE STUDY PROGRAM

CASE

12 cases/year

This program focuses on the interpretation of analytical data and aims to support and strengthen the skills of staff to draw the right conclusions from the analytical results. Participants receive the case description online and submit their interpretation of the clinical data via the ESfEQA web application.

Parameter:

Suspected diagnosis
Other tests to confirm the diagnosis
Therapy suggestions

CASE STUDIES IN CLINICAL LABORATORY SCIENCE

CASE-T

6 cases/year

For new Subscribers: 2 cases free of charge

3 cases free of charge

The target group of this program is technical personnel as well as laboratory doctors in medical laboratories. It aims to support and to strengthen the skills of the staff for (pre)analytical questions. Participants receive the case description online and submit their interpretation of the clinical data via the ESfEQA web application.

Each study in the Clinical Laboratory Sciences Case Study program provides a case description with analytical data for Clinical Chemistry, Hematology, Coagulation, and related areas. Participants in the survey will be asked for their interpretation, explanation and corrective actions (if applicable) for the described case. Possible answers will be offered in dropdown lists. Participants are requested to select one or more responses they consider appropriate.





Monthly	Program / Date*	Quarterly	Program / Date*
	03/02/2026 - 17/02/2026		17/02/2026 - 10/03/2026
	24/02/2026 - 10/03/2026		21/04/2026 - 12/05/2026
	25/03/2026 - 07/04/2026		21/07/2026 - 11/08/2026
	28/04/2026 - 12/05/2026		13/10/2026 - 03/11/2026
	26/05/2026 - 09/06/2026	ABO	Blood grouping
	23/06/2026 - 07/07/2026	ANTI-THYR	Thyroid antibodies
	28/07/2026 - 11/08/2026	BAC	Bacteriology
	25/08/2026 - 08/09/2026	BACBC	Bacteriology Blood Culture
	22/09/2026 - 06/10/2026	BACUC	Bacteriology Urine Culture
	20/10/2026 - 03/11/2026	BG4	Blood Gas and Electrolytes
	10/11/2026 - 24/11/2026	BILI-N	Bilirubin neonatal
	01/12/2026 - 15/12/2026	CC4	Clinical Chemistry
BG12	Blood Gas and Electrolytes	CM4	Cardiac Marker
CASE	Clinical Case Study Program	COA4	Coagulation
CC12	Clinical Chemistry	COVAg	SARS-CoV-2 Antigen
CM12	Cardiac Marker	COVM	SARS-CoV-2 Molekular
COA12	Coagulation	CSF	CSF diagnostics
DAT12	Drugs of Abuse	DAT4	Drugs of Abuse
ETH12	Ethanol, Ammonia and Bicarbonate	EBV	Epstein-Barr Virus Serology
GHB12	Glycated Hemoglobin (HbA1c)	ESR	Erythrocyte sedimentation rate
HAV12	Hepatitis A Virus Serology	ETH4	Ethanol, Ammonia and Bicarbonate
HBV12	Hepatitis B Virus Serology	GHB4	Glycated Hemoglobin (HbA1c)
HEM12	Hemogram	GLUWB	Glucose POC - Whole Blood
HEM5D12	Hemogram incl. 5-part diff.	HAV4	Hepatitis A Virus Serology
HOR12	Hormones	HBV4	Hepatitis B Virus Serology
INF12	Inf. Disease Combination Control	HBVM	HBV Molecular
SP12	Specific Proteins	HCG	hCG in serum
SYP12	Syphilis Serology	HCVM	HCV Molecular
TM12	Tumor Marker	HEM3D	Hemogram incl. 3-part diff.
TMH12	Tumor Marker & Hormones	HEM4	Hemogram
ToRCH12	ToRCH Serology	HEM5D4	Hemogram incl. 5-part diff.
		HIV	HIV Antibodies and Antigen
D: 41		HIVM	HIV Molecular
Bimonthly	Program / Date*	HOR4	Hormones
	24/02/2026 - 17/03/2026	INF4	Inf. Disease Combination Control
	28/04/2026 - 19/05/2026	INF4x4	Inf. Disease Combination Control
	23/06/2026 - 14/07/2026	IMHEM4x3	Immunohematology
	25/08/2026 - 15/09/2026	INR-POCT	Prothrombin Time (POCT)
	06/10/2026 - 27/10/2026	MALM	Malaria Microscopy
	17/11/2026 - 08/12/2026	OXI	Co-Oximetry
CASE T	Case Studies in Clinical	PCT	Procalcitonin
CASE-T	Laboratory Science	SP4	Specific Proteins
		SYP4	Syphilis Serology
		TDM	Therapeutic Drug Monitoring
		TM4	Tumor Marker
		TMH4	Tumor Marker & Hormones
		ToRCH4	ToRCH Serology
		UC	Urine Chemistry
		US4	Qualitative Urine Analysis (Urine stick)
		USEDL4	Urine Sediment Light scattering methods
		USEDM4	Urine Sediment Microscopy methods

^{*} Start of the measurement period until closing date

Registration deadline: in each case 3 months before the start of the corresponding measurement period.

Late registrations can still be considered if samples are available.







			External Quality Assessment
Semi-annual 1 (Q1+Q3)	Program / Date*	Semi-annual 2 (Q2+Q4)	Program / Date*
	17/02/2026 - 10/03/2026		05/05/2026 - 26/05/2026
	21/07/2026 - 11/08/2026		27/10/2026 - 17/11/2026
CC2	Clinical Chemistry	ADE	Adenovirus Serology
CM2	Cardiac Marker	ASF	Aspergillus Fumigatus Serology
COA2	Coagulation	ASPAg	Aspergillus Galactomannan Antigen
HEM2	Hemogram	BOR	Borrelia Serology
IMHEM2x6	Immunohematology	BOR-G-AI	Borrelia IgG antibody index
INF2	Inf. Disease Combination Control	BOR-M-AI	Borrelia IgM antibody index
SYP2	Syphilis Serology	BPES	Bordetella Serology
TMH2	Tumor Marker & Hormones	BRU	Brucella Serology
US2	Qualitative Urine Analysis (Urine stick)	CHA	Chagas Serology
USEDL2	Urine Sediment Light scattering methods	CHIKV	Chikungunya Virus Serology
USEDM2	Urine Sediment Microscopy methods	CHT	Chlamydia Trachomatis Serology
		COVID	SARS-CoV-2 Serology
		COX	Coxsackievirus Serology
		DENV	Dengue Virus Antibodies
		DENVAg	Dengue Virus NS1 Antigen
		ECH	ECHO Virus Serology
		ENT	Enterovirus Serology
		ESRAF	Erythrocyte sedimentation rate for Alifax and Mindray analysers
		ESRAL	Erythrocyte sedimentation rate for Alcor iSED analysers
		FOB	Fecal Occult Blood
		HEV	Hepatitis E Virus Serology
		HPYL	Helicobacter Pylori Antibodies
		HPYLAg	Helicobacter Pylori Antigen
		HTL	HTLV I/II
		INA	Influenza A Virus Serology
		INB	Influenza B Virus Serology
		LEP	Leptospira Serology
		LPAb	Legionella Pneumophila Antibodies
		MEA	Measles Serology
		MYPL	Mycoplasma Antibodies
		PAR	Parvovirus B19 Serology
		PIN	Parainfluenza Virus Serology
		RESPAg	Respiratory Viral Antigen Detection
		RSV	RSV Serology
		STAA	Streptococcus A Antigen
		TBEV-G-AI	TBEV IgG antibody index
		TBEV-M-AI	TBEV IgM antibody index
		VZV	Varizella Zoster Virus Serology
		WNV	West Nile Virus Serology
		ZIKV	Zika Virus Serology

Registration deadline: in each case 3 months before the start of the corresponding measurement period. Late registrations can still be considered if samples are available.



^{*} Start of the measurement period until closing date

GENERAL TERMS FOR THE PARTICIPATION IN EXTERNAL QUALITY ASSESSMENT SURVEYS OF ESFEQA Stat

Status July 2025

1. Participation

Participation in ESfEQA external quality assessment (EQA) surveys is open to anyone who performs laboratory tests in their own practice or in a managed medical laboratory. The following conditions for participation apply.

2. Consent to conditions of participation

By registering with ESfEQA GmbH, the participant agrees to these general terms and conditions of participation.

3. Assignment of services

Individual elements of EQA schemes (e.g. pretesting of values, packaging and shipping) may be assigned to subcontractors. ESfEQA is responsible for the work of the subcontractors.

4. ESfEQA catalog

The ESfEQA portfolio of EQA schemes and analytes contained in individual programs are described in the ESfEQA catalog. Depending on the availability of samples and number of participants, ESfEQA reserves the right not to offer the entire spectrum of analytes for each EQA survey or sample.

5. Schedule

The schedule, published in the ESfEQA catalog, contains deadlines for ordering and result submission, as well as the testing periods. Once the deadline for ordering has passed, acceptance of late orders is at ESfEQA's discretion. Results must be submitted to ESfEQA electronically, or using a result entry form, on or before the closing date. All deadlines and calendar dates are in the same time zone as ESfEQA's place of business in Heidelberg, Germany (i.e. GMT+1).

6. Cancelation of EQA surveys

ESfEQA reserves the right to cancel or postpone EQA surveys. This information will be provided to participants before the original sample shipping date and ESfEQA will endeavor to offer an alternative date in a timely manner.

7. Registration

For participation in ESfEQA EQA surveys registration is required. This can be done online, or by sending the necessary information to ESfEQA by email to: surveys@ esfeqa.eu. The following information is required: laboratory name, name of the organization/hospital, name of participant, number of analytical devices, and e-mail address.

8. Ordering of samples

Distribution of ESfEQA EQA surveys is usually carried out by international distributors. If there is no distributor available in the participant's region, sales can be carried out directly by ESfEQA. The ordering process between participants and distributors is the responsibility of the parties involved. As a rule, an EQA program is ordered for a full calendar year. Orders placed during the year generally include the survey samples up to the end of the current calendar year.

9. Homogeneity and stability of EQA samples

The EQA survey samples selected by ESfEQA were examined and evaluated with regard to homogeneity and stability.

report display, the upper limit of the permissible range corresponds to a z-value of 3 and the lower limit to a z-value of -3.

10. Designation of EQA samples

The EQA samples can be distinguished by their identifier, which has the following format: program acronym_survey year_survey number_sample number. For example, the sample CM4_2025_01_a belongs to the quarterly program Cardiac Marker (CM4) in the year 2025 and is sample "a" of the first survey. Samples with the same designation are not necessarily identical, i.e. different results can be obtained despite the same designation. ESfEQA correctly allocates samples to the original batch and thus to the target values.

11. Shipping of EQA samples

EQA samples are shipped by postal or parcel service. Due to governmental restrictions, or insufficient sample stability, shipping of individual EQA programs to specific countries may be excluded.

12. Instructions for Use

Instructions for Use (IFU) for each EQA survey are available on the ESfEQA website (www.esfeqa.eu). A printout of the IFU is usually enclosed with the sample package. Each IFU includes instructions for sample preparation and stability.

13. Use of EQA samples

Usually, EQA samples should be treated exactly like patient samples, measured in the same way as routine samples according to manufacturer's instructions for instruments and reagents. They may only be used for the purpose of participating in an EQA survey and may not be used in a misappropriated manner. Generally normal laboratory procedure for testing potentially hazardous and potentially infectious samples also applies to EQA samples.

14. Submission of survey results

Where applicable, submission of results includes the actual measured value as well as method, instrument and reagent used. The input mask in TEQA (ESfEQA's evaluation software application) displays the required information for each EQA program. A drop-down list of methods, instruments and reagents is provided in the configuration section.

If a participant's method, instrument or reagent is not listed in TEQA, participants can add this information using the in put mask "coding request". They can select their specific method, instrument and reagent to create a new configuration prior to entering their test results.

The selection of method, instrument and reagent, as well as submission of results, must be performed using the TEQA web-application. Participants receive their login data (username and password) from ESfEQA, which is required to enter results. The password consists of at least 8 characters, including at least 2 special characters. Username and password are to be treated confidentially by the participant.

An alternative to result submission via the TEQA web-application, is the result form, that can be sent to ESfEQA either by E-Mail (info@esfeqa.eu) or Fax (+49 6221 894669-90). Result forms specific for each EQA program are provided on the ESfEQA website. ESfEQA encourages all participants to submit their results online via the secured TEQA web-application, for the sake of data security and convenience.

ESfEQA evaluates all survey results submitted by participants by the deadline. In the event of loss or late arrival of their data the participant bears the risk. ESfEQA are not obliged to evaluate results submitted after the



submission deadline.

Quantitative results are generally reported with a value and a unit. The participant determines the number of digits for reporting. In general, results should be reported as measured. However, results submitted as "< test range' (e.g. "< 10") or "> test range' (e.g. ">2000") are not valid. For results below the test range, the lower test range limit should be reported (e.g. "10").

For samples with analyte concentrations above the test range, the sample can be diluted (if recommended for particular applications) or the upper test range limit (e.g. "2000") can be submitted as the result. Several units are usually available for entering quantitative results. The units are converted into the standard unit used by ESfEQA.

Laboratories are obliged to treat their results confidentially and not to pass them on to third parties until the EQA survey report has been received. If ESfEQA becomes aware of the passing on or falsification of results or the collusion between participants, ESfEQA reserves the right to exclude those concerned from further participation in EQA surveys conducted by ESfEQA as well as to exclude the issuance of reports.

15. Number of results per participant

For each EQA sample and analyte, up to 3 values per participant can be submitted. The values have to be determined by different analytical devices that are independent from each other.

16. Correction of transmitted results

Participants can edit their results, using a change request via the TEQA web-application, up until the deadline for result submission of the EQA survey. ESfEQA must check and accept change requests before results are edited accordingly. A change request can also be submitted by participants via e-mail or fax to ESfEQA, up until the deadline for result submission. Participants who submitted their results via the TEQA web-application can only use a change request via the TEQA web application.

17. Evaluation of EQA results

For each analyte in ESfEQA EQA surveys, the type of target value determination and acceptance criterion are predefined. For quantitative parameters, the target value is usually the consensus value of participants results. This value is calculated according to ISO 13528:2022-08 'Statistical methods for use in proficiency testing by interlaboratory comparison' using robust statistics.

Samples provided for testing of qualitative parameters are thoroughly tested with different analytical systems before being used as control material, thereby setting the target value

System-specific differences are taken into account, if appropriate and feasible, with a corresponding statistical evaluation. The broadest possible distinction according to method, device and/or reagent used, is made available to participants (M-, I-, R-group). The minimum number of results of an evaluation group is 5. If this number is not reached in the survey, the individual result has to be compared to the robust mean of the next largest group that can be evaluated. Usually, this is the group consisting of participants using the same method (M group), or the general group containing the results of all participants. The definition of the evaluation group is documented in the survey report.

For quantitatively determined analytes, the maximum permissible ranges of the target value are predefined. The permissible range for each analyte is derived from its medical relevance as well as the reference interval. In the report display, the upper limit of the permissible range corresponds to a z-value of 3 and the lower limit to a z-value of -3.

18. Survey reports

In general, the participants will receive reports electronically

via the TEQA web-application within 10 days (for monthly programs), or three weeks (for quarterly and semi-annual programs) after the deadline for submission of the results. The reports include the results submitted by the participant evaluated in comparison to target values. The data is displayed both in tabular and illustrated form (e. g., Histogram, Shewart chart, Youden plot). The reports are intended for external quality assurance of laboratories. They may not be published, passed on or used for purposes other than quality assurance without the written consent of ESfEQA.

19. Fees

The fees for the participation are set and communicated to the participants by the responsible distributor of ESfEQA programs in their geographical area/country. Due to the high variability of shipping, handling and customs costs, the prices may vary between various countries. Please contact your distributor for the participation fee.

20. Certificates

For each EQA program participants receive a certificate of participation. In addition, participants receive a certificate for those parameters which met the specified performance criteria in the respective EQA survey. Both certificates are made available to participants via the TEQA webapplication. The certificates are issued simultaneously with the reports.

21. Loss and damage of EQA test material

In the event of sample loss or damage, ESfEQA should be notified immediately. If possible, ESfEQA will send replacement samples without acknowledging any claims. However, the contract is fulfilled on the date of dispatch of the original sample material.

22. Complaints and appeals

After receipt of an EQA survey report, a complaint/appeal can be made within a period of 4 weeks. After expiry of this period, any claims by the participant based on a complaint /appeal are excluded. In the event of a justified complaint/ appeal, ESfEQA will decide whether to reimburse the amount paid for the EQA survey, or to provide a substitute EQA survey. ESfEQA GmbH does not reimburse any costs incurred for reagents, time expenditure etc. unless ESfEQA GmbH is liable in accordance with paragraph 23 of these General Terms and Conditions for Participation.

23. Warranty

ESfEQA shall only be liable for damages of any kind in the case of intent and gross negligence, if the other prerequisites for claims are met. In all other respects, liability for damages of any kind, regardless of the basis of the claim, including liability for culpa in contrahendo, is excluded.

24. Confidentiality

Individual EQA data is kept confidential. It is only known to the corresponding participant, their distributor and ESfEQA employees. ESfEQA collects, processes and uses personal data of the participant only to the extent necessary for the performance of EQA surveys, the preparation of the reports and for the purpose of quality assurance. This includes the forwarding of the data identifiable by subscriber and device number for quality assurance measures to the respective manufacturer of the analytical systems (device and reagent).



COMPANY INFORMATION

ESfEQA GmbH

CEO: Oliver Bošnjak

Head of Operations: Dr. Dieter Groche

Address: Siemensstraße 38

69123 Heidelberg Germany

Phone: +49(0)6221-4166-700

Fax: +49(0)6221-4166-790

E-mail: info@esfeqa.eu Internet: www.esfeqa.eu