

EXPERTS IN TESTING AND CERTIFICATION SINCE 1954



42777 TRADE WEST DRIVE, STERLING, VA 20166
571-300-7050 | EXPERTS@CAPITALTESTING.ORG | WWW.CAPITALTESTING.ORG

FORMERLY HPVA LABORATORIES®

Certificate Of EPA TSCA Title VI & CARB Compliance

Capital TestingSM officially recognizes the following mill's production as certified to meet all requirements established in EPA TSCA Title VI 40 CFR Part 770 *Formaldehyde Emission Standards for Composite Wood Products* and Section 93120.2, Title 17, California Code of Regulations, Final Regulation Order, *Airborne Toxic Control Measure to Reduce Formaldehyde Emissions from Composite Wood Products (ATCM)*.

This mill has demonstrated conformance and commitment to the quality control procedures and testing requirements necessary to ensure production meets the CARB and TSCA Title VI requirements for the hardwood plywood products listed below. These products, as defined by the mill's quality control manual, may now carry the CARB TPC-8 label.

Commonwealth Plywood Inc.

10070 State Route 4, Whitehall, NY 12887

PRODUCTS:

- Veneer Core Hardwood Plywood – PVA Resin: CARB and TSCA Title VI NAF Exempt*
- Veneer Core Hardwood Plywood – UF Resin: CARB and TSCA Title VI ULEF Exempt*
- Composite Core Hardwood Plywood – UF Resin: CARB Phase 2 and TSCA Title VI Certified

Effective Date:
March 31st, 2020

Date Re-Issued:
March 24th, 2026

Expiration Date:
March 31st, 2028



A handwritten signature in blue ink that reads "Josh Hosen".

Josh Hosen,
Managing Director, Capital TestingSM