

# On-site Wastewater Treatment System Grant Program

#### **Purpose**

To assist homeowners within the West Dakota Water Development District to bring malfunctioning or failing on-site wastewater treatment systems into compliance with on-site wastewater system ordinances.

# **Eligibility Requirements**

- Residence must be within the West Dakota Water Development District
- Residence must be a single-family home, served by an on-site wastewater system
- Property cannot be for sale or sold for 3 years
- Applicant must own the property, and it must be his/her primary residence
- Applicants income will be taken into consideration

# **Application Requirements**

- Letter to the Board Chairman signed and notarized
- Completed application form, signed by the property owner
- Proof of income (last 2 year's tax returns)
- Proof of homeownership
- Proof of identity
- Two dated bids for the required work from service providers certified by the Pennington County Planning and zoning department

#### **Grant Guidelines**

- A limited amount of grant funding is available; therefore, grants will be awarded to eligible households on a first-come, first-served basis.
- Only one award per household will be approved, with a maximum of a \$2,000 grant award per applicant, unless otherwise authorized by the WDWDD Board of Directors with a 2/3 vote.
- Work must be permitted and approved through the applicable governing body, and completed by a service provider that is certified by the Pennington County Planning and Zoning Department.
- Payments will be made directly to the service provider after the work is completed, inspected, and an invoice is submitted.
- Inspections/pumping are eligible expenses only for applicants within the extremely low-income category as provided by the State Health and Social Services office.

### **Additional Information**

If you would like additional information on the grant program, or to request an application please contact WDWDD administration phone: (605)394-2685, email: wdwdd0@outlook.com.