## Asthma Control Test™ for teens 12 years and older. Know the score.

If your teen is 12 years or older have him take the test now and discuss the results with your doctor

Step 1 Write the number of each answer in the score box provided.

Step 2 Add up each score box for the total.

Step 3 Take the test to the doctor to talk about your child's total score.

the time	1	Most of the time	2 Some		A little of the time	4	None of the time	5	
2. During the p	ast <b>4 weel</b>	s, how often t	nave you had sho	ortness of breath?					
More than once a day	1	Once a day	2 3 to 1 a we	times 3		4	Not at all	5	
3. During the p or pain) wak	ast <b>4 weel</b> e you up a	ks, how often of t night or earli	did your <b>asthma</b> er than usual in	symptoms (wheez the morning?	ring, coughing,	shortness	of breath, cl	hest tightness,	
4 or more nights a week	(1)	2 or 3 nights a week	2 a we			4	Not at all	5	
			have you need you	ur rescue inhaler	or pobulizor mo	P P /	ما المام ما مامان	t1)2	
	ast 4 weel			There o	THE RESERVE OF THE PERSON NAMED IN	dication (	Not	iteroi)?	
4. During the p 3 or more times per day	(1)	1 or 2 times per day		3 times	Once a week or less	4	THE RESERVE OF THE PERSON NAMED IN	(5)	
3 or more times per day	1	1 or 2 times per day	2 2 or	3 times veek 3	Once a week	4	Not	(Teroi)?	
3 or more times per day	ou rate you	1 or 2 times per day	2 2 or per o	3 times veek 3	Once a week	4	Not	<b>5</b>	

## What does it mean if my child scores 19 or less?

- If your child's score is 19 or less, it may be a sign that your child's asthma is not under control.
- Make an appointment to discuss your child's asthma score with their doctor. Ask if you should change your child's asthma treatment plan.
- Ask your child's doctor about daily long-term medications that can help control airway inflammation and constriction, the two main causes of asthma symptoms. Many children may need to treat both of these on a daily basis for the best asthma control.