




EVER. BUSHEL. COUNTS.

See the latest yield results from Central MN & Northern WI. We know our products are locally field tested for consistent, high-yielding performance, but if you needed convincing, check out our results.

PKP SET	LOCATION
107-114 Corn PKP	Central MN & Northern WI
AVG PLANTING DATE	AVG HARVEST DATE
April 26, 2025	Oct. 18, 2025



BRAND	HYBRID	CRM	YIELD (BU/A)	MST (%)	TEST WEIGHT	INCOME/ ACRE	RANK
NEW Pioneer	P07147PCE™	107	238.1	19.1	54.4	\$795	2
Pioneer	P0859AM™	108	236.6	19.1	55.2	\$790	4
Pioneer	P08527V™	108	239.4	21.1	55.1	\$780	1
Pioneer	P10625V™	110	232.4	21.5	55.0	\$754	5
Pioneer	P14830Q™	114	238.0	21.6	56.0	\$771	3

8 Paired Comparison Location

Average of Locations


Includes only PKP plots with all planned entries in the plot



EVER. BUSHEL. COUNTS.

See the latest yield results from Central MN & Northern WI. We know our products are locally field tested for consistent, high-yielding performance, but if you needed convincing, check out our results.

PKP SET	LOCATION
107-114 Corn PKP	Central MN & Northern WI
AVG PLANTING DATE	AVG HARVEST DATE
April 25, 2025	Oct. 16, 2025



BRAND	HYBRID	CRM	YIELD (BU/A)	MST (%)	TEST WEIGHT	INCOME/ACRE	RANK
NEW	Pioneer	P07147PCE™	107	244.8	18.9	\$819	2
	Pioneer	P0859AM™	108	240.7	18.6	\$808	5
	Pioneer	P08527V™	108	247.8	20.8	\$809	1
	Pioneer	P10625V™	110	239.4	21.4	\$777	6
	Pioneer	P13777V™	113	244.8	22.0	\$789	3
	Pioneer	P14830Q™	114	242.9	21.5	\$788	4

6 Paired Comparison Location
Average of Locations
Includes only PKP plots with all planned entries in the plot




PIONEER
BRAND

**EVER.
BUSHEL.
COUNTS.**

See the latest yield results from Central MN & Northern WI. We know our products are locally field tested for consistent, high-yielding performance, but if you needed convincing, check out our results.

PKP SET	LOCATION
107-114 Corn PKP	Central MN & Northern WI
AVG PLANTING DATE	AVG HARVEST DATE
April 29, 2025	Oct. 19, 2025



BRAND	HYBRID	CRM	YIELD (BU/A)	MST (%)	TEST WEIGHT	INCOME/ACRE	RANK
NEW Pioneer	P07147PCE™	107	268.8	20.2	54.9	\$885	1
Pioneer	P0859AM™	108	258.9	20.2	54.7	\$852	6
Pioneer	P08527V™	108	263.8	21.6	54.9	\$854	3
Pioneer	P10300PCE™	110	267.6	22.1	54.4	\$862	2
NEW Pioneer	P10625V™	110	256.0	22.7	55.4	\$817	7
Pioneer	P13777V™	113	263.7	22.8	57.1	\$842	4
Pioneer	P14830Q™	114	262.8	22.2	56.9	\$845	5

2 Paired Comparison Location

Average of Locations

Includes only PKP plots with all planned entries in the plot

Territory	Agency	County	State	Planting Date	Previous Crop	Irrigation	Fungicide	Harvest Date	P07147PCE	P0859AM	P08527V	P10300PCE	P10625V2	P13777V	P14830Q
KTA	Blank; Jason	Wright	Minnesota	4/26	Soybeans	Y		10/27	228.2	224.7	225.2	224.5		224.8	
KTA	Janikula; Andrew	Wright	Minnesota	5/5	Soybeans	N		10/22	207.4	223.8	205.4	198.3		221.9	
KTD	JGL Agri LLC	Kandiyohi	Minnesota	4/22	Soybeans	N		10/11	207.2	200.5	207.3	197.1	185.5	190.2	
KTD	Local Roots Ag LLC	McLeod	Minnesota	4/16	Soybeans	N		10/13	276.6	263.7	275.8	262.5	286.7	270.1	
KTD	Schwab; Randy	Nicollet	Minnesota	4/21	Corn	N		10/13	247	256.6	266.2	259.9	260.3	252.5	
KTD	Local Roots Ag LLC	Renville	Minnesota	5/6	Corn	N		10/23	200.5	205.6	207.3	204.9	208.9	219.1	
KTD	Local Roots Ag LLC	Renville	Minnesota	4/23	Soybeans	N	Y	10/20	270.1	265.9	269.5	282.5	261.2	275.7	271.3
KTD	Local Roots Ag LLC	Sibley	Minnesota	5/5	Soybeans	N	Y	10/18	267.4	251.8	258.1	252.7	250.8	251.6	254.3
				Average	4/26			10/18	238.05	236.58	239.35	267.60	232.40	244.78	238.03
				Average MST					19.1	19.1	21.1	22.1	21.5	22	21.6
				Average TW					54.4	55.2	55.1	54.4	55	56.4	56
				Average AGI					\$795	\$790	\$780	\$862	\$754	\$789	\$771



All Pioneer corn products are hybrids. All Pioneer products denoted with TM are brand names. If corn product designated with AM, AML, AMT, AMX, AMX^Q, V, PCU, PWE & PWUE, it is a blend/mixture.

AM - Optimum[®] AcreMax[®] insect protection system with YGCB, HX1, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax products. **AMT** - Optimum[®] AcreMax[®] TRisect[®] insect protection system with RW, YGCB, HX1, LL, RR2. Contains a single-bag refuge solution for above- and below-ground insects. The major component contains the AgriSure[®] RW trait, the Bt trait, and the Herculex[®] I gene. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax TRisect products. **AMX** - Optimum[®] AcreMax[®] Xtra insect protection system with YGCB, HX1, LL, RR2. Contains a single-bag integrated refuge solution for above- and below-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax Xtra products. **AMXT** (Optimum[®] AcreMax[®] Xtreme) - Contains a single-bag integrated refuge solution for above- and below-ground insects. The major component contains the AgriSure[®] RW trait, the Bt trait, and the Herculex[®] XTRA gene. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax Xtra products. **Q (Qrome)** - Contains a single-bag integrated refuge solution for above- and below-ground insects. The major component contains the AgriSure[®] RW trait, the Bt trait, and the Herculex[®] XTRA gene. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with Qrome products. **YGCB, HX1, LL, RR2 (Optimum[®] Intrasect)** - Contains the AgriSure Viptera[®] trait, the Bt trait, the Herculex[®] I gene, the LibertyLink[®] gene and the Roundup Ready[®] Corn 2 trait. **V - Vorceed** - Optimum[®] products with V, LL, RR2, ENL. Contains a single-bag integrated refuge solution with multiple modes of action for above- and below-ground insects. The major component contains the Herculex[®] XTRA genes, the RW3 trait and the VTP trait. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted for Vorceed Enlist products. **PCE - Powercore[®] Enlist** - Powercore[®] Enlist Refuge Advanced[®] corn products with AVBL, HX1, VTP, ENL, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with PowerCore Enlist products. **PWE - PowerCore[®] Ultra Enlist** - PowerCore[®] Ultra Enlist Refuge Advanced[®] corn products with AVBL, HX1, VTP, ENL, LL, RR2. A separate 5% corn borer refuge in the corn belt, and a separate 20% corn borer refuge in EPA-designated cotton-growing counties must be planted PowerCore Ultra Enlist products. **PWUE - PowerCore[®] Ultra Enlist** - PowerCore[®] Ultra Enlist products with AVBL, HX1, VTP, ENL, LL, RR2. A separate 5% corn borer refuge in the corn belt, and a separate 20% corn borer refuge in EPA-designated cotton-growing counties must be planted PowerCore Ultra Enlist products. **HX1** - Contains the Herculex[®] I insect protection gene which provides protection against European corn borer, southwestern corn borer, black cutworm, fall armyworm, lesser corn stalk borer, southern corn stalk borer, and

sugarcane borer; and suppresses corn earworm. **HXX** - Herculex[®] XTRA contains the Herculex[®] I and Herculex[®] RW gene. **YGCB** - The Bt trait offers a high level of resistance to European corn borer, southwestern corn borer and southern cornstalk borer; moderate resistance to corn earworm and common stalk borer; and above average resistance to fall armyworm. **LL** - Contains the LibertyLink[®] gene for resistance to glufosinate herbicide. **LR** - Contains the LibertyLink[®] gene and the Roundup Ready[®] Corn 2 trait. **RR2** - Contains the Roundup Ready[®] Corn 2 trait that provides crop safety for over-the-top applications of labeled glyphosate herbicides when applied according to label directions. **AQ** - Optimum[®] AQUAmax[®] product. Product performance in water-limited environments is variable and depends on many factors such as the severity and timing of moisture deficiency, heat stress, soil type, management practices and environmental stress as well as disease and pest pressures. All products may exhibit reduced yield under water and heat stress. Individual results may vary.

[®]Roundup and Roundup Ready are registered trademarks of Bayer Group.

LibertyLink[®] and the Water Droplet Design are registered trademarks of BASF.

AgriSure[®] and AgriSure Viptera[®] are registered trademarks of, and used under license from, a Syngenta Group Company. Mir162 is part of AgriSure Viptera[®] and is a registered trademark of Syngenta Agro SA. AgriSure[®] technology incorporated into these seeds is commercialized under a license from Syngenta Crop Protection AG.

POWERCORE[®] is a registered trademark of Bayer Group. **POWERCORE[®]** multi-event technology developed by Corteva Agriscience and Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

Following burndown, Enlist Duo[®] and Enlist One[®] herbicides with Colex-D[®] technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist[®] crops. Consult Enlist[®] herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/esp/; call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist[®] herbicides in your area. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES.** Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitsstewardship.com.