




# ***DESIGN-A-DOOR***


**PRODUCT  
SPECIFICATIONS**  
February 2026

# DOOR DESIGNS


---




10




11




20




22




30




32




40




42




50




52




70




72




80




82




90




92




SLAB




10G




10G4  
w/grids




10G6  
w/grids



DF1S (Solid Slab)  
DF1V (Veneer Slab)



DF2




DF3


# DOOR DESIGNS

---


## Raised & Flat Panel



10R




10F



\*10R-D2


\*10F-D2




\*10R-D3

\*10F-D3


## Glass Panel




10G1




10G1-D2



10G-10R



10G-10F



GRIDS AVAILABLE -  
SEE OPTIONS FOR  
PRICING

ALL GLASS DOORS INCLUDE VINYL RETAINER  
GLASS NOT INCLUDED

## 10 Design Specifications


Stile & Rail: 3/4" x 2-1/4"

Minimum Width: 8"


Minimum Height: 8"

# DOOR DESIGNS

## Raised & Flat Panel




**11R**




**11R-D1**

**11F-D1**




**11R-D2**

**11F-D2**




**11F**


## Glass Panel




**11G2**




**11G2-D1**



**11G2-D2**



**11G-10R**



**11G-11R**

GRIDS AVAILABLE -  
SEE OPTIONS FOR  
PRICING

ALL GLASS DOORS INCLUDE VINYL RETAINER  
GLASS NOT INCLUDED

## 11 Design Specifications


Stile & Rail: 3/4" x 2-1/4"

Minimum Width: 13-3/4"


Minimum Height: 8"

# DOOR DESIGNS


## Raised & Flat Panel




**20R**




**20R-D1**




**20R-D2**




**30R**



**30R-D1**




**30R-D2**



**20F**

**20F-D1**

**20F-D2**




**30F**


**30F-D1**

**30F-D2**


## Glass Panel




**20G1**




**20G1-D1**




**20G1-D2**





**30G1**



**30G1-D1**



**30G1-D2**



### 20 Design Specifications

Stile & Rail: 3/4" x 2-1/4"

Minimum Width: 12-1/2"

Minimum Height: 10-1/2"

### 30 Design Specifications

Stile & Rail: 3/4" x 2-1/4"


Minimum Width: 8"

Minimum Height: 9-1/2"


# DOOR DESIGNS

---


## Raised & Flat Panel




**50R**




**50R-D1**  
**50F-D1**




**50F**



**90R**




**90R-D1**  
**90F-D1**




**90F**



## Glass Panel




**50G1**




**50G1-D1**



**90G1**



**90G1-D1**



### 50 Design Specifications

Stile & Rail: 3/4" x 2-1/4"  
Minimum Width: 13-1/2"  
Minimum Height: 10-1/2"


### 90 Design Specifications

Stile & Rail: 3/4" x 2-1/4"  
Minimum Width: 10-1/2"  
Minimum Height: 10-1/2"


# DOOR DESIGNS

---


## Raised & Flat Panel Mitre Doors



**M110R**




**M110F**



**M110R-D2**


**M110F-D2**




**M110R-D3**

**M110F-D3**


## Glass Panel



**M110G1**



**M110G1-D2**



**M110G-10R**

### Design Specifications

Stile & Rail: 3/4" x 1-1/2"  
Minimum Width: 12-1/2"  
Minimum Height: 10-1/2"


### Design Specifications

Stile & Rail: 3/4" x 1-3/4"  
Minimum Width: 8"  
Minimum Height: 9-1/2"

# DOOR DESIGNS

## Slab Door Specifications


- Slab doors will have 2 battens, 1-3/4" wide, 6" from top & bottom, 1-3/4" from hinge side edge of door.
- If door is less than 20" tall, the battens will be 3" from top & bottom.
- If door is less than 10" tall, only 1 batten per door is used. It will be centered on door.
- If door is more than 36" in height, 3 battens will be used. One centered, one 6" from top, one 6" from bottom.



**Slab Door SD**

**Slab Door with v-groove (SDV)**

Groove Centered then 1-1/2" Spacing  
other spacing options available




**Detail A**



# DOOR DESIGNS

## Slab Door with bead (SDB)


Bead Centered then 1-1/2" Spacing  
other spacing options available





Detail B



## Slab Door - Woodland (SDW)



Detail C






# INSIDE EDGE PROFILES

---








## Mitred

## Cope & Stick
























# MITRED STILE & PROFILES











---



# EDGE PROFILES




# PANEL PROFILES




# APPLIED MOLDING PROFILES


---




**APM001**




**APM004**




**APM002**



**APM005**



**APM003**




**APM006**


# DOOR COMPONENTS

## Cross-Section of Raised Panel Door

Finished Thickness is 3/4"



## Door and Drawer Front Parts/Grain Direction




## Exploded Door

# DOOR COMPONENTS


## Bevel Edge Option

15 Degree bevel available on any edge profile



Bevel edge may not accomodate concealed hinge


## Hinge Boring Detail



Blum and Grass hinge boring available, please specify tab depth, and distance from end of door.

Doors 48" and under will be bored for 2 hinges  
Doors over 48" will be bored for 3 hinges  
(see pricing)

## Standard Finger Pull Overlay





Bayer is a leader in interior solutions for the cabinetry, millwork and storage solutions. With more than 25 years of experience we provide unparalleled service and custom product offerings. With our vast partnerships we are able to provide unmatched product offerings to any and all customers. At Bayer Interior Woods we have set the standard for the manufacturer-to-dealer relationship. We know that you are in business for yourself but, you do not have to do it by yourself.



*bayerinteriorwoods.com*

*© 2026 Bayer Interior Woods. All Rights Reserved.  
All photos and colors are representative of product.  
Please review an actual product sample with your dealer  
before making your final selection.*