Ellis County Emergency Services District #2

Agenda

Special Meeting September 30, 2025 4:30 p.m.

THERE WILL BE A SPECIAL MEETING OF THE ELLIS COUNTY EMERGENCY SERVICES DISTRICT #2, TUESDAY, SEPTEMBER 30, 2025, AT 4:30 P.M. AT THE MIDLOTHIAN PUBLIC SAFETY FACILITY, 1111 GEORGE W. RAFFIELD, JR. WAY, MIDLOTHIAN, TEXAS.

Meeting Called to Order

I.	RE	GU	JLA	١R	AG	EN	IDA
----	----	----	-----	----	----	----	-----

ITEM 1. Discussion/Action - Discuss and take action on City of Grand Prairie 2025 - 2026 service contract.

EXECUTIVE SESSION

The Board may retire to Executive Session any time between the meeting's opening and adjournment for the purpose of consulting with legal counsel pursuant to Section 551.071 of the Texas Government Code; discussing real estate acquisition pursuant to Section 551.072 of the Texas Government Code; discussing gifts and donations pursuant to Section 551.073 of the Texas Government Code; discussing personnel matters pursuant to Section 551.074 of the Texas Government Code; discussing security personnel or devices pursuant to Section 551.076 of the Texas Government Code. Action, if any, will be taken in open session.

II. DISTRICT RESIDENT COMMENTS

Adjournment

This is to certify that a copy of the Notice of Ellis County Emergency Services District #2 Special Meeting for September 30, 2025 was posted on the bulletin board at the Ovilla City Hall, 105 S. Cockrell Hill Road, Ovilla, Texas and Midlothian Public Safety Facility, 1111 George W. Raffield, Jr. Way, Midlothian, Texas, on this 24th day of September 2025..

statewide Relay Texas Program, 1-800-735-2988.

Bill Holmes Secretary	Ellis County Emergency Services District No. 2 is committed to compliance with the Americans with Disabilities Act. Reasonable modifications and equal access to communications will be provided upon request. Please call Tom Manning, District Manager for Ellis County Emergency Services District No. 2 at (214) 325-7186 for information. Hearing impaired or speech disabled persons equipped with telecommunication devices for the deaf may utilize the
--------------------------	---