



CRANE PADS

LOAD SUPPORT SYSTEMS

ENGINEERED FOR SAFETY IN LIFTING

Contents

CRANE PADS

ABOUT US	4
BLACK ECONOMY PADS	5
HIGH VISIBILITY PADS	6
PRO-TEK PADS	7
PREMIUM CRANE PADS - SQUARE & ROUND	8
SUPPORT BLOCKS - CRIBBING & JACKING	10
CRANE PADS & TESTING	13
MODULAR MAT SYSTEM	14
GROUND MATS	16
MOTORHOME PADS	17
BESPOKE PADS	18
STOWAGE HOLDER	19



The Crane Pad Shop Ltd specialises in high quality, affordable spreader plates and crane pads. Made from ultra-high molecular weight polyethylene (UHMWPE), they are resistant to corrosion and water while also being durable and long-lasting.

Our Crane Pads range includes products specifically designed for a wide range of equipment including access platforms and mobile plant like concrete pumps, through to modular mats and bespoke pads for mobile cranes and other heavy equipment. We also provide a range of cribbing and jacking blocks for workshops.

We offer fast delivery to anywhere on the UK mainland - contact us for delivery elsewhere.

Sectors who can benefit from our crane pads, modular mats and crane mats include:

- Access platform rental
- Construction
- Crane rental
- Emergency services
- Events management
- Facilities management
- Lifting equipment
- Oil and gas
- Plant hire
- Steel erectors
- Telecommunications
- Utilities contractors
- Vehicle recovery

CRANE PADS - also known as jack pads and spreader plates - are proven to improve machine stability and to protect expensive or sensitive flooring. When working on soft ground or indoors on flooring where load bearing is an issue, make sure you use the right pads for safe lifting operations. Also use them indoors for atrium work to prevent outrigger feet from marking the floor.


If your machinery or vehicles use stabilisers, jack legs or outriggers, the Crane Pad Shop has the right pads for you.

Our comprehensive product range includes our competitively priced standard black pads, plus coloured pads for higher visibility, right through to modular systems for the biggest mobile cranes and heavy vehicles.

CRANE
PAD SHOP

ABOUT US

At The Crane Pad Shop, we pride ourselves on delivering the best pads at competitive prices, all backed up by superior customer service and expert after-sales support.



CRANE
PAD SHOP

Why choose us?

You are in safe hands with The Crane Pad Shop Ltd - we're experts in crane pads and spreader plates. We have one of the most comprehensive ranges available in the UK, offering pads with capacities from 5,000kg to 350,000kg.

Superior products

Our pads are made from high-performance polyethylene (UHMWPE), which offers significant benefits over traditional steel spreader plates or wooden pads:

- Our pads do not corrode or deteriorate, unlike wood or steel products
- Our pads are lighter weight and easier to handle than steel pads
- Our pads are chemical and water resistant for working in the harshest environments
- Our pads are UV stable, meaning they last longer than wood or steel pads
- Our pads retain their shape even under high pressure
- Our pads have rope handles, steel bar handles or integrated handles for easier lifting and shifting

Our solutions

WE OFFER A WIDE RANGE OF SOLUTIONS INCLUDING:

Crane pads and spreader plates for small and medium sized equipment such as:

- Access platforms
- Concrete pumps
- Generators
- Other mobile plant
- Crane pads for all sizes of mobile cranes and tower cranes
- Cribbing & Jacking Blocks for workshops - can also be used as height extenders for heavy equipment
- Spreader plates for mobile units for used for exhibitions and events
- Smaller pads for RVs, motorhomes and caravans

Expert advice

Not sure where to start? Contact us for expert, friendly advice. Our personnel have over a decade of experience in providing the right pads for the right applications - and an extensive track record of going the extra mile to create bespoke products when needed.

BLACK ECONOMY PADS

Affordable, durable and easy to use, our Black Economy range is perfect for use with small to medium sized machinery.

These are the ideal spreader pads for use with spider lifts and tracked booms, scissor lifts, van-mounted boom lifts - and they're also perfect for skip wagons.

Lightweight and easy to handle, they are competitively priced, while the high-quality UHMWPE material ensures a long working life. We cover a wide range of load-bearing requirements, with thicknesses of 30mm, 40mm and 50mm, and dimensions of 300mm x 300mm to 800mm x 800mm.



FEATURES



Carry Handle



Durable Material



Oil & Chemical Resistant



Non-Absorbent



Engraving Available



UHMWPE Material



Economically Priced



UV Stable

SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-3330B	300x300x30mm	2.80	5.00
CP-4430B	400x400x30mm	4.80	8.00
CP-4440B	400x400x40mm	6.30	12.00
CP-4440B/R	400x400x40mm (310x10mm recess)	6.00	12.00
CP-4450B/R	400x400x50mm (310x10mm recess)	7.70	14.00
CP-454540B	450x450x40mm	8.10	14.00
CP-5540B	500x500x40mm	9.90	15.00
CP-5540B/R	500x500x40mm (350x8mm recess)	9.50	15.00
CP-5550B/R	500x500x50mm (350x8mm recess)	12.50	19.00
CP-6640B	600x600x40mm	14.00	20.00
CP-6640B/R	600x600x40mm (350x8mm recess)	13.50	20.00
CP-7740B	700x700x40mm	19.60	28.00
CP-8860B	800x800x60mm	39.00	47.00

HIGH VISIBILITY PADS

If you are working in areas with a high footfall of other contractors - or even members of the public - then you should consider our yellow High Visibility pads.

Specifically designed for use in public areas, they alert pedestrians to the potential trip hazard of spreader plates.

These brightly coloured yellow polyethylene pads are often deployed in public spaces such as car parks, pavements or roadsides, shopping centres and walkways. They are used in powered access and mobile crane applications such as tree surgery and other arb work, highway maintenance and building maintenance. They are also ideal for using with plant on busy construction sites.



FEATURES



Carry Handle



Durable Material



Oil & Chemical Resistant



Non-Absorbent



Engraving Available



UHMWPE Material



Visible to Public



UV Stable

SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-3330Y	300x300x30mm	2.80	5.00
CP-4430Y	400x400x30mm	4.80	8.00
CP-4440Y	400x400x40mm	6.30	12.00
CP-4440Y/R	400x400x40mm (310x10mm recess)	6.14	12.00
CP-4450Y/R	400x400x50mm (Int handles, 310x10mm recess)	7.50	14.00
CP-5540Y	500x500x40mm	9.90	15.00
CP-6640Y	600x600x40mm	14.00	20.00
CP-757540Y	750x750x40mm	21.60	30.00

PRO-TEK PADS

Our Pro-Tek series of protective pads help prevent damage to expensive flooring when working indoors.

Spider lifts - also known as tracked booms and crawler-mounted booms - are increasingly used for atrium work in shopping centres, offices and commercial premises, as well as public buildings like museums and theatres.

Our Pro-Tek pads offer the same durability, ease of use and load distribution capabilities as our standard pads. However, they have an integrated TPE rubber face, designed to protect the floor surface from gouges, scratches and scuffs.

All Pro-Tek pads have an integrated recess to hold the outrigger foot in place, preventing slippage and further improving platform stability.



FEATURES



Integrated Handle



Durable Material



Oil & Chemical Resistant



Non-Absorbent



Engraving Available



UHMWPE Material



Surface Protection



UV Stable

SPECIFICATIONS

PART NUMBER	YELLOW - DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-4430YP/R	400x400x30mm (310x8mm recess)	4.40	8.00
CP-4440YP/R	400x400x40mm (310x8mm recess)	6.00	12.00
CP-5540YP/R	500x500x40mm (350x8mm recess)	9.50	15.00
CP-6640YP/R	600x600x40mm (350x8mm recess)	14.00	20.00
CP-757540YP/R	750x750x40mm (350x8mm recess)	21.00	28.00
PART NUMBER	BLACK - DIMENSIONS LXWXH (MM)		
CP-4458BPT/R	400x400x58mm (350x350x10mm recess)	8.00	14.00
CP-6648BPT	600x600x48mm	14.00	20.00
CP-6658BPT	600x600x58mm	17.00	24.00
CP-6668BPT	600x600x68mm	22.00	28.00

PREMIUM CRANE PADS

When you're using a heavy duty crane, you need premium crane pads to take the load.

Resistant to water, oil, chemicals and corrosion, these pads are a great alternative to wood, steel or aluminium spreader plates. They last longer, are easy to handle, and are inherently safer because they are almost impossible to splinter, buckle or snap.

Made from high capacity UHMWPE and with integrated rope handles, that have an extra safety feature to prevent failure or breakage. They are also designed to be as easy to handle and accurately position as possible. The larger pads also feature a levelling indicator for extra precision. Choose from a wide range of load capabilities as well as from square or round designs - and if you're not sure where to start, contact us for a friendly chat.



SQUARE PADS



500mm x 500mm x 50mm
600mm x 600mm x 40mm




800mm x 800mm x 40mm
1200mm x 1200mm x 40mm

ROUND PADS



800mm x 50mm
900mm x 50mm



1000mm x 60mm
1200mm x 60mm

FEATURES



Anti-Bacterial



Capable of
high vertical
pressures



Carry Handle



Durable
Material



Oil & Chemical
Resistant



UHMWPE
Material



Non-Absorbent



UV Stable

PREMIUM CRANE PADS

SPECIFICATIONS - PREMIUM SQUARE PADS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-5540P	500x500x40mm	10.50	16.00
CP-5550P	500x500x50mm	12.50	19.00
CP-5560P	500x500x60mm	15.75	27.00
CP-6640P	600x600x40mm	14.50	21.00
CP-6650P	600x600x50mm	17.00	27.00
CP-6660P	600x600x60mm	22.00	31.50
CP-8840P	800x800x40mm	25.00	37.00
CP-8850P	800x800x50mm	31.50	42.00
CP-8860P	800x800x60mm	39.00	47.00
CP-101040P	1000x1000x40mm	38.40	42.00
CP-101050P	1000x1000x50mm	48.00	52.50
CP-101060P	1000x1000x60mm	58.00	73.50
CP-101080P	1000x1000x80mm	77.00	105.00
CP-111140P	1100x1100x40mm	46.50	63.00
CP-121240P	1200x1200x40mm	55.50	71.00
CP-121250P	1200x1200x50mm	70.00	78.00
CP-121260P	1200x1200x60mm	80.00	115.00
CP-121280P	1200x1200x80mm (4 x Rope Handles)	118.00	126.00
CP-1515100P	1500x1500x100mm (Steel Bar Handles)	224.00	210.00
CP-1818100P	1800x1800x100mm (Steel Bar Handles)	320.00	252.00
CP-2020100P	2000x2000x100mm (Steel Bar Handles)	392.00	262.00
CP-2424100P	2400x2400x100 (4 x Chain Handles)	561.00	290.00
CP-3020100P	3000x2000x100 (Steel Bar Handles)	584.00	315.00

SPECIFICATIONS - PREMIUM ROUND PADS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-6550P	650x50mm	16.50	26.00
CP-840P	800x40mm	19.30	26.00
CP-850P	800x50mm	25.00	37.00
CP-860P	800x60mm	28.50	42.00
CP-940P	900x40mm	23.00	31.50
CP-950P	900x50mm	30.00	48.00
CP-960P	900x60mm	36.50	52.50
CP-1040P	1000x40mm	28.00	37.00
CP-1050P	1000x50mm	37.50	52.50
CP-1060P	1000x60mm	44.50	63.00
CP-1260P	1200x60mm	64.00	94.50
CP-1270P	1200x70mm	76.00	115.50
CP-1280P	1200x80mm	87.00	126.00
CP-1460P	1400x60mm	89.00	98.00

SUPPORT BLOCKS

CRIBBING & JACKING

Designed for levelling heavy equipment and vehicles, our cribbing and jacking blocks are stackable, easy to handle and extremely durable.

Because they don't splinter or degrade, these blocks are a much safer alternative to wood, combining high performance and a long working life. These cribbing and jacking blocks are manufactured from High Molecular Weight Polyethylene (HMWPE). Key features of this material are that it does not absorb water or chemicals, providing extra durability over wood - and it won't crack or fail like wooden alternatives.

Main applications include emergency operations such as vehicle or machinery recovery in the event of a breakdown or accident. These blocks are also ideal for shoring and carrying out maintenance on underground mining equipment eliminating the use of wood, providing axle support while carrying out routine equipment maintenance on a machine or vehicle's wheels and brakes.

Our user-friendly, modular systems include a base pad to level the stack once it is complete. This gives you the flexibility to build stacks to various heights, while the individual components can still be easily moved and handled by one person.



FEATURES



Carry Handle



Durable Material



Oil & Chemical Resistant



Non-Absorbent



Engraving Available



HMWPE Material



Capable of high vertical pressures



UV Stable

SUPPORT BLOCKS - CRIBBING & JACKING

SPECIFICATIONS - LOAD SUPPORT SYSTEMS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-601515CB	Cribbing Block 600x150x150mm	10.50	20.00 (Per Block)
CP-656568CB/BP	650x650x68mm Cribbing Base Pad	24.30	-
CP-6658CB/TP	600x600x58mm Cribbing Block System (Top Pad)	17.00	24.00
CP-6668CB/TP	600x600x68mm Cribbing Block System (Top Pad) Optional	22.00	28.00
CP-1201515CBP	Cribbing Block Plus 1200x150x150mm	27.00	30.00 (Per Block)
CP-131248CBP/BP	1300x1200x48mm Cribbing Block Plus Base Pad	74.88	-
CP-121258CBP/TP	1200x1200x80mm, (roughened surface) Cribbing Block Plus Top Pad	83.52	78.00
CP-3030130JB	Jacking Block 300x300x130mm	11.00	30.00 (Per Block)
CP-303070JB	Jacking Block 300x300x70mm	6.80	20.00 (Per Block)
CP-505040JBB	Jacking Base Block 500x500x40mm	10.40	15.00
CP-252510JBI	Jacking Base Block Insert 250x250x10mm	0.40	-
CP-404050JBP	Jacking Block Plus 400x400x50mm	9.60	14.00
CP-4040100JBP	Jacking Block Plus 400x400x100mm	18.00	27.00
CP-606040JBPB	Jacking Block Plus Base Pad 600x600x40mm	14.40	20.00
CP-353510JBPI	Jacking Block Plus Base Pad Insert 350x350x10mm	1.23	-

SPECIFICATIONS - CRIBBING BLOCK KITS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-CBK1	Cribbing Block Kit 1 (6 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	104.30	140.00
CP-CBK2	Cribbing Block Kit 2 (8 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	125.30	115.00
CP-CBK3	Cribbing Block Kit 3 (10 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	146.30	105.00
CP-CBK4	Cribbing Block Kit 4 (12 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	167.30	95.00
CP-CBK5	Cribbing Block Kit 5 (14 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	188.30	85.00
CP-CBK6	Cribbing Block Kit 6 (16 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	209.30	75.00
CP-CBK7	Cribbing Block Kit 7 (18 Blocks + 1 Base Pad + 1 Top Pad CP-6668BPT)	230.30	65.00
CP-CBK8	Cribbing Block Kit 8 (20 Blocks + 1 Base Pad + 1 Top Pad CP-6668BPT)	251.30	55.00
CP-CBK9	Cribbing Block Kit 9 (6 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	104.30	140.00
CP-CBK10	Cribbing Block Kit 10 (9 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	135.30	130.00
CP-CBK11	Cribbing Block Kit 11 (12 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	167.30	120.00
CP-CBK12	Cribbing Block Kit 12 (15 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	198.80	110.00
CP-CBK13	Cribbing Block Kit 13 (18 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	230.30	100.00
CP-CBK14	Cribbing Block Kit 14 (21 Blocks + 1 Base Pad + 1 Top Pad CP-6658BPT)	261.80	90.00
CP-CBK15	Cribbing Block Kit 15 (24 Blocks + 1 Base Pad + 1 Top Pad CP-6668BPT)	293.30	80.00
CP-CBK16	Cribbing Block Kit 16 (27 Blocks + 1 Base Pad + 1 Top Pad CP-6668BPT)	324.80	70.00

SUPPORT BLOCKS - CRIBBING & JACKING CONTINUED

SPECIFICATIONS - JACKING BLOCK KITS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-JBK1	Jacking Block Kit 1 (1) 70mm + Base = (500x500x110mm)	17.60	20.00
CP-JBK2	Jacking Block Kit 2 (2) 70mm + Base = (500x500x180mm)	24.40	40.00
CP-JBK3	Jacking Block Kit 3 (3) 70mm + Base = (500x500x250mm)	31.20	60.00
CP-JBK4	Jacking Block Kit 4 (4) 70mm + Base = (500x500x320mm)	38.00	70.00
CP-JBK5	Jacking Block Kit 5 (5) 70mm + Base = (500x500x390mm)	44.80	90.00
CP-JBK6	Jacking Block Kit 6 (1) 130mm + Base = (500x500x170mm)	21.80	30.00
CP-JBK7	Jacking Block Kit 7 (2) 130mm + Base = (500x500x300mm)	32.80	50.00
CP-JBK8	Jacking Block Kit 8 (3) 130mm + Base = (500x500x430mm)	43.80	80.00
CP-JBK9	Jacking Block Kit 9 (4) 130mm + Base = (500x500x560mm)	54.80	100.00
CP-JBK10	Jacking Block Kit 10 (5) 130mm + Base = (500x500x690mm)	65.80	120.00
CP-JBK/M1	Jacking Block Kit 11 (1) 70mm, (1) 130mm + Base = (500x500x240mm)	28.60	40.00
CP-JBK/M2	Jacking Block Kit 12 (3) 70mm, (1) 130mm + Base = (500x500x380mm)	42.20	70.00
CP-JBK/M3	Jacking Block Kit 13 (2) 70mm, (3) 130mm + Base = (500x500x570mm)	57.40	100.00
CP-JBK/M4	Jacking Block Kit 14 (5) 70mm, (2) 130mm + Base = (500x500x650mm)	66.80	135.00
CP-JBK/M5	Jacking Block Kit 15 (2) 70mm, (6) 130mm + Base = (500x500x960mm)	90.40	140.00

SPECIFICATIONS - JACKING BLOCK PLUS KITS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-JBPK1	Jacking Block Plus Kit 1 (1) 50mm + Base = (600x600x90mm)	25.23	30.00
CP-JBPK2	Jacking Block Plus Kit 2 (2) 50mm + Base = (600x600x140mm)	34.83	50.00
CP-JBPK3	Jacking Block Plus Kit 3 (3) 50mm + Base = (600x600x190mm)	44.43	70.00
CP-JBPK4	Jacking Block Plus Kit 4 (4) 50mm + Base = (600x600x240mm)	54.03	80.00
CP-JBPK5	Jacking Block Plus Kit 5 (5) 50mm + Base = (600x600x290mm)	63.63	100.00
CP-JBPK6	Jacking Block Plus Kit 6 (1) 100mm + Base = (600x600x140mm)	33.63	40.00
CP-JBPK7	Jacking Block Plus Kit 7 (2) 100mm + Base = (600x600x240mm)	51.63	60.00
CP-JBPK8	Jacking Block Plus Kit 8 (3) 100mm + Base = (600x600x340mm)	69.63	90.00
CP-JBPK9	Jacking Block Plus Kit 9 (4) 100mm + Base = (600x600x440mm)	87.63	110.00
CP-JBPK10	Jacking Block Plus Kit 10 (5) 100mm + Base = (600x600x540mm)	105.63	130.00
CP-JBPK/M1	Jacking Block Plus Kit 11 (1) 50mm, (1) 100mm + Base = (600x600x190mm)	43.23	50.00
CP-JBPK/M2	Jacking Block Plus Kit 12 (3) 50mm, (1) 100mm + Base = (600x600x290mm)	62.43	80.00
CP-JBPK/M3	Jacking Block Plus Kit 13 (2) 50mm, (3) 100mm + Base = (600x600x440mm)	88.83	110.00
CP-JBPK/M4	Jacking Block Plus Kit 14 (5) 50mm, (2) 100mm + Base = (600x600x490mm)	99.63	145.00
CP-JBPK/M5	Jacking Block Plus Kit 15 (2) 50mm, (6) 100mm + Base = (600x600x740mm)	142.83	150.00

CRANE PADS & TESTING

If you use equipment with jack legs, stabilisers or outriggers, then you should check if you need crane pads.

The Crane Pad Shop Ltd offers a complete range of square and circular crane pads, from 300mm x 300mm pads for smaller plant and compact MEWPs through to 3,000mm x 2,000mm for mobile cranes.

One of the key benefits of our UHMWPE pads is that the material can adapt to the contours of the ground, something that wood and metal pads simply cannot do. They also have high resistance to vertical pressure, making it almost impossible for them to splinter or snap. Furthermore, our pads will spring back to their original shape after use, time and time again.



Our solutions include:

- Spreader plates for access platforms and mobile plant such as concrete pumps
- Crane pads for all types of mobile cranes
- Jack pads & stackable pads for caravans, motorhomes, exhibition units, workshops, repair shops
- Load support block systems for heavy duty use

TESTING

Our pads have been subjected to rigorous testing at the structural materials solutions division at the JFE Techno-Research Corporation in Japan. In addition to this we had our rope handles tested for breaking strength & point of failure, resulting in a safety feature that adds extra strength.

CRANE PAD


(Sample: Pad test results)

DIMENSIONS (MM)	600x600x40	700x700x40	800x800x40
WEIGHT (KGS)	14.5	18.90	25.00
LOAD CAPACITY (T)	21.00	28.00	37.00
TEST LOADS	21.00	28.00	37.00
	42.00	56.00	74.00

NYLON ROPE

(Rope test results)

DIMENSIONS (MM)	(L) 300mm, Ø12mm
WEIGHT (KGS)	0.2
TEST LOADS	760 daN



MODULAR MAT SYSTEM

Sometimes a single crane pad is not enough! For heavy duty crane operations, you need to further spread the load - and this is where our Modular Mat systems come into their own.

Our standard & interlocking Modular Mats enable you to essentially build bigger load spreading capabilities, and to your own configurations. These pads can be used for a variety of applications either individually or as a complete system.



STAGE 1

Three mats are interlocked side by side



STAGE 2

Two mats are interlocked on top at 90 degrees



STAGE 3

A single crane pad is placed centrally on the top, securing the Multi Mat System



This versatile system is a 2-man set-up. No need for any extra lifting equipment nor is it necessary to configure the crane to lift the mats into place. The top sealing pad can either be round or square. **This results in a saving of time and cost!**



MODULAR MAT SYSTEM

NON-INTERLOCKING MODULAR MAT SYSTEM CONFIGURATIONS

MODULAR MAT
1.5/75t



Area Coverage: 1.5m²
Part No Requirements:
(2) CP-15550PM/S
(1) CP-1060P or CP-101060P

MODULAR MAT
1.8/100t



Area Coverage: 2.16m²
Part No Requirements:
(2) CP-18650PM/S
(1) CP-1260P or CP-121260P

MODULAR MAT
1.5/100t



Area Coverage: 2.25m²
Part No Requirements:
(5) CP-15550PM/S
(1) CP-1060P or CP-101060P

MODULAR MAT
1.8/140t



Area Coverage: 3.24m²
Part No Requirements:
(5) CP-18650PM/S
(1) CP-1260P or CP-121260P

MODULAR MAT
1.5/110t



Area Coverage: 3m²
Part No Requirements:
(7) CP-15550PM/S
(1) CP-1060P or CP-101060P

MODULAR MAT
1.8/160t



Area Coverage: 4.32m²
Part No Requirements:
(7) CP-18650PM/S
(1) CP-1260P or CP-121260P

INTERLOCKING MODULAR MAT SYSTEM CONFIGURATIONS

MODULAR MAT
1.5/75t



Area Coverage: 1.5m²
Part No Requirements:
(2) CP-15550PM/I
(1) CP-1060P or CP-101060P

MODULAR MAT
1.8/100t



Area Coverage: 2.16m²
Part No Requirements:
(2) CP-18650PM/I
(1) CP-1260P or CP-121260P

MODULAR MAT
1.5/100t



Area Coverage: 2.25m²
Part No Requirements:
(5) CP-15550PM/I
(1) CP-1060P or CP-101060P

MODULAR MAT
1.8/140t



Area Coverage: 3.24m²
Part No Requirements:
(5) CP-18650PM/I
(1) CP-1260P or CP-121260P

MODULAR MAT
1.5/110t



Area Coverage: 3m²
Part No Requirements:
(7) CP-15550PM/I
(1) CP-1060P or CP-101060P

MODULAR MAT
1.8/160t



Area Coverage: 4.32m²
Part No Requirements:
(7) CP-18650PM/I
(1) CP-1260P or CP-121260P

FEATURES



Carry handles for
easy handling



Non-Absorbent



Engraving available
(qty threshold applies)



Sold in sets of
8, 20 & 28



UHMWPE Material



UV Stable



Oil & Chemical Resistant



2 Man Lift

SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	CONNECTION	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-15550PM/S	1500x500x50mm	Standard	35.00	100.00 (5 Mat Config)
CP-15550PM/I	1500x565x50mm	Interlocking	41.00	100.00 (5 Mat Config)
CP-18650PM/S	1800x600x50mm	Standard	52.00	140.00 (5 Mat Config)
CP-18650PM/I	1800x665x50mm	Interlocking	58.00	140.00 (5 Mat Config)

GROUND MATS

Ground mats are the perfect way to create temporary surfaces over large areas.

Our interlocking ground mats are ideal for:

- Temporary roads and walkways
- Events
- Construction sites
- Farming and agriculture

Designed with a non-slip finish on both sides, our ground mats provide protection to the ground surface while also giving a better grip to vehicles and machinery.

Based on our extensive industry experience, these ground mats are the ideal dimensions for use with most vehicles, tracked equipment, telehandlers, cranes and other mobile plant. In addition, we do a series of mats for indoor use with spider and other tracked platforms.

Manufactured from high density polyethylene (HDPE) & ultra-high molecular weight polyethylene (UHMWPE), our ground mats are water and corrosion resistant, ensuring you get a durable product you can reuse time and time again.



FEATURES



Integrated Handle



Durable Material



Oil & Chemical Resistant



Non-Absorbent



Non-Slip Surface



HDPE Material



Economically Priced



UV Stable

SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-281415GM	2880x1440x15mm Ground Mat (Extruded, 6 Handles)	65.00	65 (max)
CP-189012GM	1800x900x12.7mm Ground Mat (Extruded, 4 Handles)	24.00	40 (max)
CP-159015GM	1500x900x15mm (Smooth with non-slip on 1 side, 4 Handles)	20.25	20 (max)
CP-4WC	4 Way Connector	1.00	-
CP-2WC	2 Way Connector	0.50	-

MOTORHOME PADS

Motorhome pads are a sub-brand of 'CRANEPADS', made to cater specifically for the leisure industry these pads are available in two options (flat & recessed). Sold in sets of 4 pads in a nicely presented carry bag, they are ideal for motorhomes, caravans, and any other type of static or mobile home.

Our pads are ideal for providing a solid surface for you to deploy your stabiliser legs onto when setting up on soft or uneven ground. They eliminate the use of wooden blocks and other types of rudimentary shoring, giving you peace of mind and security. Made from HMWPE (High Molecular Weight Polyethylene) our MOTORHOME PADS are made to the highest standard.



FEATURES



Carry Handle



Durable Material



Oil & Chemical Resistant



Non-Absorbent



Storage Bag Included



UHMWPE Material



UV Stable



Light in Weight

SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-303025SMP	300x300x25mm (Stackable Motorhome Pad)	1.63	3.00
CP-303025RMP	300x300x25mm Motorhome Pad (With 270x270x5mm recess)	1.96	4.00
CP-303025MP	300x300x25mm Motorhome Pad	2.25	4.00
CP-303025RMP/PK	(Pack of 4) 300x300x25 (with 270x270x5mm recess)	8.00	-
CP-303025MP/PK	(Pack of 4) Motorhome Pads 300x300x25	8.00	-
CP-303025SMP/PK	(Pack of 4) 300x300x25 (Stackable Motorhome Pad)	7.00	-
CP-3131110MP/CB	Carry Bag 310x310x110mm	-	-

BESPOKE PADS & SLEEPER BLOCKS

BESPOKE PADS

We pride ourselves on having the experience and knowledge to produce pads to almost any size and specification. We design drawings for our customers to first approve before embarking on any costing or production. Once approved the concept is sent to the factory for pricing, after which a lead-time will be given, and production can start. A simple process, taken care of by our team from start to finish.



SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-454585/HIN	450x450x85mm Bespoke Hinowa Foot Pad	17.21	16.00

SLEEPER BLOCKS

Our PE sleepers have proved to be a great replacement for wooden sleepers. Used extensively in the mining and rail industry, they are a very versatile substitute their wooden counterpart. With a non-slip surface that is resistant to chemical, oil, and water absorption, you can rest assured that there won't be any internal decay that would lead to unexpected failures.




SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
CP-602014HDS	600x200x140mm Heavy Duty Sleeper 600	16.80	40.00
CP-702014HDS	700x200x140mm Heavy Duty Sleeper 700	19.60	50.00
CP-802014HDS	800x200x140mm Heavy Duty Sleeper 70	21.50	70.00
CP-902014HDS	900x200x140mm Heavy Duty Sleeper 900	25.20	80.00

STOWAGE HOLDER

Made from galvanised steel these stowage holders are made to last. A perfect way to store and transport your Crane Pads. They come with predrilled mounting holes, lock, and pin.

For more information, please feel free to contact us.



- 1 - Gunlock – Brass (30mm)
- 2 - Pivot Pin
- 3 - Laminated Metal (40x6mm)
- 4 - Tube $\varnothing 20$ mm, thickness 1.5mm
- 5 - Sheet metal thickness 2mm

FEATURES



Galvanised Steel



Durable Material



Rust Resistant



Predrilled Bolt Holes



Gunlock



Light in Weight



Easily Mountable

SPECIFICATIONS

PART NUMBER	DIMENSIONS LXWXH (MM)	WEIGHT (KGS)	LOAD CAPACITY (T)
Double Boxes			
CP-88130SH	800x800x130mm Stowage Holder	15.00	2 Pads
CP-77130SH	700x700x130mm Stowage Holder	13.00	2 Pads
CP-66130SH	600x600x130mm Stowage Holder	10.00	2 Pads
CP-55130SH	500x500x130mm Stowage Holder	7.50	2 Pads
CP-44130SH	400x400x130mm Stowage Holder	7.00	2 Pads
CP-33130SH	300x300x110mm Stowage Holder	6.50	2 Pads
Single Boxes			
CP-5565SH	500x500x65mm Stowage Holder	4.50	1 Pad
CP-4465SH	400x400x65mm Stowage Holder	4.00	1 Pad
CP-3365SH	300x300x65mm Stowage Holder	3.50	1 Pad



Your Reliable **Parts** Supplier...

CRANE PADS

Sole Authorised Irish Distributor



Gary Power
Parts Manager

☎ +353 87 688 9220

✉ gary@ipsirelandparts.ie



Trevor Lambe
Business Development Manager

☎ +353 87 123 2141

✉ trevor@ipsirelandparts.ie

A Values Driven Company

People • Quality • Availibilty • Value

Dublin 01 908 1388

[ipsireland**parts**.ie](http://ipsirelandparts.ie)

Dundalk 042 933 9111