## Brain Health and Nutrition Assessment Form™ (BHNAF)

Name:				_ A	\ge	e: Sex: Date:				
Please circle the appropriate number on all questions belo	ow.	0 a	ıs t	he	lea	st/never to 3 as the most/always.				
SECTION 1						SECTION 5				
· Low brain endurance for focus and concentration	0	1	2	3		Dry and unhealthy skin	0	1	2	3
Cold hands and feet	0	1	2	3		Dandruff or a flaky scalp	0	1	2	3
Must exercise or drink coffee to improve brain function	0	1	2	3		Consumption of processed foods that				
Poor nail health	0	1	2	3		are bagged or boxed	0	1	2	3
Fungal growth on toenails	0	1	2	3		• Consumption of fried foods	0	1	2	3
<ul> <li>Must wear socks at night</li> </ul>	0	1	2	3		Difficulty consuming raw nuts or seeds	0	1	2	3
Nail beds are white instead of pink	0	1	2	3		Difficulty consuming fish (not fried)	0	1	2	3
• The tip of the nose is cold	0	1	2	3		Difficulty consuming olive oil, avocados, flax seed oil, or natural fats	0	1	2	3
SECTION 2						SECTION 6				
• Irritable, nervous, shaky, or light-headed between meals	0	1	2	3		Difficulty digesting foods	0	1	2	3
Feel energized after meals	0	1	2	3		Constipation or inconsistent bowel movements	0	1	2	3
Difficulty eating large meals in the morning	0	1	2	3		Increased bloating or gas	0	1	2	3
Energy level drops in the afternoon	0	1	2	3		Abdominal distention after meals	0	1	2	3
• Crave sugar and sweets in the afternoon	0	1	2	3		Difficulty digesting protein-rich foods	0	1	2	3
• Wake up in the middle of the night	0	1	2	3		Difficulty digesting starch-rich foods	0	1	2	3
<ul> <li>Difficulty concentrating before eating</li> </ul>	0	1	2	3		Difficulty digesting fatty or greasy foods	0	1	2	3
<ul> <li>Depend on coffee to keep going</li> </ul>	0	1	2	3		Difficulty swallowing supplements or large bites of food	0	1	2	3
						Abnormal gag reflex	Yo	es c	r	No
SECTION 3						SECTION 7				
Fatigue after meals	0	1	2	3		Brain fog (unclear thoughts or concentration)	Yo	es c	rN	Vo
<ul> <li>Sugar and sweet cravings after meals</li> </ul>	0	1	2	3		<ul> <li>Pain and inflammation</li> </ul>	Ye	es o	rN	Vo
Need for a stimulant, such as coffee, after meals	0	1	2	3		Noticeable variations in mental speed	Ye	es o	rN	Vo
Difficulty losing weight	0	1	2	3		Brain fatigue after meals	0	1	2	3
<ul> <li>Increased frequency of urination</li> </ul>	0	1	2	3		Brain fatigue after exposure to chemicals, scents,				
Difficulty falling asleep	0	1	2	3		or pollutants	0		2	
Increased appetite	0	1	2	3		Brain fatigue when the body is inflamed	0	1	2	3
SECTION 4						SECTION 8				
Always have projects and things that need to be done	0	1	2	3		Grain consumption leads to tiredness	0	1	2	3
Never have time for yourself	0	1	2	3	- Charles de Caraciano	Grain consumption makes it difficult to focus				
Not getting enough sleep or rest	0	1	2	3	-	and concentrate	0	1	2	3
Difficulty getting regular exercise	0	1	2	3	-	<ul> <li>Feel better when bread and grains are avoided</li> </ul>	0	1	2	3
Feel that you are not accomplishing your life's purpose	0	1	2	3	1000	<ul> <li>Grain consumption causes the development of any symptoms</li> </ul>	0	1	2	3
						A 100% gluten-free diet	Ye	s o	r N	lo.

## Brain Health and Nutrition Assessment Form™ (BHNAF)

Please circle the appropriate number on all questions below. 0 as the least/never to 3 as the most/always.

<ul> <li>SECTION 9</li> <li>A diagnosis of celiac disease, gluten sensitivity, hypothyroidism, or an autoimmune disease</li> <li>Family members who have been diagnosed with an autoimmune disease</li> <li>Family members who have been diagnosed with celiac disease or gluten sensitivity</li> <li>Changes in brain function with stress, poor sleep, or immune activation</li> </ul>	Yes or Yes or O 1 2	No No	SECTION 12  A decrease in visual memory (shapes and images)  A decrease in verbal memory  Occurrence of memory lapses  A decrease in creativity  A decrease in comprehension  Difficulty calculating numbers  Difficulty recognizing objects and faces  A change in opinion about yourself  Slow mental recall	0 0 0 0 0		2 2 2 2 2	3 3 3 3 3 3
A loss of pleasure in hobbies and interests	0 1 2	3	A decrease in mental alertness			2	2
Feel overwhelmed with ideas to manage	0 1 2	3	A decrease in mental speed     A decrease in mental speed		1		
Feelings of inner rage or unprovoked anger	0 1 2	3	A decrease in mental speed     A decrease in concentration quality	0	1	2	
Feelings of paranoia	0 1 2	3	Slow cognitive processing	0	1	2	
Feelings of sadness for no reason	0 1 2	3	Impaired mental performance	0	1		
A loss of enjoyment in life	0 1 2	3	An increase in the ability to be distracted	0	1		
A lack of artistic appreciation	Yes or l	No	Need coffee or caffeine sources to improve			_	
• Feelings of sadness in overcast weather	0 1 2	3	mental function	0	1	2	3
A loss of enthusiasm for favorite activities	0 1 2	3					
A loss of enjoyment in favorite foods	0 1 2	3					
A loss of enjoyment in friendships and relationships	0 1 2	3					
• Inability to fall into deep, restful sleep	0 1 2	3					
Feelings of dependency on others	0 1 2	3					
Feelings of susceptibility to pain	0 1 2	3					
SECTION 11			SECTION 14				
• Feelings of worthlessness	0 1 2	3	Feelings of nervousness or panic for no reason	0	1	2	3
• Feelings of hopelessness	0 1 2	3	Feelings of dread	0	1	2	3
Self-destructive thoughts	0 1 2	3	Feelings of a "knot" in your stomach				
• Inability to handle stress	0 1 2	3	Feelings of being overwhelmed for no reason	0	1	2	3
<ul> <li>Anger and aggression while under stress</li> </ul>	0 1 2	3	Feelings of guilt about everyday decisions	0	1	2	3
• Feelings of tiredness, even after many hours of sleep	0 1 2	3	A restless mind	0	1	2	3
A desire to isolate yourself from others	0 1 2	3	An inability to turn off the mind when relaxing	0	1	2	3
An unexplained lack of concern for family and friends	0 1 2	3	Disorganized attention	0	1	2	3
An inability to finish tasks	0 1 2	3	Worry over things never thought about before	0	1	2	3
Feelings of anger for minor reasons	0 1 2	3	Feelings of inner tension and inner excitability	0	1	2	3

## Brain Function Assessment Form™ (BFAF)

Name:				_ #	<b>\g</b> €	): _	Sex:	Date:		****		-
Please circle the appropriate number on all questions bel	ow.	0 :	as t	he	leas	st/ne	ever to 3 as the most/a	lways.				
SECTION 1							SECTION 4					
A decrease in attention span	0	1	2	3			<ul> <li>Reduced function in</li> </ul>	n overall hearing	0	1	2	
Mental fatigue	0	1	2	3				nding language with background				
Difficulty learning new things	0	1	2	3			or scatter noise		0	1	2	. 3
Difficulty staying focused and concentrating for extended periods of time	Λ	1	2	3		1	<ul> <li>Ringing or buzzing</li> <li>Difficulty compact</li> </ul>	in the ear ending language without	0	1	2	1 2
Experiencing fatigue when reading sooner than in the past							perfect pronunciation	on			2	
Experiencing fatigue when driving sooner	0	1	2	3			<ul><li>Difficulty recognize</li><li>Changes in comprel</li></ul>	ing familiar faces nending the meaning of sentences,	0	1	2	3
than in the past			2				written or spoken		0	1	2	3
Need for caffeine to stay mentally alert			2					pal memory and finding words	0	1	2	3
Overall brain function impairs your daily life	0	1	2	3			Difficulty remembe			1	2	3
CHCHONA								previously learned facts and names			2	
SECTION 2								nend familiar words when read	0	1	2	3
<ul> <li>Twitching or tremor in your hands and legs when resting</li> </ul>	Λ	1	2	2			Difficulty spelling f		0	1	2	3
Handwriting has gotten smaller and more	U		4	J			Monotone, unemotion		0	1	2	3
crowded together	0	1	2	3		٠	Difficulty understar when they speak (no	nding the emotions of others onverbal cues)	0.	1	2	3
A loss of smell to foods	0	1	2	3				and a lack of appreciation		•	_	Ī
<ul> <li>Difficulty sleeping or fitful sleep</li> </ul>	0	1	2	3			for melodies	7,	0	1	2	3
<ul> <li>Stiffness in shoulders and hips that goes away when you start to move</li> </ul>	0	1	2	3			Difficulty with long		0	1	2	3
Constipation	0	1			-	•	Memory impairment of daily living	t when doing the basic activities	Λ	1	2	3
Voice has become softer	0	1	2	3		•		ctions and visual memory			2	
Facial expression that is serious or angry	0	1	2	3				es in energy levels throughout	U	1	ha	J
Episodes of dizziness or light-headedness upon standing			2				the day	os m energy teres umougnout	0	1	2	3
A hunched over posture when getting up and walking			2									
SECTION 3					-	9	ECTION 5					
Memory loss that impacts daily activities	0	1	2	3			Difficulty coordinate	ing viewal inputs				
Difficulty planning, problem solving, or working with numbers			2				and hand movements to efficiently reach for	s, resulting in an inability	0	1	2	3
Difficulty completing daily tasks			2		-	•	Difficulty comprehe	nding written text	0	1	2	3
Confusion about dates, the passage of time, or place			2		-	•	Floaters or halos in y	our visual field	0	1	2	3
Difficulty understanding visual images and spatial relationships (addresses and locations)			2		-	٠	Dullness of colors in times of the day	your visual field during different	0	1	2	3
Difficulty finding words when speaking			2			•		ating similar shades of color	0		2	
Misplacement of things and inability to retrace steps			2	8			-		-	-		~
Poor judgment and bad decisions			2		Particular							
Disinterest in hobbies, social activities, or work			2		-							
Personality or mood changes					- Anna Carlotte Comments							
	U	1	2	3	Constitution of the last of th							

## Brain Function Assessment Form<sup>™</sup> (BFAF)

Please circle the appropriate number on all questions below. 0 as the least/never to 3 as the most/always.

SECTION 6					SECTION 9				
<ul> <li>Difficulty with detailed hand coordination</li> </ul>	0	1	2	3	A decrease in movement speed	0	1	2	3
<ul> <li>Difficulty with making decisions</li> </ul>	0	1	2	3	Difficulty initiating movement	0	1	2	3
<ul> <li>Difficulty with suppressing socially inappropriate thoughts</li> </ul>	0	1	2	3	Stiffness in your muscles (not joints)	0	1		3
Socially inappropriate behavior	0	1	2	3	A stooped posture when walking	0	-		3
<ul> <li>Decisions made based on desires, regardless of the consequences</li> </ul>	0	1	2	3	Cramping of your hand when writing	0	1	2	3
Difficulty planning and organizing daily events		1		3					
• Difficulty motivating yourself to start and finish tasks	0	1	2	3					
A loss of attention and concentration	0	1	2	3					
SECTION 7					SECTION 10			ø	
<ul> <li>Hypersensitivities to touch or pain</li> </ul>	0	1	2	3	Abnormal body movements (such as twitching legs)	0	1	2	3
<ul> <li>Difficulty with spatial awareness when moving, laying back in a chair, or leaning against a wall</li> </ul>	0	1	2	3	Desires to flinch, clear your throat, or perform some type of movement	0	1	2	3
<ul> <li>Frequently bumping into the wall or objects</li> </ul>	0	1	2	3	Constant nervousness and a restless mind	0	1	2	3
· Difficulty with right-left discrimination	0	1	2	3	Compulsive behaviors	0	1	2	3
<ul> <li>Handwriting has become sloppier</li> </ul>	0	1	2	3	Increased tightness and tone in specific muscles	0	1	2	3
<ul> <li>Difficulty with basic math calculations</li> </ul>	0	1	2	3					
<ul> <li>Difficulty finding words for written or verbal communication</li> </ul>	0	1	2	3	¥				
• Difficulty recognizing symbols, words, or letters	0	1	2	3					
SECTION 8					SECTION 11				
<ul> <li>Difficulty swallowing supplements or large bites of food</li> </ul>	0	1	2	3	Difficulty with balance, or balance that is noticeably worse on one side	0	1	2	3
Bowel motility and movements slow	0	1	2	3	A need to hold the handrail or watch each step				
Bloating after meals	0	1	2	3	carefully when going down stairs		1		3
Dry eyes or dry mouth	0	1	2	3	Episodes of dizziness	0	1	2	3
A racing heart	0	1	2	3	Nausea, car sickness, or seasickness	0	1	2	3
A flutter in the chest or an abnormal heart rhythm	0	1	2	3	A quick impact after consuming alcohol	0	1	2	3
Bowel or bladder incontinence,				7.1	A slight hand shake when reaching for something	0	1	2	3
resulting in staining your underwear	0	1	2	3	Back muscles that tire quickly when standing or walking	0	1	2	3
					Chronic neck or back muscle tightness	0	1	2	3