

Statewide Tonnage and History (RP70P)

Week 2 Ending 07/11/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
LAST WEEK YTD	1,740	47,185		3.3%	4	98		0%
CUR WEEK ENDING 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0%
CUR YTD	10,757	289,276		3.0%	10	249		0%
YTD WEEK ENDING 07/12/2025	8,209	219,507		2.9%	9	236		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY								
Week 2 Ending 07/11/2026								
County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Fresno	4,102	110,602	6	151	4,984	134,195	7	179
Kern	1,956	51,937	0	0	2,555	68,676	2	59
Kings	2,820	75,791	0	0	3,073	82,470	1	10
Stanislaus	28	773	0	0	34	947	0	0
Tulare	111	2,988	0	0	111	2,988	0	0
STATEWIDE TOTALS:								
LAST WEEK YTD					1,740	47,185	4	98
CURRENT WEEK	9,017	242,091	6	151	10,757	289,275	10	248

Average Load Grades by County - Board Certified Loads (RP90)

Week 2 Ending 07/11/2026

County	Current Week								Year To Date							
	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Fresno	0.0	0.2	1.3	0.4	19.6	0.7	5.4	4.36	0.0	0.2	1.4	0.3	19.6	0.7	5.4	4.35
Kern	0.0	0.4	1.8	0.6	20.3	0.8	5.0	4.37	0.0	0.6	1.6	0.5	20.5	1.0	4.9	4.37
Kings	0.0	0.2	1.2	0.2	20.5	0.8	5.0	4.40	0.0	0.2	1.2	0.2	20.5	0.8	5.0	4.39
Stanislaus	0.0	0.1	0.7	0.0	19.7	0.7	5.6	4.35	0.0	0.1	0.9	0.1	19.9	0.6	5.6	4.33
Tulare	0.0	0.8	3.1	0.7	20.0	0.4	5.1	4.36	0.0	0.8	3.1	0.7	20.0	0.4	5.1	4.36
Statewide Totals:																
Current Week	0.0	0.3	1.4	0.4	20.0	0.7	5.2	4.37	0.0	0.3	1.4	0.4	20.1	0.8	5.2	4.37
Last Week YTD									0.0	0.6	1.6	0.3	20.3	1.0	4.9	4.34

Grade Distribution By County (RP110)

Week 2 Ending 07/11/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	0.00	0.00	0.00	0.02	4108	0.00	0.00	0.00	0.02	4991	0.00	0.00	0.00	0.02
Kern	601	0.03	0.00	0.00	0.14	1956	0.01	0.00	0.00	0.07	2557	0.01	0.00	0.00	0.09
Kings	254	0.00	0.00	0.00	0.00	2820	0.00	0.00	0.00	0.04	3074	0.00	0.00	0.00	0.04
Stanislaus	6	0.00	0.00	0.00	0.00	28	0.00	0.00	0.00	0.00	34	0.00	0.00	0.00	0.00
Tulare	0	0.00	0.00	0.00	0.00	111	0.00	0.00	0.00	0.00	111	0.00	0.00	0.00	0.00
STATEWIDE	1,744	0.01	0.00	0.00	0.08	9023	0.00	0.00	0.00	0.04	10767	0.00	0.00	0.00	0.05
Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	0.28	0.00	0.00	0.37	4108	0.23	0.00	0.00	0.46	4991	0.24	0.00	0.00	0.45
Kern	601	1.13	1.00	1.00	0.77	1956	0.43	0.00	0.00	0.56	2557	0.60	0.00	0.50	0.68
Kings	254	0.18	0.00	0.00	0.33	2820	0.16	0.00	0.00	0.31	3074	0.17	0.00	0.00	0.31
Stanislaus	6	0.08	0.00	0.00	0.20	28	0.05	0.00	0.00	0.16	34	0.06	0.00	0.00	0.16
Tulare	0	0.00	0.00	0.00	0.00	111	0.83	0.00	1.00	0.69	111	0.83	0.00	1.00	0.69
STATEWIDE	1,744	0.56	0.00	0.50	0.68	9023	0.26	0.00	0.00	0.46	10767	0.31	0.00	0.00	0.51
Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	2.12	2.00	2.00	1.30	4108	1.28	1.00	1.00	1.26	4991	1.43	1.00	1.00	1.30
Kern	601	0.95	0.50	0.50	0.83	1956	1.79	1.00	1.50	1.58	2557	1.58	0.50	1.00	1.49
Kings	254	1.53	1.00	1.25	1.07	2820	1.16	0.50	1.00	1.10	3074	1.19	0.50	1.00	1.10
Stanislaus	6	1.58	1.50	1.50	0.38	28	0.69	0.50	0.50	0.53	34	0.86	0.50	0.75	0.61
Tulare	0	0.00	0.00	0.00	0.00	111	3.07	3.50	3.00	1.40	111	3.07	3.50	3.00	1.40
STATEWIDE	1,744	1.62	1.00	1.50	1.24	9023	1.37	1.00	1.00	1.33	10767	1.41	1.00	1.00	1.32
Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	0.72	0.00	0.50	0.79	4108	0.72	0.00	0.50	0.94	4991	0.72	0.00	0.50	0.92
Kern	601	1.57	1.00	1.50	1.07	1956	0.76	0.00	0.50	0.88	2557	0.95	0.00	0.50	0.99
Kings	254	0.79	0.00	0.50	1.01	2820	0.79	0.00	0.50	1.13	3074	0.79	0.00	0.50	1.12
Stanislaus	6	0.16	0.00	0.00	0.26	28	0.68	0.00	0.50	0.70	34	0.59	0.00	0.50	0.67
Tulare	0	0.00	0.00	0.00	0.00	111	0.35	0.00	0.50	0.42	111	0.35	0.00	0.50	0.42
STATEWIDE	1,744	1.03	0.00	1.00	1.01	9023	0.74	0.00	0.50	0.99	10767	0.79	0.00	0.50	1.00

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 2 Ending 07/11/2026

Last Week YTD						Current Week					Year To Date				
Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	0.25	0.00	0.00	0.37	4108	0.35	0.00	0.00	0.51	4991	0.33	0.00	0.00	0.49
Kern	601	0.40	0.00	0.50	0.56	1956	0.56	0.50	0.50	0.71	2557	0.52	0.50	0.50	0.68
Kings	254	0.24	0.00	0.00	0.38	2820	0.23	0.00	0.00	0.43	3074	0.23	0.00	0.00	0.43
Stanislaus	6	0.25	0.00	0.00	0.42	28	0.04	0.00	0.00	0.13	34	0.08	0.00	0.00	0.22
Tulare	0	0.00	0.00	0.00	0.00	111	0.68	0.50	0.50	0.76	111	0.68	0.50	0.50	0.76
STATEWIDE	1,744	0.30	0.00	0.00	0.45	9023	0.36	0.00	0.00	0.55	10767	0.35	0.00	0.00	0.54
Grade: Hue															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	19.79	20.00	20.00	0.74	4108	19.59	19.50	19.50	0.85	4991	19.62	19.50	19.50	0.84
Kern	601	21.07	20.50	21.00	0.89	1956	20.33	20.00	20.00	1.07	2557	20.51	20.00	20.50	1.08
Kings	254	20.29	19.50	20.00	0.97	2820	20.49	20.00	20.50	1.47	3074	20.47	20.00	20.50	1.43
Stanislaus	6	20.84	21.00	20.75	1.21	28	19.69	20.00	19.75	0.58	34	19.91	20.00	20.00	0.83
Tulare	0	0.00	0.00	0.00	0.00	111	20.00	20.00	20.00	0.64	111	20.00	20.00	20.00	0.64
STATEWIDE	1,744	20.32	20.50	20.50	1.01	9023	20.03	19.50	20.00	1.19	10767	20.08	19.50	20.00	1.17
Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	5.24	5.00	5.20	0.47	4108	5.39	5.30	5.40	0.47	4991	5.36	5.30	5.30	0.47
Kern	601	4.53	4.30	4.50	0.28	1956	5.03	4.80	5.00	0.53	2557	4.91	4.30	4.80	0.53
Kings	254	4.96	4.70	4.80	0.54	2820	5.04	4.50	5.00	0.55	3074	5.03	4.50	5.00	0.55
Stanislaus	6	5.52	5.50	5.50	0.16	28	5.62	5.60	5.60	0.20	34	5.60	5.60	5.60	0.20
Tulare	0	0.00	0.00	0.00	0.00	111	5.13	5.20	5.10	0.28	111	5.13	5.20	5.10	0.28
STATEWIDE	1,744	4.95	4.60	4.80	0.53	9023	5.20	5.30	5.20	0.54	10767	5.16	5.30	5.20	0.54
Grade: PH															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Fresno	883	4.32	4.30	4.32	0.06	4108	4.36	4.32	4.35	0.07	4991	4.35	4.33	4.35	0.07
Kern	601	4.37	4.33	4.36	0.07	1956	4.37	4.34	4.36	0.08	2557	4.37	4.34	4.36	0.07
Kings	254	4.33	4.34	4.34	0.06	2820	4.40	4.39	4.39	0.09	3074	4.39	4.39	4.39	0.09
Stanislaus	6	4.25	4.25	4.25	0.02	28	4.35	4.38	4.36	0.04	34	4.33	4.38	4.35	0.06
Tulare	0	0.00	0.00	0.00	0.00	111	4.36	4.37	4.36	0.06	111	4.36	4.37	4.36	0.06
STATEWIDE	1,744	4.34	4.34	4.33	0.07	9023	4.37	4.38	4.37	0.08	10767	4.37	4.34	4.36	0.08

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 2 Ending 07/11/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.3	10,696	0.0	62.3	6,713	0.0	15.4	1,657	0.0	36.4	3,919	0.0	53.7	5,783
0.5	99.9	10,758	0.5	85.8	9,234	0.5	35.6	3,830	0.5	61.9	6,664	0.5	85.8	9,234
1.0	100.0	10,765	1.0	94.8	10,210	1.0	56.3	6,062	1.0	79.7	8,577	1.0	95.4	10,276
1.5	100.0	10,765	1.5	97.7	10,516	1.5	70.0	7,533	1.5	88.2	9,493	1.5	98.0	10,553
2.0	100.0	10,767	2.0	99.0	10,654	2.0	79.9	8,604	2.0	92.8	9,997	2.0	98.8	10,642
			2.5	99.5	10,717	2.5	86.1	9,274	2.5	95.4	10,277	2.5	99.3	10,696
			3.0	99.8	10,744	3.0	91.0	9,797	3.0	97.1	10,454	3.0	99.6	10,719
			3.5	99.9	10,757	3.5	93.9	10,108	3.5	98.2	10,577	3.5	99.7	10,733
			4.0	99.9	10,761	4.0	95.9	10,322	4.0	98.9	10,646	4.0	99.8	10,748
			4.5	100.0	10,762	4.5	97.4	10,482	4.5	99.2	10,681	4.5	99.9	10,754
			5.0	100.0	10,765	5.0	98.3	10,586	5.0	99.4	10,705	5.0	100.0	10,762
			5.5	100.0	10,767	5.5	98.9	10,653	5.5	99.6	10,719	5.5	100.0	10,763
						6.0	99.2	10,685	6.0	99.7	10,731	6.0	100.0	10,764
						6.5	99.5	10,715	6.5	99.7	10,738	6.5	100.0	10,764
						7.0	99.7	10,734	7.0	99.8	10,745	7.0	100.0	10,764
						7.5	99.8	10,742	7.5	99.9	10,753	7.5	100.0	10,764
						8.0	99.8	10,750	8.0	99.9	10,757	8.0	100.0	10,766
						8.5	99.9	10,758	8.5	99.9	10,760	8.5	100.0	10,766
						9.0	99.9	10,760	9.0	99.9	10,761	9.0	100.0	10,766
						9.5	100.0	10,763	9.5	100.0	10,762	9.5	100.0	10,766
						10.0	100.0	10,763	10.0	100.0	10,763	10.0	100.0	10,767
						10.5	100.0	10,763	10.5	100.0	10,764			
						11.0	100.0	10,764	11.0	100.0	10,764			
						11.5	100.0	10,765	11.5	100.0	10,766			
						12.0	100.0	10,766	12.0	100.0	10,766			
						12.5	100.0	10,766	12.5	100.0	10,767			
						13.0	100.0	10,766						
						13.5	100.0	10,766						
						14.0	100.0	10,767						

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 2 Ending 07/11/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week GREEN Percent Less than or Equal To:				#Loads	Year To Date GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Fresno	4,108	61	83	92	96	4,991	54	79	91	96
Kern	1,956	47	71	84	91	2,557	53	75	87	93
Kings	2,820	63	85	94	97	3,074	62	85	94	97
Stanislaus	28	85	100	100	100	34	73	100	100	100
Tulare	111	9	27	54	80	111	9	27	54	80
STATEWIDE TOTALS										
CURRENT WEEK	9,023	58.7	81.0	91.0	95.8	10,767	56	80	91	96
LAST WEEK YTD						1,744	44	74	91	96

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week LU Percent Less than or Equal To:				#Loads	Year To Date LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Fresno	4,108	99	99	100	100	4,991	99	99	100	100
Kern	1,956	99	100	100	100	2,557	99	100	100	100
Kings	2,820	98	99	99	100	3,074	98	99	99	100
Stanislaus	28	100	100	100	100	34	100	100	100	100
Tulare	111	100	100	100	100	111	100	100	100	100
STATEWIDE TOTALS										
CURRENT WEEK	9,023	99.4	99.9	100.0	100.0	10,767	99	100	100	100
LAST WEEK YTD						1,744	100	100	100	100

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	#Loads	Current Week MOLD Percent Less than or Equal To:						#Loads	Year To Date MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Fresno	4,108	99	99	99	100	100	100	4,991	99	99	99	100	100	100
Kern	1,956	99	99	100	100	100	100	2,557	99	99	99	100	100	100
Kings	2,820	100	100	100	100	100	100	3,074	100	100	100	100	100	100
Stanislaus	28	100	100	100	100	100	100	34	100	100	100	100	100	100
Tulare	111	100	100	100	100	100	100	111	100	100	100	100	100	100
STATEWIDE TOTALS														
CURRENT WEEK	9,023	99.8	100.0	100.0	100.0	100.0	100.0	10,767	100	100	100	100	100	100
LAST WEEK YTD								1,744	99	100	100	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 2 Ending 07/11/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Fresno	4,108	85	95	99	99	4,991	87	96	99	99
Kern	1,956	75	90	97	98	2,557	77	91	97	98
Kings	2,820	90	97	99	99	3,074	90	97	99	99
Stanislaus	28	100	100	100	100	34	97	100	100	100
Tulare	111	66	86	97	99	111	66	86	97	99
STATEWIDE TOTALS										
CURRENT WEEK	9,023	84.9	95.0	98.8	99.5	10,767	86	95	99	100
LAST WEEK YTD						1,744	90	98	99	100

Average Defects Report (RP10)**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS**
Week 2 Ending 07/11/2026**Fresno**

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	1,059	0.0	0.2	1.2	0.3	19.3	0.4	5.5	4.35
		YTD	1,080	0.0	0.2	1.2	0.3	19.3	0.4	5.5	4.35
118	118, BP	Cur Wk	167	0.0	0.2	3.2	0.3	20.2	0.6	5.3	4.29
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
173	0371, HM	Cur Wk	353	0.0	0.1	0.5	0.4	19.4	0.6	5.9	4.38
		YTD	353	0.0	0.1	0.5	0.4	19.4	0.6	5.9	4.38
187	187, CXD	Cur Wk	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
301	7103, HMX61P	Cur Wk	328	0.0	0.1	0.3	0.2	19.3	1.2	5.8	4.37
		YTD	328	0.0	0.1	0.3	0.2	19.3	1.2	5.8	4.37
330	9033, SVTM	Cur Wk	93	0.0	0.2	0.9	0.5	20.6	0.1	5.4	4.29
		YTD	278	0.0	0.4	1.1	0.3	20.5	0.2	5.6	4.30
400	400, BQ	Cur Wk	439	0.0	0.1	1.5	0.5	19.4	0.7	5.4	4.39
		YTD	439	0.0	0.1	1.5	0.5	19.4	0.7	5.4	4.39
430	9034, SVTM	Cur Wk	74	0.0	0.2	3.5	0.9	19.7	1.0	5.4	4.39
		YTD	74	0.0	0.2	3.5	0.9	19.7	1.0	5.4	4.39
479	2479, HZ	Cur Wk	160	0.0	0.1	1.7	0.6	19.8	0.8	5.2	4.35
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
489	6489, N	Cur Wk	209	0.0	1.0	1.3	0.2	19.4	0.5	5.8	4.41
		YTD	217	0.0	1.0	1.4	0.2	19.4	0.5	5.8	4.41
552	5522, HM	Cur Wk	2	0.0	0.0	0.3	0.0	19.3	0.0	5.8	4.26
		YTD	2	0.0	0.0	0.3	0.0	19.3	0.0	5.8	4.26
560	5608, HZ	Cur Wk	177	0.0	0.2	0.9	0.1	19.7	0.1	4.8	4.31
		YTD	177	0.0	0.2	0.9	0.1	19.7	0.1	4.8	4.31
641	6416, N	Cur Wk	979	0.0	0.3	1.5	0.4	19.9	1.2	5.0	4.35
		YTD	1,560	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
900	9000, SVTM	Cur Wk	26	0.0	0.3	1.5	0.2	20.7	0.5	5.3	4.44
		YTD	26	0.0	0.3	1.5	0.2	20.7	0.5	5.3	4.44
913	9013, SVTM	Cur Wk	7	0.0	0.0	0.2	0.1	19.8	0.0	5.4	4.29
		YTD	7	0.0	0.0	0.2	0.1	19.8	0.0	5.4	4.29
Cur Wk:			4,102	0.0	0.2	1.3	0.4	19.6	0.7	5.4	4.36
YTD			4,984	0.0	0.2	1.4	0.3	19.6	0.7	5.4	4.35

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 2 Ending 07/11/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
173	0371, HM	Cur Wk	254	0.0	0.4	3.5	0.6	19.9	0.5	5.4	4.39
		YTD	254	0.0	0.4	3.5	0.6	19.9	0.5	5.4	4.39
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
247	247, E	Cur Wk	109	0.0	0.9	1.2	0.2	20.6	0.9	4.8	4.31
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
301	7103, HMX61P	Cur Wk	701	0.0	0.3	1.9	0.6	19.9	0.6	5.3	4.33
		YTD	701	0.0	0.3	1.9	0.6	19.9	0.6	5.3	4.33
479	2479, HZ	Cur Wk	181	0.0	0.6	1.0	0.7	20.3	1.5	4.4	4.42
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
489	6489, N	Cur Wk	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
560	5608, HZ	Cur Wk	140	0.0	0.1	1.1	0.3	21.3	1.6	4.8	4.40
		YTD	140	0.0	0.1	1.1	0.3	21.3	1.6	4.8	4.40
610	2016, HZ	Cur Wk	91	0.0	0.1	2.2	0.6	21.6	0.1	4.3	4.27
		YTD	91	0.0	0.1	2.2	0.6	21.6	0.1	4.3	4.27
641	6416, N	Cur Wk	138	0.0	0.3	0.7	0.5	19.7	0.8	4.9	4.36
		YTD	138	0.0	0.3	0.7	0.5	19.7	0.8	4.9	4.36
842	3842, BOS	Cur Wk	98	0.0	1.2	1.4	1.3	20.9	1.1	5.6	4.50
		YTD	98	0.0	1.2	1.4	1.3	20.9	1.1	5.6	4.50
900	9000, SVTM	Cur Wk	120	0.0	0.6	0.9	0.3	21.8	0.8	4.3	4.42
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
996	1996, HZ	Cur Wk	10	0.0	0.1	2.0	0.0	21.4	0.5	4.8	4.36
		YTD	10	0.0	0.1	2.0	0.0	21.4	0.5	4.8	4.36
Cur Wk:			1,956	0.0	0.4	1.8	0.6	20.3	0.8	5.0	4.37
YTD			2,555	0.0	0.6	1.6	0.5	20.5	1.0	4.9	4.37

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	433	0.0	0.3	1.0	0.3	19.4	0.4	5.6	4.33
		YTD	438	0.0	0.3	1.0	0.3	19.4	0.4	5.6	4.33
161	116 ,BP	Cur Wk	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
187	187, CXD	Cur Wk	187	0.0	0.2	1.3	0.0	20.5	1.6	4.6	4.44
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
247	247, E	Cur Wk	5	0.0	0.0	0.5	0.1	18.5	0.7	5.3	4.36
		YTD	5	0.0	0.0	0.5	0.1	18.5	0.7	5.3	4.36
301	7103, HMX61P	Cur Wk	67	0.0	0.1	1.9	0.2	20.7	0.9	5.4	4.32
		YTD	67	0.0	0.1	1.9	0.2	20.7	0.9	5.4	4.32
330	9033, SVTM	Cur Wk	737	0.0	0.1	1.0	0.2	22.3	0.8	4.5	4.46

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 2 Ending 07/11/2026

Kings, Continued											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
400	400, BQ	YTD	808	0.0	0.1	1.1	0.2	22.2	0.8	4.5	4.45
		Cur Wk	170	0.0	0.1	0.9	0.2	19.4	1.2	5.2	4.47
		YTD	170	0.0	0.1	0.9	0.2	19.4	1.2	5.2	4.47
430	9034, SVTM	Cur Wk	278	0.0	0.2	1.4	0.2	19.8	0.3	5.5	4.40
		YTD	278	0.0	0.2	1.4	0.2	19.8	0.3	5.5	4.40
461	461	Cur Wk	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
489	6489, N	Cur Wk	148	0.0	0.1	1.9	0.4	19.7	0.7	5.5	4.38
		YTD	148	0.0	0.1	1.9	0.4	19.7	0.7	5.5	4.38
560	5608, HZ	Cur Wk	326	0.0	0.1	1.8	0.3	19.9	0.3	4.9	4.31
		YTD	326	0.0	0.1	1.8	0.3	19.9	0.3	4.9	4.31
565	MIX	Cur Wk	1	0.0	0.0	1.0	0.0	19.0	0.0	5.9	4.39
		YTD	1	0.0	0.0	1.0	0.0	19.0	0.0	5.9	4.39
641	6416, N	Cur Wk	378	0.0	0.2	0.4	0.3	19.9	1.5	5.1	4.37
		YTD	468	0.0	0.2	0.5	0.4	19.8	1.4	5.1	4.35
Cur Wk:			2,820	0.0	0.2	1.2	0.2	20.5	0.8	5.0	4.40
YTD			3,073	0.0	0.2	1.2	0.2	20.5	0.8	5.0	4.39

Stanislaus											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	26	0.0	0.1	0.6	0.0	19.7	0.7	5.6	4.36
		YTD	26	0.0	0.1	0.6	0.0	19.7	0.7	5.6	4.36
996	1996, HZ	Cur Wk	2	0.0	0.0	1.8	0.0	20.0	0.8	5.4	4.33
		YTD	8	0.0	0.1	1.6	0.2	20.6	0.3	5.5	4.27
Cur Wk:			28	0.0	0.1	0.7	0.0	19.7	0.7	5.6	4.35
YTD			34	0.0	0.1	0.9	0.1	19.9	0.6	5.6	4.33

Tulare												
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
027	9027, SVTM	Cur Wk	111	0.0	0.8	3.1	0.7	20.0	0.4	5.1	4.36	
		YTD	111	0.0	0.8	3.1	0.7	20.0	0.4	5.1	4.36	
Cur Wk:			111	0.0	0.8	3.1	0.7	20.0	0.4	5.1	4.36	
YTD			111	0.0	0.8	3.1	0.7	20.0	0.4	5.1	4.36	

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 2 Ending 07/11/2026

TOTAL STATEWIDE	Cur Wk	9,017	0.0	0.3	1.4	0.4	20.0	0.7	5.2	4.37
	YTD	10,757	0.0	0.3	1.4	0.4	20.1	0.8	5.2	4.37

Average Defects by Variety Report (RP20)**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 2 Ending 07/11/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
173	0371, HM	Cur Wk	607	0.0	0.2	1.8	0.5	19.6	0.6	5.7	4.38
		YTD	607	0.0	0.2	1.8	0.5	19.6	0.6	5.7	4.38
161	116 ,BP	Cur Wk	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
118	118, BP	Cur Wk	167	0.0	0.2	3.2	0.3	20.2	0.6	5.3	4.29
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
187	187, CXD	Cur Wk	216	0.0	0.3	1.2	0.1	20.4	1.5	4.6	4.43
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
996	1996, HZ	Cur Wk	12	0.0	0.1	1.9	0.0	21.2	0.5	4.9	4.35
		YTD	18	0.0	0.1	1.8	0.1	21.1	0.4	5.1	4.32
610	2016, HZ	Cur Wk	91	0.0	0.1	2.2	0.6	21.6	0.1	4.3	4.27
		YTD	91	0.0	0.1	2.2	0.6	21.6	0.1	4.3	4.27
247	247, E	Cur Wk	114	0.0	0.9	1.2	0.2	20.5	0.9	4.8	4.31
		YTD	126	0.0	0.9	1.2	0.2	20.6	0.8	4.8	4.31
479	2479, HZ	Cur Wk	341	0.0	0.4	1.3	0.7	20.1	1.2	4.8	4.38
		YTD	400	0.0	0.4	1.3	0.7	20.0	1.2	4.9	4.38
842	3842, BOS	Cur Wk	98	0.0	1.2	1.4	1.3	20.9	1.1	5.6	4.50
		YTD	98	0.0	1.2	1.4	1.3	20.9	1.1	5.6	4.50
400	400, BQ	Cur Wk	609	0.0	0.1	1.3	0.4	19.4	0.8	5.3	4.41
		YTD	609	0.0	0.1	1.3	0.4	19.4	0.8	5.3	4.41
461	461	Cur Wk	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
552	5522, HM	Cur Wk	2	0.0	0.0	0.3	0.0	19.3	0.0	5.9	4.26
		YTD	2	0.0	0.0	0.3	0.0	19.3	0.0	5.9	4.26
560	5608, HZ	Cur Wk	643	0.0	0.1	1.4	0.2	20.2	0.5	4.9	4.33
		YTD	643	0.0	0.1	1.4	0.2	20.2	0.5	4.9	4.33
641	6416, N	Cur Wk	1495	0.0	0.3	1.1	0.4	19.9	1.2	5.0	4.35
		YTD	2166	0.0	0.2	1.4	0.4	19.8	1.1	5.0	4.34
489	6489, N	Cur Wk	438	0.0	0.6	1.7	0.3	19.4	0.5	5.6	4.39
		YTD	446	0.0	0.6	1.7	0.3	19.4	0.5	5.6	4.39
301	7103, HMX61P	Cur Wk	1096	0.0	0.2	1.4	0.4	19.8	0.8	5.5	4.34
		YTD	1096	0.0	0.2	1.4	0.4	19.8	0.8	5.5	4.34
900	9000, SVTM	Cur Wk	146	0.0	0.6	1.0	0.3	21.6	0.7	4.5	4.42
		YTD	274	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
913	9013, SVTM	Cur Wk	7	0.0	0.0	0.2	0.1	19.8	0.0	5.4	4.29
		YTD	7	0.0	0.0	0.2	0.1	19.8	0.0	5.4	4.29
027	9027, SVTM	Cur Wk	1629	0.0	0.2	1.2	0.3	19.3	0.4	5.5	4.35
		YTD	1655	0.0	0.2	1.2	0.3	19.4	0.4	5.5	4.35
330	9033, SVTM	Cur Wk	830	0.0	0.1	1.0	0.2	22.1	0.7	4.6	4.44
		YTD	1086	0.0	0.2	1.1	0.2	21.8	0.6	4.8	4.41

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 2 Ending 07/11/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
430	9034, SVTM	Cur Wk	352	0.0	0.2	1.9	0.4	19.8	0.5	5.5	4.40
		YTD	352	0.0	0.2	1.9	0.4	19.8	0.5	5.5	4.40
565	MIX	Cur Wk	1	0.0	0.0	1.0	0.0	19.0	0.0	5.9	4.39
		YTD	1	0.0	0.0	1.0	0.0	19.0	0.0	5.9	4.39
000	UNCODED	Cur Wk	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
TOTAL STATEWIDE		Cur Wk	9,017	0.0	0.2	1.4	0.4	20.0	0.7	5.2	4.37
		YTD	10,757	0.0	0.3	1.4	0.4	20.1	0.8	5.2	4.36