

Statewide Tonnage and History (RP70P)

Week 4 Ending 07/25/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
LAST WEEK YTD	31,586	840,620		3.0%	13	331		0%
CUR WEEK ENDING 07/25/2026	28,015	731,717	0	3.3%	14	387	0	0%
CUR YTD	59,601	1,572,337		3.1%	27	718		0%
YTD WEEK ENDING 07/26/2025	54,204	1,434,267		3.5%	34	876		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 4 Ending 07/25/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Colusa	313	8,168	0	0	313	8,168	0	0
Contra Costa	907	24,941	0	0	1,189	32,755	0	0
Fresno	14,491	379,369	5	141	29,865	789,595	13	347
Kern	1,729	45,606	5	150	7,240	192,401	8	237
Kings	6,432	165,282	4	96	15,245	398,495	6	134
Merced	877	23,991	0	0	1,093	29,865	0	0
San Joaquin	75	2,020	0	0	75	2,020	0	0
Solano	399	10,354	0	0	431	11,210	0	0
Stanislaus	116	3,239	0	0	260	7,290	0	0
Sutter	13	297	0	0	13	297	0	0
Tulare	1,337	33,254	0	0	2,263	57,384	0	0
Yolo	1,326	35,196	0	0	1,614	42,856	0	0
STATEWIDE TOTALS:								
LAST WEEK YTD					31,586	840,620	13	331
CURRENT WEEK	28,015	731,717	14	387	59,601	1,572,337	27	718

Average Load Grades by County - Board Certified Loads (RP90)

Week 4 Ending 07/25/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Colusa	0.0	1.1	1.0	0.8	20.7	1.4	5.1	4.37	0.0	1.1	1.0	0.8	20.7	1.4	5.1	4.37
Contra Costa	0.0	0.0	0.4	0.2	20.6	0.5	5.2	4.34	0.0	0.0	0.4	0.2	20.6	0.5	5.2	4.34
Fresno	0.0	0.4	1.3	0.5	20.0	0.7	5.5	4.40	0.0	0.3	1.2	0.4	19.9	0.7	5.5	4.38
Kern	0.0	0.4	0.8	0.4	20.2	0.8	5.0	4.42	0.0	0.5	1.6	0.7	20.4	0.9	5.0	4.38
Kings	0.0	0.5	1.3	0.3	20.2	0.7	5.0	4.37	0.0	0.3	1.2	0.3	20.3	0.7	5.0	4.36
Merced	0.0	0.5	1.2	0.7	21.4	1.6	5.5	4.45	0.0	0.4	1.1	0.7	21.2	1.3	5.5	4.43
San Joaquin	0.0	0.2	1.9	0.4	20.7	0.4	5.6	4.31	0.0	0.2	1.9	0.4	20.7	0.4	5.6	4.31
Solano	0.0	0.4	0.4	0.2	20.6	0.2	5.3	4.36	0.0	0.4	0.4	0.2	20.6	0.2	5.4	4.36
Stanislaus	0.0	0.2	0.3	0.2	20.3	1.7	5.7	4.45	0.0	0.1	0.4	0.2	20.3	1.4	5.5	4.40
Sutter	0.0	2.8	6.1	0.7	21.3	0.3	5.1	4.45	0.0	2.8	6.1	0.7	21.3	0.3	5.1	4.45
Tulare	0.0	0.8	4.4	1.4	20.2	0.6	4.9	4.42	0.0	0.7	4.2	1.3	20.2	0.7	5.0	4.41
Yolo	0.0	0.4	0.4	0.2	21.0	0.7	4.9	4.36	0.0	0.4	0.4	0.2	21.0	0.7	5.0	4.35
Statewide Totals:																
Current Week	0.0	0.4	1.3	0.5	20.2	0.7	5.3	4.39	0.0	0.4	1.3	0.4	20.1	0.7	5.3	4.38
Last Week YTD									0.0	0.3	1.3	0.4	20.1	0.8	5.3	4.37

Grade Distribution By County (RP110)

Week 4 Ending 07/25/2026

Last Week YTD						Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	0.00	0.00	0.00	0.00	313	0.00	0.00	0.00	0.00
Contra Costa	282	0.00	0.00	0.00	0.00	907	0.00	0.00	0.00	0.00	1189	0.00	0.00	0.00	0.00
Fresno	15,382	0.00	0.00	0.00	0.02	14496	0.00	0.00	0.00	0.02	29878	0.00	0.00	0.00	0.02
Kern	5,514	0.01	0.00	0.00	0.07	1734	0.00	0.00	0.00	0.04	7248	0.01	0.00	0.00	0.06
Kings	8,815	0.00	0.00	0.00	0.04	6436	0.00	0.00	0.00	0.03	15251	0.00	0.00	0.00	0.03
Merced	216	0.00	0.00	0.00	0.00	877	0.00	0.00	0.00	0.00	1093	0.00	0.00	0.00	0.00
San Joaquin	0	0.00	0.00	0.00	0.00	75	0.00	0.00	0.00	0.00	75	0.00	0.00	0.00	0.00
Solano	32	0.00	0.00	0.00	0.00	399	0.00	0.00	0.00	0.04	431	0.00	0.00	0.00	0.03
Stanislaus	144	0.00	0.00	0.00	0.00	116	0.00	0.00	0.00	0.00	260	0.00	0.00	0.00	0.00
Sutter	0	0.00	0.00	0.00	0.00	13	0.00	0.00	0.00	0.00	13	0.00	0.00	0.00	0.00
Tulare	926	0.00	0.00	0.00	0.00	1337	0.00	0.00	0.00	0.04	2263	0.00	0.00	0.00	0.03
Yolo	288	0.00	0.00	0.00	0.04	1326	0.00	0.00	0.00	0.01	1614	0.00	0.00	0.00	0.02
STATEWIDE	31,599	0.00	0.00	0.00	0.04	28029	0.00	0.00	0.00	0.03	59628	0.00	0.00	0.00	0.03
Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	1.06	1.00	1.00	0.74	313	1.06	1.00	1.00	0.74
Contra Costa	282	0.05	0.00	0.00	0.20	907	0.05	0.00	0.00	0.15	1189	0.05	0.00	0.00	0.17
Fresno	15,382	0.27	0.00	0.00	0.45	14496	0.40	0.00	0.00	0.62	29878	0.33	0.00	0.00	0.54
Kern	5,514	0.58	0.00	0.50	0.73	1734	0.41	0.00	0.00	0.56	7248	0.54	0.00	0.50	0.70
Kings	8,815	0.22	0.00	0.00	0.38	6436	0.51	0.00	0.00	1.15	15251	0.34	0.00	0.00	0.81
Merced	216	0.09	0.00	0.00	0.26	877	0.50	0.00	0.50	0.60	1093	0.42	0.00	0.00	0.57
San Joaquin	0	0.00	0.00	0.00	0.00	75	0.20	0.00	0.00	0.36	75	0.20	0.00	0.00	0.36
Solano	32	0.14	0.00	0.00	0.26	399	0.38	0.00	0.50	0.46	431	0.36	0.00	0.50	0.45
Stanislaus	144	0.08	0.00	0.00	0.20	116	0.17	0.00	0.00	0.29	260	0.12	0.00	0.00	0.25
Sutter	0	0.00	0.00	0.00	0.00	13	2.83	4.00	3.00	1.07	13	2.83	4.00	3.00	1.07
Tulare	926	0.70	0.00	0.50	0.81	1337	0.78	0.00	0.50	0.84	2263	0.75	0.00	0.50	0.83
Yolo	288	0.17	0.00	0.00	0.31	1326	0.41	0.00	0.50	0.51	1614	0.37	0.00	0.00	0.49
STATEWIDE	31,599	0.32	0.00	0.00	0.52	28029	0.44	0.00	0.00	0.78	59628	0.38	0.00	0.00	0.66
Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	1.00	0.00	0.50	1.23	313	1.00	0.00	0.50	1.23
Contra Costa	282	0.48	0.00	0.50	0.51	907	0.42	0.00	0.50	0.54	1189	0.43	0.00	0.50	0.53
Fresno	15,382	1.09	0.50	1.00	1.08	14496	1.26	0.50	1.00	1.31	29878	1.18	0.50	1.00	1.20
Kern	5,514	1.78	0.50	1.00	1.96	1734	0.84	0.50	0.50	0.68	7248	1.56	0.50	1.00	1.78
Kings	8,815	1.24	0.50	1.00	1.11	6436	1.26	0.50	1.00	1.17	15251	1.25	0.50	1.00	1.14

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 4 Ending 07/25/2026

Last Week YTD						Current Week					Year To Date				
Grade: Green, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Merced	216	0.87	0.50	1.00	0.61	877	1.17	1.00	1.00	1.03	1093	1.11	1.00	1.00	0.97
San Joaquin	0	0.00	0.00	0.00	0.00	75	1.86	0.50	1.50	1.43	75	1.86	0.50	1.50	1.43
Solano	32	0.17	0.00	0.00	0.37	399	0.42	0.00	0.00	0.83	431	0.40	0.00	0.00	0.80
Stanislaus	144	0.49	0.50	0.50	0.49	116	0.25	0.00	0.00	0.36	260	0.38	0.00	0.50	0.45
Sutter	0	0.00	0.00	0.00	0.00	13	6.06	5.50	5.50	1.30	13	6.06	5.50	5.50	1.30
Tulare	926	3.85	2.00	3.50	2.42	1337	4.39	2.50	4.00	3.23	2263	4.17	2.50	3.50	2.94
Yolo	288	0.47	0.00	0.00	0.65	1326	0.42	0.00	0.00	0.66	1614	0.43	0.00	0.00	0.65
STATEWIDE	31,599	1.32	0.50	1.00	1.43	28029	1.30	0.50	1.00	1.55	59628	1.31	0.50	1.00	1.48
Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	1.38	0.50	1.00	1.41	313	1.38	0.50	1.00	1.41
Contra Costa	282	0.48	0.00	0.00	0.70	907	0.52	0.00	0.50	0.70	1189	0.51	0.00	0.50	0.70
Fresno	15,382	0.70	0.00	0.50	0.96	14496	0.71	0.00	0.50	0.96	29878	0.71	0.00	0.50	0.96
Kern	5,514	0.94	0.00	0.50	0.98	1734	0.77	0.00	0.50	0.87	7248	0.90	0.00	0.50	0.96
Kings	8,815	0.72	0.00	0.50	0.97	6436	0.70	0.00	0.50	1.15	15251	0.71	0.00	0.50	1.05
Merced	216	0.18	0.00	0.00	0.34	877	1.59	0.00	1.00	1.84	1093	1.31	0.00	1.00	1.74
San Joaquin	0	0.00	0.00	0.00	0.00	75	0.41	0.00	0.00	0.63	75	0.41	0.00	0.00	0.63
Solano	32	0.51	0.00	0.50	0.48	399	0.20	0.00	0.00	0.34	431	0.23	0.00	0.00	0.36
Stanislaus	144	1.13	0.00	0.50	1.52	116	1.68	1.00	1.00	1.85	260	1.37	0.50	1.00	1.69
Sutter	0	0.00	0.00	0.00	0.00	13	0.27	0.00	0.00	0.33	13	0.27	0.00	0.00	0.33
Tulare	926	0.97	0.00	0.50	1.29	1337	0.57	0.00	0.50	0.78	2263	0.73	0.00	0.50	1.04
Yolo	288	0.44	0.00	0.00	0.91	1326	0.72	0.00	0.50	1.20	1614	0.67	0.00	0.50	1.16
STATEWIDE	31,599	0.75	0.00	0.50	0.98	28029	0.73	0.00	0.50	1.06	59628	0.74	0.00	0.50	1.02
Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	0.84	0.00	0.50	1.08	313	0.84	0.00	0.50	1.08
Contra Costa	282	0.17	0.00	0.00	0.32	907	0.18	0.00	0.00	0.67	1189	0.18	0.00	0.00	0.60
Fresno	15,382	0.35	0.00	0.00	0.68	14496	0.47	0.00	0.00	0.78	29878	0.41	0.00	0.00	0.73
Kern	5,514	0.75	0.00	0.50	1.30	1734	0.44	0.00	0.00	0.79	7248	0.68	0.00	0.50	1.21
Kings	8,815	0.29	0.00	0.00	0.49	6436	0.34	0.00	0.00	0.47	15251	0.31	0.00	0.00	0.48
Merced	216	0.77	0.50	0.50	0.70	877	0.71	0.00	0.50	0.95	1093	0.72	0.00	0.50	0.91
San Joaquin	0	0.00	0.00	0.00	0.00	75	0.42	0.50	0.50	0.56	75	0.42	0.50	0.50	0.56
Solano	32	0.12	0.00	0.00	0.31	399	0.16	0.00	0.00	0.38	431	0.16	0.00	0.00	0.38
Stanislaus	144	0.21	0.00	0.00	0.32	116	0.20	0.00	0.00	0.33	260	0.21	0.00	0.00	0.32
Sutter	0	0.00	0.00	0.00	0.00	13	0.66	0.00	0.50	0.63	13	0.66	0.00	0.50	0.63
Tulare	926	1.13	1.00	1.00	1.06	1337	1.37	1.00	1.00	1.36	2263	1.27	1.00	1.00	1.25
Yolo	288	0.14	0.00	0.00	0.26	1326	0.24	0.00	0.00	0.42	1614	0.22	0.00	0.00	0.40

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 4 Ending 07/25/2026

STATEWIDE	31,599	0.42	0.00	0.00	0.82	28029	0.47	0.00	0.00	0.78	59628	0.45	0.00	0.00	0.80
-----------	--------	------	------	------	------	-------	------	------	------	------	-------	------	------	------	------

Grade: Hue

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	20.70	20.50	20.50	0.73	313	20.70	20.50	20.50	0.73
Contra Costa	282	20.65	20.50	20.50	0.66	907	20.55	20.50	20.50	0.85	1189	20.58	20.50	20.50	0.81
Fresno	15,382	19.74	19.50	19.50	0.96	14496	19.98	19.50	19.50	1.19	29878	19.85	19.50	19.50	1.09
Kern	5,514	20.45	20.00	20.50	1.06	1734	20.23	20.50	20.50	0.95	7248	20.40	20.50	20.50	1.04
Kings	8,815	20.31	20.00	20.00	1.22	6436	20.22	20.00	20.00	1.04	15251	20.27	20.00	20.00	1.15
Merced	216	20.44	20.00	20.50	0.76	877	21.36	21.50	21.50	1.17	1093	21.18	20.00	21.00	1.16
San Joaquin	0	0.00	0.00	0.00	0.00	75	20.72	20.00	20.50	1.14	75	20.72	20.00	20.50	1.14
Solano	32	21.63	22.00	21.50	0.91	399	20.56	20.50	20.50	0.70	431	20.64	20.50	20.50	0.77
Stanislaus	144	20.36	20.00	20.00	0.95	116	20.33	20.00	20.00	0.71	260	20.35	20.00	20.00	0.85
Sutter	0	0.00	0.00	0.00	0.00	13	21.28	20.50	21.00	0.78	13	21.28	20.50	21.00	0.78
Tulare	926	20.27	20.00	20.00	0.84	1337	20.17	19.50	20.00	1.12	2263	20.21	19.50	20.00	1.02
Yolo	288	20.95	21.00	21.00	0.84	1326	21.04	21.00	21.00	0.90	1614	21.02	21.00	21.00	0.89
STATEWIDE	31,599	20.07	20.00	20.00	1.10	28029	20.19	20.00	20.00	1.16	59628	20.13	20.00	20.00	1.13

Grade: Solids

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	5.12	5.20	5.20	0.34	313	5.12	5.20	5.20	0.34
Contra Costa	282	5.19	5.20	5.20	0.20	907	5.20	5.20	5.20	0.29	1189	5.20	5.20	5.20	0.27
Fresno	15,382	5.46	5.30	5.40	0.47	14496	5.47	5.60	5.50	0.42	29878	5.46	5.30	5.40	0.45
Kern	5,514	5.06	4.80	5.00	0.54	1734	4.97	4.50	4.80	0.59	7248	5.04	4.60	5.00	0.56
Kings	8,815	5.04	5.30	5.10	0.51	6436	5.02	4.90	5.00	0.43	15251	5.03	4.90	5.00	0.48
Merced	216	5.53	5.50	5.50	0.21	877	5.54	5.30	5.40	0.49	1093	5.54	5.50	5.50	0.44
San Joaquin	0	0.00	0.00	0.00	0.00	75	5.59	5.70	5.60	0.23	75	5.59	5.70	5.60	0.23
Solano	32	5.71	5.80	5.70	0.24	399	5.32	5.00	5.30	0.39	431	5.35	5.00	5.30	0.40
Stanislaus	144	5.43	5.60	5.45	0.30	116	5.67	5.70	5.70	0.19	260	5.53	5.60	5.60	0.28
Sutter	0	0.00	0.00	0.00	0.00	13	5.09	4.90	5.10	0.21	13	5.09	4.90	5.10	0.21
Tulare	926	5.08	5.20	5.10	0.42	1337	4.92	4.80	4.80	0.45	2263	4.99	4.60	4.90	0.45
Yolo	288	5.04	5.10	5.10	0.34	1326	4.94	4.80	4.90	0.32	1614	4.96	5.10	5.00	0.33
STATEWIDE	31,599	5.26	5.30	5.30	0.53	28029	5.27	5.10	5.30	0.49	59628	5.26	5.30	5.30	0.51

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	0	0.00	0.00	0.00	0.00	313	4.37	4.36	4.36	0.08	313	4.37	4.36	4.36	0.08
Contra Costa	282	4.34	4.36	4.33	0.07	907	4.34	4.32	4.33	0.06	1189	4.34	4.30	4.33	0.06
Fresno	15,382	4.37	4.33	4.36	0.08	14496	4.40	4.40	4.40	0.08	29878	4.38	4.40	4.38	0.08
Kern	5,514	4.37	4.36	4.37	0.08	1734	4.42	4.35	4.41	0.09	7248	4.38	4.36	4.38	0.08
Kings	8,815	4.36	4.35	4.35	0.09	6436	4.37	4.32	4.36	0.09	15251	4.36	4.32	4.35	0.09
Merced	216	4.33	4.33	4.33	0.06	877	4.45	4.49	4.46	0.09	1093	4.43	4.40	4.43	0.10
San Joaquin	0	0.00	0.00	0.00	0.00	75	4.31	4.29	4.31	0.06	75	4.31	4.29	4.31	0.06

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 4 Ending 07/25/2026

Last Week YTD

Current Week

Year To Date

Grade: PH, Continued

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Solano	32	4.31	4.31	4.31	0.03	399	4.36	4.31	4.35	0.08	431	4.36	4.31	4.34	0.08
Stanislaus	144	4.37	4.34	4.36	0.07	116	4.45	4.56	4.44	0.08	260	4.40	4.36	4.40	0.09
Sutter	0	0.00	0.00	0.00	0.00	13	4.45	4.42	4.43	0.05	13	4.45	4.42	4.43	0.05
Tulare	926	4.40	4.39	4.40	0.07	1337	4.42	4.34	4.41	0.10	2263	4.41	4.34	4.40	0.09
Yolo	288	4.33	4.29	4.33	0.08	1326	4.36	4.34	4.35	0.08	1614	4.35	4.34	4.35	0.08
STATEWIDE	31,599	4.37	4.34	4.36	0.08	28029	4.39	4.38	4.38	0.09	59628	4.38	4.34	4.37	0.08

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 4 Ending 07/25/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.7	59,442	0.0	58.1	34,623	0.0	20.2	12,043	0.0	39.6	23,638	0.0	51.3	30,610
0.5	100.0	59,615	0.5	82.6	49,248	0.5	43.7	26,081	0.5	65.5	39,030	0.5	81.8	48,776
1.0	100.0	59,625	1.0	93.2	55,556	1.0	62.8	37,445	1.0	81.5	48,591	1.0	92.4	55,106
1.5	100.0	59,626	1.5	96.9	57,756	1.5	74.7	44,538	1.5	89.1	53,155	1.5	95.9	57,185
2.0	100.0	59,628	2.0	98.4	58,657	2.0	82.7	49,335	2.0	93.3	55,645	2.0	97.5	58,129
			2.5	99.1	59,068	2.5	88.1	52,503	2.5	95.7	57,066	2.5	98.4	58,648
			3.0	99.4	59,258	3.0	91.6	54,601	3.0	97.2	57,986	3.0	98.9	58,955
			3.5	99.5	59,357	3.5	93.9	56,012	3.5	98.1	58,510	3.5	99.2	59,161
			4.0	99.7	59,425	4.0	95.5	56,966	4.0	98.7	58,856	4.0	99.4	59,296
			4.5	99.7	59,469	4.5	96.8	57,711	4.5	99.1	59,087	4.5	99.6	59,380
			5.0	99.8	59,499	5.0	97.7	58,232	5.0	99.3	59,227	5.0	99.7	59,445
			5.5	99.8	59,525	5.5	98.3	58,613	5.5	99.5	59,325	5.5	99.8	59,486
			6.0	99.9	59,543	6.0	98.7	58,854	6.0	99.6	59,398	6.0	99.8	59,510
			6.5	99.9	59,556	6.5	99.0	59,026	6.5	99.7	59,461	6.5	99.8	59,532
			7.0	99.9	59,573	7.0	99.2	59,170	7.0	99.8	59,503	7.0	99.9	59,547
			7.5	99.9	59,588	7.5	99.4	59,256	7.5	99.8	59,531	7.5	99.9	59,560
			8.0	99.9	59,596	8.0	99.5	59,325	8.0	99.9	59,549	8.0	99.9	59,573
			8.5	100.0	59,601	8.5	99.6	59,396	8.5	99.9	59,565	8.5	99.9	59,577
			9.0	100.0	59,608	9.0	99.7	59,439	9.0	99.9	59,576	9.0	99.9	59,583
			9.5	100.0	59,611	9.5	99.7	59,472	9.5	99.9	59,588	9.5	99.9	59,587
			10.0	100.0	59,618	10.0	99.8	59,497	10.0	99.9	59,596	10.0	99.9	59,593
			10.5	100.0	59,621	10.5	99.8	59,522	10.5	100.0	59,601	10.5	99.9	59,594
			11.0	100.0	59,621	11.0	99.9	59,539	11.0	100.0	59,605	11.0	99.9	59,595
			11.5	100.0	59,624	11.5	99.9	59,548	11.5	100.0	59,607	11.5	99.9	59,597
			12.0	100.0	59,624	12.0	99.9	59,562	12.0	100.0	59,614	12.0	100.0	59,600
			12.5	100.0	59,626	12.5	99.9	59,580	12.5	100.0	59,619	12.5	100.0	59,601
			13.0	100.0	59,626	13.0	99.9	59,587	13.0	100.0	59,619	13.0	100.0	59,602
			13.5	100.0	59,628	13.5	99.9	59,592	13.5	100.0	59,620	13.5	100.0	59,603
						14.0	99.9	59,597	14.0	100.0	59,620	14.0	100.0	59,603
						14.5	100.0	59,603	14.5	100.0	59,622	14.5	100.0	59,604
						15.0	100.0	59,607	15.0	100.0	59,622	15.0	100.0	59,605
						15.5	100.0	59,609	15.5	100.0	59,624	15.5	100.0	59,605
						16.0	100.0	59,610	16.0	100.0	59,625	16.0	100.0	59,608
						16.5	100.0	59,612	16.5	100.0	59,625	16.5	100.0	59,609
						17.0	100.0	59,615	17.0	100.0	59,625	17.0	100.0	59,609
						17.5	100.0	59,615	17.5	100.0	59,625	17.5	100.0	59,613
						18.0	100.0	59,618	18.0	100.0	59,625	18.0	100.0	59,618
						18.5	100.0	59,619	18.5	100.0	59,626	18.5	100.0	59,622
						19.0	100.0	59,619	19.0	100.0	59,628	19.0	100.0	59,626
						19.5	100.0	59,619				19.5	100.0	59,626
						20.0	100.0	59,619				20.0	100.0	59,628
						20.5	100.0	59,620						
						21.0	100.0	59,622						
						21.5	100.0	59,623						

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 4 Ending 07/25/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week GREEN Percent Less than or Equal To:				#Loads	Year To Date GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Colusa	313	71	84	92	97	313	71	84	92	97
Contra Costa	907	94	98	99	99	1,189	93	98	99	99
Fresno	14,496	62	82	92	96	29,878	65	85	93	97
Kern	1,734	75	96	99	100	7,248	59	79	87	92
Kings	6,436	61	84	93	97	15,251	61	84	93	97
Merced	877	62	85	96	98	1,093	65	87	96	99
San Joaquin	75	48	62	76	93	75	48	62	76	93
Solano	399	89	94	98	99	431	90	95	98	99
Stanislaus	116	98	99	100	100	260	94	99	100	100
Sutter	13	0	0	0	7	13	0	0	0	7
Tulare	1,337	8	24	42	56	2,263	9	25	43	59
Yolo	1,326	92	97	98	99	1,614	91	97	99	99
STATEWIDE TOTALS										
CURRENT WEEK	28,029	63.7	82.6	91.3	95.3	59,628	63	83	92	96
LAST WEEK YTD						31,599	62	83	92	96

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week LU Percent Less than or Equal To:				#Loads	Year To Date LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Colusa	313	98	99	100	100	313	98	99	100	100
Contra Costa	907	99	99	100	100	1,189	99	99	100	100
Fresno	14,496	99	99	99	100	29,878	99	99	99	99
Kern	1,734	99	100	100	100	7,248	99	99	100	100
Kings	6,436	98	99	99	99	15,251	99	99	99	99
Merced	877	95	98	99	99	1,093	96	99	99	99
San Joaquin	75	100	100	100	100	75	100	100	100	100
Solano	399	100	100	100	100	431	100	100	100	100
Stanislaus	116	97	98	99	99	260	97	98	99	99
Sutter	13	100	100	100	100	13	100	100	100	100
Tulare	1,337	99	100	100	100	2,263	99	100	100	100
Yolo	1,326	98	99	100	100	1,614	98	99	99	100
STATEWIDE TOTALS										
CURRENT WEEK	28,029	99.2	99.8	99.9	100.0	59,628	99	100	100	100
LAST WEEK YTD						31,599	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 4 Ending 07/25/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	#Loads	Current Week						#Loads	Year To Date					
		MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Colusa	313	99	100	100	100	100	100	313	99	100	100	100	100	100
Contra Costa	907	100	100	100	100	100	100	1,189	100	100	100	100	100	100
Fresno	14,496	99	99	99	99	99	99	29,878	99	99	99	99	99	99
Kern	1,734	100	100	100	100	100	100	7,248	99	99	99	99	100	100
Kings	6,436	97	97	98	98	99	99	15,251	98	99	99	99	99	99
Merced	877	99	99	100	100	100	100	1,093	99	99	100	100	100	100
San Joaquin	75	100	100	100	100	100	100	75	100	100	100	100	100	100
Solano	399	100	100	100	100	100	100	431	100	100	100	100	100	100
Stanislaus	116	100	100	100	100	100	100	260	100	100	100	100	100	100
Sutter	13	61	100	100	100	100	100	13	61	100	100	100	100	100
Tulare	1,337	98	99	99	100	100	100	2,263	98	99	99	99	99	100
Yolo	1,326	100	100	100	100	100	100	1,614	100	100	100	100	100	100
STATEWIDE TOTALS														
CURRENT WEEK	28,029	99.0	99.4	99.6	99.7	99.8	99.9	59,628	99	100	100	100	100	100
LAST WEEK YTD								31,599	100	100	100	100	100	100

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Colusa	313	65	79	89	95	313	65	79	89	95
Contra Costa	907	95	99	99	99	1,189	95	98	99	99
Fresno	14,496	80	91	97	98	29,878	83	93	98	99
Kern	1,734	82	92	97	98	7,248	73	87	94	96
Kings	6,436	87	96	99	99	15,251	88	96	99	99
Merced	877	62	82	94	98	1,093	61	82	95	98
San Joaquin	75	85	96	98	98	75	85	96	98	98
Solano	399	94	97	99	99	431	93	97	99	99
Stanislaus	116	93	98	100	100	260	93	98	100	100
Sutter	13	61	84	100	100	13	61	84	100	100
Tulare	1,337	34	56	82	92	2,263	37	62	85	93
Yolo	1,326	90	97	99	99	1,614	91	97	99	99
STATEWIDE TOTALS										
CURRENT WEEK	28,029	80.4	91.2	97.0	98.8	59,628	82	92	97	99
LAST WEEK YTD						31,599	83	93	98	99

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	118	0.0	0.8	1.6	1.4	20.2	0.7	5.0	4.42
		YTD	118	0.0	0.8	1.6	1.4	20.2	0.7	5.0	4.42
173	0371, HM	Cur Wk	9	0.0	1.8	0.9	0.4	20.8	0.7	5.8	4.39
		YTD	9	0.0	1.8	0.9	0.4	20.8	0.7	5.8	4.39
320	9032, SVTM	Cur Wk	166	0.0	1.3	0.2	0.3	21.0	1.9	5.2	4.33
		YTD	166	0.0	1.3	0.2	0.3	21.0	1.9	5.2	4.33
479	2479, HZ	Cur Wk	20	0.0	0.7	3.7	1.9	20.8	2.0	4.5	4.37
		YTD	20	0.0	0.7	3.7	1.9	20.8	2.0	4.5	4.37
Cur Wk:			313	0.0	1.1	1.0	0.8	20.7	1.4	5.1	4.37
YTD			313	0.0	1.1	1.0	0.8	20.7	1.4	5.1	4.37

Contra Costa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	105	0.0	0.0	0.3	0.1	20.1	0.1	5.2	4.32
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
068	8268, HM	Cur Wk	317	0.0	0.0	0.6	0.1	20.7	0.6	5.3	4.36
		YTD	320	0.0	0.0	0.6	0.1	20.7	0.6	5.3	4.36
173	0371, HM	Cur Wk	338	0.0	0.1	0.3	0.2	20.6	0.5	5.1	4.33
		YTD	355	0.0	0.1	0.4	0.2	20.6	0.5	5.1	4.33
301	7103, HM	Cur Wk	50	0.0	0.0	0.1	0.2	20.6	0.5	5.1	4.33
		YTD	73	0.0	0.0	0.2	0.2	20.7	0.5	5.2	4.32
430	9034, SVTM	Cur Wk	27	0.0	0.1	0.2	0.4	20.5	0.4	5.1	4.37
		YTD	156	0.0	0.1	0.3	0.2	20.6	0.7	5.1	4.38
552	5522, HM	Cur Wk	44	0.0	0.1	0.5	0.3	20.0	0.2	5.1	4.29
		YTD	44	0.0	0.1	0.5	0.3	20.0	0.2	5.1	4.29
913	9013, SVTM	Cur Wk	26	0.0	0.1	0.3	0.1	20.6	1.8	5.1	4.32
		YTD	26	0.0	0.1	0.3	0.1	20.6	1.8	5.1	4.32
Cur Wk:			907	0.0	0.0	0.4	0.2	20.6	0.5	5.2	4.34
YTD			1,189	0.0	0.0	0.4	0.2	20.6	0.5	5.2	4.34

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	471	0.0	0.2	3.1	0.9	19.4	0.3	5.3	4.32
		YTD	803	0.0	0.2	2.6	1.0	19.6	0.3	5.2	4.32
027	9027, SVTM	Cur Wk	1,891	0.0	0.4	1.1	0.6	19.9	0.6	5.6	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	5,846	0.0	0.3	1.0	0.4	19.7	0.5	5.6	4.37
036	8163, HM	Cur Wk	971	0.0	0.4	0.6	0.2	19.2	0.5	5.8	4.43
		YTD	1,486	0.0	0.4	0.5	0.3	19.1	0.5	5.8	4.44
037	8237, HM	Cur Wk	384	0.0	0.2	0.7	0.3	21.1	0.5	5.8	4.37
		YTD	384	0.0	0.2	0.7	0.3	21.1	0.5	5.8	4.37
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	63	0.0	0.3	0.4	0.0	19.8	1.2	5.4	4.48
		YTD	63	0.0	0.3	0.4	0.0	19.8	1.2	5.4	4.48
068	8268, HM	Cur Wk	1,264	0.0	0.6	1.2	0.3	19.4	1.0	5.6	4.41
		YTD	1,658	0.0	0.6	1.2	0.4	19.6	1.0	5.6	4.41
112	16112, UG	Cur Wk	89	0.0	0.1	0.1	0.3	20.1	0.2	5.0	4.32
		YTD	89	0.0	0.1	0.1	0.3	20.1	0.2	5.0	4.32
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
161	116 ,BP	Cur Wk	69	0.0	1.3	1.1	0.4	20.0	0.6	5.2	4.40
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	90	0.0	0.9	1.2	0.7	19.8	0.5	4.8	4.57
		YTD	90	0.0	0.9	1.2	0.7	19.8	0.5	4.8	4.57
173	0371, HM	Cur Wk	1,734	0.0	0.3	0.7	0.3	19.4	0.9	5.4	4.37
		YTD	3,611	0.0	0.3	0.7	0.4	19.6	0.8	5.6	4.37
178	7708, BOS	Cur Wk	123	0.0	0.3	2.1	0.8	18.9	1.5	5.6	4.44
		YTD	123	0.0	0.3	2.1	0.8	18.9	1.5	5.6	4.44
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	50	0.0	0.9	0.7	0.2	20.5	0.6	5.1	4.44
		YTD	70	0.0	0.9	0.6	0.2	20.6	0.6	5.1	4.43
196	0691, LS	Cur Wk	25	0.0	0.3	0.2	0.4	19.5	3.1	5.1	4.46
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
219	109, BP	Cur Wk	9	0.0	1.0	1.6	0.0	20.6	0.7	5.3	4.31
		YTD	9	0.0	1.0	1.6	0.0	20.6	0.7	5.3	4.31
239	9023, SVTM	Cur Wk	771	0.0	0.5	1.5	0.7	22.1	1.3	5.4	4.39
		YTD	927	0.0	0.5	1.5	0.6	22.2	1.2	5.3	4.39
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
301	7103, HM	Cur Wk	401	0.0	0.2	0.4	0.1	20.3	1.2	5.2	4.42
		YTD	1,540	0.0	0.2	0.4	0.2	19.9	1.2	5.5	4.39
320	9032, SVTM	Cur Wk	355	0.0	0.1	2.9	1.0	20.6	0.7	6.0	4.33
		YTD	355	0.0	0.1	2.9	1.0	20.6	0.7	6.0	4.33
330	9033, SVTM	Cur Wk	172	0.0	0.3	2.1	0.9	21.5	1.0	5.4	4.41
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
430	9034, SVTM	Cur Wk	1,533	0.0	0.5	1.1	0.4	20.0	0.7	5.4	4.48
		YTD	2,872	0.0	0.4	1.1	0.4	20.0	0.8	5.4	4.47
452	4521, HM	Cur Wk	42	0.0	0.1	1.2	0.3	21.0	0.0	4.9	4.25
		YTD	42	0.0	0.1	1.2	0.3	21.0	0.0	4.9	4.25
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	4	0.0	0.8	1.1	0.4	19.3	0.3	4.9	4.40
		YTD	4	0.0	0.8	1.1	0.4	19.3	0.3	4.9	4.40
489	6489, N	Cur Wk	156	0.0	0.4	0.5	0.3	19.4	0.5	5.1	4.42
		YTD	739	0.0	0.6	0.8	0.2	19.5	0.4	5.3	4.39
511	5511, HM	Cur Wk	196	0.0	0.2	0.8	0.0	19.7	1.1	5.9	4.42
		YTD	225	0.0	0.1	0.8	0.0	19.8	1.2	6.0	4.42
552	5522, HM	Cur Wk	1,126	0.0	0.3	0.3	0.2	19.2	0.4	5.6	4.36
		YTD	1,730	0.0	0.3	0.4	0.2	19.2	0.3	5.6	4.35
560	5608, HZ	Cur Wk	599	0.0	0.5	2.6	0.3	19.0	0.5	5.1	4.39
		YTD	1,023	0.0	0.4	2.0	0.2	19.3	0.4	5.0	4.36
565	MIX	Cur Wk	3	0.0	0.3	1.0	0.2	19.3	2.3	5.4	4.39
		YTD	4	0.0	0.3	0.9	0.1	19.4	1.9	5.4	4.40
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.0	0.0	18.5	0.5	5.6	4.32
820	1082, SVTM	Cur Wk	55	0.0	0.3	5.0	0.2	20.6	0.2	5.4	4.34
		YTD	55	0.0	0.3	5.0	0.2	20.6	0.2	5.4	4.34
841	58841, HM	Cur Wk	570	0.0	0.6	2.8	1.6	21.6	0.8	5.5	4.43
		YTD	587	0.0	0.6	2.8	1.6	21.7	0.9	5.5	4.43
848	6848, BOS	Cur Wk	252	0.0	0.3	1.8	0.6	19.5	0.3	5.0	4.42
		YTD	252	0.0	0.3	1.8	0.6	19.5	0.3	5.0	4.42
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	199	0.0	0.4	0.5	0.4	21.3	1.1	5.3	4.43
		YTD	379	0.0	0.3	0.8	0.3	21.3	0.8	5.2	4.39
913	9013, SVTM	Cur Wk	104	0.0	0.5	1.2	0.5	19.8	1.4	5.4	4.41
		YTD	285	0.0	0.3	0.8	0.3	19.7	0.6	5.5	4.35
919	9019, SVTM	Cur Wk	159	0.0	0.6	2.2	1.2	21.5	1.1	5.8	4.28
		YTD	159	0.0	0.6	2.2	1.2	21.5	1.1	5.8	4.28
925	9025, SVTM	Cur Wk	201	0.0	0.1	0.7	0.1	20.7	0.2	5.8	4.22
		YTD	362	0.0	0.4	0.8	0.1	20.7	0.4	5.8	4.24
941	9041, SVTM	Cur Wk	57	0.0	0.3	1.7	0.2	20.2	0.6	6.3	4.40

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
996	1996, HZ	YTD	57	0.0	0.3	1.7	0.2	20.2	0.6	6.3	4.40
		Cur Wk	303	0.0	0.2	2.6	0.3	20.2	0.1	5.0	4.38
		YTD	395	0.0	0.2	2.4	0.3	20.3	0.1	5.0	4.35
Cur Wk:			14,491	0.0	0.4	1.3	0.5	20.0	0.7	5.5	4.40
YTD			29,865	0.0	0.3	1.2	0.4	19.9	0.7	5.5	4.38

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
036	8163, HM	Cur Wk	115	0.0	0.3	0.3	0.6	19.9	1.4	5.9	4.53
		YTD	247	0.0	0.4	0.4	0.5	19.5	1.1	5.9	4.48
068	8268, HM	Cur Wk	46	0.0	0.6	0.4	0.2	19.2	1.5	5.3	4.44
		YTD	442	0.0	0.3	0.6	0.5	19.4	1.0	5.3	4.42
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
173	0371, HM	Cur Wk	159	0.0	0.8	0.3	0.9	20.5	1.3	5.1	4.43
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
219	109, BP	Cur Wk	28	0.0	0.7	1.3	0.3	20.2	1.2	5.2	4.30
		YTD	28	0.0	0.7	1.3	0.3	20.2	1.2	5.2	4.30
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	62	0.0	0.6	1.3	0.3	20.8	2.3	5.4	4.45
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	3	0.0	0.5	0.5	0.3	20.2	1.0	4.7	4.45
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Week 4 Ending 07/25/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
552	5522, HM	Cur Wk	426	0.0	0.3	0.5	0.4	19.5	0.7	5.6	4.38
		YTD	693	0.0	0.3	1.7	0.6	19.7	0.6	5.3	4.35
560	5608, HZ	Cur Wk	232	0.0	0.6	1.2	0.2	20.1	0.5	4.5	4.42
		YTD	694	0.0	0.3	1.0	0.2	20.4	0.8	4.7	4.39
577	HEINZ TRIAL	Cur Wk	2	0.0	0.5	0.2	0.5	21.3	2.0	4.3	4.51
		YTD	2	0.0	0.5	0.2	0.5	21.3	2.0	4.3	4.51
610	2016, HZ	Cur Wk	238	0.0	0.2	1.2	0.3	20.7	0.3	4.5	4.35
		YTD	481	0.0	0.2	1.2	0.4	20.8	0.3	4.5	4.32
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	15	0.0	0.3	0.5	0.4	23.2	0.6	4.7	4.28
		YTD	15	0.0	0.3	0.5	0.4	23.2	0.6	4.7	4.28
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	149	0.0	0.1	1.7	0.3	20.6	0.2	4.5	4.37
		YTD	387	0.0	0.1	1.5	0.4	21.2	0.4	4.6	4.36
Cur Wk:			1,729	0.0	0.4	0.8	0.4	20.2	0.8	5.0	4.42
YTD			7,240	0.0	0.5	1.6	0.7	20.4	0.9	5.0	4.38

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	82	0.0	0.1	2.7	0.1	21.3	0.2	5.2	4.34
		YTD	129	0.0	0.1	2.8	0.2	21.2	0.4	5.2	4.33
027	9027, SVTM	Cur Wk	779	0.0	0.4	0.8	0.4	19.8	0.6	5.6	4.37
		YTD	2,085	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
068	8268, HM	Cur Wk	332	0.0	0.3	0.6	0.3	19.7	0.7	5.1	4.39
		YTD	332	0.0	0.3	0.6	0.3	19.7	0.7	5.1	4.39
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
165	1657, HZ	Cur Wk	103	0.0	0.6	2.1	0.4	19.5	0.4	4.6	4.48
		YTD	103	0.0	0.6	2.1	0.4	19.5	0.4	4.6	4.48
173	0371, HM	Cur Wk	505	0.0	0.1	0.9	0.3	20.0	0.6	5.0	4.33
		YTD	987	0.0	0.2	1.0	0.3	20.1	0.5	5.0	4.32
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	149	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
		YTD	149	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
247	247, E	Cur Wk	313	0.0	0.7	2.2	0.4	19.7	0.9	4.9	4.35
		YTD	723	0.0	0.6	2.2	0.3	20.0	1.4	5.0	4.36
301	7103, HM	Cur Wk	621	0.0	0.3	1.3	0.2	21.4	1.1	4.6	4.39
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	392	0.0	1.0	1.7	0.4	20.7	2.6	5.4	4.54
		YTD	976	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	838	0.0	0.1	0.9	0.2	20.6	0.2	5.1	4.32
		YTD	1,022	0.0	0.2	0.8	0.1	20.4	0.2	5.3	4.32
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
485	6485, N	Cur Wk	66	0.0	0.5	0.5	0.1	20.7	0.7	4.3	4.57
		YTD	66	0.0	0.5	0.5	0.1	20.7	0.7	4.3	4.57
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	441	0.0	0.3	1.9	0.6	20.0	0.7	5.4	4.33
		YTD	676	0.0	0.3	2.0	0.6	20.1	0.7	5.3	4.32
560	5608, HZ	Cur Wk	4	0.0	1.4	1.6	0.6	19.8	0.6	4.7	4.39
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	1	0.0	0.5	1.0	0.0	20.0	3.0	4.9	4.32
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
610	2016, HZ	Cur Wk	1,149	0.0	0.1	1.2	0.4	20.0	0.4	4.8	4.32
		YTD	1,408	0.0	0.1	1.3	0.5	20.0	0.4	4.8	4.31
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	453	0.0	1.0	0.5	0.2	20.1	0.3	4.7	4.44
		YTD	453	0.0	1.0	0.5	0.2	20.1	0.3	4.7	4.44
925	9025, SVTM	Cur Wk	25	0.0	0.3	1.0	0.2	20.4	0.1	5.5	4.17
		YTD	56	0.0	0.2	0.9	0.1	20.5	0.1	5.5	4.15
996	1996, HZ	Cur Wk	179	0.0	0.2	1.8	0.4	20.5	0.2	4.7	4.38
		YTD	179	0.0	0.2	1.8	0.4	20.5	0.2	4.7	4.38
Cur Wk:			6,432	0.0	0.5	1.3	0.3	20.2	0.7	5.0	4.37
YTD			15,245	0.0	0.3	1.2	0.3	20.3	0.7	5.0	4.36

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Merced											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	103	0.0	0.2	2.0	0.4	19.8	0.6	6.1	4.39
		YTD	319	0.0	0.1	1.2	0.7	20.2	0.3	5.7	4.35
028	6428, N	Cur Wk	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
068	8268, HM	Cur Wk	79	0.0	0.7	1.7	1.1	20.5	2.6	5.7	4.50
		YTD	79	0.0	0.7	1.7	1.1	20.5	2.6	5.7	4.50
430	9034, SVTM	Cur Wk	245	0.0	0.6	0.3	0.4	21.1	1.6	5.2	4.53
		YTD	245	0.0	0.6	0.3	0.4	21.1	1.6	5.2	4.53
903	9036, SVTM	Cur Wk	114	0.0	0.4	0.7	0.9	21.3	3.9	6.3	4.47
		YTD	114	0.0	0.4	0.7	0.9	21.3	3.9	6.3	4.47
921	9021, SVTM	Cur Wk	218	0.0	0.5	1.3	1.1	21.9	0.8	5.5	4.38
		YTD	218	0.0	0.5	1.3	1.1	21.9	0.8	5.5	4.38
941	9041, SVTM	Cur Wk	36	0.0	0.6	1.9	0.4	22.2	0.4	4.9	4.33
		YTD	36	0.0	0.6	1.9	0.4	22.2	0.4	4.9	4.33
Cur Wk:			877	0.0	0.5	1.2	0.7	21.4	1.6	5.5	4.45
YTD			1,093	0.0	0.4	1.1	0.7	21.2	1.3	5.5	4.43

San Joaquin											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
996	1996, HZ	Cur Wk	75	0.0	0.2	1.9	0.4	20.7	0.4	5.6	4.31
		YTD	75	0.0	0.2	1.9	0.4	20.7	0.4	5.6	4.31
Cur Wk:			75	0.0	0.2	1.9	0.4	20.7	0.4	5.6	4.31
YTD			75	0.0	0.2	1.9	0.4	20.7	0.4	5.6	4.31

Solano											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
068	8268, HM	Cur Wk	73	0.0	0.3	0.2	0.1	21.1	0.4	5.6	4.33
		YTD	105	0.0	0.3	0.2	0.1	21.2	0.4	5.6	4.33
430	9034, SVTM	Cur Wk	154	0.0	0.6	0.2	0.2	20.7	0.1	5.0	4.44
		YTD	154	0.0	0.6	0.2	0.2	20.7	0.1	5.0	4.44
Cur Wk:			399	0.0	0.4	0.4	0.2	20.6	0.2	5.3	4.36
YTD			431	0.0	0.4	0.4	0.2	20.6	0.2	5.4	4.36

Stanislaus

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Week 4 Ending 07/25/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	115	0.0	0.2	0.2	0.2	20.3	1.7	5.7	4.45
		YTD	215	0.0	0.1	0.3	0.2	20.2	1.3	5.6	4.42
996	1996, HZ	Cur Wk	1	0.0	0.0	1.5	0.0	21.5	3.5	5.2	4.42
		YTD	45	0.0	0.1	0.8	0.3	21.0	1.8	5.2	4.35
Cur Wk:			116	0.0	0.2	0.3	0.2	20.3	1.7	5.7	4.45
YTD			260	0.0	0.1	0.4	0.2	20.3	1.4	5.5	4.40

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	5	0.0	2.5	5.8	0.5	20.7	0.2	5.2	4.48
		YTD	5	0.0	2.5	5.8	0.5	20.7	0.2	5.2	4.48
650	6500, N	Cur Wk	8	0.0	3.0	6.2	0.8	21.6	0.3	5.1	4.42
		YTD	8	0.0	3.0	6.2	0.8	21.6	0.3	5.1	4.42
Cur Wk:			13	0.0	2.8	6.1	0.7	21.3	0.3	5.1	4.45
YTD			13	0.0	2.8	6.1	0.7	21.3	0.3	5.1	4.45

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	186	0.0	0.7	6.2	2.3	21.1	0.4	4.8	4.36
		YTD	548	0.0	0.8	4.1	1.4	20.4	0.4	5.0	4.38
165	1657, HZ	Cur Wk	443	0.0	0.6	4.7	1.4	19.3	0.4	4.6	4.52
		YTD	472	0.0	0.6	5.1	1.4	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	204	0.0	1.4	6.0	0.4	21.2	1.0	4.8	4.47
		YTD	461	0.0	1.0	4.8	0.7	20.5	1.6	5.1	4.45
552	5522, HM	Cur Wk	190	0.0	0.3	1.8	1.8	19.5	0.9	5.7	4.33
		YTD	207	0.0	0.3	1.8	1.9	19.5	0.9	5.7	4.33
560	5608, HZ	Cur Wk	9	0.0	2.1	0.7	0.2	19.7	0.4	4.5	4.38
		YTD	9	0.0	2.1	0.7	0.2	19.7	0.4	4.5	4.38
730	9037, SVTM	Cur Wk	11	0.0	0.4	14.4	2.9	24.8	0.3	4.7	4.31
		YTD	11	0.0	0.4	14.4	2.9	24.8	0.3	4.7	4.31
776	17763, HZ	Cur Wk	228	0.0	0.7	3.1	1.3	20.3	0.5	5.0	4.35
		YTD	489	0.0	0.7	3.9	1.3	20.8	0.6	4.8	4.37
Cur Wk:			1,337	0.0	0.8	4.4	1.4	20.2	0.6	4.9	4.42
YTD			2,263	0.0	0.7	4.2	1.3	20.2	0.7	5.0	4.41

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Yolo											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	489	0.0	0.2	0.3	0.2	21.0	0.4	4.8	4.32
		YTD	611	0.0	0.2	0.3	0.1	21.0	0.4	4.8	4.31
052	5235, HM	Cur Wk	48	0.0	0.5	1.5	0.3	21.4	0.3	4.7	4.34
		YTD	48	0.0	0.5	1.5	0.3	21.4	0.3	4.7	4.34
068	8268, HM	Cur Wk	170	0.0	0.3	0.3	0.2	20.6	0.4	5.1	4.35
		YTD	175	0.0	0.3	0.3	0.2	20.6	0.4	5.1	4.35
092	9024, SVTM	Cur Wk	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
161	116 ,BP	Cur Wk	24	0.0	0.6	1.0	0.4	23.4	1.0	4.8	4.32
		YTD	24	0.0	0.6	1.0	0.4	23.4	1.0	4.8	4.32
173	0371, HM	Cur Wk	45	0.0	0.4	0.3	0.3	20.1	0.6	5.2	4.31
		YTD	45	0.0	0.4	0.3	0.3	20.1	0.6	5.2	4.31
301	7103, HM	Cur Wk	102	0.0	0.2	0.6	0.2	21.4	2.7	5.2	4.37
		YTD	177	0.0	0.2	0.9	0.2	21.1	1.9	5.2	4.34
320	9032, SVTM	Cur Wk	58	0.0	0.7	1.6	0.9	21.6	1.0	4.9	4.36
		YTD	58	0.0	0.7	1.6	0.9	21.6	1.0	4.9	4.36
430	9034, SVTM	Cur Wk	325	0.0	0.6	0.1	0.2	21.1	0.8	5.1	4.43
		YTD	410	0.0	0.6	0.1	0.2	21.0	0.7	5.1	4.42
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	0.0	0.0	20.5	1.5	5.1	4.35
841	58841, HM	Cur Wk	64	0.0	1.0	0.7	0.5	20.7	0.4	5.0	4.35
		YTD	64	0.0	1.0	0.7	0.5	20.7	0.4	5.0	4.35
Cur Wk:			1,326	0.0	0.4	0.4	0.2	21.0	0.7	4.9	4.36
YTD			1,614	0.0	0.4	0.4	0.2	21.0	0.7	5.0	4.35
TOTAL STATEWIDE		Cur Wk	28,015	0.0	0.4	1.3	0.5	20.2	0.7	5.3	4.39
		YTD	59,601	0.0	0.4	1.3	0.4	20.1	0.7	5.3	4.38

Average Defects by Variety Report (RP20)1203
07/27/2026 2:42 PM**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 4 Ending 07/25/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
173	0371, HM	Cur Wk	2790	0.0	0.3	0.6	0.4	19.8	0.8	5.3	4.36
		YTD	5722	0.0	0.3	0.9	0.4	19.8	0.7	5.4	4.36
064	0645, LS	Cur Wk	63	0.0	0.3	0.4	0.0	19.8	1.2	5.4	4.48
		YTD	63	0.0	0.3	0.4	0.0	19.8	1.2	5.4	4.48
196	0691, LS	Cur Wk	25	0.0	0.3	0.2	0.4	19.5	3.1	5.1	4.46
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
015	1015, HZ	Cur Wk	123	0.0	0.8	1.8	1.3	20.3	0.6	5.0	4.42
		YTD	123	0.0	0.8	1.8	1.3	20.3	0.6	5.0	4.42
820	1082, SVTM	Cur Wk	55	0.0	0.3	5.0	0.2	20.6	0.2	5.4	4.34
		YTD	55	0.0	0.3	5.0	0.2	20.6	0.2	5.4	4.34
219	109, BP	Cur Wk	103	0.0	1.5	2.2	0.1	20.6	0.8	5.1	4.31
		YTD	103	0.0	1.5	2.2	0.1	20.6	0.8	5.1	4.31
161	116 ,BP	Cur Wk	93	0.0	1.1	1.1	0.4	20.8	0.7	5.1	4.38
		YTD	205	0.0	0.6	1.6	0.3	21.1	0.7	5.3	4.41
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
112	16112, UG	Cur Wk	89	0.0	0.1	0.1	0.3	20.1	0.2	5.1	4.32
		YTD	89	0.0	0.1	0.1	0.3	20.1	0.2	5.1	4.32
165	1657, HZ	Cur Wk	636	0.0	0.6	3.8	1.1	19.4	0.4	4.7	4.52
		YTD	665	0.0	0.6	4.1	1.2	19.4	0.4	4.6	4.52
776	17763, HZ	Cur Wk	228	0.0	0.7	3.1	1.3	20.3	0.5	5.0	4.35
		YTD	489	0.0	0.7	3.9	1.3	20.8	0.6	4.8	4.37
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
191	1991, HZ	Cur Wk	332	0.0	3.0	2.3	0.6	20.6	1.0	4.6	4.48
		YTD	352	0.0	2.9	2.2	0.6	20.6	1.0	4.6	4.47
996	1996, HZ	Cur Wk	707	0.0	0.2	2.1	0.3	20.4	0.2	4.9	4.37
		YTD	1081	0.0	0.1	1.9	0.3	20.7	0.3	4.8	4.36
610	2016, HZ	Cur Wk	1387	0.0	0.1	1.2	0.4	20.1	0.4	4.7	4.33
		YTD	1889	0.0	0.2	1.3	0.5	20.2	0.3	4.7	4.31
247	247, E	Cur Wk	313	0.0	0.7	2.2	0.4	19.7	0.9	4.9	4.35
		YTD	905	0.0	0.6	2.0	0.3	20.1	1.3	5.0	4.35
479	2479, HZ	Cur Wk	20	0.0	0.7	3.7	1.9	20.8	2.0	4.5	4.37
		YTD	420	0.0	0.4	1.4	0.7	20.1	1.2	4.8	4.38
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	785	0.0	0.1	1.3	0.4	19.2	0.8	5.4	4.42

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.3	4.33
452	4521, HM	Cur Wk	880	0.0	0.1	0.9	0.2	20.6	0.2	5.1	4.31
		YTD	1064	0.0	0.2	0.8	0.1	20.5	0.2	5.3	4.31
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
052	5235, HM	Cur Wk	48	0.0	0.5	1.5	0.3	21.4	0.3	4.7	4.34
		YTD	48	0.0	0.5	1.5	0.3	21.4	0.3	4.7	4.34
511	5511, HM	Cur Wk	196	0.0	0.2	0.8	0.0	19.7	1.1	5.9	4.42
		YTD	225	0.0	0.1	0.8	0.0	19.8	1.2	6.0	4.42
552	5522, HM	Cur Wk	2227	0.0	0.3	0.8	0.4	19.5	0.6	5.5	4.35
		YTD	3350	0.0	0.3	1.1	0.5	19.5	0.5	5.5	4.34
560	5608, HZ	Cur Wk	844	0.0	0.6	2.2	0.3	19.3	0.5	4.9	4.40
		YTD	3121	0.0	0.3	1.6	0.2	20.0	0.5	4.8	4.36
841	58841, HM	Cur Wk	634	0.0	0.6	2.6	1.5	21.6	0.8	5.4	4.42
		YTD	651	0.0	0.6	2.6	1.5	21.6	0.8	5.4	4.42
366	6366, N	Cur Wk	3	0.0	0.5	0.5	0.3	20.2	1.0	4.7	4.45
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
648	6480, N	Cur Wk	453	0.0	1.0	0.5	0.2	20.1	0.3	4.7	4.44
		YTD	453	0.0	1.0	0.5	0.2	20.1	0.3	4.7	4.44
485	6485, N	Cur Wk	191	0.0	0.7	0.7	0.4	20.1	0.6	4.5	4.56
		YTD	191	0.0	0.7	0.7	0.4	20.1	0.6	4.5	4.56
489	6489, N	Cur Wk	156	0.0	0.4	0.5	0.3	19.4	0.5	5.1	4.42
		YTD	1099	0.0	0.5	1.1	0.3	19.6	0.5	5.3	4.39
650	6500, N	Cur Wk	8	0.0	3.0	6.2	0.8	21.6	0.3	5.1	4.42
		YTD	8	0.0	3.0	6.2	0.8	21.6	0.3	5.1	4.42
848	6848, BOS	Cur Wk	252	0.0	0.3	1.8	0.6	19.5	0.3	5.0	4.42
		YTD	252	0.0	0.3	1.8	0.6	19.5	0.3	5.0	4.42
301	7103, HM	Cur Wk	1440	0.0	0.4	1.6	0.2	21.0	1.3	4.9	4.41
		YTD	5296	0.0	0.3	1.5	0.4	20.4	1.1	5.2	4.38
178	7708, BOS	Cur Wk	123	0.0	0.3	2.1	0.8	18.9	1.5	5.6	4.44
		YTD	123	0.0	0.3	2.1	0.8	18.9	1.5	5.6	4.44
018	811, BOS	Cur Wk	471	0.0	0.2	3.1	0.9	19.4	0.3	5.3	4.32
		YTD	803	0.0	0.2	2.6	1.0	19.6	0.3	5.2	4.32
036	8163, HM	Cur Wk	1086	0.0	0.4	0.6	0.3	19.3	0.6	5.8	4.44
		YTD	1733	0.0	0.4	0.5	0.3	19.2	0.6	5.8	4.44
037	8237, HM	Cur Wk	384	0.0	0.2	0.7	0.3	21.1	0.5	5.8	4.37

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	384	0.0	0.2	0.7	0.3	21.1	0.5	5.8	4.37
068	8268, HM	Cur Wk	2281	0.0	0.5	0.9	0.3	19.8	0.9	5.4	4.40
		YTD	3111	0.0	0.4	0.9	0.4	19.8	0.9	5.4	4.40
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
913	9013, SVTM	Cur Wk	130	0.0	0.4	1.0	0.4	20.0	1.5	5.3	4.39
		YTD	311	0.0	0.3	0.8	0.2	19.8	0.7	5.4	4.35
919	9019, SVTM	Cur Wk	159	0.0	0.6	2.2	1.2	21.5	1.1	5.8	4.28
		YTD	199	0.0	0.6	2.7	1.2	21.9	1.0	5.8	4.28
921	9021, SVTM	Cur Wk	218	0.0	0.5	1.3	1.1	21.9	0.8	5.5	4.38
		YTD	218	0.0	0.5	1.3	1.1	21.9	0.8	5.5	4.38
239	9023, SVTM	Cur Wk	771	0.0	0.5	1.5	0.7	22.1	1.3	5.4	4.39
		YTD	927	0.0	0.5	1.5	0.6	22.2	1.2	5.3	4.39
092	9024, SVTM	Cur Wk	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	226	0.0	0.1	0.7	0.1	20.7	0.2	5.7	4.22
		YTD	418	0.0	0.4	0.8	0.1	20.6	0.3	5.8	4.23
027	9027, SVTM	Cur Wk	3840	0.0	0.4	1.2	0.5	20.1	0.6	5.4	4.37
		YTD	10011	0.0	0.3	1.1	0.4	19.8	0.5	5.5	4.36
320	9032, SVTM	Cur Wk	579	0.0	0.5	2.0	0.8	20.8	1.0	5.6	4.34
		YTD	733	0.0	0.6	3.3	1.4	20.8	1.1	5.7	4.34
330	9033, SVTM	Cur Wk	172	0.0	0.3	2.1	0.9	21.5	1.0	5.4	4.41
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	2676	0.0	0.6	0.9	0.4	20.4	1.1	5.3	4.48
		YTD	4813	0.0	0.4	0.9	0.4	20.3	0.9	5.3	4.46
903	9036, SVTM	Cur Wk	313	0.0	0.4	0.6	0.6	21.3	2.1	5.7	4.44
		YTD	493	0.0	0.3	0.8	0.5	21.3	1.5	5.5	4.41
730	9037, SVTM	Cur Wk	26	0.0	0.3	6.4	1.5	23.9	0.4	4.7	4.29
		YTD	28	0.0	0.3	6.0	1.4	23.5	0.5	4.7	4.30
941	9041, SVTM	Cur Wk	93	0.0	0.4	1.8	0.3	21.0	0.5	5.7	4.37
		YTD	93	0.0	0.4	1.8	0.3	21.0	0.5	5.7	4.37
577	HEINZ TRIAL	Cur Wk	2	0.0	0.5	0.2	0.5	21.3	2.0	4.3	4.51
		YTD	2	0.0	0.5	0.2	0.5	21.3	2.0	4.3	4.51
565	MIX	Cur Wk	4	0.0	0.4	1.0	0.1	19.5	2.5	5.3	4.37
		YTD	6	0.0	0.3	0.9	0.1	19.4	1.8	5.4	4.38
000	UNCODED	Cur Wk	82	0.0	0.1	2.7	0.1	21.3	0.2	5.2	4.34
		YTD	162	0.0	0.3	2.7	0.2	21.3	0.4	5.1	4.32

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 4 Ending 07/25/2026

TOTAL STATEWIDE	Cur Wk	28,015	0.0	0.4	1.3	0.5	20.2	0.8	5.3	4.39
	YTD	59,601	0.0	0.4	1.3	0.4	20.1	0.7	5.3	4.38

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.