

Statewide Tonnage and History (RP70P)

Week 5 Ending 08/01/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
LAST WEEK YTD	59,601	1,572,328		3.1%	27	718		0%
CUR WEEK ENDING 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0%
CUR YTD	89,075	2,336,242		3.5%	52	1,401		0%
YTD WEEK ENDING 08/02/2025	88,622	2,345,916		3.4%	63	1,650		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 5 Ending 08/01/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Colusa	1,066	27,782	0	0	1,379	35,951	0	0
Contra Costa	1,158	31,466	0	0	2,346	64,195	0	0
Fresno	14,063	367,359	22	592	43,928	1,156,947	35	940
Kern	674	18,212	0	0	7,914	210,614	8	237
Kings	5,776	145,225	0	0	21,022	543,743	6	134
Merced	847	22,886	0	0	1,940	52,751	0	0
San Joaquin	169	4,504	0	0	244	6,524	0	0
Solano	393	10,045	0	0	824	21,255	0	0
Stanislaus	87	2,458	0	0	347	9,748	0	0
Sutter	282	6,683	0	0	295	6,980	0	0
Tulare	1,124	28,006	0	0	3,387	85,390	0	0
Yolo	3,835	99,290	3	91	5,449	142,145	3	91
STATEWIDE TOTALS:								
LAST WEEK YTD					59,601	1,572,328	27	718
CURRENT WEEK	29,474	763,914	25	683	89,075	2,336,242	52	1,401

Average Load Grades by County - Board Certified Loads (RP90)

Week 5 Ending 08/01/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Colusa	0.0	1.0	2.0	1.2	20.6	1.4	5.0	4.42	0.0	1.0	1.8	1.1	20.6	1.4	5.1	4.41
Contra Costa	0.0	0.2	0.6	0.2	20.0	1.0	5.1	4.40	0.0	0.1	0.5	0.2	20.3	0.8	5.1	4.37
Fresno	0.0	0.5	1.8	0.5	20.3	0.9	5.4	4.39	0.0	0.4	1.4	0.4	20.0	0.8	5.5	4.38
Kern	0.0	0.9	0.8	0.3	21.0	1.3	5.1	4.40	0.0	0.6	1.5	0.6	20.5	0.9	5.0	4.39
Kings	0.0	0.6	1.7	0.4	20.3	0.5	5.0	4.35	0.0	0.4	1.4	0.3	20.3	0.7	5.0	4.36
Merced	0.0	0.6	1.4	0.5	21.5	2.4	5.8	4.42	0.0	0.5	1.2	0.6	21.3	1.8	5.7	4.43
San Joaquin	0.0	0.5	2.9	0.4	22.6	0.7	5.9	4.34	0.0	0.4	2.6	0.4	22.0	0.6	5.8	4.33
Solano	0.0	1.1	0.3	0.3	20.5	0.4	5.4	4.41	0.0	0.7	0.4	0.2	20.6	0.3	5.4	4.38
Stanislaus	0.0	0.6	0.5	0.1	20.5	2.1	5.5	4.51	0.0	0.2	0.4	0.2	20.4	1.6	5.5	4.43
Sutter	0.0	1.9	5.5	0.7	21.2	1.2	5.1	4.41	0.0	2.0	5.5	0.7	21.2	1.2	5.1	4.41
Tulare	0.0	1.1	4.2	0.9	19.8	0.5	4.7	4.45	0.0	0.9	4.2	1.1	20.1	0.6	4.9	4.42
Yolo	0.0	0.8	1.6	0.5	21.0	1.3	5.1	4.36	0.0	0.7	1.2	0.4	21.0	1.1	5.1	4.36
Statewide Totals:																
Current Week	0.0	0.6	1.8	0.5	20.4	0.9	5.2	4.38	0.0	0.5	1.5	0.5	20.2	0.8	5.3	4.38
Last Week YTD									0.0	0.4	1.3	0.4	20.1	0.7	5.3	4.38

Grade Distribution By County (RP110)

Week 5 Ending 08/01/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	0.00	0.00	0.00	0.00	1066	0.00	0.00	0.00	0.02	1379	0.00	0.00	0.00	0.01
Contra Costa	1,188	0.00	0.00	0.00	0.00	1158	0.00	0.00	0.00	0.01	2346	0.00	0.00	0.00	0.01
Fresno	29,878	0.00	0.00	0.00	0.02	14085	0.00	0.00	0.00	0.04	43963	0.00	0.00	0.00	0.03
Kern	7,248	0.01	0.00	0.00	0.06	674	0.00	0.00	0.00	0.05	7922	0.01	0.00	0.00	0.06
Kings	15,252	0.00	0.00	0.00	0.03	5776	0.00	0.00	0.00	0.03	21028	0.00	0.00	0.00	0.03
Merced	1,093	0.00	0.00	0.00	0.00	847	0.00	0.00	0.00	0.00	1940	0.00	0.00	0.00	0.00
San Joaquin	75	0.00	0.00	0.00	0.00	169	0.00	0.00	0.00	0.00	244	0.00	0.00	0.00	0.00
Solano	431	0.00	0.00	0.00	0.03	393	0.00	0.00	0.00	0.00	824	0.00	0.00	0.00	0.02
Stanislaus	260	0.00	0.00	0.00	0.00	87	0.00	0.00	0.00	0.00	347	0.00	0.00	0.00	0.00
Sutter	13	0.00	0.00	0.00	0.00	282	0.00	0.00	0.00	0.00	295	0.00	0.00	0.00	0.00
Tulare	2,263	0.00	0.00	0.00	0.03	1124	0.00	0.00	0.00	0.04	3387	0.00	0.00	0.00	0.03
Yolo	1,614	0.00	0.00	0.00	0.02	3838	0.00	0.00	0.00	0.02	5452	0.00	0.00	0.00	0.02
STATEWIDE	59,628	0.00	0.00	0.00	0.03	29499	0.00	0.00	0.00	0.03	89127	0.00	0.00	0.00	0.03

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	1.06	1.00	1.00	0.74	1066	0.97	1.00	1.00	0.80	1379	0.99	1.00	1.00	0.79
Contra Costa	1,188	0.05	0.00	0.00	0.17	1158	0.16	0.00	0.00	0.30	2346	0.10	0.00	0.00	0.25
Fresno	29,878	0.33	0.00	0.00	0.54	14085	0.51	0.00	0.50	0.65	43963	0.39	0.00	0.00	0.58
Kern	7,248	0.54	0.00	0.50	0.70	674	0.85	0.50	0.50	0.79	7922	0.57	0.00	0.50	0.71
Kings	15,252	0.34	0.00	0.00	0.81	5776	0.62	0.00	0.50	0.91	21028	0.41	0.00	0.00	0.85
Merced	1,093	0.42	0.00	0.00	0.57	847	0.56	0.00	0.50	0.66	1940	0.48	0.00	0.50	0.61
San Joaquin	75	0.20	0.00	0.00	0.36	169	0.49	0.00	0.50	0.66	244	0.40	0.00	0.00	0.60
Solano	431	0.36	0.00	0.50	0.45	393	1.12	0.50	1.00	0.89	824	0.72	0.00	0.50	0.79
Stanislaus	260	0.12	0.00	0.00	0.25	87	0.62	0.50	0.50	0.59	347	0.24	0.00	0.00	0.42
Sutter	13	2.83	4.00	3.00	1.07	282	1.95	0.00	2.00	1.51	295	1.99	1.00	2.00	1.50
Tulare	2,263	0.75	0.00	0.50	0.83	1124	1.15	0.50	1.00	1.21	3387	0.88	0.00	0.50	0.99
Yolo	1,614	0.37	0.00	0.00	0.49	3838	0.78	0.00	0.50	1.05	5452	0.66	0.00	0.50	0.94
STATEWIDE	59,628	0.38	0.00	0.00	0.66	29499	0.62	0.00	0.50	0.84	89127	0.46	0.00	0.00	0.73

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	1.00	0.00	0.50	1.23	1066	1.97	1.00	1.00	2.22	1379	1.76	1.00	1.00	2.08
Contra Costa	1,188	0.43	0.00	0.50	0.53	1158	0.59	0.50	0.50	0.58	2346	0.51	0.50	0.50	0.56
Fresno	29,878	1.18	0.50	1.00	1.20	14085	1.80	0.50	1.50	1.74	43963	1.38	0.50	1.00	1.43
Kern	7,248	1.56	0.50	1.00	1.78	674	0.85	0.50	1.00	0.63	7922	1.50	0.50	1.00	1.73
Kings	15,252	1.25	0.50	1.00	1.14	5776	1.65	0.50	1.00	1.63	21028	1.36	0.50	1.00	1.30

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 5 Ending 08/01/2026

Last Week YTD						Current Week					Year To Date				
Grade: Green, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Merced	1,093	1.11	1.00	1.00	0.97	847	1.37	1.00	1.00	1.29	1940	1.22	1.00	1.00	1.13
San Joaquin	75	1.86	0.50	1.50	1.43	169	2.94	2.50	2.50	1.67	244	2.61	2.50	2.50	1.67
Solano	431	0.40	0.00	0.00	0.80	393	0.30	0.00	0.00	0.61	824	0.35	0.00	0.00	0.72
Stanislaus	260	0.38	0.00	0.50	0.45	87	0.54	0.50	0.50	0.47	347	0.42	0.00	0.50	0.46
Sutter	13	6.06	5.50	5.50	1.30	282	5.49	5.50	5.25	2.92	295	5.52	5.50	5.50	2.87
Tulare	2,263	4.17	2.50	3.50	2.94	1124	4.23	3.00	4.00	2.59	3387	4.19	3.00	3.50	2.82
Yolo	1,614	0.43	0.00	0.00	0.65	3838	1.57	0.00	0.50	2.20	5452	1.23	0.00	0.50	1.95
STATEWIDE	59,628	1.31	0.50	1.00	1.48	29499	1.78	0.50	1.00	1.92	89127	1.47	0.50	1.00	1.66
Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	1.38	0.50	1.00	1.41	1066	1.45	1.00	1.00	1.27	1379	1.43	1.00	1.00	1.30
Contra Costa	1,188	0.50	0.00	0.50	0.66	1158	1.02	0.50	0.50	1.09	2346	0.76	0.00	0.50	0.93
Fresno	29,878	0.71	0.00	0.50	0.96	14085	0.85	0.00	0.50	1.15	43963	0.75	0.00	0.50	1.03
Kern	7,248	0.90	0.00	0.50	0.96	674	1.27	0.50	1.00	1.09	7922	0.93	0.00	0.50	0.98
Kings	15,252	0.71	0.00	0.50	1.05	5776	0.52	0.00	0.00	0.84	21028	0.66	0.00	0.50	1.00
Merced	1,093	1.31	0.00	1.00	1.74	847	2.38	0.00	1.50	2.37	1940	1.78	0.00	1.00	2.10
San Joaquin	75	0.41	0.00	0.00	0.63	169	0.75	0.00	0.50	0.90	244	0.64	0.00	0.50	0.84
Solano	431	0.23	0.00	0.00	0.36	393	0.39	0.00	0.50	0.44	824	0.30	0.00	0.00	0.41
Stanislaus	260	1.37	0.50	1.00	1.69	87	2.12	1.50	2.00	1.42	347	1.56	1.00	1.00	1.66
Sutter	13	0.27	0.00	0.00	0.33	282	1.22	0.50	1.00	1.01	295	1.17	0.50	1.00	1.01
Tulare	2,263	0.73	0.00	0.50	1.04	1124	0.45	0.00	0.50	0.55	3387	0.64	0.00	0.50	0.91
Yolo	1,614	0.67	0.00	0.50	1.16	3838	1.31	0.00	1.00	1.62	5452	1.12	0.00	0.50	1.52
STATEWIDE	59,628	0.74	0.00	0.50	1.02	29499	0.92	0.00	0.50	1.25	89127	0.80	0.00	0.50	1.11
Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	0.84	0.00	0.50	1.08	1066	1.19	0.50	1.00	1.12	1379	1.11	0.50	1.00	1.12
Contra Costa	1,188	0.18	0.00	0.00	0.60	1158	0.24	0.00	0.00	0.47	2346	0.21	0.00	0.00	0.54
Fresno	29,878	0.41	0.00	0.00	0.73	14085	0.50	0.00	0.00	0.89	43963	0.44	0.00	0.00	0.79
Kern	7,248	0.68	0.00	0.50	1.21	674	0.27	0.00	0.00	0.40	7922	0.64	0.00	0.50	1.16
Kings	15,252	0.31	0.00	0.00	0.48	5776	0.37	0.00	0.00	0.59	21028	0.33	0.00	0.00	0.51
Merced	1,093	0.72	0.00	0.50	0.91	847	0.55	0.00	0.50	0.74	1940	0.65	0.00	0.50	0.84
San Joaquin	75	0.42	0.50	0.50	0.56	169	0.38	0.00	0.50	0.41	244	0.40	0.00	0.50	0.46
Solano	431	0.16	0.00	0.00	0.38	393	0.31	0.00	0.00	0.61	824	0.23	0.00	0.00	0.51
Stanislaus	260	0.21	0.00	0.00	0.32	87	0.13	0.00	0.00	0.24	347	0.19	0.00	0.00	0.31
Sutter	13	0.66	0.00	0.50	0.63	282	0.67	0.50	0.50	0.62	295	0.67	0.50	0.50	0.62
Tulare	2,263	1.27	1.00	1.00	1.25	1124	0.88	0.50	0.50	0.91	3387	1.14	0.50	1.00	1.16
Yolo	1,614	0.22	0.00	0.00	0.40	3838	0.54	0.00	0.00	0.83	5452	0.44	0.00	0.00	0.75

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 5 Ending 08/01/2026

STATEWIDE	59,628	0.45	0.00	0.00	0.80	29499	0.51	0.00	0.50	0.83	89127	0.47	0.00	0.00	0.81
-----------	--------	------	------	------	------	-------	------	------	------	------	-------	------	------	------	------

Grade: Hue

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	20.70	20.50	20.50	0.73	1066	20.60	20.50	20.50	0.78	1379	20.62	20.50	20.50	0.77
Contra Costa	1,188	20.58	20.50	20.50	0.81	1158	19.98	19.50	20.00	0.87	2346	20.29	20.00	20.00	0.89
Fresno	29,878	19.85	19.50	19.50	1.09	14085	20.32	20.00	20.00	1.13	43963	20.00	19.50	20.00	1.12
Kern	7,248	20.40	20.50	20.50	1.04	674	20.96	20.50	20.50	1.29	7922	20.45	20.50	20.50	1.07
Kings	15,252	20.27	20.00	20.00	1.15	5776	20.25	19.50	20.00	1.04	21028	20.27	20.00	20.00	1.12
Merced	1,093	21.18	20.00	21.00	1.16	847	21.47	21.50	21.50	1.24	1940	21.30	21.50	21.50	1.20
San Joaquin	75	20.72	20.00	20.50	1.14	169	22.62	22.50	22.50	1.60	244	22.04	21.00	22.00	1.71
Solano	431	20.64	20.50	20.50	0.77	393	20.52	20.50	20.50	0.64	824	20.58	20.50	20.50	0.71
Stanislaus	260	20.35	20.00	20.00	0.85	87	20.54	20.50	20.50	0.72	347	20.40	20.00	20.50	0.82
Sutter	13	21.28	20.50	21.00	0.78	282	21.25	20.50	21.00	1.00	295	21.25	20.50	21.00	0.99
Tulare	2,263	20.21	19.50	20.00	1.02	1124	19.76	19.50	19.50	0.71	3387	20.06	19.50	20.00	0.95
Yolo	1,614	21.02	21.00	21.00	0.89	3838	21.01	21.00	21.00	1.21	5452	21.01	21.00	21.00	1.12
STATEWIDE	59,628	20.13	20.00	20.00	1.13	29499	20.45	20.00	20.50	1.16	89127	20.23	20.00	20.00	1.15

Grade: Solids

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	5.12	5.20	5.20	0.34	1066	5.05	4.70	4.90	0.44	1379	5.06	4.70	5.00	0.42
Contra Costa	1,188	5.20	5.20	5.20	0.27	1158	5.06	5.00	5.00	0.26	2346	5.13	5.20	5.10	0.27
Fresno	29,878	5.46	5.30	5.40	0.45	14085	5.43	5.40	5.40	0.41	43963	5.45	5.30	5.40	0.43
Kern	7,248	5.04	4.60	5.00	0.56	674	5.15	4.70	5.10	0.60	7922	5.05	4.60	5.00	0.56
Kings	15,252	5.03	4.90	5.00	0.48	5776	4.96	4.90	5.00	0.44	21028	5.01	4.90	5.00	0.47
Merced	1,093	5.54	5.50	5.50	0.44	847	5.81	4.80	5.90	0.75	1940	5.66	5.30	5.50	0.61
San Joaquin	75	5.59	5.70	5.60	0.23	169	5.89	5.80	5.90	0.32	244	5.80	5.80	5.80	0.33
Solano	431	5.35	5.00	5.30	0.40	393	5.43	5.40	5.40	0.41	824	5.39	5.00	5.40	0.40
Stanislaus	260	5.53	5.60	5.60	0.28	87	5.47	5.50	5.50	0.18	347	5.52	5.60	5.50	0.26
Sutter	13	5.09	4.90	5.10	0.21	282	5.13	5.20	5.10	0.19	295	5.13	5.20	5.10	0.19
Tulare	2,263	4.99	4.60	4.90	0.45	1124	4.74	4.50	4.70	0.33	3387	4.91	4.50	4.80	0.43
Yolo	1,614	4.96	5.10	5.00	0.33	3838	5.14	4.90	5.10	0.42	5452	5.08	4.90	5.00	0.40
STATEWIDE	59,628	5.26	5.30	5.30	0.51	29499	5.25	5.20	5.20	0.49	89127	5.26	5.30	5.30	0.50

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	313	4.37	4.36	4.36	0.08	1066	4.42	4.42	4.42	0.07	1379	4.41	4.42	4.41	0.08
Contra Costa	1,188	4.34	4.30	4.33	0.06	1158	4.40	4.41	4.40	0.06	2346	4.37	4.35	4.36	0.07
Fresno	29,878	4.38	4.40	4.38	0.08	14085	4.39	4.39	4.39	0.09	43963	4.38	4.40	4.38	0.08
Kern	7,248	4.38	4.36	4.38	0.08	674	4.40	4.50	4.40	0.10	7922	4.39	4.36	4.38	0.09
Kings	15,252	4.36	4.32	4.35	0.09	5776	4.35	4.35	4.35	0.08	21028	4.36	4.35	4.35	0.09
Merced	1,093	4.43	4.40	4.43	0.10	847	4.42	4.35	4.42	0.10	1940	4.43	4.37	4.42	0.10
San Joaquin	75	4.31	4.29	4.31	0.06	169	4.34	4.34	4.34	0.09	244	4.33	4.29	4.32	0.08

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 5 Ending 08/01/2026

Last Week YTD						Current Week					Year To Date				
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Solano	431	4.36	4.31	4.34	0.08	393	4.41	4.48	4.43	0.07	824	4.38	4.31	4.39	0.08
Stanislaus	260	4.40	4.36	4.40	0.09	87	4.51	4.50	4.51	0.06	347	4.43	4.36	4.43	0.09
Sutter	13	4.45	4.42	4.43	0.05	282	4.41	4.51	4.46	0.14	295	4.41	4.51	4.46	0.14
Tulare	2,263	4.41	4.34	4.40	0.09	1124	4.45	4.41	4.45	0.08	3387	4.42	4.39	4.42	0.09
Yolo	1,614	4.35	4.34	4.35	0.08	3838	4.36	4.35	4.36	0.08	5452	4.36	4.34	4.35	0.08
STATEWIDE	59,628	4.38	4.34	4.37	0.08	29499	4.38	4.35	4.38	0.09	89127	4.38	4.35	4.37	0.09

Grade: PH, Continued

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 5 Ending 08/01/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.7	88,848	0.0	52.8	47,076	0.0	18.8	16,728	0.0	38.7	34,470	0.0	50.8	45,238
0.5	100.0	89,108	0.5	78.2	69,676	0.5	41.0	36,545	0.5	63.8	56,863	0.5	80.7	71,964
1.0	100.0	89,123	1.0	90.6	80,714	1.0	59.3	52,815	1.0	79.8	71,131	1.0	91.5	81,575
1.5	100.0	89,124	1.5	95.2	84,859	1.5	71.1	63,361	1.5	87.7	78,126	1.5	95.3	84,925
2.0	100.0	89,127	2.0	97.4	86,770	2.0	79.4	70,780	2.0	92.1	82,079	2.0	97.1	86,537
			2.5	98.5	87,762	2.5	85.2	75,901	2.5	94.7	84,439	2.5	98.1	87,458
			3.0	99.0	88,242	3.0	89.1	79,446	3.0	96.4	85,944	3.0	98.7	87,997
			3.5	99.3	88,529	3.5	91.9	81,942	3.5	97.5	86,896	3.5	99.1	88,348
			4.0	99.5	88,713	4.0	93.9	83,726	4.0	98.2	87,539	4.0	99.4	88,571
			4.5	99.7	88,833	4.5	95.4	85,046	4.5	98.8	88,025	4.5	99.5	88,723
			5.0	99.8	88,906	5.0	96.5	86,018	5.0	99.1	88,306	5.0	99.7	88,825
			5.5	99.8	88,972	5.5	97.3	86,717	5.5	99.3	88,503	5.5	99.7	88,903
			6.0	99.9	89,003	6.0	97.9	87,216	6.0	99.5	88,661	6.0	99.8	88,949
			6.5	99.9	89,031	6.5	98.3	87,622	6.5	99.6	88,781	6.5	99.8	88,991
			7.0	99.9	89,054	7.0	98.7	87,956	7.0	99.7	88,858	7.0	99.9	89,014
			7.5	99.9	89,072	7.5	99.0	88,195	7.5	99.8	88,914	7.5	99.9	89,032
			8.0	100.0	89,087	8.0	99.2	88,393	8.0	99.8	88,962	8.0	99.9	89,048
			8.5	100.0	89,095	8.5	99.4	88,566	8.5	99.9	88,996	8.5	99.9	89,055
			9.0	100.0	89,106	9.0	99.5	88,678	9.0	99.9	89,024	9.0	99.9	89,070
			9.5	100.0	89,110	9.5	99.6	88,762	9.5	99.9	89,051	9.5	99.9	89,076
			10.0	100.0	89,117	10.0	99.7	88,833	10.0	99.9	89,069	10.0	100.0	89,083
			10.5	100.0	89,120	10.5	99.7	88,901	10.5	99.9	89,080	10.5	100.0	89,085
			11.0	100.0	89,120	11.0	99.8	88,941	11.0	100.0	89,088	11.0	100.0	89,087
			11.5	100.0	89,123	11.5	99.8	88,972	11.5	100.0	89,094	11.5	100.0	89,089
			12.0	100.0	89,123	12.0	99.9	89,010	12.0	100.0	89,104	12.0	100.0	89,094
			12.5	100.0	89,125	12.5	99.9	89,038	12.5	100.0	89,113	12.5	100.0	89,095
			13.0	100.0	89,125	13.0	99.9	89,052	13.0	100.0	89,114	13.0	100.0	89,098
			13.5	100.0	89,127	13.5	99.9	89,062	13.5	100.0	89,115	13.5	100.0	89,100
						14.0	99.9	89,072	14.0	100.0	89,117	14.0	100.0	89,100
						14.5	99.9	89,079	14.5	100.0	89,120	14.5	100.0	89,102
						15.0	100.0	89,088	15.0	100.0	89,120	15.0	100.0	89,103
						15.5	100.0	89,092	15.5	100.0	89,123	15.5	100.0	89,103
						16.0	100.0	89,098	16.0	100.0	89,124	16.0	100.0	89,106
						16.5	100.0	89,103	16.5	100.0	89,124	16.5	100.0	89,107
						17.0	100.0	89,109	17.0	100.0	89,124	17.0	100.0	89,107
						17.5	100.0	89,111	17.5	100.0	89,124	17.5	100.0	89,112
						18.0	100.0	89,114	18.0	100.0	89,124	18.0	100.0	89,117
						18.5	100.0	89,116	18.5	100.0	89,125	18.5	100.0	89,121
						19.0	100.0	89,117	19.0	100.0	89,127	19.0	100.0	89,125
						19.5	100.0	89,118				19.5	100.0	89,125
						20.0	100.0	89,118				20.0	100.0	89,127
						20.5	100.0	89,119						
						21.0	100.0	89,121						
						21.5	100.0	89,122						

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 5 Ending 08/01/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week GREEN Percent Less than or Equal To:				#Loads	Year To Date GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Colusa	1,066	52	73	83	88	1,379	57	75	85	90
Contra Costa	1,158	88	98	99	99	2,346	91	98	99	99
Fresno	14,085	47	70	84	91	43,963	59	80	91	95
Kern	674	74	98	100	100	7,922	60	80	88	92
Kings	5,776	50	74	87	94	21,028	58	81	92	96
Merced	847	59	82	92	96	1,940	62	85	95	97
San Joaquin	169	10	39	66	82	244	22	46	69	86
Solano	393	93	97	99	99	824	92	96	98	99
Stanislaus	87	91	100	100	100	347	93	99	100	100
Sutter	282	9	10	15	30	295	9	10	14	29
Tulare	1,124	6	21	39	58	3,387	8	24	42	59
Yolo	3,838	65	78	84	88	5,452	73	84	88	91
STATEWIDE TOTALS										
CURRENT WEEK	29,499	52.1	72.7	84.2	90.7	89,127	59	79	89	94
LAST WEEK YTD						59,628	63	83	92	96

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week LU Percent Less than or Equal To:				#Loads	Year To Date LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Colusa	1,066	98	99	100	100	1,379	98	99	100	100
Contra Costa	1,158	99	100	100	100	2,346	99	100	100	100
Fresno	14,085	99	99	99	100	43,963	99	99	99	99
Kern	674	99	100	100	100	7,922	99	99	100	100
Kings	5,776	99	99	100	100	21,028	99	99	99	99
Merced	847	87	97	99	100	1,940	92	98	99	99
San Joaquin	169	99	100	100	100	244	99	100	100	100
Solano	393	100	100	100	100	824	100	100	100	100
Stanislaus	87	97	98	100	100	347	97	98	99	99
Sutter	282	100	100	100	100	295	100	100	100	100
Tulare	1,124	100	100	100	100	3,387	99	100	100	100
Yolo	3,838	96	99	99	99	5,452	97	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	29,499	98.6	99.7	99.9	100.0	89,127	99	100	100	100
LAST WEEK YTD						59,628	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 5 Ending 08/01/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	#Loads	Current Week						#Loads	Year To Date					
		MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Colusa	1,066	98	99	100	100	100	100	1,379	98	99	100	100	100	100
Contra Costa	1,158	100	100	100	100	100	100	2,346	100	100	100	100	100	100
Fresno	14,085	99	99	99	99	99	99	43,963	99	99	99	99	99	99
Kern	674	98	99	100	100	100	100	7,922	99	99	99	99	100	100
Kings	5,776	97	99	99	99	99	99	21,028	98	99	99	99	99	99
Merced	847	99	99	100	100	100	100	1,940	99	99	100	100	100	100
San Joaquin	169	100	100	100	100	100	100	244	100	100	100	100	100	100
Solano	393	97	100	100	100	100	100	824	99	100	100	100	100	100
Stanislaus	87	98	100	100	100	100	100	347	99	100	100	100	100	100
Sutter	282	81	91	96	99	100	100	295	81	91	96	99	100	100
Tulare	1,124	92	96	98	99	99	99	3,387	96	98	99	99	99	99
Yolo	3,838	96	97	98	99	99	99	5,452	97	98	99	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	29,499	98.3	99.3	99.7	99.9	99.9	100.0	89,127	99	100	100	100	100	100
LAST WEEK YTD								59,628	99	100	100	100	100	100

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Colusa	1,066	39	65	87	95	1,379	45	68	87	95
Contra Costa	1,158	89	95	99	99	2,346	92	97	99	99
Fresno	14,085	79	90	95	97	43,963	82	92	97	98
Kern	674	90	97	99	100	7,922	74	87	94	97
Kings	5,776	86	95	98	99	21,028	87	96	99	99
Merced	847	74	88	96	99	1,940	67	85	95	98
San Joaquin	169	83	95	100	100	244	84	95	99	99
Solano	393	87	93	97	98	824	90	95	98	99
Stanislaus	87	97	100	100	100	347	94	99	100	100
Sutter	282	61	85	98	99	295	61	85	98	99
Tulare	1,124	53	74	92	98	3,387	42	66	87	95
Yolo	3,838	74	87	95	98	5,452	79	90	97	98
STATEWIDE TOTALS										
CURRENT WEEK	29,499	78.6	89.7	96.3	98.5	89,127	81	92	97	99
LAST WEEK YTD						59,628	82	92	97	99

Average Defects Report (RP10)**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS**
Week 5 Ending 08/01/2026**Colusa**

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	474	0.0	0.8	1.1	1.3	20.2	1.0	4.9	4.44
		YTD	592	0.0	0.8	1.2	1.3	20.2	1.0	4.9	4.44
027	9027, SVTM	Cur Wk	1	0.0	0.5	4.0	0.0	20.0	3.0	5.0	4.32
		YTD	1	0.0	0.5	4.0	0.0	20.0	3.0	5.0	4.32
173	0371, HM	Cur Wk	241	0.0	1.5	2.4	0.9	20.9	1.6	5.7	4.41
		YTD	250	0.0	1.5	2.3	0.8	20.9	1.5	5.7	4.40
196	0691, LS	Cur Wk	131	0.0	0.5	4.8	1.5	20.9	1.9	4.7	4.45
		YTD	131	0.0	0.5	4.8	1.5	20.9	1.9	4.7	4.45
320	9032, SVTM	Cur Wk	138	0.0	1.3	1.1	1.3	21.1	1.9	5.2	4.34
		YTD	304	0.0	1.3	0.6	0.8	21.1	1.9	5.2	4.34
479	2479, HZ	Cur Wk	81	0.0	0.8	2.7	1.1	20.6	2.0	4.5	4.43
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
Cur Wk:			1,066	0.0	1.0	2.0	1.2	20.6	1.4	5.0	4.42
YTD			1,379	0.0	1.0	1.8	1.1	20.6	1.4	5.1	4.41

Contra Costa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
028	6428, N	Cur Wk	92	0.0	0.1	0.9	0.0	21.7	0.8	5.0	4.44
		YTD	92	0.0	0.1	0.9	0.0	21.7	0.8	5.0	4.44
068	8268, HM	Cur Wk	548	0.0	0.1	0.6	0.3	19.6	0.7	5.1	4.40
		YTD	867	0.0	0.1	0.6	0.3	20.0	0.7	5.2	4.38
173	0371, HM	Cur Wk	161	0.0	0.1	0.4	0.3	20.5	0.6	4.8	4.35
		YTD	516	0.0	0.1	0.4	0.2	20.6	0.5	5.0	4.33
301	7103, HM	Cur Wk	31	0.0	0.1	1.7	0.0	20.0	1.1	4.9	4.31
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	47	0.0	0.3	0.2	0.1	20.2	0.9	5.1	4.44
		YTD	203	0.0	0.1	0.2	0.2	20.5	0.8	5.1	4.39
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	44	0.0	0.1	0.5	0.3	20.0	0.2	5.1	4.29
740	74, BP	Cur Wk	147	0.0	0.4	0.6	0.1	19.7	2.6	5.2	4.43
		YTD	147	0.0	0.4	0.6	0.1	19.7	2.6	5.2	4.43
848	6848, BOS	Cur Wk	30	0.0	0.1	0.5	0.1	19.5	0.3	4.7	4.39
		YTD	30	0.0	0.1	0.5	0.1	19.5	0.3	4.7	4.39
913	9013, SVTM	Cur Wk	102	0.0	0.2	0.6	0.2	20.0	1.5	5.0	4.36
		YTD	128	0.0	0.2	0.5	0.2	20.1	1.6	5.0	4.35

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Cur Wk:	1,158	0.0	0.2	0.6	0.2	20.0	1.0	5.1	4.40
YTD	2,346	0.0	0.1	0.5	0.2	20.3	0.8	5.1	4.37

Fresno											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	130	0.0	0.6	2.4	0.6	19.3	0.5	5.0	4.31
		YTD	933	0.0	0.3	2.6	0.9	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	974	0.0	0.6	2.1	0.4	20.3	0.8	5.6	4.39
		YTD	6,820	0.0	0.3	1.2	0.4	19.8	0.6	5.6	4.37
028	6428, N	Cur Wk	89	0.0	0.1	2.6	0.2	21.3	0.3	4.7	4.44
		YTD	89	0.0	0.1	2.6	0.2	21.3	0.3	4.7	4.44
036	8163, HM	Cur Wk	707	0.0	0.6	0.6	0.2	19.3	0.7	5.7	4.45
		YTD	2,193	0.0	0.5	0.5	0.2	19.2	0.6	5.8	4.44
037	8237, HM	Cur Wk	911	0.0	0.4	1.5	0.2	21.0	0.4	5.6	4.33
		YTD	1,295	0.0	0.3	1.3	0.2	21.0	0.4	5.6	4.34
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	52	0.0	0.5	0.3	0.0	19.8	0.9	5.4	4.50
		YTD	115	0.0	0.4	0.4	0.0	19.8	1.1	5.4	4.49
068	8268, HM	Cur Wk	660	0.0	0.5	1.4	0.3	19.5	1.2	5.4	4.42
		YTD	2,318	0.0	0.6	1.2	0.3	19.6	1.1	5.5	4.41
074	6474, N	Cur Wk	435	0.0	0.4	6.4	2.2	20.6	0.6	5.8	4.37
		YTD	435	0.0	0.4	6.4	2.2	20.6	0.6	5.8	4.37
101	101, BP	Cur Wk	61	0.0	1.2	1.7	0.6	21.0	1.9	5.2	4.42
		YTD	61	0.0	1.2	1.7	0.6	21.0	1.9	5.2	4.42
112	16112, UG	Cur Wk	266	0.0	0.1	0.3	0.6	19.6	0.3	5.0	4.39
		YTD	355	0.0	0.1	0.3	0.5	19.7	0.3	5.0	4.37
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	0.9	1.2	0.7	19.8	0.5	4.8	4.57
173	0371, HM	Cur Wk	1,240	0.0	0.5	1.9	0.7	19.8	0.8	5.4	4.35
		YTD	4,851	0.0	0.3	1.0	0.5	19.6	0.8	5.5	4.37
178	7708, BOS	Cur Wk	113	0.0	0.5	5.4	0.5	19.1	1.1	5.3	4.40
		YTD	236	0.0	0.4	3.7	0.6	19.0	1.3	5.4	4.42
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	28	0.0	0.1	1.3	0.7	20.3	0.9	5.1	4.31
		YTD	98	0.0	0.7	0.8	0.3	20.5	0.7	5.1	4.40
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	122	0.0	1.1	1.2	0.0	20.7	0.8	5.3	4.37
		YTD	131	0.0	1.1	1.2	0.0	20.7	0.8	5.3	4.36
239	9023, SVTM	Cur Wk	549	0.0	0.4	1.0	0.5	21.9	1.8	5.1	4.40
		YTD	1,476	0.0	0.4	1.3	0.6	22.1	1.4	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
301	7103, HM	Cur Wk	573	0.0	0.7	1.7	0.5	20.8	2.4	5.1	4.43
		YTD	2,113	0.0	0.3	0.8	0.2	20.1	1.6	5.4	4.40
320	9032, SVTM	Cur Wk	17	0.0	0.1	1.8	0.8	20.6	0.6	6.0	4.30
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
430	9034, SVTM	Cur Wk	1,186	0.0	0.6	0.8	0.4	20.0	0.8	5.6	4.47
		YTD	4,058	0.0	0.5	1.0	0.4	20.0	0.8	5.4	4.47
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	42	0.0	0.1	1.2	0.3	21.0	0.0	4.9	4.25
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	199	0.0	1.1	1.4	0.6	19.4	0.3	4.9	4.50
		YTD	203	0.0	1.1	1.4	0.6	19.4	0.3	4.9	4.50
489	6489, N	Cur Wk	343	0.0	0.2	0.5	0.1	19.2	0.2	5.0	4.41
		YTD	1,082	0.0	0.5	0.7	0.2	19.4	0.3	5.2	4.40
511	5511, HM	Cur Wk	108	0.0	0.4	0.8	0.1	20.6	1.8	5.7	4.46
		YTD	333	0.0	0.2	0.8	0.1	20.0	1.4	5.9	4.43
552	5522, HM	Cur Wk	1,479	0.0	0.4	1.3	0.3	19.8	0.6	5.5	4.36
		YTD	3,209	0.0	0.3	0.8	0.2	19.4	0.4	5.5	4.36
560	5608, HZ	Cur Wk	119	0.0	0.8	1.0	0.4	19.4	0.6	4.6	4.44
		YTD	1,142	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	2	0.0	1.0	2.0	0.0	19.8	0.8	5.2	4.32
		YTD	6	0.0	0.5	1.2	0.1	19.5	1.5	5.3	4.37
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
730	9037, SVTM	Cur Wk	75	0.0	1.1	2.2	0.1	21.4	0.3	5.2	4.34
		YTD	76	0.0	1.1	2.2	0.1	21.3	0.3	5.2	4.34
820	1082, SVTM	Cur Wk	124	0.0	0.4	3.9	0.2	20.5	0.3	5.5	4.33
		YTD	179	0.0	0.4	4.3	0.2	20.5	0.3	5.4	4.33
841	58841, HM	Cur Wk	483	0.0	0.6	1.8	0.8	20.3	0.5	5.6	4.43
		YTD	1,070	0.0	0.6	2.3	1.2	21.0	0.7	5.5	4.43
848	6848, BOS	Cur Wk	117	0.0	0.4	1.6	1.0	19.5	0.4	5.0	4.41

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
900	9000, SVTM	YTD	369	0.0	0.3	1.8	0.7	19.5	0.4	5.0	4.42
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	867	0.0	0.3	2.1	0.2	21.0	0.8	5.1	4.40
		YTD	1,246	0.0	0.3	1.7	0.3	21.1	0.8	5.2	4.40
913	9013, SVTM	Cur Wk	201	0.0	0.5	1.8	0.3	19.3	1.1	5.2	4.41
		YTD	486	0.0	0.4	1.2	0.3	19.5	0.8	5.4	4.38
919	9019, SVTM	Cur Wk	805	0.0	0.6	3.0	0.5	21.6	1.0	5.7	4.26
		YTD	964	0.0	0.6	2.9	0.6	21.6	1.0	5.7	4.27
921	9021, SVTM	Cur Wk	389	0.0	0.9	2.9	2.3	21.0	2.0	5.4	4.40
		YTD	389	0.0	0.9	2.9	2.3	21.0	2.0	5.4	4.40
925	9025, SVTM	Cur Wk	195	0.0	0.2	2.3	0.3	21.9	0.5	5.4	4.25
		YTD	557	0.0	0.3	1.4	0.2	21.1	0.4	5.7	4.24
941	9041, SVTM	Cur Wk	375	0.0	0.3	1.1	0.3	20.4	0.5	6.0	4.38
		YTD	432	0.0	0.3	1.2	0.2	20.4	0.5	6.0	4.39
996	1996, HZ	Cur Wk	69	0.0	0.2	2.8	0.5	19.7	0.2	4.9	4.37
		YTD	464	0.0	0.2	2.5	0.3	20.2	0.1	4.9	4.35
Cur Wk:			14,063	0.0	0.5	1.8	0.5	20.3	0.9	5.4	4.39
YTD			43,928	0.0	0.4	1.4	0.4	20.0	0.8	5.5	4.38

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
036	8163, HM	Cur Wk	56	0.0	0.6	0.1	0.3	19.6	1.8	6.1	4.55
		YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
068	8268, HM	Cur Wk	51	0.0	0.7	0.8	0.3	19.6	1.4	5.3	4.51
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
210	110, BP	Cur Wk	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	123	0.0	0.8	1.0	0.4	20.6	1.3	5.3	4.34
		YTD	151	0.0	0.7	1.1	0.4	20.5	1.2	5.3	4.33

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	57	0.0	0.3	0.6	0.2	20.2	1.4	6.2	4.48
		YTD	750	0.0	0.3	1.7	0.6	19.7	0.7	5.4	4.36
560	5608, HZ	Cur Wk	111	0.0	1.7	1.3	0.1	20.3	0.9	4.7	4.47
		YTD	805	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.5	0.2	0.5	21.3	2.0	4.3	4.51
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	481	0.0	0.2	1.2	0.4	20.8	0.3	4.5	4.32
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	175	0.0	0.5	0.5	0.1	22.7	0.6	4.7	4.31
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	387	0.0	0.1	1.5	0.4	21.2	0.4	4.6	4.36
Cur Wk:			674	0.0	0.9	0.8	0.3	21.0	1.3	5.1	4.40
YTD			7,914	0.0	0.6	1.5	0.6	20.4	0.9	5.0	4.39

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	128	0.0	0.1	2.8	0.2	21.1	0.4	5.2	4.33
027	9027, SVTM	Cur Wk	215	0.0	0.5	0.9	0.4	19.5	0.3	5.6	4.36
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	227	0.0	0.5	0.3	0.2	19.3	0.6	5.5	4.48
		YTD	227	0.0	0.5	0.3	0.2	19.3	0.6	5.5	4.48
037	8237, HM	Cur Wk	254	0.0	0.3	0.8	0.5	21.5	0.3	5.0	4.29
		YTD	254	0.0	0.3	0.8	0.5	21.5	0.3	5.0	4.29
068	8268, HM	Cur Wk	125	0.0	1.1	0.3	0.2	19.4	1.7	5.1	4.44
		YTD	457	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	100	0.0	1.5	1.6	1.1	21.2	2.6	5.0	4.37
		YTD	100	0.0	1.5	1.6	1.1	21.2	2.6	5.0	4.37
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
165	1657, HZ	Cur Wk	32	0.0	0.4	11.9	0.9	19.8	0.2	4.3	4.47
		YTD	135	0.0	0.6	4.3	0.5	19.6	0.3	4.6	4.47
173	0371, HM	Cur Wk	381	0.0	0.4	0.4	0.3	19.3	0.2	5.2	4.35
		YTD	1,368	0.0	0.2	0.8	0.3	19.9	0.4	5.1	4.33
178	7708, BOS	Cur Wk	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	2	0.0	6.5	2.8	0.7	19.8	1.3	4.2	4.60
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
247	247, E	Cur Wk	192	0.0	2.1	1.8	0.3	19.7	1.1	5.0	4.35
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	175	0.0	0.3	0.9	0.2	21.7	0.4	4.9	4.37
		YTD	1,197	0.0	0.2	0.8	0.1	20.6	0.2	5.2	4.32

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	77	0.0	0.8	1.6	1.1	21.6	1.3	4.9	4.45
		YTD	77	0.0	0.8	1.6	1.1	21.6	1.3	4.9	4.45
485	6485, N	Cur Wk	27	0.0	0.6	0.4	0.1	20.8	0.8	4.4	4.55
		YTD	93	0.0	0.5	0.5	0.1	20.7	0.7	4.4	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	676	0.0	0.3	2.0	0.6	20.1	0.7	5.3	4.32
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
577	HEINZ TRIAL	Cur Wk	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	1,928	0.0	0.2	2.3	0.4	20.2	0.4	4.7	4.33
		YTD	3,336	0.0	0.2	1.9	0.4	20.1	0.4	4.7	4.32
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	400	0.0	2.3	1.3	0.3	20.1	0.3	4.6	4.42
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
730	9037, SVTM	Cur Wk	116	0.0	0.1	2.2	0.2	21.3	0.1	5.3	4.30
		YTD	116	0.0	0.1	2.2	0.2	21.3	0.1	5.3	4.30
919	9019, SVTM	Cur Wk	94	0.0	1.1	2.2	0.7	21.5	1.7	5.7	4.27
		YTD	94	0.0	1.1	2.2	0.7	21.5	1.7	5.7	4.27
925	9025, SVTM	Cur Wk	200	0.0	0.4	0.8	0.1	20.6	0.3	5.1	4.18
		YTD	256	0.0	0.4	0.8	0.1	20.6	0.2	5.2	4.17
941	9041, SVTM	Cur Wk	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	551	0.0	0.4	1.0	0.4	20.8	0.5	4.5	4.40
		YTD	730	0.0	0.4	1.2	0.4	20.7	0.4	4.6	4.40
Cur Wk:			5,776	0.0	0.6	1.7	0.4	20.3	0.5	5.0	4.35
YTD			21,022	0.0	0.4	1.4	0.3	20.3	0.7	5.0	4.36

Merced

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	139	0.0	0.6	1.0	0.4	20.8	1.8	5.7	4.42
		YTD	458	0.0	0.3	1.2	0.6	20.4	0.7	5.7	4.37
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Merced, Continued											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
042	6402, N	YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
		Cur Wk	79	0.0	0.5	1.3	0.5	20.5	3.3	6.6	4.53
		YTD	79	0.0	0.5	1.3	0.5	20.5	3.3	6.6	4.53
068	8268, HM	Cur Wk	23	0.0	0.6	1.6	0.8	20.0	2.3	5.4	4.45
		YTD	102	0.0	0.7	1.7	1.0	20.4	2.5	5.6	4.49
173	0371, HM	Cur Wk	37	0.0	0.8	0.8	0.6	22.0	4.8	6.4	4.53
		YTD	37	0.0	0.8	0.8	0.6	22.0	4.8	6.4	4.53
178	7708, BOS	Cur Wk	27	0.0	0.1	2.8	0.6	20.0	1.4	5.2	4.35
		YTD	27	0.0	0.1	2.8	0.6	20.0	1.4	5.2	4.35
430	9034, SVTM	Cur Wk	25	0.0	0.7	0.4	0.3	21.8	1.5	5.2	4.42
		YTD	270	0.0	0.6	0.3	0.4	21.2	1.6	5.2	4.52
903	9036, SVTM	Cur Wk	164	0.0	0.5	0.7	1.1	21.6	4.3	6.4	4.48
		YTD	278	0.0	0.5	0.7	1.0	21.5	4.1	6.3	4.48
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	218	0.0	0.5	1.3	1.1	21.9	0.8	5.5	4.38
925	9025, SVTM	Cur Wk	59	0.0	0.6	0.8	0.6	23.1	4.3	6.7	4.43
		YTD	59	0.0	0.6	0.8	0.6	23.1	4.3	6.7	4.43
941	9041, SVTM	Cur Wk	275	0.0	0.6	2.2	0.3	21.8	0.6	5.1	4.34
		YTD	311	0.0	0.6	2.1	0.3	21.8	0.6	5.1	4.34
996	1996, HZ	Cur Wk	19	0.0	0.7	0.9	0.4	22.0	2.8	6.1	4.48
		YTD	19	0.0	0.7	0.9	0.4	22.0	2.8	6.1	4.48
Cur Wk:			847	0.0	0.6	1.4	0.5	21.5	2.4	5.8	4.42
YTD			1,940	0.0	0.5	1.2	0.6	21.3	1.8	5.7	4.43

San Joaquin											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	103	0.0	0.7	3.1	0.3	23.5	1.0	5.9	4.38
		YTD	103	0.0	0.7	3.1	0.3	23.5	1.0	5.9	4.38
996	1996, HZ	Cur Wk	66	0.0	0.2	2.7	0.6	21.2	0.3	5.8	4.27
		YTD	141	0.0	0.2	2.3	0.5	20.9	0.4	5.7	4.29
Cur Wk:			169	0.0	0.5	2.9	0.4	22.6	0.7	5.9	4.34
YTD			244	0.0	0.4	2.6	0.4	22.0	0.6	5.8	4.33

Solano											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
068	8268, HM	Cur Wk	98	0.0	2.0	0.4	0.1	19.9	0.4	5.5	4.43
		YTD	203	0.0	1.1	0.3	0.1	20.6	0.4	5.6	4.38

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
430	9034, SVTM	Cur Wk	161	0.0	1.1	0.1	0.4	20.6	0.5	5.1	4.47
		YTD	315	0.0	0.8	0.1	0.3	20.6	0.3	5.0	4.45
841	58841, HM	Cur Wk	134	0.0	0.5	0.4	0.3	20.8	0.3	5.8	4.35
		YTD	134	0.0	0.5	0.4	0.3	20.8	0.3	5.8	4.35
Cur Wk:			393	0.0	1.1	0.3	0.3	20.5	0.4	5.4	4.41
YTD			824	0.0	0.7	0.4	0.2	20.6	0.3	5.4	4.38

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	86	0.0	0.6	0.5	0.1	20.5	2.1	5.5	4.51
		YTD	301	0.0	0.3	0.4	0.2	20.3	1.5	5.6	4.44
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	45	0.0	0.1	0.8	0.3	21.0	1.8	5.2	4.35
Cur Wk:			87	0.0	0.6	0.5	0.1	20.5	2.1	5.5	4.51
YTD			347	0.0	0.2	0.4	0.2	20.4	1.6	5.5	4.43

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	152	0.0	2.9	5.0	0.8	20.8	1.2	5.1	4.53
		YTD	161	0.0	2.9	5.1	0.8	20.8	1.1	5.1	4.52
027	9027, SVTM	Cur Wk	24	0.0	1.6	0.4	0.1	20.5	1.3	5.0	4.33
		YTD	24	0.0	1.6	0.4	0.1	20.5	1.3	5.0	4.33
068	8268, HM	Cur Wk	4	0.0	1.0	0.8	0.4	19.4	2.9	5.6	4.37
		YTD	4	0.0	1.0	0.8	0.4	19.4	2.9	5.6	4.37
320	9032, SVTM	Cur Wk	85	0.0	0.4	8.3	0.7	22.3	1.2	5.2	4.22
		YTD	85	0.0	0.4	8.3	0.7	22.3	1.2	5.2	4.22
650	6500, N	Cur Wk	17	0.0	2.1	3.6	0.6	21.7	0.9	5.0	4.43
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
Cur Wk:			282	0.0	1.9	5.5	0.7	21.2	1.2	5.1	4.41
YTD			295	0.0	2.0	5.5	0.7	21.2	1.2	5.1	4.41

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	43	0.0	0.7	1.6	0.2	20.4	0.5	5.4	4.40
		YTD	591	0.0	0.8	3.9	1.3	20.4	0.4	5.1	4.38

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Tulare, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
165	1657, HZ	Cur Wk	370	0.0	0.6	4.1	1.5	19.4	0.3	4.6	4.53
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	461	0.0	1.0	4.8	0.7	20.5	1.6	5.1	4.45
552	5522, HM	Cur Wk	203	0.0	0.7	3.5	0.7	20.1	0.5	5.1	4.36
		YTD	410	0.0	0.5	2.6	1.3	19.8	0.7	5.4	4.35
560	5608, HZ	Cur Wk	192	0.0	2.9	2.0	0.3	19.7	0.5	4.6	4.42
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	0.4	14.4	2.9	24.8	0.3	4.7	4.31
776	1776, HZ	Cur Wk	81	0.0	1.4	8.6	0.8	20.9	0.2	4.4	4.44
		YTD	570	0.0	0.8	4.5	1.2	20.8	0.5	4.7	4.38
841	58841, HM	Cur Wk	26	0.0	2.0	8.8	1.1	20.8	0.2	4.8	4.42
		YTD	26	0.0	2.0	8.8	1.1	20.8	0.2	4.8	4.42
848	6848, BOS	Cur Wk	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
Cur Wk:			1,124	0.0	1.1	4.2	0.9	19.8	0.5	4.7	4.45
YTD			3,387	0.0	0.9	4.2	1.1	20.1	0.6	4.9	4.42

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	252	0.0	2.5	1.5	0.8	20.7	1.4	5.2	4.38
		YTD	863	0.0	0.9	0.7	0.3	20.9	0.7	4.9	4.33
037	8237, HM	Cur Wk	125	0.0	0.4	5.6	0.5	23.6	1.3	4.9	4.26
		YTD	125	0.0	0.4	5.6	0.5	23.6	1.3	4.9	4.26
052	5235, HM	Cur Wk	111	0.0	0.9	0.5	0.3	20.3	4.3	5.3	4.47
		YTD	159	0.0	0.8	0.8	0.3	20.6	3.2	5.1	4.43
068	8268, HM	Cur Wk	517	0.0	0.4	0.5	0.1	19.9	0.9	5.2	4.37
		YTD	692	0.0	0.4	0.5	0.2	20.1	0.8	5.2	4.37
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	0.6	1.0	0.4	23.4	1.0	4.8	4.32
173	0371, HM	Cur Wk	123	0.0	0.5	0.4	0.2	20.2	1.2	5.3	4.34
		YTD	168	0.0	0.5	0.3	0.3	20.2	1.1	5.2	4.33
196	0691, LS	Cur Wk	161	0.0	0.3	5.1	0.7	20.6	1.2	4.7	4.47
		YTD	161	0.0	0.3	5.1	0.7	20.6	1.2	4.7	4.47
210	110, BP	Cur Wk	44	0.0	0.3	0.8	0.1	20.4	1.5	5.3	4.24

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	YTD	44	0.0	0.3	0.8	0.1	20.4	1.5	5.3	4.24
		Cur Wk	15	0.0	0.8	1.3	0.1	21.2	2.6	5.5	4.30
		YTD	15	0.0	0.8	1.3	0.1	21.2	2.6	5.5	4.30
247	247, E	Cur Wk	147	0.0	0.6	0.4	0.1	20.8	1.3	5.0	4.32
		YTD	147	0.0	0.6	0.4	0.1	20.8	1.3	5.0	4.32
		Cur Wk	61	0.0	0.3	0.7	0.2	21.6	3.1	4.9	4.42
301	7103, HM	YTD	238	0.0	0.2	0.8	0.2	21.2	2.2	5.1	4.36
		Cur Wk	776	0.0	0.8	1.6	1.1	21.3	2.2	5.1	4.38
		YTD	834	0.0	0.8	1.6	1.1	21.4	2.1	5.1	4.38
320	9032, SVTM	Cur Wk	81	0.0	0.9	0.6	0.2	20.9	0.8	5.0	4.38
		YTD	491	0.0	0.6	0.2	0.2	21.0	0.7	5.1	4.42
		Cur Wk	50	0.0	0.1	0.0	0.1	20.3	1.7	6.3	4.39
430	9034, SVTM	YTD	50	0.0	0.1	0.0	0.1	20.3	1.7	6.3	4.39
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	0.0	0.0	20.5	1.5	5.1	4.35
552	5522, HM	Cur Wk	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
		YTD	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
		Cur Wk	844	0.0	1.0	0.6	0.3	20.7	0.4	5.3	4.35
730	9037, SVTM	YTD	908	0.0	1.0	0.6	0.3	20.7	0.4	5.3	4.35
		Cur Wk	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
		YTD	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
823	8232, SV	Cur Wk	473	0.0	0.5	3.7	0.7	22.1	0.7	4.9	4.28
		YTD	473	0.0	0.5	3.7	0.7	22.1	0.7	4.9	4.28
841	58841, HM	Cur Wk	3,835	0.0	0.8	1.6	0.5	21.0	1.3	5.1	4.36
		YTD	5,449	0.0	0.7	1.2	0.4	21.0	1.1	5.1	4.36
		Cur Wk	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
916	9016, SVTM	YTD	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
		Cur Wk	473	0.0	0.5	3.7	0.7	22.1	0.7	4.9	4.28
		YTD	473	0.0	0.5	3.7	0.7	22.1	0.7	4.9	4.28
941	9041, SVTM	Cur Wk	3,835	0.0	0.8	1.6	0.5	21.0	1.3	5.1	4.36
		YTD	5,449	0.0	0.7	1.2	0.4	21.0	1.1	5.1	4.36
		Cur Wk	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
TOTAL STATEWIDE		YTD	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
		Cur Wk	473	0.0	0.5	3.7	0.7	22.1	0.7	4.9	4.28
		YTD	473	0.0	0.5	3.7	0.7	22.1	0.7	4.9	4.28

Average Defects by Variety Report (RP20)1203
08/05/2026 2:59 PM**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 5 Ending 08/01/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
124	0221, HMC	Cur Wk	100	0.0	1.5	1.6	1.1	21.2	2.6	5.0	4.37
		YTD	100	0.0	1.5	1.6	1.1	21.2	2.6	5.0	4.37
173	0371, HM	Cur Wk	2183	0.0	0.6	1.5	0.6	20.0	0.9	5.4	4.36
		YTD	7905	0.0	0.4	1.1	0.5	19.9	0.8	5.4	4.36
064	0645, LS	Cur Wk	52	0.0	0.5	0.3	0.0	19.8	0.9	5.4	4.50
		YTD	115	0.0	0.4	0.4	0.0	19.8	1.1	5.4	4.49
196	0691, LS	Cur Wk	292	0.0	0.4	5.0	1.0	20.7	1.5	4.7	4.46
		YTD	422	0.0	0.4	3.6	0.8	20.4	1.7	4.8	4.46
101	101, BP	Cur Wk	61	0.0	1.2	1.7	0.6	21.0	1.9	5.2	4.42
		YTD	61	0.0	1.2	1.7	0.6	21.0	1.9	5.2	4.42
015	1015, HZ	Cur Wk	626	0.0	1.3	2.1	1.2	20.3	1.1	4.9	4.46
		YTD	753	0.0	1.2	2.0	1.2	20.3	1.0	4.9	4.46
820	1082, SVTM	Cur Wk	124	0.0	0.4	3.9	0.2	20.5	0.3	5.5	4.33
		YTD	179	0.0	0.4	4.3	0.2	20.5	0.3	5.4	4.33
219	109, BP	Cur Wk	260	0.0	0.9	1.1	0.2	20.7	1.1	5.3	4.35
		YTD	363	0.0	1.1	1.4	0.2	20.6	1.0	5.2	4.34
210	110, BP	Cur Wk	144	0.0	0.9	1.1	0.3	20.7	2.0	5.3	4.36
		YTD	144	0.0	0.9	1.1	0.3	20.7	2.0	5.3	4.36
161	116, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	205	0.0	0.6	1.6	0.3	21.1	0.7	5.3	4.41
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
112	16112, UG	Cur Wk	266	0.0	0.1	0.3	0.6	19.6	0.3	5.0	4.39
		YTD	355	0.0	0.1	0.3	0.5	19.7	0.3	5.0	4.37
165	1657, HZ	Cur Wk	402	0.0	0.6	4.7	1.4	19.4	0.3	4.5	4.52
		YTD	1067	0.0	0.6	4.3	1.3	19.4	0.4	4.6	4.52
776	1776, HZ	Cur Wk	81	0.0	1.4	8.6	0.8	20.9	0.2	4.4	4.44
		YTD	570	0.0	0.8	4.5	1.2	20.8	0.5	4.8	4.38
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
191	1991, HZ	Cur Wk	30	0.0	0.5	1.4	0.7	20.2	0.9	5.0	4.33
		YTD	382	0.0	2.7	2.1	0.6	20.6	1.0	4.6	4.46
996	1996, HZ	Cur Wk	705	0.0	0.4	1.3	0.4	20.8	0.5	4.7	4.39
		YTD	1786	0.0	0.2	1.7	0.4	20.7	0.4	4.8	4.37
610	2016, HZ	Cur Wk	1928	0.0	0.2	2.3	0.4	20.2	0.4	4.7	4.33
		YTD	3817	0.0	0.2	1.8	0.4	20.2	0.3	4.7	4.32
247	247, E	Cur Wk	339	0.0	1.4	1.2	0.2	20.2	1.2	5.0	4.34
		YTD	1245	0.0	0.8	1.8	0.3	20.1	1.3	5.0	4.34
476	2476, HZ	Cur Wk	77	0.0	0.8	1.6	1.1	21.6	1.3	4.9	4.45
		YTD	77	0.0	0.8	1.6	1.1	21.6	1.3	4.9	4.45

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
479	2479, HZ	Cur Wk	81	0.0	0.8	2.7	1.1	20.6	2.0	4.5	4.43
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
026	262, SSA	Cur Wk	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	785	0.0	0.1	1.3	0.4	19.2	0.8	5.4	4.42
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.3	4.33
452	4521, HM	Cur Wk	175	0.0	0.3	0.9	0.2	21.7	0.4	4.9	4.37
		YTD	1239	0.0	0.2	0.8	0.2	20.6	0.2	5.2	4.32
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
052	5235, HM	Cur Wk	111	0.0	0.9	0.5	0.3	20.3	4.3	5.3	4.47
		YTD	159	0.0	0.8	0.8	0.3	20.6	3.2	5.1	4.43
511	5511, HM	Cur Wk	108	0.0	0.4	0.8	0.1	20.6	1.8	5.7	4.46
		YTD	333	0.0	0.2	0.8	0.1	20.0	1.4	5.9	4.43
552	5522, HM	Cur Wk	1789	0.0	0.4	1.5	0.3	19.8	0.6	5.5	4.37
		YTD	5139	0.0	0.3	1.2	0.4	19.6	0.6	5.5	4.35
560	5608, HZ	Cur Wk	422	0.0	2.0	1.5	0.3	19.8	0.6	4.6	4.44
		YTD	3543	0.0	0.5	1.6	0.2	19.9	0.5	4.8	4.37
841	58841, HM	Cur Wk	1487	0.0	0.8	1.2	0.5	20.6	0.4	5.4	4.38
		YTD	2138	0.0	0.8	1.6	0.8	20.9	0.6	5.4	4.39
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	79	0.0	0.5	1.3	0.5	20.5	3.3	6.6	4.53
		YTD	385	0.0	0.3	2.0	0.6	19.9	1.8	5.5	4.44
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	181	0.0	0.1	1.7	0.1	21.5	0.6	4.8	4.44
		YTD	263	0.0	0.2	1.9	0.2	22.0	0.8	4.9	4.45
074	6474, N	Cur Wk	514	0.0	0.5	6.1	2.0	20.7	0.6	5.7	4.38
		YTD	514	0.0	0.5	6.1	2.0	20.7	0.6	5.7	4.38
648	6480, N	Cur Wk	400	0.0	2.3	1.3	0.3	20.1	0.3	4.6	4.42
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	226	0.0	1.1	1.3	0.5	19.6	0.4	4.8	4.51
		YTD	417	0.0	0.9	1.0	0.5	19.8	0.5	4.7	4.53
489	6489, N	Cur Wk	343	0.0	0.2	0.5	0.1	19.2	0.2	5.0	4.41
		YTD	1442	0.0	0.4	0.9	0.2	19.5	0.4	5.2	4.39
650	6500, N	Cur Wk	17	0.0	2.1	3.6	0.6	21.7	0.9	5.1	4.43

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
848	6848, BOS	Cur Wk	356	0.0	0.6	3.9	0.7	19.5	0.6	4.9	4.42
		YTD	608	0.0	0.5	3.0	0.7	19.5	0.5	4.9	4.42
301	7103, HM	Cur Wk	665	0.0	0.7	1.6	0.4	20.8	2.4	5.1	4.42
		YTD	5961	0.0	0.3	1.5	0.4	20.5	1.2	5.2	4.38
740	74, BP	Cur Wk	147	0.0	0.4	0.6	0.1	19.7	2.6	5.2	4.43
		YTD	147	0.0	0.4	0.6	0.1	19.7	2.6	5.2	4.43
178	7708, BOS	Cur Wk	331	0.0	0.9	4.1	0.5	19.0	1.2	5.5	4.42
		YTD	454	0.0	0.8	3.6	0.6	19.0	1.3	5.5	4.42
018	811, BOS	Cur Wk	130	0.0	0.6	2.4	0.6	19.3	0.5	5.0	4.31
		YTD	933	0.0	0.3	2.6	0.9	19.5	0.3	5.2	4.32
036	8163, HM	Cur Wk	990	0.0	0.6	0.5	0.2	19.3	0.7	5.7	4.47
		YTD	2723	0.0	0.5	0.5	0.3	19.2	0.6	5.8	4.45
823	8232, SV	Cur Wk	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
		YTD	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
037	8237, HM	Cur Wk	1393	0.0	0.4	1.9	0.3	21.5	0.5	5.4	4.32
		YTD	1777	0.0	0.3	1.6	0.3	21.4	0.5	5.5	4.33
068	8268, HM	Cur Wk	2026	0.0	0.5	0.8	0.3	19.7	1.0	5.3	4.41
		YTD	5136	0.0	0.4	0.9	0.3	19.8	1.0	5.4	4.40
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
913	9013, SVTM	Cur Wk	303	0.0	0.4	1.3	0.3	19.5	1.2	5.1	4.39
		YTD	614	0.0	0.4	1.1	0.3	19.7	1.0	5.3	4.37
916	9016, SVTM	Cur Wk	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
		YTD	54	0.0	0.2	0.0	0.1	22.1	1.6	5.8	4.40
919	9019, SVTM	Cur Wk	899	0.0	0.6	2.9	0.5	21.6	1.1	5.7	4.26
		YTD	1098	0.0	0.6	2.9	0.6	21.6	1.1	5.7	4.27
921	9021, SVTM	Cur Wk	389	0.0	0.9	2.9	2.3	21.0	2.0	5.4	4.40
		YTD	607	0.0	0.7	2.3	1.9	21.3	1.6	5.4	4.39
239	9023, SVTM	Cur Wk	549	0.0	0.4	1.0	0.5	21.9	1.8	5.1	4.40
		YTD	1476	0.0	0.4	1.3	0.6	22.1	1.4	5.3	4.40
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	454	0.0	0.4	1.5	0.3	21.5	0.9	5.5	4.24
		YTD	872	0.0	0.4	1.2	0.2	21.1	0.7	5.6	4.24
027	9027, SVTM	Cur Wk	1734	0.0	0.9	1.7	0.4	20.4	1.0	5.5	4.39
		YTD	11745	0.0	0.4	1.2	0.4	19.9	0.6	5.5	4.36
320	9032, SVTM	Cur Wk	1016	0.0	0.8	2.1	1.1	21.4	2.1	5.1	4.36
		YTD	1749	0.0	0.7	2.6	1.2	21.2	1.6	5.4	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	1500	0.0	0.7	0.7	0.4	20.1	0.8	5.5	4.46
		YTD	6314	0.0	0.5	0.9	0.4	20.2	0.9	5.4	4.46

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 5 Ending 08/01/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
903	9036, SVTM	Cur Wk	1031	0.0	0.4	1.8	0.4	21.1	1.4	5.4	4.42
		YTD	1524	0.0	0.3	1.5	0.4	21.2	1.5	5.4	4.41
730	9037, SVTM	Cur Wk	366	0.0	0.5	1.4	0.2	22.0	0.4	5.0	4.31
		YTD	394	0.0	0.5	1.7	0.3	22.1	0.4	5.0	4.31
941	9041, SVTM	Cur Wk	1493	0.0	0.4	2.1	0.3	21.1	0.5	5.3	4.32
		YTD	1586	0.0	0.4	2.1	0.3	21.1	0.5	5.3	4.32
577	HEINZ TRIAL	Cur Wk	40	0.0	0.5	1.8	0.2	20.4	0.6	5.6	4.33
		YTD	42	0.0	0.5	1.7	0.2	20.5	0.7	5.5	4.34
565	MIX	Cur Wk	3	0.0	1.0	1.7	0.0	20.0	0.8	5.2	4.37
		YTD	9	0.0	0.5	1.2	0.1	19.6	1.5	5.3	4.38
		YTD	161	0.0	0.3	2.7	0.2	21.3	0.4	5.1	4.32
TOTAL STATEWIDE		Cur Wk	29,474	0.0	0.6	1.8	0.5	20.4	0.9	5.2	4.38
		YTD	89,075	0.0	0.5	1.5	0.5	20.2	0.8	5.3	4.38