

Statewide Tonnage and History (RP70P)

Week 6 Ending 08/08/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
LAST WEEK YTD	89,075	2,336,242		3.5%	52	1,401		0%
CUR WEEK ENDING 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0%
CUR YTD	117,850	3,078,360		3.9%	62	1,680		0%
YTD WEEK ENDING 08/09/2025	124,509	3,285,835		3.6%	73	1,929		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY								
Week 6 Ending 08/08/2026								
County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Colusa	1,380	33,238	0	0	2,759	69,188	0	0
Contra Costa	1,489	39,928	0	0	3,835	104,123	0	0
Fresno	12,500	326,331	5	134	56,428	1,483,278	40	1,073
Kern	298	8,291	1	31	8,212	218,905	9	268
Kings	5,289	131,458	4	114	26,311	675,201	10	248
Madera	124	3,271	0	0	124	3,271	0	0
Merced	813	22,447	0	0	2,753	75,197	0	0
San Joaquin	183	5,102	0	0	427	11,626	0	0
Solano	400	10,690	0	0	1,224	31,945	0	0
Stanislaus	115	3,371	0	0	462	13,119	0	0
Sutter	182	4,730	0	0	477	11,710	0	0
Tulare	959	24,095	0	0	4,346	109,485	0	0
Yolo	5,043	129,167	0	0	10,492	271,312	3	91
STATEWIDE TOTALS:								
LAST WEEK YTD					89,075	2,336,242	52	1,401
CURRENT WEEK	28,775	742,118	10	279	117,850	3,078,360	62	1,680

Average Load Grades by County - Board Certified Loads (RP90)

Week 6 Ending 08/08/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Colusa	0.0	1.2	5.2	1.1	22.2	2.3	5.1	4.43	0.0	1.1	3.5	1.1	21.4	1.8	5.1	4.42
Contra Costa	0.0	0.2	1.1	0.4	19.8	0.7	5.2	4.37	0.0	0.1	0.7	0.3	20.1	0.7	5.1	4.37
Fresno	0.0	0.6	1.7	0.5	20.8	1.0	5.3	4.42	0.0	0.4	1.4	0.5	20.2	0.8	5.4	4.39
Kern	0.0	0.5	1.2	0.3	21.2	1.0	5.3	4.38	0.0	0.6	1.5	0.6	20.5	0.9	5.1	4.39
Kings	0.0	0.7	2.3	0.6	20.1	0.7	4.8	4.39	0.0	0.5	1.5	0.4	20.2	0.7	5.0	4.37
Madera	0.0	0.4	2.3	0.5	20.2	0.4	5.4	4.35	0.0	0.4	2.3	0.5	20.2	0.4	5.4	4.35
Merced	0.0	0.8	2.1	0.6	20.9	2.3	5.7	4.46	0.0	0.6	1.5	0.6	21.2	1.9	5.7	4.44
San Joaquin	0.0	0.3	2.2	0.5	21.8	0.5	5.7	4.38	0.0	0.4	2.4	0.4	22.0	0.6	5.8	4.35
Solano	0.0	0.8	0.9	0.2	21.1	0.9	5.5	4.40	0.0	0.8	0.5	0.2	20.8	0.5	5.4	4.39
Stanislaus	0.0	2.2	0.4	0.3	20.9	2.5	5.3	4.49	0.0	0.8	0.4	0.2	20.5	1.8	5.5	4.45
Sutter	0.0	1.4	2.2	0.3	21.5	2.5	5.3	4.38	0.0	1.8	4.3	0.5	21.3	1.7	5.2	4.40
Tulare	0.0	1.4	5.1	0.8	20.8	0.8	4.7	4.45	0.0	1.0	4.4	1.1	20.2	0.7	4.9	4.43
Yolo	0.0	0.7	1.7	0.4	21.6	1.3	5.1	4.37	0.0	0.7	1.4	0.4	21.3	1.2	5.1	4.36
Statewide Totals:																
Current Week	0.0	0.7	2.1	0.5	20.8	1.1	5.2	4.40	0.0	0.5	1.6	0.5	20.4	0.9	5.2	4.39
Last Week YTD									0.0	0.5	1.5	0.5	20.2	0.8	5.3	4.38

Grade Distribution By County (RP110)

Week 6 Ending 08/08/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	0.00	0.00	0.00	0.01	1380	0.00	0.00	0.00	0.02	2759	0.00	0.00	0.00	0.02
Contra Costa	2,346	0.00	0.00	0.00	0.01	1489	0.00	0.00	0.00	0.02	3835	0.00	0.00	0.00	0.01
Fresno	43,963	0.00	0.00	0.00	0.03	12505	0.00	0.00	0.00	0.03	56468	0.00	0.00	0.00	0.03
Kern	7,922	0.01	0.00	0.00	0.06	299	0.01	0.00	0.00	0.05	8221	0.01	0.00	0.00	0.06
Kings	21,028	0.00	0.00	0.00	0.03	5293	0.00	0.00	0.00	0.03	26321	0.00	0.00	0.00	0.03
Madera	0	0.00	0.00	0.00	0.00	124	0.00	0.00	0.00	0.00	124	0.00	0.00	0.00	0.00
Merced	1,940	0.00	0.00	0.00	0.00	813	0.00	0.00	0.00	0.00	2753	0.00	0.00	0.00	0.00
San Joaquin	244	0.00	0.00	0.00	0.00	183	0.00	0.00	0.00	0.00	427	0.00	0.00	0.00	0.00
Solano	824	0.00	0.00	0.00	0.02	400	0.00	0.00	0.00	0.00	1224	0.00	0.00	0.00	0.02
Stanislaus	347	0.00	0.00	0.00	0.00	115	0.00	0.00	0.00	0.00	462	0.00	0.00	0.00	0.00
Sutter	295	0.00	0.00	0.00	0.00	182	0.00	0.00	0.00	0.00	477	0.00	0.00	0.00	0.00
Tulare	3,387	0.00	0.00	0.00	0.03	959	0.01	0.00	0.00	0.06	4346	0.00	0.00	0.00	0.04
Yolo	5,452	0.00	0.00	0.00	0.02	5043	0.00	0.00	0.00	0.03	10495	0.00	0.00	0.00	0.03
STATEWIDE	89,127	0.00	0.00	0.00	0.03	28785	0.00	0.00	0.00	0.03	117912	0.00	0.00	0.00	0.03
Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	0.99	1.00	1.00	0.79	1380	1.16	1.00	1.00	1.00	2759	1.08	1.00	1.00	0.90
Contra Costa	2,346	0.10	0.00	0.00	0.25	1489	0.19	0.00	0.00	0.34	3835	0.14	0.00	0.00	0.29
Fresno	43,963	0.39	0.00	0.00	0.58	12505	0.65	0.00	0.50	0.91	56468	0.45	0.00	0.00	0.68
Kern	7,922	0.57	0.00	0.50	0.71	299	0.49	0.00	0.50	0.60	8221	0.57	0.00	0.50	0.71
Kings	21,028	0.41	0.00	0.00	0.85	5293	0.74	0.00	0.50	0.91	26321	0.48	0.00	0.00	0.87
Madera	0	0.00	0.00	0.00	0.00	124	0.37	0.00	0.50	0.39	124	0.37	0.00	0.50	0.39
Merced	1,940	0.48	0.00	0.50	0.61	813	0.75	0.00	0.50	1.10	2753	0.57	0.00	0.50	0.80
San Joaquin	244	0.40	0.00	0.00	0.60	183	0.30	0.00	0.00	0.46	427	0.36	0.00	0.00	0.55
Solano	824	0.72	0.00	0.50	0.79	400	0.83	0.50	0.50	0.78	1224	0.76	0.00	0.50	0.79
Stanislaus	347	0.24	0.00	0.00	0.42	115	2.21	1.00	2.00	1.37	462	0.75	0.00	0.00	1.15
Sutter	295	1.99	1.00	2.00	1.50	182	1.42	1.00	1.00	1.15	477	1.77	1.00	1.50	1.41
Tulare	3,387	0.88	0.00	0.50	0.99	959	1.40	1.00	1.00	1.20	4346	0.99	0.00	0.50	1.06
Yolo	5,452	0.66	0.00	0.50	0.94	5043	0.68	0.00	0.50	0.77	10495	0.67	0.00	0.50	0.86
STATEWIDE	89,127	0.46	0.00	0.00	0.73	28785	0.71	0.00	0.50	0.92	117912	0.52	0.00	0.50	0.79
Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	1.76	1.00	1.00	2.08	1380	5.22	2.50	4.50	3.06	2759	3.49	1.00	2.50	3.14
Contra Costa	2,346	0.51	0.50	0.50	0.56	1489	1.12	0.50	1.00	0.97	3835	0.75	0.50	0.50	0.80
Fresno	43,963	1.38	0.50	1.00	1.43	12505	1.71	0.50	1.00	1.77	56468	1.45	0.50	1.00	1.52

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 6 Ending 08/08/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Green, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Kern	7,922	1.50	0.50	1.00	1.73	299	1.17	1.00	1.00	0.85	8221	1.49	0.50	1.00	1.70
Kings	21,028	1.36	0.50	1.00	1.30	5293	2.30	1.50	1.50	2.11	26321	1.55	0.50	1.00	1.54
Madera	0	0.00	0.00	0.00	0.00	124	2.26	1.00	1.75	1.47	124	2.26	1.00	1.75	1.47
Merced	1,940	1.22	1.00	1.00	1.13	813	2.15	1.00	1.50	2.13	2753	1.50	1.00	1.00	1.56
San Joaquin	244	2.61	2.50	2.50	1.67	183	2.16	1.50	2.00	0.96	427	2.42	1.50	2.00	1.43
Solano	824	0.35	0.00	0.00	0.72	400	0.93	0.00	0.50	1.08	1224	0.55	0.00	0.00	0.90
Stanislaus	347	0.42	0.00	0.50	0.46	115	0.38	0.50	0.50	0.34	462	0.41	0.50	0.50	0.44
Sutter	295	5.52	5.50	5.50	2.87	182	2.23	0.50	0.50	3.05	477	4.26	0.50	4.50	3.34
Tulare	3,387	4.19	3.00	3.50	2.82	959	5.07	1.50	5.00	3.14	4346	4.38	2.00	4.00	2.92
Yolo	5,452	1.23	0.00	0.50	1.95	5043	1.66	0.50	1.00	1.72	10495	1.44	0.00	1.00	1.86
STATEWIDE	89,127	1.47	0.50	1.00	1.66	28785	2.06	0.50	1.50	2.17	117912	1.61	0.50	1.00	1.82

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	1.43	1.00	1.00	1.30	1380	2.25	1.00	1.50	2.08	2759	1.84	1.00	1.50	1.78
Contra Costa	2,346	0.76	0.00	0.50	0.93	1489	0.68	0.00	0.50	0.92	3835	0.73	0.00	0.50	0.93
Fresno	43,963	0.75	0.00	0.50	1.03	12505	0.97	0.00	0.50	1.28	56468	0.80	0.00	0.50	1.09
Kern	7,922	0.93	0.00	0.50	0.98	299	1.02	0.50	1.00	0.93	8221	0.93	0.00	0.50	0.97
Kings	21,028	0.66	0.00	0.50	1.00	5293	0.66	0.00	0.50	0.98	26321	0.66	0.00	0.50	1.00
Madera	0	0.00	0.00	0.00	0.00	124	0.42	0.00	0.50	0.49	124	0.42	0.00	0.50	0.49
Merced	1,940	1.78	0.00	1.00	2.10	813	2.29	0.50	1.50	2.44	2753	1.93	0.00	1.00	2.22
San Joaquin	244	0.64	0.00	0.50	0.84	183	0.51	0.00	0.50	0.64	427	0.58	0.00	0.50	0.77
Solano	824	0.30	0.00	0.00	0.41	400	0.95	0.00	0.50	1.25	1224	0.52	0.00	0.50	0.84
Stanislaus	347	1.56	1.00	1.00	1.66	115	2.54	1.00	2.00	2.19	462	1.81	1.00	1.00	1.86
Sutter	295	1.17	0.50	1.00	1.01	182	2.48	1.00	2.00	1.85	477	1.68	1.00	1.00	1.53
Tulare	3,387	0.64	0.00	0.50	0.91	959	0.84	0.00	0.50	1.00	4346	0.69	0.00	0.50	0.94
Yolo	5,452	1.12	0.00	0.50	1.52	5043	1.28	0.00	0.50	1.74	10495	1.20	0.00	0.50	1.63
STATEWIDE	89,127	0.80	0.00	0.50	1.11	28785	1.06	0.00	0.50	1.46	117912	0.86	0.00	0.50	1.21

Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	1.11	0.50	1.00	1.12	1380	1.15	0.50	1.00	1.19	2759	1.13	0.50	1.00	1.15
Contra Costa	2,346	0.21	0.00	0.00	0.54	1489	0.43	0.00	0.00	0.77	3835	0.29	0.00	0.00	0.65
Fresno	43,963	0.44	0.00	0.00	0.79	12505	0.50	0.00	0.00	0.93	56468	0.45	0.00	0.00	0.82
Kern	7,922	0.64	0.00	0.50	1.16	299	0.33	0.00	0.00	0.73	8221	0.63	0.00	0.50	1.15
Kings	21,028	0.33	0.00	0.00	0.51	5293	0.61	0.50	0.50	0.78	26321	0.38	0.00	0.00	0.59
Madera	0	0.00	0.00	0.00	0.00	124	0.53	0.50	0.50	0.52	124	0.53	0.50	0.50	0.52
Merced	1,940	0.65	0.00	0.50	0.84	813	0.64	0.00	0.50	0.85	2753	0.65	0.00	0.50	0.85
San Joaquin	244	0.40	0.00	0.50	0.46	183	0.50	0.50	0.50	0.52	427	0.44	0.00	0.50	0.49

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 6 Ending 08/08/2026

Last Week YTD						Current Week					Year To Date				
Grade: MOT, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Solano	824	0.23	0.00	0.00	0.51	400	0.25	0.00	0.00	0.57	1224	0.23	0.00	0.00	0.53
Stanislaus	347	0.19	0.00	0.00	0.31	115	0.31	0.00	0.00	0.37	462	0.22	0.00	0.00	0.33
Sutter	295	0.67	0.50	0.50	0.62	182	0.29	0.00	0.00	0.43	477	0.53	0.00	0.50	0.59
Tulare	3,387	1.14	0.50	1.00	1.16	959	0.78	0.00	0.50	0.95	4346	1.06	0.50	1.00	1.13
Yolo	5,452	0.44	0.00	0.00	0.75	5043	0.43	0.00	0.00	0.86	10495	0.44	0.00	0.00	0.80
STATEWIDE	89,127	0.47	0.00	0.00	0.81	28785	0.54	0.00	0.50	0.90	117912	0.48	0.00	0.00	0.83
Grade: Hue															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	20.62	20.50	20.50	0.77	1380	22.23	22.00	22.00	1.23	2759	21.43	20.50	21.00	1.30
Contra Costa	2,346	20.29	20.00	20.00	0.89	1489	19.81	19.50	19.50	0.89	3835	20.10	20.00	20.00	0.92
Fresno	43,963	20.00	19.50	20.00	1.12	12505	20.77	20.00	20.50	1.32	56468	20.17	19.50	20.00	1.21
Kern	7,922	20.45	20.50	20.50	1.07	299	21.19	21.00	21.00	0.89	8221	20.48	20.50	20.50	1.07
Kings	21,028	20.27	20.00	20.00	1.12	5293	20.08	19.50	20.00	1.01	26321	20.23	19.50	20.00	1.10
Madera	0	0.00	0.00	0.00	0.00	124	20.16	20.00	20.00	0.51	124	20.16	20.00	20.00	0.51
Merced	1,940	21.30	21.50	21.50	1.20	813	20.92	21.00	21.00	1.07	2753	21.19	21.50	21.00	1.18
San Joaquin	244	22.04	21.00	22.00	1.71	183	21.84	20.00	22.00	1.69	427	21.95	21.00	22.00	1.70
Solano	824	20.58	20.50	20.50	0.71	400	21.14	20.50	21.00	1.20	1224	20.77	20.50	20.50	0.94
Stanislaus	347	20.40	20.00	20.50	0.82	115	20.92	20.50	21.00	0.82	462	20.53	20.00	20.50	0.85
Sutter	295	21.25	20.50	21.00	0.99	182	21.47	21.50	21.50	0.96	477	21.33	20.50	21.50	0.99
Tulare	3,387	20.06	19.50	20.00	0.95	959	20.83	20.50	21.00	0.65	4346	20.24	19.50	20.00	0.95
Yolo	5,452	21.01	21.00	21.00	1.12	5043	21.58	21.50	21.50	1.35	10495	21.28	21.00	21.00	1.27
STATEWIDE	89,127	20.23	20.00	20.00	1.15	28785	20.83	20.00	20.50	1.36	117912	20.38	20.00	20.00	1.23
Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	5.06	4.70	5.00	0.42	1380	5.07	5.00	5.00	0.32	2759	5.07	4.90	5.00	0.37
Contra Costa	2,346	5.13	5.20	5.10	0.27	1489	5.16	5.10	5.10	0.39	3835	5.14	5.10	5.10	0.32
Fresno	43,963	5.45	5.30	5.40	0.43	12505	5.29	5.10	5.30	0.43	56468	5.42	5.30	5.40	0.44
Kern	7,922	5.05	4.60	5.00	0.56	299	5.32	5.50	5.40	0.37	8221	5.06	4.60	5.00	0.56
Kings	21,028	5.01	4.90	5.00	0.47	5293	4.84	4.70	4.80	0.49	26321	4.98	4.90	4.90	0.48
Madera	0	0.00	0.00	0.00	0.00	124	5.39	5.30	5.35	0.35	124	5.39	5.30	5.35	0.35
Merced	1,940	5.66	5.30	5.50	0.61	813	5.71	5.30	5.60	0.47	2753	5.67	5.30	5.60	0.57
San Joaquin	244	5.80	5.80	5.80	0.33	183	5.71	5.90	5.80	0.30	427	5.76	5.80	5.80	0.32
Solano	824	5.39	5.00	5.40	0.40	400	5.49	5.60	5.60	0.49	1224	5.42	5.40	5.40	0.44
Stanislaus	347	5.52	5.60	5.50	0.26	115	5.35	5.20	5.30	0.19	462	5.47	5.60	5.50	0.25
Sutter	295	5.13	5.20	5.10	0.19	182	5.25	5.10	5.20	0.38	477	5.18	5.10	5.10	0.29
Tulare	3,387	4.91	4.50	4.80	0.43	959	4.70	4.40	4.60	0.38	4346	4.86	4.50	4.80	0.43
Yolo	5,452	5.08	4.90	5.00	0.40	5043	5.09	5.10	5.10	0.42	10495	5.09	5.00	5.10	0.41

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 6 Ending 08/08/2026

STATEWIDE	89,127	5.26	5.30	5.30	0.50	28785	5.16	5.10	5.10	0.48	117912	5.23	5.10	5.20	0.50
-----------	--------	------	------	------	------	-------	------	------	------	------	--------	------	------	------	------

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	1,379	4.41	4.42	4.41	0.08	1380	4.43	4.30	4.42	0.12	2759	4.42	4.42	4.41	0.10
Contra Costa	2,346	4.37	4.35	4.36	0.07	1489	4.37	4.37	4.37	0.07	3835	4.37	4.37	4.37	0.07
Fresno	43,963	4.38	4.40	4.38	0.08	12505	4.42	4.41	4.42	0.10	56468	4.39	4.40	4.39	0.09
Kern	7,922	4.39	4.36	4.38	0.09	299	4.38	4.34	4.37	0.07	8221	4.39	4.36	4.38	0.09
Kings	21,028	4.36	4.35	4.35	0.09	5293	4.39	4.36	4.37	0.10	26321	4.37	4.35	4.36	0.09
Madera	0	0.00	0.00	0.00	0.00	124	4.35	4.30	4.34	0.07	124	4.35	4.30	4.34	0.07
Merced	1,940	4.43	4.37	4.42	0.10	813	4.46	4.40	4.44	0.10	2753	4.44	4.40	4.43	0.10
San Joaquin	244	4.33	4.29	4.32	0.08	183	4.38	4.37	4.37	0.08	427	4.35	4.29	4.35	0.08
Solano	824	4.38	4.31	4.39	0.08	400	4.40	4.38	4.40	0.07	1224	4.39	4.37	4.39	0.08
Stanislaus	347	4.43	4.36	4.43	0.09	115	4.49	4.54	4.50	0.08	462	4.45	4.44	4.45	0.09
Sutter	295	4.41	4.51	4.46	0.14	182	4.38	4.44	4.39	0.09	477	4.40	4.22	4.41	0.13
Tulare	3,387	4.42	4.39	4.42	0.09	959	4.45	4.44	4.44	0.07	4346	4.43	4.39	4.43	0.08
Yolo	5,452	4.36	4.34	4.35	0.08	5043	4.37	4.36	4.36	0.09	10495	4.36	4.35	4.36	0.08
STATEWIDE	89,127	4.38	4.35	4.37	0.09	28785	4.40	4.40	4.40	0.10	117912	4.39	4.35	4.38	0.09

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 6 Ending 08/08/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.7	117,539	0.0	49.2	58,027	0.0	17.3	20,421	0.0	37.3	44,011	0.0	50.1	59,059
0.5	100.0	117,886	0.5	75.0	88,435	0.5	38.4	45,253	0.5	62.1	73,261	0.5	79.8	94,050
1.0	100.0	117,906	1.0	88.4	104,287	1.0	56.0	66,085	1.0	78.2	92,186	1.0	90.8	107,067
1.5	100.0	117,909	1.5	93.9	110,771	1.5	68.0	80,132	1.5	86.3	101,722	1.5	94.8	111,819
2.0	100.0	117,912	2.0	96.6	113,929	2.0	76.6	90,356	2.0	91.0	107,268	2.0	96.8	114,154
			2.5	98.0	115,580	2.5	82.8	97,593	2.5	93.8	110,607	2.5	97.9	115,457
			3.0	98.7	116,419	3.0	87.1	102,663	3.0	95.7	112,816	3.0	98.6	116,236
			3.5	99.2	116,919	3.5	90.2	106,355	3.5	96.9	114,253	3.5	99.0	116,749
			4.0	99.4	117,239	4.0	92.4	109,002	4.0	97.7	115,216	4.0	99.3	117,071
			4.5	99.6	117,448	4.5	94.1	110,979	4.5	98.3	115,949	4.5	99.5	117,299
			5.0	99.7	117,568	5.0	95.3	112,413	5.0	98.7	116,401	5.0	99.6	117,454
			5.5	99.8	117,665	5.5	96.2	113,489	5.5	99.0	116,752	5.5	99.7	117,568
			6.0	99.8	117,718	6.0	97.0	114,337	6.0	99.2	117,010	6.0	99.8	117,649
			6.5	99.9	117,768	6.5	97.6	115,059	6.5	99.4	117,213	6.5	99.8	117,705
			7.0	99.9	117,810	7.0	98.1	115,623	7.0	99.5	117,354	7.0	99.9	117,739
			7.5	99.9	117,833	7.5	98.4	116,073	7.5	99.6	117,467	7.5	99.9	117,765
			8.0	99.9	117,852	8.0	98.8	116,464	8.0	99.7	117,563	8.0	99.9	117,793
			8.5	100.0	117,864	8.5	99.0	116,778	8.5	99.8	117,639	8.5	99.9	117,806
			9.0	100.0	117,878	9.0	99.2	117,005	9.0	99.8	117,693	9.0	99.9	117,827
			9.5	100.0	117,886	9.5	99.4	117,184	9.5	99.9	117,745	9.5	99.9	117,840
			10.0	100.0	117,895	10.0	99.5	117,337	10.0	99.9	117,786	10.0	100.0	117,854
			10.5	100.0	117,898	10.5	99.6	117,483	10.5	99.9	117,812	10.5	100.0	117,859
			11.0	100.0	117,899	11.0	99.7	117,557	11.0	99.9	117,835	11.0	100.0	117,863
			11.5	100.0	117,902	11.5	99.8	117,631	11.5	99.9	117,852	11.5	100.0	117,866
			12.0	100.0	117,904	12.0	99.8	117,701	12.0	100.0	117,868	12.0	100.0	117,873
			12.5	100.0	117,908	12.5	99.9	117,748	12.5	100.0	117,882	12.5	100.0	117,878
			13.0	100.0	117,908	13.0	99.9	117,787	13.0	100.0	117,888	13.0	100.0	117,881
			13.5	100.0	117,911	13.5	99.9	117,808	13.5	100.0	117,892	13.5	100.0	117,883
			14.0	100.0	117,911	14.0	99.9	117,825	14.0	100.0	117,899	14.0	100.0	117,883
			14.5	100.0	117,912	14.5	99.9	117,840	14.5	100.0	117,902	14.5	100.0	117,886
						15.0	100.0	117,855	15.0	100.0	117,903	15.0	100.0	117,888
						15.5	100.0	117,860	15.5	100.0	117,906	15.5	100.0	117,888
						16.0	100.0	117,870	16.0	100.0	117,908	16.0	100.0	117,891
						16.5	100.0	117,876	16.5	100.0	117,908	16.5	100.0	117,892
						17.0	100.0	117,884	17.0	100.0	117,908	17.0	100.0	117,892
						17.5	100.0	117,886	17.5	100.0	117,909	17.5	100.0	117,897
						18.0	100.0	117,891	18.0	100.0	117,909	18.0	100.0	117,902
						18.5	100.0	117,896	18.5	100.0	117,910	18.5	100.0	117,906
						19.0	100.0	117,898	19.0	100.0	117,912	19.0	100.0	117,910
						19.5	100.0	117,900				19.5	100.0	117,910
						20.0	100.0	117,900				20.0	100.0	117,912
						20.5	100.0	117,901						
						21.0	100.0	117,904						
						21.5	100.0	117,905						

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 6 Ending 08/08/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week GREEN Percent Less than or Equal To:				#Loads	Year To Date GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Colusa	1,380	1	13	32	46	2,759	29	44	59	68
Contra Costa	1,489	66	88	96	98	3,835	81	94	98	99
Fresno	12,505	51	72	86	93	56,468	57	78	89	95
Kern	299	62	90	96	99	8,221	60	81	88	93
Kings	5,293	35	65	80	86	26,321	53	78	89	94
Madera	124	34	59	75	86	124	34	59	75	86
Merced	813	44	62	76	86	2,753	57	78	89	94
San Joaquin	183	15	57	86	97	427	19	51	76	90
Solano	400	73	88	95	99	1,224	85	93	97	99
Stanislaus	115	99	100	100	100	462	95	99	100	100
Sutter	182	64	71	73	74	477	30	33	37	46
Tulare	959	8	23	32	43	4,346	8	24	40	55
Yolo	5,043	54	72	83	90	10,495	64	78	86	91
STATEWIDE TOTALS										
CURRENT WEEK	28,785	46.1	68.0	80.7	87.8	117,912	56	77	87	92
LAST WEEK YTD						89,127	59	79	89	94

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week LU Percent Less than or Equal To:				#Loads	Year To Date LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Colusa	1,380	91	97	99	100	2,759	95	98	99	100
Contra Costa	1,489	99	100	100	100	3,835	99	100	100	100
Fresno	12,505	98	99	99	99	56,468	99	99	99	99
Kern	299	99	100	100	100	8,221	99	99	100	100
Kings	5,293	99	99	100	100	26,321	99	99	99	99
Madera	124	100	100	100	100	124	100	100	100	100
Merced	813	88	96	99	99	2,753	91	97	99	99
San Joaquin	183	100	100	100	100	427	99	100	100	100
Solano	400	97	99	100	100	1,224	99	99	100	100
Stanislaus	115	91	96	99	100	462	95	98	99	99
Sutter	182	91	98	100	100	477	96	99	100	100
Tulare	959	99	100	100	100	4,346	99	100	100	100
Yolo	5,043	96	98	99	99	10,495	96	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	28,785	97.6	99.4	99.9	100.0	117,912	99	100	100	100
LAST WEEK YTD						89,127	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 6 Ending 08/08/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	Current Week							Year To Date						
	MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:						
	#Loads	3%	4%	5%	6%	7%	8%	#Loads	3%	4%	5%	6%	7%	8%
Colusa	1,380	95	98	99	99	100	100	2,759	97	99	99	99	100	100
Contra Costa	1,489	100	100	100	100	100	100	3,835	100	100	100	100	100	100
Fresno	12,505	98	99	99	99	99	99	56,468	99	99	99	99	99	99
Kern	299	99	100	100	100	100	100	8,221	99	99	99	99	100	100
Kings	5,293	98	99	99	99	99	99	26,321	98	99	99	99	99	99
Madera	124	100	100	100	100	100	100	124	100	100	100	100	100	100
Merced	813	95	98	99	99	99	99	2,753	98	99	99	99	99	99
San Joaquin	183	100	100	100	100	100	100	427	100	100	100	100	100	100
Solano	400	99	99	99	99	100	100	1,224	99	99	99	99	100	100
Stanislaus	115	78	90	96	100	100	100	462	94	97	99	100	100	100
Sutter	182	92	97	99	100	100	100	477	85	94	97	99	100	100
Tulare	959	92	96	99	99	99	100	4,346	95	98	99	99	99	99
Yolo	5,043	98	99	99	99	99	99	10,495	98	99	99	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	28,785	97.9	99.1	99.6	99.8	99.9	99.9	117,912	99	99	100	100	100	100
LAST WEEK YTD								89,127	99	100	100	100	100	100

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Colusa	1,380	44	68	86	93	2,759	45	68	87	94
Contra Costa	1,489	82	89	96	98	3,835	88	94	98	99
Fresno	12,505	79	90	96	98	56,468	81	92	97	98
Kern	299	90	97	98	98	8,221	75	88	94	97
Kings	5,293	72	87	96	98	26,321	84	94	98	99
Madera	124	75	91	99	100	124	75	91	99	100
Merced	813	72	85	94	97	2,753	68	85	95	98
San Joaquin	183	74	93	98	100	427	80	94	99	99
Solano	400	90	96	98	99	1,224	90	95	98	99
Stanislaus	115	91	98	100	100	462	93	98	100	100
Sutter	182	86	95	100	100	477	71	88	99	99
Tulare	959	58	77	93	97	4,346	46	68	88	95
Yolo	5,043	81	91	96	98	10,495	80	90	96	98
STATEWIDE TOTALS										
CURRENT WEEK	28,785	76.7	88.6	95.9	98.1	117,912	80	91	97	99
LAST WEEK YTD						89,127	81	92	97	99

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	592	0.0	0.8	1.2	1.3	20.2	1.0	4.9	4.44
027	9027, SVTM	Cur Wk	20	0.0	0.5	4.5	0.7	20.8	0.7	5.3	4.28
		YTD	21	0.0	0.5	4.4	0.7	20.7	0.8	5.3	4.28
028	6428, N	Cur Wk	921	0.0	1.4	4.9	1.2	22.6	2.7	4.9	4.49
		YTD	921	0.0	1.4	4.9	1.2	22.6	2.7	4.9	4.49
037	8237, HM	Cur Wk	116	0.0	0.2	7.0	1.2	21.8	0.3	5.1	4.28
		YTD	116	0.0	0.2	7.0	1.2	21.8	0.3	5.1	4.28
173	0371, HM	Cur Wk	218	0.0	0.8	4.4	0.7	21.1	2.0	5.4	4.34
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	131	0.0	0.5	4.8	1.5	20.9	1.9	4.7	4.45
320	9032, SVTM	Cur Wk	78	0.0	0.4	5.9	1.0	21.9	1.1	5.7	4.24
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
913	9013, SVTM	Cur Wk	27	0.0	0.7	13.0	2.3	21.6	0.7	5.6	4.29
		YTD	27	0.0	0.7	13.0	2.3	21.6	0.7	5.6	4.29
Cur Wk:			1,380	0.0	1.2	5.2	1.1	22.2	2.3	5.1	4.43
YTD			2,759	0.0	1.1	3.5	1.1	21.4	1.8	5.1	4.42

Contra Costa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
028	6428, N	Cur Wk	23	0.0	0.1	1.7	0.0	21.4	0.4	4.8	4.39
		YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
064	0645, LS	Cur Wk	85	0.0	0.2	1.0	0.2	19.9	0.3	5.0	4.41
		YTD	85	0.0	0.2	1.0	0.2	19.9	0.3	5.0	4.41
068	8268, HM	Cur Wk	184	0.0	0.1	1.0	0.2	18.9	1.4	5.5	4.45
		YTD	1,051	0.0	0.1	0.7	0.2	19.8	0.8	5.3	4.39
173	0371, HM	Cur Wk	142	0.0	0.1	0.6	0.1	19.9	0.2	5.5	4.35
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	59	0.0	0.3	1.8	0.9	20.0	1.5	5.3	4.30
		YTD	59	0.0	0.3	1.8	0.9	20.0	1.5	5.3	4.30

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Contra Costa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	3	0.0	0.0	1.7	5.3	22.3	1.0	5.0	4.43
		YTD	3	0.0	0.0	1.7	5.3	22.3	1.0	5.0	4.43
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	203	0.0	0.1	0.2	0.2	20.5	0.8	5.1	4.39
552	5522, HM	Cur Wk	379	0.0	0.1	0.9	0.6	19.6	0.5	5.3	4.33
		YTD	423	0.0	0.1	0.8	0.6	19.7	0.4	5.3	4.33
740	74, BP	Cur Wk	36	0.0	0.2	2.5	1.5	20.4	2.4	4.9	4.38
		YTD	183	0.0	0.4	1.0	0.4	19.8	2.6	5.1	4.42
841	58841, HM	Cur Wk	169	0.0	0.1	1.4	0.1	20.7	0.2	5.1	4.40
		YTD	169	0.0	0.1	1.4	0.1	20.7	0.2	5.1	4.40
848	6848, BOS	Cur Wk	162	0.0	0.4	0.7	0.2	19.5	0.4	4.8	4.43
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	167	0.0	0.3	1.5	0.6	20.0	1.1	4.8	4.35
		YTD	295	0.0	0.3	1.0	0.4	20.0	1.3	4.9	4.35
919	9019, SVTM	Cur Wk	22	0.0	0.3	1.3	0.4	22.5	1.0	4.9	4.23
		YTD	22	0.0	0.3	1.3	0.4	22.5	1.0	4.9	4.23
Cur Wk:			1,489	0.0	0.2	1.1	0.4	19.8	0.7	5.2	4.37
YTD			3,835	0.0	0.1	0.7	0.3	20.1	0.7	5.1	4.37

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	155	0.0	1.5	1.3	0.1	19.3	0.5	5.1	4.35
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	859	0.0	0.8	2.0	1.5	20.1	0.8	5.7	4.41
		YTD	7,679	0.0	0.4	1.3	0.5	19.8	0.6	5.6	4.37
028	6428, N	Cur Wk	366	0.0	1.1	2.6	0.3	21.6	0.8	4.8	4.48
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	787	0.0	0.8	0.6	0.5	19.5	1.0	5.6	4.49
		YTD	2,980	0.0	0.5	0.5	0.3	19.3	0.7	5.7	4.46
037	8237, HM	Cur Wk	534	0.0	0.4	1.2	0.3	21.5	0.4	5.3	4.37
		YTD	1,829	0.0	0.3	1.2	0.2	21.2	0.4	5.5	4.35
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	456	0.0	0.6	2.1	0.3	20.0	1.1	5.5	4.48
		YTD	571	0.0	0.6	1.8	0.3	19.9	1.1	5.5	4.48
068	8268, HM	Cur Wk	638	0.0	0.9	1.1	0.3	19.4	1.0	5.4	4.47
		YTD	2,956	0.0	0.6	1.2	0.3	19.6	1.0	5.5	4.42
074	6474, N	Cur Wk	318	0.0	0.5	4.5	0.9	21.1	0.6	5.1	4.41

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
1	1	YTD	753	0.0	0.5	5.6	1.6	20.8	0.6	5.5	4.39
		Cur Wk	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	285	0.0	1.1	1.2	0.6	20.7	1.6	5.0	4.46
		YTD	346	0.0	1.1	1.3	0.6	20.8	1.7	5.0	4.45
112	16112, UG	Cur Wk	72	0.0	0.2	1.6	0.3	19.7	0.5	5.1	4.40
		YTD	427	0.0	0.1	0.5	0.5	19.7	0.3	5.0	4.38
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	0.9	1.2	0.7	19.8	0.5	4.8	4.57
173	0371, HM	Cur Wk	196	0.0	1.2	1.3	0.4	21.0	1.9	5.7	4.49
		YTD	5,047	0.0	0.4	1.0	0.5	19.7	0.8	5.5	4.37
178	7708, BOS	Cur Wk	93	0.0	1.9	4.4	1.0	20.2	2.3	5.5	4.44
		YTD	329	0.0	0.8	3.9	0.7	19.4	1.6	5.4	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	113	0.0	0.1	1.6	0.4	20.1	0.4	5.0	4.34
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	112	0.0	0.5	0.7	0.2	19.8	0.8	5.7	4.40
		YTD	112	0.0	0.5	0.7	0.2	19.8	0.8	5.7	4.40
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	131	0.0	1.1	1.2	0.0	20.7	0.8	5.3	4.36
239	9023, SVTM	Cur Wk	764	0.0	0.2	1.7	0.2	21.2	0.5	5.1	4.39
		YTD	2,240	0.0	0.4	1.5	0.4	21.8	1.1	5.2	4.39
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
301	7103, HM	Cur Wk	845	0.0	0.5	3.3	0.6	20.7	1.8	5.1	4.43
		YTD	2,958	0.0	0.4	1.5	0.4	20.3	1.6	5.3	4.41
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
369	5369, HM	Cur Wk	14	0.0	0.9	0.7	0.1	20.1	0.5	5.3	4.64
		YTD	14	0.0	0.9	0.7	0.1	20.1	0.5	5.3	4.64
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
430	9034, SVTM	Cur Wk	776	0.0	0.9	1.2	0.3	20.8	1.2	5.5	4.55
		YTD	4,834	0.0	0.5	1.0	0.4	20.1	0.9	5.5	4.48
434	6434, N	Cur Wk	378	0.0	1.5	4.3	2.1	21.9	0.9	4.8	4.43
		YTD	378	0.0	1.5	4.3	2.1	21.9	0.9	4.8	4.43
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	42	0.0	0.1	1.2	0.3	21.0	0.0	4.9	4.25
476	2476, HZ	Cur Wk	38	0.0	0.7	1.7	0.9	20.9	1.8	5.8	4.53
		YTD	38	0.0	0.7	1.7	0.9	20.9	1.8	5.8	4.53
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	140	0.0	0.9	0.9	0.2	20.4	0.2	4.5	4.55
		YTD	343	0.0	1.1	1.2	0.4	19.8	0.2	4.7	4.52
489	6489, N	Cur Wk	5	0.0	0.1	0.3	0.2	19.0	0.1	4.9	4.43
		YTD	1,087	0.0	0.5	0.7	0.2	19.4	0.3	5.2	4.40
491	491	Cur Wk	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
511	5511, HM	Cur Wk	16	0.0	0.4	1.0	0.1	20.7	1.8	5.7	4.50
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
552	5522, HM	Cur Wk	809	0.0	0.4	0.5	0.2	20.0	0.8	5.6	4.41
		YTD	4,018	0.0	0.3	0.8	0.2	19.6	0.5	5.5	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,142	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	5	0.0	0.7	0.9	0.2	19.8	1.6	5.8	4.53
		YTD	11	0.0	0.6	1.1	0.1	19.6	1.5	5.5	4.44
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	8	0.0	0.2	3.1	0.2	20.8	0.3	6.0	4.50
		YTD	8	0.0	0.2	3.1	0.2	20.8	0.3	6.0	4.50
650	6500, N	Cur Wk	13	0.0	0.6	0.1	0.0	19.2	0.1	5.0	4.36
		YTD	13	0.0	0.6	0.1	0.0	19.2	0.1	5.0	4.36
654	6504, N	Cur Wk	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
730	9037, SVTM	Cur Wk	442	0.0	0.8	1.9	0.5	22.5	0.4	4.9	4.30
		YTD	518	0.0	0.9	2.0	0.4	22.3	0.4	4.9	4.30
820	1082, SVTM	Cur Wk	96	0.0	0.8	1.9	0.6	22.8	3.4	5.6	4.39
		YTD	275	0.0	0.5	3.4	0.4	21.4	1.4	5.5	4.35
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,070	0.0	0.6	2.3	1.2	21.0	0.7	5.5	4.43
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	369	0.0	0.3	1.8	0.7	19.5	0.4	5.0	4.42
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
903	9036, SVTM	YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
		Cur Wk	958	0.0	0.4	0.7	0.2	21.1	1.3	5.2	4.45
		YTD	2,204	0.0	0.3	1.2	0.2	21.1	1.0	5.2	4.42
913	9013, SVTM	Cur Wk	193	0.0	0.5	2.3	0.1	18.8	0.5	5.2	4.40
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	90	0.0	0.4	1.1	0.2	21.2	0.1	5.3	4.36
		YTD	90	0.0	0.4	1.1	0.2	21.2	0.1	5.3	4.36
919	9019, SVTM	Cur Wk	280	0.0	0.8	1.4	0.6	22.5	1.7	5.7	4.29
		YTD	1,244	0.0	0.6	2.5	0.6	21.8	1.2	5.7	4.27
921	9021, SVTM	Cur Wk	200	0.0	1.2	2.3	0.6	22.0	2.0	4.9	4.39
		YTD	589	0.0	1.0	2.7	1.7	21.3	2.0	5.2	4.40
925	9025, SVTM	Cur Wk	711	0.0	0.2	1.2	0.4	22.1	0.8	5.4	4.28
		YTD	1,268	0.0	0.3	1.3	0.3	21.6	0.6	5.5	4.26
941	9041, SVTM	Cur Wk	246	0.0	0.1	2.4	0.1	20.4	0.1	5.1	4.37
		YTD	678	0.0	0.3	1.7	0.2	20.4	0.3	5.7	4.38
996	1996, HZ	Cur Wk	451	0.0	0.1	1.7	0.3	20.4	0.2	4.9	4.40
		YTD	915	0.0	0.2	2.1	0.3	20.3	0.2	4.9	4.38
Cur Wk:			12,500	0.0	0.6	1.7	0.5	20.8	1.0	5.3	4.42
YTD			56,428	0.0	0.4	1.4	0.5	20.2	0.8	5.4	4.39

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	146	0.0	0.6	0.9	0.3	21.3	1.4	5.5	4.41
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	46	0.0	0.8	0.7	0.2	20.2	0.8	5.6	4.38
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	6	0.0	1.6	1.3	0.2	20.6	0.9	4.6	4.50
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.5	0.2	0.5	21.3	2.0	4.3	4.51
610	2016, HZ	Cur Wk	7	0.0	0.1	2.4	1.1	20.2	0.1	4.9	4.27
		YTD	488	0.0	0.2	1.3	0.4	20.8	0.3	4.5	4.32
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	93	0.0	0.1	1.9	0.4	21.6	0.6	5.0	4.34
		YTD	480	0.0	0.1	1.6	0.4	21.3	0.5	4.7	4.36
Cur Wk:			298	0.0	0.5	1.2	0.3	21.2	1.0	5.3	4.38
YTD			8,212	0.0	0.6	1.5	0.6	20.5	0.9	5.1	4.39

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	92	0.0	2.3	1.7	1.5	20.1	0.6	4.8	4.37
		YTD	220	0.0	1.0	2.3	0.7	20.7	0.5	5.0	4.34
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	307	0.0	0.8	0.9	0.2	19.6	0.8	5.5	4.49
		YTD	534	0.0	0.6	0.7	0.2	19.5	0.7	5.5	4.49
037	8237, HM	Cur Wk	250	0.0	1.1	0.6	0.6	21.6	1.6	5.3	4.35
		YTD	504	0.0	0.7	0.7	0.5	21.6	0.9	5.2	4.32
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	457	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	3	0.0	2.1	1.0	0.5	20.8	2.5	5.0	4.42
		YTD	103	0.0	1.6	1.6	1.1	21.2	2.6	5.0	4.37
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
165	1657, HZ	Cur Wk	386	0.0	0.8	7.1	1.1	19.7	0.6	4.2	4.60
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
173	0371, HM	Cur Wk	32	0.0	0.8	0.9	0.4	19.4	0.7	5.7	4.35
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
219	109, BP	Cur Wk	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
239	9023, SVTM	Cur Wk	36	0.0	1.0	1.1	0.4	21.2	0.6	4.9	4.36
		YTD	36	0.0	1.0	1.1	0.4	21.2	0.6	4.9	4.36
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	431	0.0	0.6	1.4	0.7	20.8	0.4	4.9	4.36
		YTD	1,628	0.0	0.3	1.0	0.3	20.7	0.3	5.1	4.33
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	28	0.0	0.7	2.0	0.8	21.6	0.9	4.8	4.48
		YTD	105	0.0	0.7	1.7	1.0	21.6	1.2	4.9	4.46
485	6485, N	Cur Wk	117	0.0	0.8	1.2	0.6	20.8	1.5	4.4	4.60
		YTD	210	0.0	0.6	0.9	0.4	20.8	1.2	4.4	4.58
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	214	0.0	0.9	3.3	0.8	20.3	0.7	5.6	4.38
		YTD	890	0.0	0.4	2.3	0.7	20.1	0.7	5.4	4.34
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	2,797	0.0	0.6	2.0	0.5	19.6	0.4	4.6	4.36
		YTD	6,133	0.0	0.3	1.9	0.5	19.9	0.4	4.7	4.34
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
730	9037, SVTM	Cur Wk	117	0.0	0.3	2.6	0.2	21.5	0.3	5.4	4.30
		YTD	233	0.0	0.2	2.4	0.2	21.4	0.2	5.4	4.30
919	9019, SVTM	Cur Wk	93	0.0	2.4	4.8	1.1	22.8	2.2	5.3	4.34
		YTD	187	0.0	1.8	3.5	0.9	22.2	1.9	5.5	4.31
921	9021, SVTM	Cur Wk	76	0.0	2.2	3.1	1.0	21.3	1.4	5.2	4.43
		YTD	76	0.0	2.2	3.1	1.0	21.3	1.4	5.2	4.43
925	9025, SVTM	Cur Wk	124	0.0	0.5	0.3	0.2	21.1	1.2	4.9	4.26
		YTD	380	0.0	0.4	0.7	0.1	20.8	0.6	5.1	4.20
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	24	0.0	0.9	1.7	0.5	20.9	0.5	4.3	4.44
		YTD	754	0.0	0.4	1.2	0.4	20.7	0.4	4.5	4.40
Cur Wk:			5,289	0.0	0.7	2.3	0.6	20.1	0.7	4.8	4.39

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS											
Week 6 Ending 08/08/2026											
YTD			26,311	0.0	0.5	1.5	0.4	20.2	0.7	5.0	4.37
Madera											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
996	1996, HZ	Cur Wk	124	0.0	0.4	2.3	0.5	20.2	0.4	5.4	4.35
		YTD	124	0.0	0.4	2.3	0.5	20.2	0.4	5.4	4.35
Cur Wk:			124	0.0	0.4	2.3	0.5	20.2	0.4	5.4	4.35
YTD			124	0.0	0.4	2.3	0.5	20.2	0.4	5.4	4.35
Merced											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	304	0.0	1.0	1.0	0.7	21.1	3.0	5.9	4.49
		YTD	762	0.0	0.6	1.1	0.6	20.7	1.7	5.8	4.42
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
042	6402, N	Cur Wk	33	0.0	0.6	0.6	0.5	20.2	3.6	6.4	4.59
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	102	0.0	0.7	1.7	1.0	20.4	2.5	5.6	4.49
074	6474, N	Cur Wk	44	0.0	0.2	8.1	0.3	21.3	0.3	5.5	4.41
		YTD	44	0.0	0.2	8.1	0.3	21.3	0.3	5.5	4.41
173	0371, HM	Cur Wk	78	0.0	1.9	1.2	1.5	21.5	5.0	6.0	4.56
		YTD	115	0.0	1.5	1.1	1.2	21.6	4.9	6.1	4.55
178	7708, BOS	Cur Wk	119	0.0	0.2	2.6	0.5	19.6	1.0	5.3	4.39
		YTD	146	0.0	0.2	2.7	0.5	19.7	1.1	5.3	4.38
430	9034, SVTM	Cur Wk	7	0.0	0.5	1.0	0.7	21.2	2.2	6.6	4.65
		YTD	277	0.0	0.6	0.3	0.4	21.2	1.6	5.2	4.52
730	9037, SVTM	Cur Wk	11	0.0	0.3	3.7	0.5	22.3	1.7	5.5	4.45
		YTD	11	0.0	0.3	3.7	0.5	22.3	1.7	5.5	4.45
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	278	0.0	0.5	0.7	1.0	21.5	4.1	6.3	4.48
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	218	0.0	0.5	1.3	1.1	21.9	0.8	5.5	4.38
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.6	0.8	0.6	23.1	4.3	6.7	4.43
941	9041, SVTM	Cur Wk	176	0.0	0.5	3.7	0.4	20.9	0.5	5.4	4.36
		YTD	487	0.0	0.5	2.7	0.3	21.5	0.5	5.2	4.35
996	1996, HZ	Cur Wk	41	0.0	0.3	0.8	0.5	22.0	3.5	6.2	4.53
		YTD	60	0.0	0.4	0.8	0.5	22.0	3.3	6.2	4.52
Cur Wk:			813	0.0	0.8	2.1	0.6	20.9	2.3	5.7	4.46
YTD			2,753	0.0	0.6	1.5	0.6	21.2	1.9	5.7	4.44

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS											
Week 6 Ending 08/08/2026											
San Joaquin											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	99	0.0	0.4	2.0	0.3	23.1	0.6	5.6	4.42
		YTD	202	0.0	0.5	2.5	0.3	23.3	0.8	5.8	4.40
996	1996, HZ	Cur Wk	84	0.0	0.2	2.4	0.8	20.3	0.4	5.8	4.32
		YTD	225	0.0	0.2	2.3	0.6	20.7	0.4	5.7	4.30
Cur Wk:			183	0.0	0.3	2.2	0.5	21.8	0.5	5.7	4.38
YTD			427	0.0	0.4	2.4	0.4	22.0	0.6	5.8	4.35
Solano											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
068	8268, HM	Cur Wk	24	0.0	1.1	0.3	0.3	20.5	1.4	5.6	4.48
		YTD	227	0.0	1.1	0.3	0.1	20.6	0.5	5.6	4.39
219	109, BP	Cur Wk	29	0.0	0.8	1.5	0.2	22.5	1.5	6.1	4.40
		YTD	29	0.0	0.8	1.5	0.2	22.5	1.5	6.1	4.40
247	247, E	Cur Wk	56	0.0	1.1	0.6	0.1	20.4	0.4	4.5	4.32
		YTD	56	0.0	1.1	0.6	0.1	20.4	0.4	4.5	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	315	0.0	0.8	0.1	0.3	20.6	0.3	5.0	4.45
552	5522, HM	Cur Wk	47	0.0	0.2	0.5	0.1	20.9	2.8	5.5	4.39
		YTD	47	0.0	0.2	0.5	0.1	20.9	2.8	5.5	4.39
841	58841, HM	Cur Wk	197	0.0	0.8	1.2	0.4	20.9	0.6	5.7	4.41
		YTD	331	0.0	0.7	0.9	0.3	20.9	0.5	5.7	4.39
916	9016, SVTM	Cur Wk	47	0.0	1.0	0.6	0.1	22.8	0.5	5.5	4.41
		YTD	47	0.0	1.0	0.6	0.1	22.8	0.5	5.5	4.41
Cur Wk:			400	0.0	0.8	0.9	0.2	21.1	0.9	5.5	4.40
YTD			1,224	0.0	0.8	0.5	0.2	20.8	0.5	5.4	4.39
Stanislaus											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	115	0.0	2.2	0.4	0.3	20.9	2.5	5.3	4.49
		YTD	416	0.0	0.8	0.4	0.2	20.5	1.8	5.5	4.46
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	45	0.0	0.1	0.8	0.3	21.0	1.8	5.2	4.35
Cur Wk:			115	0.0	2.2	0.4	0.3	20.9	2.5	5.3	4.49

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

YTD

4620.00.80.40.220.51.85.54.45

Sutter											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	161	0.0	2.9	5.1	0.8	20.8	1.1	5.1	4.52
027	9027, SVTM	Cur Wk	122	0.0	1.8	0.6	0.1	21.3	2.8	5.3	4.42
		YTD	146	0.0	1.8	0.5	0.1	21.2	2.5	5.2	4.41
068	8268, HM	Cur Wk	11	0.0	1.0	0.7	0.1	19.7	3.1	5.6	4.38
		YTD	15	0.0	1.0	0.7	0.2	19.6	3.0	5.6	4.38
320	9032, SVTM	Cur Wk	48	0.0	0.5	6.9	0.8	22.2	1.6	5.1	4.25
		YTD	133	0.0	0.4	7.8	0.7	22.3	1.4	5.1	4.23
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
925	9025, SVTM	Cur Wk	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
Cur Wk:			182	0.0	1.4	2.2	0.3	21.5	2.5	5.3	4.38
YTD			477	0.0	1.8	4.3	0.5	21.3	1.7	5.2	4.40

Tulare											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	62	0.0	0.8	1.4	0.0	20.5	0.5	5.4	4.40
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	145	0.0	0.6	1.6	0.1	20.7	2.1	5.1	4.49
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	2	0.0	1.7	3.2	0.8	20.0	0.7	5.3	4.44
		YTD	412	0.0	0.5	2.6	1.3	19.8	0.7	5.4	4.35
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	0.4	14.4	2.9	24.8	0.3	4.7	4.31
776	1776, HZ	Cur Wk	318	0.0	1.4	7.7	1.1	20.9	0.5	4.5	4.42
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
841	58841, HM	Cur Wk	221	0.0	2.0	5.9	0.7	21.0	0.7	4.9	4.49

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Tulare, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	247	0.0	2.0	6.2	0.8	21.0	0.7	4.9	4.49
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
996	1996, HZ	Cur Wk	34	0.0	0.8	2.2	0.2	21.1	0.7	4.6	4.42
		YTD	34	0.0	0.8	2.2	0.2	21.1	0.7	4.6	4.42
Cur Wk:			959	0.0	1.4	5.1	0.8	20.8	0.8	4.7	4.45
YTD			4,346	0.0	1.0	4.4	1.1	20.2	0.7	4.9	4.43

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	35	0.0	1.5	0.8	0.8	21.0	1.3	5.1	4.40
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
037	8237, HM	Cur Wk	276	0.0	0.4	3.3	0.3	23.1	0.9	5.0	4.29
		YTD	401	0.0	0.4	4.0	0.3	23.3	1.0	5.0	4.29
052	5235, HM	Cur Wk	122	0.0	1.1	1.2	0.3	20.2	3.6	5.2	4.45
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
068	8268, HM	Cur Wk	104	0.0	0.8	1.0	0.0	20.5	0.6	5.0	4.44
		YTD	796	0.0	0.4	0.6	0.1	20.2	0.7	5.2	4.38
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
161	116 ,BP	Cur Wk	91	0.0	0.5	0.1	0.2	21.2	2.6	5.1	4.47
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
173	0371, HM	Cur Wk	204	0.0	0.5	0.7	0.3	20.5	1.1	5.1	4.33
		YTD	372	0.0	0.5	0.5	0.3	20.4	1.1	5.2	4.33
196	0691, LS	Cur Wk	6	0.0	0.4	8.1	1.7	20.2	0.9	5.0	4.43
		YTD	167	0.0	0.3	5.2	0.7	20.6	1.2	4.7	4.46
210	110, BP	Cur Wk	69	0.0	0.4	0.7	0.1	20.4	2.0	5.4	4.26
		YTD	113	0.0	0.4	0.7	0.1	20.4	1.8	5.3	4.25
219	109, BP	Cur Wk	144	0.0	0.5	0.9	0.2	20.8	1.6	5.3	4.26
		YTD	159	0.0	0.6	1.0	0.2	20.9	1.7	5.3	4.27
247	247, E	Cur Wk	67	0.0	0.6	1.1	0.2	20.7	1.2	4.8	4.27
		YTD	214	0.0	0.6	0.6	0.2	20.8	1.3	4.9	4.31
248	8422, BOS	Cur Wk	88	0.0	2.0	4.7	0.9	21.6	1.4	4.6	4.31
		YTD	88	0.0	2.0	4.7	0.9	21.6	1.4	4.6	4.31
301	7103, HM	Cur Wk	158	0.0	0.3	0.3	0.1	20.1	1.4	5.1	4.41
		YTD	396	0.0	0.3	0.6	0.1	20.8	1.9	5.1	4.38
320	9032, SVTM	Cur Wk	460	0.0	0.5	3.4	0.7	22.1	2.5	5.1	4.36
		YTD	1,294	0.0	0.7	2.2	1.0	21.6	2.2	5.1	4.37
430	9034, SVTM	Cur Wk	199	0.0	0.9	0.5	0.1	21.2	0.4	5.0	4.45
		YTD	690	0.0	0.7	0.3	0.2	21.0	0.6	5.1	4.43

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
434	6434, N	Cur Wk	194	0.0	1.3	3.5	1.5	23.3	3.5	5.0	4.49
		YTD	194	0.0	1.3	3.5	1.5	23.3	3.5	5.0	4.49
552	5522, HM	Cur Wk	125	0.0	0.9	0.2	0.2	20.3	1.8	6.0	4.40
		YTD	175	0.0	0.7	0.1	0.1	20.3	1.8	6.1	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	0.0	0.0	20.5	1.5	5.1	4.35
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
841	58841, HM	Cur Wk	1,425	0.0	0.8	1.0	0.3	21.0	0.6	5.4	4.39
		YTD	2,333	0.0	0.9	0.9	0.3	20.9	0.5	5.4	4.38
914	9014, SVTM	Cur Wk	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
		YTD	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
916	9016, SVTM	Cur Wk	297	0.0	0.5	1.2	0.3	22.6	0.5	4.8	4.33
		YTD	351	0.0	0.5	1.0	0.3	22.6	0.7	5.0	4.34
941	9041, SVTM	Cur Wk	977	0.0	0.4	2.1	0.7	22.3	1.2	4.6	4.32
		YTD	1,450	0.0	0.4	2.6	0.7	22.3	1.1	4.7	4.31
Cur Wk:			5,043	0.0	0.7	1.7	0.4	21.6	1.3	5.1	4.37
YTD			10,492	0.0	0.7	1.4	0.4	21.3	1.2	5.1	4.36
TOTAL STATEWIDE		Cur Wk	28,775	0.0	0.7	2.1	0.5	20.8	1.1	5.2	4.40
		YTD	117,850	0.0	0.5	1.6	0.5	20.4	0.9	5.2	4.39

Average Defects by Variety Report (RP20)

1203
08/12/2026 9:48 AMAVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
124	0221, HMC	Cur Wk	3	0.0	2.1	1.0	0.5	20.8	2.5	5.0	4.42
		YTD	103	0.0	1.6	1.6	1.1	21.2	2.6	5.0	4.37
173	0371, HM	Cur Wk	870	0.0	0.8	1.8	0.5	20.8	1.7	5.5	4.40
		YTD	8775	0.0	0.4	1.1	0.5	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	541	0.0	0.5	1.9	0.3	20.0	1.0	5.5	4.47
		YTD	656	0.0	0.5	1.7	0.3	19.9	1.0	5.5	4.47
196	0691, LS	Cur Wk	6	0.0	0.4	8.1	1.7	20.2	0.9	5.0	4.43
		YTD	428	0.0	0.4	3.6	0.8	20.4	1.7	4.8	4.46
1	1	Cur Wk	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	285	0.0	1.1	1.2	0.6	20.7	1.6	5.0	4.46
		YTD	346	0.0	1.1	1.3	0.6	20.8	1.7	5.0	4.45
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	753	0.0	1.2	2.0	1.2	20.3	1.0	4.9	4.46
820	1082, SVTM	Cur Wk	96	0.0	0.8	1.9	0.6	22.8	3.4	5.6	4.39
		YTD	275	0.0	0.5	3.4	0.4	21.4	1.4	5.5	4.35
219	109, BP	Cur Wk	465	0.0	0.5	1.2	0.4	20.9	1.4	5.6	4.33
		YTD	828	0.0	0.8	1.3	0.3	20.8	1.2	5.4	4.33
210	110, BP	Cur Wk	240	0.0	0.4	1.0	0.3	20.1	1.3	5.5	4.33
		YTD	384	0.0	0.6	1.0	0.3	20.3	1.6	5.4	4.34
161	116 ,BP	Cur Wk	91	0.0	0.5	0.1	0.2	21.2	2.6	5.1	4.47
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
112	16112, UG	Cur Wk	72	0.0	0.2	1.6	0.3	19.7	0.5	5.1	4.40
		YTD	427	0.0	0.1	0.5	0.5	19.7	0.3	5.0	4.38
165	1657, HZ	Cur Wk	386	0.0	0.8	7.1	1.1	19.7	0.6	4.2	4.60
		YTD	1453	0.0	0.7	5.1	1.2	19.5	0.4	4.5	4.54
776	1776, HZ	Cur Wk	318	0.0	1.4	7.7	1.1	20.9	0.5	4.5	4.42
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.7	4.39
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
191	1991, HZ	Cur Wk	113	0.0	0.1	1.6	0.4	20.1	0.4	5.0	4.34
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	851	0.0	0.2	1.9	0.4	20.6	0.5	5.1	4.39
		YTD	2637	0.0	0.2	1.7	0.4	20.7	0.4	4.9	4.38
610	2016, HZ	Cur Wk	2804	0.0	0.6	2.0	0.5	19.6	0.4	4.6	4.36
		YTD	6621	0.0	0.3	1.9	0.5	20.0	0.4	4.7	4.34
247	247, E	Cur Wk	123	0.0	0.8	0.9	0.1	20.6	0.8	4.7	4.29
		YTD	1368	0.0	0.8	1.7	0.3	20.2	1.2	5.0	4.34

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
476	2476, HZ	Cur Wk	66	0.0	0.7	1.8	0.9	21.2	1.4	5.4	4.51
		YTD	143	0.0	0.7	1.7	1.0	21.4	1.4	5.1	4.48
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	785	0.0	0.1	1.3	0.4	19.2	0.8	5.4	4.42
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.3	4.33
452	4521, HM	Cur Wk	431	0.0	0.6	1.4	0.7	20.8	0.4	4.9	4.36
		YTD	1670	0.0	0.3	1.0	0.3	20.7	0.3	5.1	4.33
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
491	491	Cur Wk	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
052	5235, HM	Cur Wk	122	0.0	1.1	1.2	0.3	20.2	3.6	5.2	4.45
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
369	5369, HM	Cur Wk	14	0.0	0.9	0.7	0.1	20.1	0.5	5.3	4.64
		YTD	14	0.0	0.9	0.7	0.1	20.1	0.5	5.3	4.64
511	5511, HM	Cur Wk	16	0.0	0.4	1.0	0.1	20.7	1.8	5.7	4.50
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
552	5522, HM	Cur Wk	1622	0.0	0.5	1.0	0.4	20.0	0.8	5.5	4.38
		YTD	6761	0.0	0.4	1.2	0.4	19.7	0.6	5.5	4.36
560	5608, HZ	Cur Wk	6	0.0	1.6	1.3	0.2	20.6	0.9	4.6	4.50
		YTD	3549	0.0	0.5	1.6	0.2	19.9	0.5	4.8	4.37
841	58841, HM	Cur Wk	2012	0.0	0.9	1.7	0.3	21.0	0.6	5.3	4.41
		YTD	4150	0.0	0.8	1.6	0.6	20.9	0.6	5.4	4.40
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	33	0.0	0.6	0.6	0.5	20.2	3.6	6.4	4.59
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	1310	0.0	1.3	4.2	1.0	22.3	2.2	4.9	4.49
		YTD	1573	0.0	1.1	3.8	0.8	22.3	1.9	4.9	4.48
434	6434, N	Cur Wk	572	0.0	1.4	4.0	1.9	22.4	1.7	4.9	4.45
		YTD	572	0.0	1.4	4.0	1.9	22.4	1.7	4.9	4.45
074	6474, N	Cur Wk	362	0.0	0.5	5.0	0.8	21.1	0.5	5.2	4.41

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	876	0.0	0.5	5.6	1.5	20.8	0.6	5.5	4.39
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	257	0.0	0.9	1.1	0.4	20.6	0.8	4.5	4.57
		YTD	674	0.0	0.9	1.0	0.4	20.1	0.6	4.6	4.55
489	6489, N	Cur Wk	5	0.0	0.1	0.3	0.2	19.0	0.1	4.9	4.43
		YTD	1447	0.0	0.4	0.9	0.2	19.5	0.4	5.2	4.39
649	6498, N	Cur Wk	8	0.0	0.2	3.1	0.2	20.8	0.3	6.0	4.50
		YTD	8	0.0	0.2	3.1	0.2	20.8	0.3	6.0	4.50
650	6500, N	Cur Wk	25	0.0	0.9	3.1	0.3	20.2	0.8	4.6	4.40
		YTD	46	0.0	1.6	3.6	0.4	20.9	0.8	4.8	4.42
654	6504, N	Cur Wk	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
848	6848, BOS	Cur Wk	162	0.0	0.4	0.7	0.2	19.5	0.4	4.8	4.43
		YTD	770	0.0	0.5	2.5	0.6	19.5	0.5	4.9	4.42
301	7103, HM	Cur Wk	1148	0.0	0.5	2.6	0.5	20.6	1.8	5.1	4.44
		YTD	7109	0.0	0.3	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	36	0.0	0.2	2.5	1.5	20.4	2.4	4.9	4.38
		YTD	183	0.0	0.4	1.0	0.4	19.8	2.6	5.1	4.42
178	7708, BOS	Cur Wk	270	0.0	0.9	3.1	0.6	19.7	1.4	5.3	4.40
		YTD	724	0.0	0.8	3.4	0.6	19.3	1.3	5.4	4.42
018	811, BOS	Cur Wk	320	0.0	1.6	2.8	0.8	20.0	0.5	4.7	4.37
		YTD	1253	0.0	0.6	2.7	0.9	19.7	0.3	5.0	4.33
036	8163, HM	Cur Wk	1094	0.0	0.8	0.7	0.4	19.5	0.9	5.6	4.49
		YTD	3817	0.0	0.6	0.5	0.3	19.3	0.7	5.7	4.46
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
037	8237, HM	Cur Wk	1275	0.0	0.5	2.1	0.4	22.0	0.8	5.2	4.35
		YTD	3052	0.0	0.4	1.8	0.3	21.7	0.6	5.4	4.34
068	8268, HM	Cur Wk	961	0.0	0.7	1.0	0.3	19.5	1.0	5.4	4.46
		YTD	6097	0.0	0.5	0.9	0.3	19.7	1.0	5.4	4.41
248	8422, BOS	Cur Wk	88	0.0	2.0	4.7	0.9	21.6	1.4	4.7	4.31
		YTD	88	0.0	2.0	4.7	0.9	21.6	1.4	4.7	4.31
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
913	9013, SVTM	Cur Wk	387	0.0	0.4	2.7	0.5	19.5	0.8	5.0	4.37
		YTD	1001	0.0	0.4	1.7	0.3	19.6	0.9	5.2	4.37
914	9014, SVTM	Cur Wk	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
		YTD	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
916	9016, SVTM	Cur Wk	434	0.0	0.6	1.1	0.3	22.4	0.4	5.0	4.34
		YTD	488	0.0	0.5	1.0	0.3	22.3	0.6	5.1	4.35

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 6 Ending 08/08/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	Cur Wk	395	0.0	1.2	2.2	0.7	22.6	1.8	5.6	4.30
		YTD	1493	0.0	0.8	2.7	0.6	21.9	1.3	5.7	4.28
921	9021, SVTM	Cur Wk	276	0.0	1.5	2.5	0.7	21.8	1.8	5.0	4.40
		YTD	883	0.0	1.0	2.4	1.5	21.5	1.7	5.3	4.39
239	9023, SVTM	Cur Wk	800	0.0	0.3	1.7	0.2	21.2	0.5	5.1	4.38
		YTD	2276	0.0	0.4	1.4	0.4	21.8	1.1	5.2	4.39
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	836	0.0	0.3	1.1	0.3	21.9	0.9	5.4	4.28
		YTD	1708	0.0	0.3	1.1	0.3	21.5	0.8	5.5	4.26
027	9027, SVTM	Cur Wk	1517	0.0	1.0	1.5	1.0	20.5	1.5	5.6	4.43
		YTD	13262	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.37
320	9032, SVTM	Cur Wk	586	0.0	0.5	4.1	0.7	22.1	2.2	5.2	4.33
		YTD	2335	0.0	0.7	3.0	1.1	21.4	1.8	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	982	0.0	0.9	1.0	0.3	20.8	1.1	5.5	4.53
		YTD	7296	0.0	0.6	0.9	0.4	20.3	0.9	5.4	4.47
903	9036, SVTM	Cur Wk	958	0.0	0.4	0.7	0.2	21.1	1.3	5.2	4.45
		YTD	2482	0.0	0.4	1.2	0.3	21.1	1.4	5.3	4.43
730	9037, SVTM	Cur Wk	570	0.0	0.7	2.1	0.5	22.3	0.4	5.0	4.30
		YTD	964	0.0	0.6	1.9	0.4	22.2	0.4	5.0	4.31
941	9041, SVTM	Cur Wk	1399	0.0	0.4	2.3	0.6	21.8	0.9	4.8	4.34
		YTD	2985	0.0	0.4	2.2	0.4	21.4	0.7	5.1	4.33
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	42	0.0	0.5	1.7	0.2	20.5	0.7	5.5	4.34
565	MIX	Cur Wk	5	0.0	0.7	0.9	0.2	19.8	1.6	5.8	4.53
		YTD	14	0.0	0.6	1.1	0.1	19.7	1.5	5.5	4.43
000	UNCODED	Cur Wk	92	0.0	2.3	1.7	1.5	20.1	0.6	4.8	4.37
		YTD	253	0.0	1.0	2.4	0.7	20.9	0.4	5.0	4.34
TOTAL STATEWIDE		Cur Wk	28,775	0.0	0.7	2.1	0.5	20.8	1.1	5.2	4.40
		YTD	117,850	0.0	0.5	1.6	0.5	20.4	0.9	5.2	4.39