

Statewide Tonnage and History (RP70P)

Week 7 Ending 08/15/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
LAST WEEK YTD	117,850	3,078,360		3.9%	62	1,680		0%
CUR WEEK ENDING 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0%
CUR YTD	151,437	3,944,998		4.2%	75	2,041		0%
YTD WEEK ENDING 08/16/2025	162,958	4,300,278		3.7%	86	2,290		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY								
Week 7 Ending 08/15/2026								
County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Colusa	2,718	67,710	0	0	5,477	136,899	0	0
Contra Costa	1,192	32,173	0	0	5,027	136,296	0	0
Fresno	13,699	360,742	9	249	70,127	1,844,020	49	1,322
Kern	479	11,754	0	0	8,691	230,660	9	268
Kings	4,598	112,807	3	85	30,909	788,007	13	333
Madera	1,109	28,732	0	0	1,233	32,003	0	0
Merced	2,223	60,366	0	0	4,976	135,563	0	0
San Joaquin	439	11,708	0	0	866	23,334	0	0
Solano	483	12,412	0	0	1,707	44,357	0	0
Stanislaus	217	6,186	0	0	679	19,305	0	0
Sutter	1,202	30,107	0	0	1,679	41,818	0	0
Tehama	142	3,152	0	0	142	3,152	0	0
Tulare	325	8,533	0	0	4,671	118,018	0	0
Yolo	4,761	120,254	1	27	15,253	391,566	4	118
STATEWIDE TOTALS:								
LAST WEEK YTD					117,850	3,078,360	62	1,680
CURRENT WEEK	33,587	866,638	13	361	151,437	3,944,998	75	2,041

Average Load Grades by County - Board Certified Loads (RP90)

Week 7 Ending 08/15/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Colusa	0.0	1.7	3.7	1.1	21.7	2.1	5.3	4.40	0.0	1.4	3.6	1.1	21.6	2.0	5.2	4.41
Contra Costa	0.0	0.4	1.3	0.4	20.3	1.2	5.1	4.39	0.0	0.2	0.9	0.3	20.1	0.8	5.1	4.37
Fresno	0.0	0.9	1.4	0.4	21.1	1.1	5.4	4.44	0.0	0.5	1.4	0.4	20.3	0.9	5.4	4.40
Kern	0.0	0.2	1.7	0.6	21.2	0.6	4.9	4.36	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	1.5	1.9	0.8	20.3	0.8	4.8	4.41	0.0	0.6	1.6	0.4	20.2	0.7	5.0	4.37
Madera	0.0	0.7	3.3	1.0	21.2	0.5	5.1	4.43	0.0	0.7	3.2	0.9	21.1	0.5	5.1	4.42
Merced	0.0	0.5	1.8	0.7	21.6	1.5	5.3	4.48	0.0	0.5	1.6	0.7	21.4	1.7	5.5	4.46
San Joaquin	0.0	0.5	2.1	1.1	21.7	0.8	5.5	4.33	0.0	0.4	2.3	0.7	21.8	0.7	5.6	4.34
Solano	0.0	0.9	1.6	0.5	21.7	0.4	5.3	4.38	0.0	0.8	0.8	0.3	21.0	0.5	5.4	4.39
Stanislaus	0.0	1.4	0.4	0.3	22.1	1.9	5.3	4.48	0.0	1.0	0.4	0.2	21.1	1.8	5.4	4.46
Sutter	0.0	1.2	3.1	0.9	21.8	1.7	5.1	4.39	0.0	1.4	3.4	0.8	21.6	1.7	5.1	4.39
Tehama	0.0	1.4	5.2	1.4	22.9	0.9	4.7	4.31	0.0	1.4	5.2	1.4	22.9	0.9	4.7	4.31
Tulare	0.0	1.4	2.7	0.6	21.6	0.8	5.0	4.48	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	1.2	1.9	0.5	22.1	1.6	5.0	4.40	0.0	0.8	1.6	0.5	21.5	1.3	5.1	4.37
Statewide Totals:																
Current Week	0.0	1.0	1.9	0.6	21.2	1.2	5.2	4.42	0.0	0.6	1.7	0.5	20.6	0.9	5.2	4.39
Last Week YTD									0.0	0.5	1.6	0.5	20.4	0.9	5.2	4.39

Grade Distribution By County (RP110)

Week 7 Ending 08/15/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	0.00	0.00	0.00	0.02	2718	0.00	0.00	0.00	0.01	5477	0.00	0.00	0.00	0.02
Contra Costa	3,835	0.00	0.00	0.00	0.01	1192	0.00	0.00	0.00	0.03	5027	0.00	0.00	0.00	0.02
Fresno	56,468	0.00	0.00	0.00	0.03	13708	0.00	0.00	0.00	0.03	70176	0.00	0.00	0.00	0.03
Kern	8,221	0.01	0.00	0.00	0.06	479	0.00	0.00	0.00	0.02	8700	0.01	0.00	0.00	0.06
Kings	26,321	0.00	0.00	0.00	0.03	4601	0.00	0.00	0.00	0.05	30922	0.00	0.00	0.00	0.04
Madera	124	0.00	0.00	0.00	0.00	1109	0.00	0.00	0.00	0.04	1233	0.00	0.00	0.00	0.03
Merced	2,753	0.00	0.00	0.00	0.00	2223	0.00	0.00	0.00	0.01	4976	0.00	0.00	0.00	0.01
San Joaquin	427	0.00	0.00	0.00	0.00	439	0.00	0.00	0.00	0.03	866	0.00	0.00	0.00	0.02
Solano	1,224	0.00	0.00	0.00	0.02	483	0.00	0.00	0.00	0.02	1707	0.00	0.00	0.00	0.02
Stanislaus	462	0.00	0.00	0.00	0.00	217	0.00	0.00	0.00	0.00	679	0.00	0.00	0.00	0.00
Sutter	477	0.00	0.00	0.00	0.00	1202	0.00	0.00	0.00	0.00	1679	0.00	0.00	0.00	0.00
Tehama	0	0.00	0.00	0.00	0.00	142	0.00	0.00	0.00	0.04	142	0.00	0.00	0.00	0.04
Tulare	4,346	0.00	0.00	0.00	0.04	325	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	10,495	0.00	0.00	0.00	0.03	4762	0.00	0.00	0.00	0.02	15257	0.00	0.00	0.00	0.03
STATEWIDE	117,912	0.00	0.00	0.00	0.03	33600	0.00	0.00	0.00	0.03	151512	0.00	0.00	0.00	0.03

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	1.08	1.00	1.00	0.90	2718	1.65	0.50	1.00	2.56	5477	1.36	1.00	1.00	1.94
Contra Costa	3,835	0.14	0.00	0.00	0.29	1192	0.40	0.00	0.00	0.51	5027	0.20	0.00	0.00	0.37
Fresno	56,468	0.45	0.00	0.00	0.68	13708	0.87	0.00	0.50	1.08	70176	0.53	0.00	0.50	0.79
Kern	8,221	0.57	0.00	0.50	0.71	479	0.22	0.00	0.00	0.35	8700	0.55	0.00	0.50	0.70
Kings	26,321	0.48	0.00	0.00	0.87	4601	1.50	0.50	1.00	1.50	30922	0.63	0.00	0.50	1.05
Madera	124	0.37	0.00	0.50	0.39	1109	0.71	0.00	0.50	0.94	1233	0.68	0.00	0.50	0.90
Merced	2,753	0.57	0.00	0.50	0.80	2223	0.52	0.00	0.50	0.71	4976	0.55	0.00	0.50	0.76
San Joaquin	427	0.36	0.00	0.00	0.55	439	0.46	0.00	0.50	0.54	866	0.41	0.00	0.00	0.54
Solano	1,224	0.76	0.00	0.50	0.79	483	0.88	0.00	0.50	1.08	1707	0.79	0.00	0.50	0.88
Stanislaus	462	0.75	0.00	0.00	1.15	217	1.39	0.50	1.00	1.62	679	0.96	0.00	0.50	1.35
Sutter	477	1.77	1.00	1.50	1.41	1202	1.21	0.50	1.00	0.92	1679	1.37	1.00	1.00	1.11
Tehama	0	0.00	0.00	0.00	0.00	142	1.43	1.00	1.50	0.88	142	1.43	1.00	1.50	0.88
Tulare	4,346	0.99	0.00	0.50	1.06	325	1.45	1.00	1.00	1.18	4671	1.03	0.00	1.00	1.08
Yolo	10,495	0.67	0.00	0.50	0.86	4762	1.17	0.50	1.00	1.23	15257	0.82	0.00	0.50	1.02
STATEWIDE	117,912	0.52	0.00	0.50	0.79	33600	1.02	0.00	0.50	1.35	151512	0.63	0.00	0.50	0.96

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	3.49	1.00	2.50	3.14	2718	3.65	2.00	3.00	2.20	5477	3.57	2.00	3.00	2.72

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 7 Ending 08/15/2026

Last Week YTD						Current Week					Year To Date				
Grade: Green, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	3,835	0.75	0.50	0.50	0.80	1192	1.27	0.50	1.00	1.17	5027	0.87	0.50	0.50	0.93
Fresno	56,468	1.45	0.50	1.00	1.52	13708	1.38	0.50	1.00	1.36	70176	1.43	0.50	1.00	1.49
Kern	8,221	1.49	0.50	1.00	1.70	479	1.73	1.50	1.50	1.12	8700	1.50	0.50	1.00	1.68
Kings	26,321	1.55	0.50	1.00	1.54	4601	1.92	1.00	1.50	1.96	30922	1.60	1.00	1.00	1.62
Madera	124	2.26	1.00	1.75	1.47	1109	3.25	1.00	3.00	1.90	1233	3.15	1.00	3.00	1.88
Merced	2,753	1.50	1.00	1.00	1.56	2223	1.77	1.00	1.50	1.46	4976	1.62	1.00	1.00	1.53
San Joaquin	427	2.42	1.50	2.00	1.43	439	2.14	1.50	2.00	0.98	866	2.28	1.50	2.00	1.23
Solano	1,224	0.55	0.00	0.00	0.90	483	1.58	0.50	1.00	2.20	1707	0.84	0.00	0.50	1.47
Stanislaus	462	0.41	0.50	0.50	0.44	217	0.45	0.00	0.50	0.45	679	0.42	0.00	0.50	0.44
Sutter	477	4.26	0.50	4.50	3.34	1202	3.11	1.00	2.50	2.72	1679	3.44	1.00	3.00	2.95
Tehama	0	0.00	0.00	0.00	0.00	142	5.18	4.00	4.50	2.79	142	5.18	4.00	4.50	2.79
Tulare	4,346	4.38	2.00	4.00	2.92	325	2.71	2.00	2.50	1.37	4671	4.27	2.00	3.50	2.88
Yolo	10,495	1.44	0.00	1.00	1.86	4762	1.93	0.50	1.00	2.14	15257	1.59	0.00	1.00	1.96
STATEWIDE	117,912	1.61	0.50	1.00	1.82	33600	1.90	1.00	1.50	1.90	151512	1.68	0.50	1.00	1.84

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	1.84	1.00	1.50	1.78	2718	2.09	0.00	1.50	2.50	5477	1.97	1.00	1.50	2.17
Contra Costa	3,835	0.73	0.00	0.50	0.93	1192	1.23	0.00	1.00	1.46	5027	0.85	0.00	0.50	1.10
Fresno	56,468	0.80	0.00	0.50	1.09	13708	1.10	0.00	0.50	1.36	70176	0.86	0.00	0.50	1.15
Kern	8,221	0.93	0.00	0.50	0.97	479	0.59	0.00	0.50	0.68	8700	0.92	0.00	0.50	0.96
Kings	26,321	0.66	0.00	0.50	1.00	4601	0.78	0.00	0.50	1.07	30922	0.68	0.00	0.50	1.01
Madera	124	0.42	0.00	0.50	0.49	1109	0.50	0.00	0.50	0.61	1233	0.49	0.00	0.50	0.60
Merced	2,753	1.93	0.00	1.00	2.22	2223	1.48	0.00	1.00	1.62	4976	1.73	0.00	1.00	1.98
San Joaquin	427	0.58	0.00	0.50	0.77	439	0.79	0.00	0.50	0.87	866	0.69	0.00	0.50	0.83
Solano	1,224	0.52	0.00	0.50	0.84	483	0.45	0.00	0.50	0.58	1707	0.50	0.00	0.50	0.78
Stanislaus	462	1.81	1.00	1.00	1.86	217	1.86	0.00	1.50	1.72	679	1.83	1.00	1.50	1.81
Sutter	477	1.68	1.00	1.00	1.53	1202	1.69	0.00	1.00	2.06	1679	1.68	0.50	1.00	1.93
Tehama	0	0.00	0.00	0.00	0.00	142	0.92	0.50	0.50	1.04	142	0.92	0.50	0.50	1.04
Tulare	4,346	0.69	0.00	0.50	0.94	325	0.85	0.50	0.50	0.77	4671	0.70	0.00	0.50	0.93
Yolo	10,495	1.20	0.00	0.50	1.63	4762	1.58	0.00	0.50	2.46	15257	1.31	0.00	0.50	1.94
STATEWIDE	117,912	0.86	0.00	0.50	1.21	33600	1.22	0.00	0.50	1.70	151512	0.94	0.00	0.50	1.34

Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	1.13	0.50	1.00	1.15	2718	1.13	0.50	1.00	1.16	5477	1.13	0.50	1.00	1.16
Contra Costa	3,835	0.29	0.00	0.00	0.65	1192	0.45	0.00	0.00	0.77	5027	0.33	0.00	0.00	0.68
Fresno	56,468	0.45	0.00	0.00	0.82	13708	0.42	0.00	0.00	0.72	70176	0.45	0.00	0.00	0.80
Kern	8,221	0.63	0.00	0.50	1.15	479	0.59	0.00	0.50	1.05	8700	0.63	0.00	0.50	1.15

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 7 Ending 08/15/2026

	Last Week YTD					Current Week					Year To Date				
Grade: MOT, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Kings	26,321	0.38	0.00	0.00	0.59	4601	0.80	0.50	0.50	0.96	30922	0.44	0.00	0.50	0.67
Madera	124	0.53	0.50	0.50	0.52	1109	0.98	0.00	0.50	1.48	1233	0.94	0.00	0.50	1.42
Merced	2,753	0.65	0.00	0.50	0.85	2223	0.74	0.50	0.50	0.91	4976	0.69	0.00	0.50	0.88
San Joaquin	427	0.44	0.00	0.50	0.49	439	1.05	0.50	0.50	1.68	866	0.75	0.50	0.50	1.28
Solano	1,224	0.23	0.00	0.00	0.53	483	0.53	0.00	0.00	1.07	1707	0.32	0.00	0.00	0.73
Stanislaus	462	0.22	0.00	0.00	0.33	217	0.30	0.00	0.00	0.49	679	0.25	0.00	0.00	0.39
Sutter	477	0.53	0.00	0.50	0.59	1202	0.86	0.00	0.50	1.00	1679	0.76	0.00	0.50	0.91
Tehama	0	0.00	0.00	0.00	0.00	142	1.36	0.50	1.00	1.73	142	1.36	0.50	1.00	1.73
Tulare	4,346	1.06	0.50	1.00	1.13	325	0.63	0.00	0.50	0.89	4671	1.03	0.50	1.00	1.12
Yolo	10,495	0.44	0.00	0.00	0.80	4762	0.52	0.00	0.00	1.06	15257	0.46	0.00	0.00	0.89
STATEWIDE	117,912	0.48	0.00	0.00	0.83	33600	0.62	0.00	0.50	0.97	151512	0.51	0.00	0.50	0.87

Grade: Hue															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	21.43	20.50	21.00	1.30	2718	21.70	21.50	21.50	1.03	5477	21.56	21.50	21.50	1.18
Contra Costa	3,835	20.10	20.00	20.00	0.92	1192	20.26	20.00	20.00	1.27	5027	20.14	20.00	20.00	1.01
Fresno	56,468	20.17	19.50	20.00	1.21	13708	21.06	20.00	21.00	1.36	70176	20.35	19.50	20.00	1.29
Kern	8,221	20.48	20.50	20.50	1.07	479	21.15	21.00	21.00	0.92	8700	20.51	20.50	20.50	1.08
Kings	26,321	20.23	19.50	20.00	1.10	4601	20.32	20.00	20.00	1.11	30922	20.24	20.00	20.00	1.10
Madera	124	20.16	20.00	20.00	0.51	1109	21.16	20.50	21.00	1.21	1233	21.06	20.50	21.00	1.20
Merced	2,753	21.19	21.50	21.00	1.18	2223	21.61	21.50	21.50	1.15	4976	21.38	21.50	21.50	1.19
San Joaquin	427	21.95	21.00	22.00	1.70	439	21.75	22.50	22.00	1.49	866	21.85	22.50	22.00	1.60
Solano	1,224	20.77	20.50	20.50	0.94	483	21.70	20.50	21.50	2.01	1707	21.04	20.50	20.50	1.40
Stanislaus	462	20.53	20.00	20.50	0.85	217	22.15	21.50	22.00	1.11	679	21.05	20.00	21.00	1.21
Sutter	477	21.33	20.50	21.50	0.99	1202	21.77	21.50	21.50	1.19	1679	21.65	21.50	21.50	1.16
Tehama	0	0.00	0.00	0.00	0.00	142	22.89	22.50	22.50	1.00	142	22.89	22.50	22.50	1.00
Tulare	4,346	20.24	19.50	20.00	0.95	325	21.62	22.00	21.50	0.99	4671	20.33	20.50	20.00	1.02
Yolo	10,495	21.28	21.00	21.00	1.27	4762	22.14	22.00	22.00	1.53	15257	21.55	21.00	21.50	1.41
STATEWIDE	117,912	20.38	20.00	20.00	1.23	33600	21.24	20.50	21.00	1.43	151512	20.57	20.00	20.50	1.33

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	5.07	4.90	5.00	0.37	2718	5.27	5.10	5.20	0.44	5477	5.17	4.90	5.10	0.42
Contra Costa	3,835	5.14	5.10	5.10	0.32	1192	5.14	5.00	5.10	0.27	5027	5.14	5.10	5.10	0.31
Fresno	56,468	5.42	5.30	5.40	0.44	13708	5.36	5.30	5.30	0.46	70176	5.41	5.30	5.40	0.44
Kern	8,221	5.06	4.60	5.00	0.56	479	4.89	4.90	4.90	0.27	8700	5.05	4.60	5.00	0.55
Kings	26,321	4.98	4.90	4.90	0.48	4601	4.83	4.60	4.80	0.39	30922	4.96	4.90	4.90	0.47
Madera	124	5.39	5.30	5.35	0.35	1109	5.09	4.80	5.00	0.35	1233	5.12	4.80	5.10	0.36
Merced	2,753	5.67	5.30	5.60	0.57	2223	5.29	5.00	5.20	0.47	4976	5.50	5.30	5.40	0.56

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 7 Ending 08/15/2026

Last Week YTD						Current Week					Year To Date				
Grade: Solids, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
San Joaquin	427	5.76	5.80	5.80	0.32	439	5.46	5.20	5.40	0.39	866	5.61	5.70	5.60	0.39
Solano	1,224	5.42	5.40	5.40	0.44	483	5.31	5.00	5.10	0.50	1707	5.39	5.00	5.40	0.46
Stanislaus	462	5.47	5.60	5.50	0.25	217	5.25	5.20	5.20	0.38	679	5.40	5.60	5.40	0.31
Sutter	477	5.18	5.10	5.10	0.29	1202	5.07	4.80	4.90	0.48	1679	5.10	4.80	5.00	0.44
Tehama	0	0.00	0.00	0.00	0.00	142	4.67	4.60	4.70	0.19	142	4.67	4.60	4.70	0.19
Tulare	4,346	4.86	4.50	4.80	0.43	325	5.05	4.90	5.00	0.34	4671	4.87	4.50	4.80	0.42
Yolo	10,495	5.09	5.00	5.10	0.41	4762	5.02	5.00	5.00	0.39	15257	5.06	5.00	5.00	0.40
STATEWIDE	117,912	5.23	5.10	5.20	0.50	33600	5.19	5.00	5.10	0.47	151512	5.23	5.10	5.20	0.50

Grade: PH															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Colusa	2,759	4.42	4.42	4.41	0.10	2718	4.40	4.36	4.40	0.09	5477	4.41	4.43	4.40	0.09
Contra Costa	3,835	4.37	4.37	4.37	0.07	1192	4.39	4.43	4.40	0.09	5027	4.37	4.38	4.37	0.08
Fresno	56,468	4.39	4.40	4.39	0.09	13708	4.44	4.42	4.44	0.11	70176	4.40	4.40	4.40	0.09
Kern	8,221	4.39	4.36	4.38	0.09	479	4.36	4.32	4.35	0.08	8700	4.38	4.34	4.38	0.09
Kings	26,321	4.37	4.35	4.36	0.09	4601	4.41	4.40	4.41	0.08	30922	4.37	4.35	4.36	0.09
Madera	124	4.35	4.30	4.34	0.07	1109	4.43	4.45	4.43	0.09	1233	4.42	4.40	4.42	0.09
Merced	2,753	4.44	4.40	4.43	0.10	2223	4.48	4.38	4.48	0.11	4976	4.46	4.38	4.45	0.11
San Joaquin	427	4.35	4.29	4.35	0.08	439	4.33	4.20	4.34	0.10	866	4.34	4.37	4.35	0.10
Solano	1,224	4.39	4.37	4.39	0.08	483	4.38	4.41	4.39	0.08	1707	4.39	4.42	4.39	0.08
Stanislaus	462	4.45	4.44	4.45	0.09	217	4.48	4.48	4.49	0.10	679	4.46	4.44	4.46	0.10
Sutter	477	4.40	4.22	4.41	0.13	1202	4.39	4.38	4.38	0.07	1679	4.39	4.38	4.39	0.09
Tehama	0	0.00	0.00	0.00	0.00	142	4.31	4.29	4.31	0.04	142	4.31	4.29	4.31	0.04
Tulare	4,346	4.43	4.39	4.43	0.08	325	4.48	4.48	4.48	0.08	4671	4.43	4.39	4.43	0.09
Yolo	10,495	4.36	4.35	4.36	0.08	4762	4.40	4.36	4.39	0.11	15257	4.37	4.36	4.37	0.09
STATEWIDE	117,912	4.39	4.35	4.38	0.09	33600	4.42	4.40	4.42	0.10	151512	4.39	4.38	4.39	0.09

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 7 Ending 08/15/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.7	151,045	0.0	44.8	67,803	0.0	16.2	24,499	0.0	35.8	54,251	0.0	49.0	74,197
0.5	100.0	151,479	0.5	70.3	106,519	0.5	36.4	55,145	0.5	60.1	91,024	0.5	78.4	118,846
1.0	100.0	151,505	1.0	84.7	128,341	1.0	54.1	81,937	1.0	76.1	115,305	1.0	89.6	135,783
1.5	100.0	151,509	1.5	91.3	138,275	1.5	66.3	100,435	1.5	84.5	127,974	1.5	94.1	142,499
2.0	100.0	151,512	2.0	94.7	143,520	2.0	75.2	113,988	2.0	89.5	135,627	2.0	96.3	145,860
			2.5	96.7	146,562	2.5	81.6	123,637	2.5	92.7	140,390	2.5	97.5	147,791
			3.0	97.8	148,226	3.0	86.1	130,488	3.0	94.7	143,545	3.0	98.3	148,984
			3.5	98.5	149,313	3.5	89.4	135,522	3.5	96.1	145,647	3.5	98.9	149,776
			4.0	99.0	149,997	4.0	91.9	139,168	4.0	97.1	147,088	4.0	99.2	150,265
			4.5	99.3	150,439	4.5	93.7	141,943	4.5	97.8	148,205	4.5	99.4	150,607
			5.0	99.5	150,736	5.0	95.0	143,947	5.0	98.3	148,931	5.0	99.6	150,841
			5.5	99.6	150,965	5.5	96.0	145,489	5.5	98.7	149,518	5.5	99.7	151,006
			6.0	99.7	151,096	6.0	96.8	146,665	6.0	99.0	149,956	6.0	99.8	151,137
			6.5	99.8	151,189	6.5	97.5	147,651	6.5	99.2	150,272	6.5	99.8	151,215
			7.0	99.8	151,268	7.0	98.0	148,442	7.0	99.3	150,509	7.0	99.8	151,274
			7.5	99.9	151,321	7.5	98.4	149,060	7.5	99.5	150,695	7.5	99.9	151,320
			8.0	99.9	151,361	8.0	98.7	149,588	8.0	99.6	150,858	8.0	99.9	151,354
			8.5	99.9	151,389	8.5	99.0	150,028	8.5	99.6	150,980	8.5	99.9	151,375
			9.0	99.9	151,414	9.0	99.2	150,349	9.0	99.7	151,068	9.0	99.9	151,402
			9.5	99.9	151,429	9.5	99.4	150,600	9.5	99.8	151,152	9.5	99.9	151,423
			10.0	100.0	151,446	10.0	99.5	150,790	10.0	99.8	151,223	10.0	100.0	151,441
			10.5	100.0	151,455	10.5	99.6	150,964	10.5	99.8	151,278	10.5	100.0	151,449
			11.0	100.0	151,460	11.0	99.7	151,060	11.0	99.9	151,321	11.0	100.0	151,455
			11.5	100.0	151,466	11.5	99.8	151,156	11.5	99.9	151,349	11.5	100.0	151,459
			12.0	100.0	151,474	12.0	99.8	151,246	12.0	99.9	151,378	12.0	100.0	151,467
			12.5	100.0	151,479	12.5	99.9	151,305	12.5	99.9	151,404	12.5	100.0	151,473
			13.0	100.0	151,481	13.0	99.9	151,355	13.0	99.9	151,421	13.0	100.0	151,477
			13.5	100.0	151,490	13.5	99.9	151,381	13.5	100.0	151,437	13.5	100.0	151,480
			14.0	100.0	151,492	14.0	99.9	151,401	14.0	100.0	151,459	14.0	100.0	151,480
			14.5	100.0	151,494	14.5	99.9	151,419	14.5	100.0	151,467	14.5	100.0	151,484
			15.0	100.0	151,495	15.0	100.0	151,439	15.0	100.0	151,472	15.0	100.0	151,486
			15.5	100.0	151,495	15.5	100.0	151,446	15.5	100.0	151,480	15.5	100.0	151,487
			16.0	100.0	151,496	16.0	100.0	151,457	16.0	100.0	151,484	16.0	100.0	151,490
			16.5	100.0	151,497	16.5	100.0	151,466	16.5	100.0	151,486	16.5	100.0	151,491
			17.0	100.0	151,497	17.0	100.0	151,475	17.0	100.0	151,488	17.0	100.0	151,492
			17.5	100.0	151,498	17.5	100.0	151,478	17.5	100.0	151,494	17.5	100.0	151,497
			18.0	100.0	151,499	18.0	100.0	151,484	18.0	100.0	151,495	18.0	100.0	151,502
			18.5	100.0	151,499	18.5	100.0	151,490	18.5	100.0	151,497	18.5	100.0	151,506
			19.0	100.0	151,499	19.0	100.0	151,493	19.0	100.0	151,502	19.0	100.0	151,510
			19.5	100.0	151,499	19.5	100.0	151,495	19.5	100.0	151,503	19.5	100.0	151,510
			20.0	100.0	151,500	20.0	100.0	151,496	20.0	100.0	151,505	20.0	100.0	151,512
			20.5	100.0	151,502	20.5	100.0	151,497	20.5	100.0	151,505			
			21.0	100.0	151,502	21.0	100.0	151,500	21.0	100.0	151,505			
			21.5	100.0	151,502	21.5	100.0	151,502	21.5	100.0	151,506			

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 7 Ending 08/15/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week GREEN Percent Less than or Equal To:				#Loads	Year To Date GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Colusa	2,718	9	30	50	67	5,477	19	37	54	68
Contra Costa	1,192	62	82	92	97	5,027	77	91	96	99
Fresno	13,708	58	81	91	96	70,176	57	79	90	95
Kern	479	35	74	90	97	8,700	59	80	89	93
Kings	4,601	45	74	87	91	30,922	52	77	89	94
Madera	1,109	16	34	53	72	1,233	18	36	56	73
Merced	2,223	43	74	88	94	4,976	50	76	89	94
San Joaquin	439	16	60	87	97	866	18	56	81	94
Solano	483	65	79	86	91	1,707	80	89	94	97
Stanislaus	217	95	100	100	100	679	95	99	100	100
Sutter	1,202	26	46	59	72	1,679	27	42	52	65
Tehama	142	0	4	14	40	142	0	4	14	40
Tulare	325	10	43	71	85	4,671	8	25	42	57
Yolo	4,762	52	69	79	86	15,257	60	75	84	89
STATEWIDE TOTALS										
CURRENT WEEK	33,600	47.2	70.3	82.8	89.8	151,512	54	75	86	92
LAST WEEK YTD						117,912	56	77	87	92

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week LU Percent Less than or Equal To:				#Loads	Year To Date LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Colusa	2,718	90	97	98	99	5,477	92	97	99	99
Contra Costa	1,192	97	99	100	100	5,027	99	99	100	100
Fresno	13,708	98	99	99	99	70,176	98	99	99	99
Kern	479	100	100	100	100	8,700	99	99	100	100
Kings	4,601	99	99	99	99	30,922	99	99	99	99
Madera	1,109	100	100	100	100	1,233	100	100	100	100
Merced	2,223	96	99	99	100	4,976	93	98	99	99
San Joaquin	439	99	100	100	100	866	99	100	100	100
Solano	483	100	100	100	100	1,707	99	99	100	100
Stanislaus	217	94	99	100	100	679	95	98	99	99
Sutter	1,202	93	98	99	99	1,679	94	98	99	99
Tehama	142	99	100	100	100	142	99	100	100	100
Tulare	325	100	100	100	100	4,671	99	100	100	100
Yolo	4,762	93	97	98	99	15,257	95	98	99	99
STATEWIDE TOTALS										
CURRENT WEEK	33,600	96.8	99.1	99.7	99.9	151,512	98	100	100	100
LAST WEEK YTD						117,912	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 7 Ending 08/15/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	Current Week							Year To Date						
	#Loads	MOLD Percent Less than or Equal To:						#Loads	MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Colusa	2,718	89	94	96	97	97	98	5,477	93	96	98	98	98	99
Contra Costa	1,192	99	100	100	100	100	100	5,027	99	100	100	100	100	100
Fresno	13,708	96	98	99	99	99	99	70,176	98	99	99	99	99	99
Kern	479	100	100	100	100	100	100	8,700	99	99	99	99	100	100
Kings	4,601	87	94	97	98	99	99	30,922	96	98	99	99	99	99
Madera	1,109	97	98	99	99	99	100	1,233	97	98	99	99	99	100
Merced	2,223	99	99	100	100	100	100	4,976	98	99	99	99	99	99
San Joaquin	439	99	100	100	100	100	100	866	99	100	100	100	100	100
Solano	483	96	97	98	99	100	100	1,707	98	99	99	99	100	100
Stanislaus	217	87	91	94	98	99	100	679	92	95	97	99	99	100
Sutter	1,202	97	99	99	99	100	100	1,679	93	97	99	99	100	100
Tehama	142	96	100	100	100	100	100	142	96	100	100	100	100	100
Tulare	325	91	96	99	100	100	100	4,671	95	98	99	99	99	99
Yolo	4,762	93	97	98	99	99	99	15,257	96	98	99	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	33,600	94.7	97.5	98.7	99.3	99.6	99.7	151,512	98	99	99	100	100	100
LAST WEEK YTD								117,912	99	99	100	100	100	100

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Colusa	2,718	47	66	87	94	5,477	46	67	87	94
Contra Costa	1,192	79	89	96	98	5,027	86	93	97	99
Fresno	13,708	82	92	97	98	70,176	82	92	97	98
Kern	479	78	87	95	97	8,700	75	88	95	97
Kings	4,601	64	79	92	96	30,922	81	92	97	99
Madera	1,109	64	76	87	92	1,233	65	77	88	93
Merced	2,223	66	82	94	97	4,976	67	83	94	98
San Joaquin	439	66	79	87	91	866	73	87	93	95
Solano	483	78	85	91	96	1,707	87	93	96	98
Stanislaus	217	90	97	98	99	679	92	98	99	99
Sutter	1,202	58	74	91	96	1,679	62	78	93	97
Tehama	142	43	64	84	90	142	43	64	84	90
Tulare	325	68	86	96	98	4,671	47	70	89	96
Yolo	4,762	79	88	94	97	15,257	80	90	96	98
STATEWIDE TOTALS										
CURRENT WEEK	33,600	73.8	85.5	94.4	97.5	151,512	78	90	96	98
LAST WEEK YTD						117,912	80	91	97	99

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	592	0.0	0.8	1.2	1.3	20.2	1.0	4.9	4.44
027	9027, SVTM	Cur Wk	186	0.0	0.4	4.0	0.8	20.6	0.5	5.4	4.31
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	376	0.0	2.1	3.9	1.1	22.4	4.3	4.8	4.48
		YTD	1,297	0.0	1.6	4.6	1.2	22.6	3.2	4.9	4.49
037	8237, HM	Cur Wk	347	0.0	0.4	5.7	0.7	21.8	0.6	5.3	4.33
		YTD	463	0.0	0.3	6.0	0.8	21.8	0.6	5.3	4.32
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	131	0.0	0.5	4.8	1.5	20.9	1.9	4.7	4.45
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
434	6434, N	Cur Wk	326	0.0	1.1	3.7	1.6	22.4	2.7	5.3	4.41
		YTD	326	0.0	1.1	3.7	1.6	22.4	2.7	5.3	4.41
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
610	2016, HZ	Cur Wk	99	0.0	0.8	3.6	1.4	21.9	5.7	4.8	4.44
		YTD	99	0.0	0.8	3.6	1.4	21.9	5.7	4.8	4.44
649	6498, N	Cur Wk	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
913	9013, SVTM	Cur Wk	377	0.0	1.5	2.3	1.5	20.8	2.8	5.6	4.40
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
916	9016, SVTM	Cur Wk	795	0.0	2.8	3.6	1.0	21.7	1.0	5.4	4.39
		YTD	795	0.0	2.8	3.6	1.0	21.7	1.0	5.4	4.39
921	9021, SVTM	Cur Wk	138	0.0	2.0	2.0	0.9	22.0	2.4	4.9	4.43
		YTD	138	0.0	2.0	2.0	0.9	22.0	2.4	4.9	4.43
941	9041, SVTM	Cur Wk	15	0.0	0.6	3.4	1.1	21.3	0.5	5.1	4.34
		YTD	15	0.0	0.6	3.4	1.1	21.3	0.5	5.1	4.34
Cur Wk:			2,718	0.0	1.7	3.7	1.1	21.7	2.1	5.3	4.40
YTD			5,477	0.0	1.4	3.6	1.1	21.6	2.0	5.2	4.41

Contra Costa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Contra Costa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
064	0645, LS	Cur Wk	100	0.0	0.3	2.4	1.2	20.2	0.8	4.8	4.44
		YTD	185	0.0	0.2	1.8	0.7	20.1	0.6	4.9	4.42
068	8268, HM	Cur Wk	86	0.0	0.1	0.8	0.1	19.1	1.5	5.3	4.46
		YTD	1,137	0.0	0.1	0.7	0.2	19.8	0.8	5.3	4.40
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	14	0.0	0.3	1.3	0.1	20.0	0.6	5.2	4.25
		YTD	73	0.0	0.3	1.7	0.7	20.0	1.3	5.3	4.29
219	109, BP	Cur Wk	5	0.0	0.3	2.6	2.3	21.2	2.2	5.2	4.45
		YTD	8	0.0	0.2	2.2	3.6	21.7	1.7	5.2	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	203	0.0	0.1	0.2	0.2	20.5	0.8	5.1	4.39
511	5511, HM	Cur Wk	134	0.0	0.3	1.1	0.3	20.2	3.2	5.2	4.43
		YTD	134	0.0	0.3	1.1	0.3	20.2	3.2	5.2	4.43
552	5522, HM	Cur Wk	217	0.0	0.2	0.5	0.2	19.4	0.4	5.2	4.35
		YTD	640	0.0	0.1	0.7	0.5	19.6	0.4	5.2	4.34
740	74, BP	Cur Wk	251	0.0	0.6	1.5	0.7	20.1	1.2	5.2	4.44
		YTD	434	0.0	0.5	1.3	0.6	20.0	1.8	5.2	4.43
841	58841, HM	Cur Wk	93	0.0	0.4	3.2	0.7	20.6	0.4	5.0	4.41
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	107	0.0	0.7	0.8	0.1	19.4	1.2	5.1	4.42
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	185	0.0	0.5	0.8	0.4	22.4	1.2	5.1	4.26
		YTD	207	0.0	0.5	0.9	0.4	22.4	1.2	5.1	4.26
Cur Wk:			1,192	0.0	0.4	1.3	0.4	20.3	1.2	5.1	4.39
YTD			5,027	0.0	0.2	0.9	0.3	20.1	0.8	5.1	4.37

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	255	0.0	0.6	1.3	0.2	20.7	0.8	5.5	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	7,934	0.0	0.4	1.3	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	949	0.0	1.1	1.0	0.9	20.1	1.6	5.8	4.49
		YTD	3,929	0.0	0.7	0.7	0.4	19.5	0.9	5.7	4.46
037	8237, HM	Cur Wk	1,598	0.0	0.5	1.3	0.2	21.3	0.4	5.4	4.38
		YTD	3,427	0.0	0.4	1.3	0.2	21.2	0.4	5.5	4.37
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	345	0.0	0.8	0.5	0.5	20.2	1.6	5.6	4.62
		YTD	916	0.0	0.7	1.3	0.3	20.0	1.3	5.5	4.54
068	8268, HM	Cur Wk	618	0.0	1.1	1.7	0.5	19.9	1.6	5.5	4.51
		YTD	3,574	0.0	0.7	1.3	0.4	19.6	1.1	5.5	4.44
074	6474, N	Cur Wk	268	0.0	1.1	4.5	1.2	22.4	1.0	5.5	4.50
		YTD	1,021	0.0	0.6	5.3	1.5	21.2	0.7	5.5	4.42
1	1	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	122	0.0	1.0	0.9	0.4	20.5	1.2	4.9	4.53
		YTD	468	0.0	1.1	1.2	0.5	20.7	1.5	5.0	4.47
112	16112, UG	Cur Wk	79	0.0	1.6	1.7	0.6	21.0	0.9	4.7	4.47
		YTD	506	0.0	0.4	0.7	0.5	19.9	0.4	5.0	4.39
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
130	130, BP	Cur Wk	3	0.0	1.7	1.0	0.0	20.5	0.7	6.3	4.55
		YTD	3	0.0	1.7	1.0	0.0	20.5	0.7	6.3	4.55
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	0.9	1.2	0.7	19.8	0.5	4.8	4.57
173	0371, HM	Cur Wk	461	0.0	0.4	0.9	0.3	20.6	1.0	5.3	4.44
		YTD	5,508	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	33	0.0	2.3	2.0	0.4	19.6	1.5	5.5	4.48
		YTD	362	0.0	1.0	3.7	0.7	19.4	1.6	5.5	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	145	0.0	0.8	0.5	0.2	20.0	0.8	5.8	4.41
		YTD	257	0.0	0.6	0.6	0.2	19.9	0.8	5.8	4.41

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	127	0.0	0.4	0.9	0.1	20.9	0.8	6.1	4.35
		YTD	258	0.0	0.7	1.1	0.1	20.8	0.8	5.7	4.36
239	9023, SVTM	Cur Wk	335	0.0	0.9	0.3	0.2	22.1	2.3	5.0	4.45
		YTD	2,575	0.0	0.4	1.3	0.4	21.8	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
256	2516, HZ	Cur Wk	3	0.0	0.5	0.8	0.0	20.5	0.3	4.9	4.48
		YTD	3	0.0	0.5	0.8	0.0	20.5	0.3	4.9	4.48
301	7103, HM	Cur Wk	287	0.0	0.7	3.7	0.5	20.2	0.7	4.9	4.40
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
369	5369, HM	Cur Wk	117	0.0	0.8	0.6	0.0	20.5	0.4	5.3	4.62
		YTD	131	0.0	0.8	0.6	0.0	20.4	0.4	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	145	0.0	1.9	1.1	1.3	21.5	2.9	5.9	4.53
		YTD	145	0.0	1.9	1.1	1.3	21.5	2.9	5.9	4.53
430	9034, SVTM	Cur Wk	667	0.0	0.9	1.9	0.5	21.7	1.5	5.2	4.56
		YTD	5,501	0.0	0.6	1.1	0.4	20.3	0.9	5.4	4.49
434	6434, N	Cur Wk	248	0.0	2.8	2.5	1.1	22.5	3.9	5.1	4.57
		YTD	626	0.0	2.0	3.5	1.7	22.2	2.1	4.9	4.49
452	4521, HM	Cur Wk	213	0.0	0.1	2.6	0.4	21.3	0.3	5.0	4.41
		YTD	255	0.0	0.1	2.4	0.4	21.2	0.3	5.0	4.38
476	2476, HZ	Cur Wk	119	0.0	0.8	0.8	0.4	22.0	2.4	5.2	4.56
		YTD	157	0.0	0.8	1.0	0.5	21.7	2.2	5.4	4.55
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	216	0.0	1.5	0.8	0.4	20.7	0.5	4.4	4.60
		YTD	559	0.0	1.2	1.0	0.4	20.1	0.3	4.6	4.55
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,087	0.0	0.5	0.7	0.2	19.4	0.3	5.2	4.40
491	491	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
552	5522, HM	Cur Wk	1,163	0.0	0.8	1.0	0.3	19.7	0.6	5.6	4.38
		YTD	5,181	0.0	0.4	0.8	0.2	19.6	0.5	5.6	4.37
555	MISC TRIAL	Cur Wk	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,142	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	7	0.0	0.8	0.5	0.3	20.3	1.3	5.2	4.49
		YTD	18	0.0	0.7	0.9	0.2	19.9	1.4	5.4	4.46
610	2016, HZ	Cur Wk	329	0.0	0.3	1.0	0.5	20.3	0.3	4.7	4.36
		YTD	329	0.0	0.3	1.0	0.5	20.3	0.3	4.7	4.36
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	0.2	3.1	0.2	20.8	0.3	6.0	4.50
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.6	0.1	0.0	19.2	0.1	5.0	4.36
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	20	0.0	1.4	0.6	0.6	20.5	0.8	5.7	4.48
		YTD	20	0.0	1.4	0.6	0.6	20.5	0.8	5.7	4.48
662	1662, HZ	Cur Wk	69	0.0	1.7	2.0	0.1	22.5	0.7	5.1	4.52
		YTD	69	0.0	1.7	2.0	0.1	22.5	0.7	5.1	4.52
730	9037, SVTM	Cur Wk	515	0.0	1.7	1.2	0.3	22.8	0.7	4.9	4.36
		YTD	1,033	0.0	1.3	1.6	0.4	22.6	0.6	4.9	4.33
807	8507, HM	Cur Wk	62	0.0	1.0	0.7	0.1	18.8	0.9	5.5	4.52
		YTD	62	0.0	1.0	0.7	0.1	18.8	0.9	5.5	4.52
820	1082, SVTM	Cur Wk	190	0.0	0.6	1.2	0.4	21.5	1.4	5.9	4.39
		YTD	465	0.0	0.6	2.5	0.4	21.4	1.4	5.7	4.37
841	58841, HM	Cur Wk	650	0.0	0.9	1.7	0.5	20.3	0.3	5.4	4.46
		YTD	1,720	0.0	0.7	2.1	1.0	20.8	0.5	5.5	4.44
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	369	0.0	0.3	1.8	0.7	19.5	0.4	5.0	4.42
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	802	0.0	0.5	1.3	0.3	22.0	1.7	5.2	4.49
		YTD	3,006	0.0	0.4	1.2	0.3	21.3	1.2	5.2	4.44
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	76	0.0	0.4	0.8	0.1	21.3	0.1	5.3	4.42
		YTD	166	0.0	0.4	1.0	0.2	21.3	0.1	5.3	4.39
919	9019, SVTM	Cur Wk	609	0.0	1.3	1.0	0.5	22.4	2.0	5.8	4.35
		YTD	1,853	0.0	0.9	2.0	0.6	22.0	1.4	5.7	4.30
921	9021, SVTM	Cur Wk	203	0.0	1.1	2.7	0.6	20.8	1.6	5.9	4.44
		YTD	792	0.0	1.0	2.7	1.4	21.2	1.9	5.4	4.41

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
925	9025, SVTM	Cur Wk	727	0.0	0.4	0.6	0.3	21.4	0.8	5.5	4.29
		YTD	1,995	0.0	0.3	1.0	0.3	21.5	0.7	5.5	4.27
941	9041, SVTM	Cur Wk	580	0.0	0.6	1.5	0.3	22.0	0.4	5.1	4.43
		YTD	1,258	0.0	0.4	1.6	0.2	21.1	0.4	5.4	4.40
996	1996, HZ	Cur Wk	342	0.0	0.7	2.5	0.4	20.7	0.9	5.1	4.44
		YTD	1,257	0.0	0.3	2.2	0.4	20.4	0.4	5.0	4.39
Cur Wk:			13,699	0.0	0.9	1.4	0.4	21.1	1.1	5.4	4.44
YTD			70,127	0.0	0.5	1.4	0.4	20.3	0.9	5.4	4.40

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.5	0.2	0.5	21.3	2.0	4.3	4.51
610	2016, HZ	Cur Wk	336	0.0	0.2	1.9	0.7	20.9	0.7	4.9	4.35
		YTD	824	0.0	0.2	1.5	0.5	20.9	0.4	4.6	4.33
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	143	0.0	0.2	1.4	0.3	21.7	0.4	4.8	4.37
		YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:			479	0.0	0.2	1.7	0.6	21.2	0.6	4.9	4.36
YTD			8,691	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	91	0.0	3.0	1.4	1.4	20.4	0.7	4.9	4.41
		YTD	311	0.0	1.6	2.0	0.9	20.6	0.5	5.0	4.36
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	309	0.0	0.9	0.7	0.7	19.9	0.8	5.6	4.50
		YTD	843	0.0	0.7	0.7	0.4	19.6	0.7	5.5	4.49
037	8237, HM	Cur Wk	113	0.0	2.1	0.9	0.2	21.6	1.5	5.1	4.41
		YTD	617	0.0	1.0	0.7	0.5	21.6	1.0	5.2	4.34

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	86	0.0	3.3	1.6	1.5	20.7	1.9	4.9	4.38
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
239	9023, SVTM	Cur Wk	432	0.0	2.4	1.4	1.0	21.1	0.5	4.8	4.39
		YTD	468	0.0	2.3	1.4	0.9	21.1	0.6	4.8	4.39
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	317	0.0	1.2	1.3	1.2	20.4	0.3	5.0	4.38
		YTD	1,946	0.0	0.5	1.0	0.5	20.6	0.3	5.1	4.34
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	6	0.0	1.3	1.2	0.2	20.9	0.7	4.8	4.42
		YTD	111	0.0	0.8	1.7	1.0	21.6	1.2	4.9	4.46
485	6485, N	Cur Wk	1	0.0	0.5	1.0	0.5	20.5	1.5	4.6	4.55

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	211	0.0	0.6	0.9	0.4	20.8	1.2	4.4	4.58
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	151	0.0	0.7	6.7	2.0	21.2	0.7	4.9	4.42
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	2,397	0.0	1.4	1.6	0.6	19.6	0.7	4.6	4.41
		YTD	8,530	0.0	0.7	1.9	0.5	19.8	0.5	4.7	4.36
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
650	6500, N	Cur Wk	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
		YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
730	9037, SVTM	Cur Wk	187	0.0	0.5	2.3	0.3	21.5	0.4	5.4	4.34
		YTD	420	0.0	0.3	2.4	0.3	21.5	0.3	5.4	4.32
776	1776, HZ	Cur Wk	197	0.0	1.1	6.6	1.7	21.6	0.8	4.8	4.49
		YTD	197	0.0	1.1	6.6	1.7	21.6	0.8	4.8	4.49
919	9019, SVTM	Cur Wk	74	0.0	2.0	2.5	1.0	23.6	2.3	5.5	4.40
		YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
921	9021, SVTM	Cur Wk	45	0.0	1.9	1.6	0.7	21.3	0.6	4.8	4.40
		YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
925	9025, SVTM	Cur Wk	179	0.0	1.6	0.4	0.3	21.3	2.5	5.0	4.33
		YTD	559	0.0	0.8	0.6	0.2	21.0	1.2	5.1	4.24
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	754	0.0	0.4	1.2	0.4	20.7	0.4	4.5	4.40
Cur Wk:			4,598	0.0	1.5	1.9	0.8	20.3	0.8	4.8	4.41
YTD			30,909	0.0	0.6	1.6	0.4	20.2	0.7	5.0	4.37

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
-----------	------	--	--------	----------	----------	-----------	---------	---------	--------	------------	--------

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	128	0.0	0.5	4.3	0.4	22.0	0.4	4.9	4.36
		YTD	128	0.0	0.5	4.3	0.4	22.0	0.4	4.9	4.36
074	6474, N	Cur Wk	178	0.0	0.7	4.1	1.9	22.5	0.8	5.4	4.51
		YTD	178	0.0	0.7	4.1	1.9	22.5	0.8	5.4	4.51
434	6434, N	Cur Wk	72	0.0	3.1	5.5	2.2	21.8	0.7	5.1	4.54
		YTD	72	0.0	3.1	5.5	2.2	21.8	0.7	5.1	4.54
510	2015, HZ	Cur Wk	144	0.0	0.5	3.8	1.6	19.7	0.4	4.8	4.49
		YTD	144	0.0	0.5	3.8	1.6	19.7	0.4	4.8	4.49
610	2016, HZ	Cur Wk	41	0.0	0.4	3.0	1.3	20.0	0.5	5.1	4.44
		YTD	41	0.0	0.4	3.0	1.3	20.0	0.5	5.1	4.44
649	6498, N	Cur Wk	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
		YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
707	47073, HZ	Cur Wk	153	0.0	0.2	3.0	0.4	22.0	0.1	4.7	4.40
		YTD	153	0.0	0.2	3.0	0.4	22.0	0.1	4.7	4.40
921	9021, SVTM	Cur Wk	163	0.0	0.8	3.3	0.7	20.8	0.6	5.0	4.33
		YTD	163	0.0	0.8	3.3	0.7	20.8	0.6	5.0	4.33
996	1996, HZ	Cur Wk	218	0.0	0.5	1.1	0.3	20.3	0.5	5.4	4.42
		YTD	342	0.0	0.5	1.5	0.4	20.3	0.5	5.4	4.40
Cur Wk:			1,109	0.0	0.7	3.3	1.0	21.2	0.5	5.1	4.43
YTD			1,233	0.0	0.7	3.2	0.9	21.1	0.5	5.1	4.42

Merced

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	129	0.0	0.5	1.1	0.4	21.5	1.5	5.8	4.55
		YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	102	0.0	1.5	1.8	1.0	21.9	3.7	5.3	4.62
		YTD	102	0.0	1.5	1.8	1.0	21.9	3.7	5.3	4.62
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	102	0.0	0.7	1.7	1.0	20.4	2.5	5.6	4.49
074	6474, N	Cur Wk	74	0.0	0.3	2.9	0.4	21.7	0.9	5.8	4.45
		YTD	118	0.0	0.3	4.8	0.3	21.5	0.7	5.7	4.44
101	101, BP	Cur Wk	40	0.0	0.5	1.2	0.7	21.9	2.2	4.5	4.48
		YTD	40	0.0	0.5	1.2	0.7	21.9	2.2	4.5	4.48
173	0371, HM	Cur Wk	35	0.0	0.7	1.4	0.7	21.6	3.4	5.8	4.58
		YTD	150	0.0	1.3	1.2	1.1	21.6	4.6	6.0	4.56
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
239	9023, SVTM	YTD	146	0.0	0.2	2.7	0.5	19.7	1.1	5.3	4.38
		Cur Wk	130	0.0	0.6	1.2	0.9	22.7	1.0	5.1	4.51
		YTD	130	0.0	0.6	1.2	0.9	22.7	1.0	5.1	4.51
409	9040, SVTM	Cur Wk	30	0.0	1.3	1.6	1.4	22.3	2.6	5.6	4.58
		YTD	30	0.0	1.3	1.6	1.4	22.3	2.6	5.6	4.58
430	9034, SVTM	Cur Wk	111	0.0	0.7	0.6	0.5	21.0	2.5	6.4	4.62
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
485	6485, N	Cur Wk	60	0.0	0.3	0.8	0.2	20.8	0.5	4.6	4.63
		YTD	60	0.0	0.3	0.8	0.2	20.8	0.5	4.6	4.63
552	5522, HM	Cur Wk	26	0.0	1.8	0.9	0.6	20.5	1.1	5.3	4.39
		YTD	26	0.0	1.8	0.9	0.6	20.5	1.1	5.3	4.39
707	47073, HZ	Cur Wk	138	0.0	0.1	1.5	0.5	22.1	0.1	5.0	4.40
		YTD	138	0.0	0.1	1.5	0.5	22.1	0.1	5.0	4.40
730	9037, SVTM	Cur Wk	252	0.0	0.4	3.7	0.8	22.1	1.1	5.1	4.39
		YTD	263	0.0	0.4	3.7	0.8	22.1	1.1	5.1	4.40
820	1082, SVTM	Cur Wk	298	0.0	0.7	1.6	0.9	21.6	2.0	5.5	4.41
		YTD	298	0.0	0.7	1.6	0.9	21.6	2.0	5.5	4.41
841	58841, HM	Cur Wk	191	0.0	0.8	1.6	1.0	21.6	1.9	5.5	4.53
		YTD	191	0.0	0.8	1.6	1.0	21.6	1.9	5.5	4.53
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	278	0.0	0.5	0.7	1.0	21.5	4.1	6.3	4.48
916	9016, SVTM	Cur Wk	31	0.0	0.4	1.9	0.1	22.8	0.3	5.0	4.35
		YTD	31	0.0	0.4	1.9	0.1	22.8	0.3	5.0	4.35
921	9021, SVTM	Cur Wk	2	0.0	0.5	1.6	0.4	22.4	0.9	5.1	4.57
		YTD	220	0.0	0.5	1.3	1.1	21.9	0.8	5.5	4.38
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.6	0.8	0.6	23.1	4.3	6.7	4.43
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	487	0.0	0.5	2.7	0.3	21.5	0.5	5.2	4.35
996	1996, HZ	Cur Wk	574	0.0	0.2	1.7	0.8	21.1	1.0	5.0	4.46
		YTD	634	0.0	0.2	1.6	0.8	21.2	1.2	5.1	4.47
Cur Wk:			2,223	0.0	0.5	1.8	0.7	21.6	1.5	5.3	4.48
YTD			4,976	0.0	0.5	1.6	0.7	21.4	1.7	5.5	4.46

San Joaquin

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	131	0.0	0.6	2.0	0.3	22.0	0.9	5.5	4.42
		YTD	333	0.0	0.6	2.3	0.3	22.8	0.8	5.7	4.41
919	9019, SVTM	Cur Wk	145	0.0	0.5	2.2	2.2	23.0	1.1	5.2	4.22
		YTD	145	0.0	0.5	2.2	2.2	23.0	1.1	5.2	4.22

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
996	1996, HZ	Cur Wk	163	0.0	0.3	2.2	0.6	20.5	0.5	5.7	4.35
		YTD	388	0.0	0.2	2.2	0.6	20.6	0.4	5.7	4.32
Cur Wk:			439	0.0	0.5	2.1	1.1	21.7	0.8	5.5	4.33
YTD			866	0.0	0.4	2.3	0.7	21.8	0.7	5.6	4.34

Solano

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	6	0.0	1.9	0.3	1.0	21.9	1.0	6.7	4.38
		YTD	6	0.0	1.9	0.3	1.0	21.9	1.0	6.7	4.38
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
037	8237, HM	Cur Wk	59	0.0	0.4	6.0	2.4	25.7	0.4	5.1	4.29
		YTD	59	0.0	0.4	6.0	2.4	25.7	0.4	5.1	4.29
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	227	0.0	1.1	0.3	0.1	20.6	0.5	5.6	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.8	1.5	0.2	22.5	1.5	6.1	4.40
247	247, E	Cur Wk	18	0.0	0.5	0.2	0.0	20.6	0.7	5.2	4.30
		YTD	74	0.0	0.9	0.5	0.1	20.4	0.4	4.7	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	315	0.0	0.8	0.1	0.3	20.6	0.3	5.0	4.45
552	5522, HM	Cur Wk	80	0.0	0.3	0.8	0.0	20.3	0.1	5.1	4.33
		YTD	127	0.0	0.3	0.7	0.0	20.5	1.1	5.2	4.35
566	6506, N	Cur Wk	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	11	0.0	0.4	2.4	2.8	23.3	0.9	5.1	4.32
		YTD	11	0.0	0.4	2.4	2.8	23.3	0.9	5.1	4.32
755	7558, NB	Cur Wk	1	0.0	2.0	0.5	0.5	22.5	1.5	6.5	4.38
		YTD	1	0.0	2.0	0.5	0.5	22.5	1.5	6.5	4.38
841	58841, HM	Cur Wk	299	0.0	1.2	1.0	0.2	21.3	0.5	5.4	4.42
		YTD	630	0.0	0.9	0.9	0.3	21.1	0.5	5.6	4.40
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	47	0.0	1.0	0.6	0.1	22.8	0.5	5.5	4.41
Cur Wk:			483	0.0	0.9	1.6	0.5	21.7	0.4	5.3	4.38
YTD			1,707	0.0	0.8	0.8	0.3	21.0	0.5	5.4	4.39

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
		Cur Wk	61	0.0	3.3	0.4	0.6	21.7	3.2	5.1	4.57
		YTD	477	0.0	1.2	0.4	0.3	20.6	2.0	5.5	4.47
028	6428, N	Cur Wk	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
037	8237, HM	Cur Wk	5	0.0	0.4	0.9	0.3	23.0	1.0	5.8	4.51
		YTD	5	0.0	0.4	0.9	0.3	23.0	1.0	5.8	4.51
219	109, BP	Cur Wk	32	0.0	0.7	0.8	0.0	22.0	0.2	5.9	4.31
		YTD	32	0.0	0.7	0.8	0.0	22.0	0.2	5.9	4.31
452	4521, HM	Cur Wk	42	0.0	1.0	0.1	0.2	21.7	1.2	5.3	4.48
		YTD	42	0.0	1.0	0.1	0.2	21.7	1.2	5.3	4.48
730	9037, SVTM	Cur Wk	67	0.0	0.4	0.5	0.2	22.8	1.9	5.1	4.48
		YTD	67	0.0	0.4	0.5	0.2	22.8	1.9	5.1	4.48
921	9021, SVTM	Cur Wk	9	0.0	0.1	0.4	0.0	22.4	0.2	4.8	4.40
		YTD	9	0.0	0.1	0.4	0.0	22.4	0.2	4.8	4.40
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	45	0.0	0.1	0.8	0.3	21.0	1.8	5.2	4.35
Cur Wk:			217	0.0	1.4	0.4	0.3	22.1	1.9	5.3	4.48
YTD			679	0.0	1.0	0.4	0.2	21.1	1.8	5.4	4.46

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	53	0.0	1.3	2.0	1.0	21.2	1.6	4.6	4.53
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	50	0.0	1.6	0.3	0.1	21.4	3.8	5.2	4.45
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
037	8237, HM	Cur Wk	24	0.0	0.8	0.6	0.2	21.2	0.4	5.2	4.30
		YTD	24	0.0	0.8	0.6	0.2	21.2	0.4	5.2	4.30
068	8268, HM	Cur Wk	66	0.0	1.8	1.0	0.4	20.2	5.2	5.3	4.44
		YTD	81	0.0	1.6	0.9	0.3	20.1	4.8	5.4	4.42
320	9032, SVTM	Cur Wk	25	0.0	1.5	3.4	1.6	22.0	3.1	5.1	4.33
		YTD	158	0.0	0.6	7.1	0.9	22.2	1.6	5.1	4.25
434	6434, N	Cur Wk	143	0.0	1.3	7.1	0.3	23.7	2.5	5.0	4.46
		YTD	143	0.0	1.3	7.1	0.3	23.7	2.5	5.0	4.46
552	5522, HM	Cur Wk	105	0.0	1.1	1.0	0.0	20.9	0.4	5.7	4.39
		YTD	105	0.0	1.1	1.0	0.0	20.9	0.4	5.7	4.39
610	2016, HZ	Cur Wk	38	0.0	1.2	2.5	0.5	23.3	6.0	6.1	4.41
		YTD	38	0.0	1.2	2.5	0.5	23.3	6.0	6.1	4.41
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
820	1082, SVTM	Cur Wk	8	0.0	1.0	0.5	0.1	21.8	0.5	5.6	4.34
		YTD	8	0.0	1.0	0.5	0.1	21.8	0.5	5.6	4.34
916	9016, SVTM	Cur Wk	3	0.0	0.7	0.5	0.0	21.7	0.2	5.1	4.24
		YTD	3	0.0	0.7	0.5	0.0	21.7	0.2	5.1	4.24
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	687	0.0	1.1	3.3	1.2	21.7	1.0	4.9	4.36
		YTD	687	0.0	1.1	3.3	1.2	21.7	1.0	4.9	4.36
Cur Wk:			1,202	0.0	1.2	3.1	0.9	21.8	1.7	5.1	4.39
YTD			1,679	0.0	1.4	3.4	0.8	21.6	1.7	5.1	4.39

Tehama

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
916	9016, SVTM	Cur Wk	29	0.0	1.7	8.1	0.9	22.6	0.6	4.8	4.30
		YTD	29	0.0	1.7	8.1	0.9	22.6	0.6	4.8	4.30
941	9041, SVTM	Cur Wk	113	0.0	1.4	4.5	1.5	22.9	1.0	4.7	4.31
		YTD	113	0.0	1.4	4.5	1.5	22.9	1.0	4.7	4.31
Cur Wk:			142	0.0	1.4	5.2	1.4	22.9	0.9	4.7	4.31
YTD			142	0.0	1.4	5.2	1.4	22.9	0.9	4.7	4.31

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	71	0.0	0.8	2.0	0.5	20.5	0.4	5.2	4.42
		YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	121	0.0	1.5	2.1	0.4	22.5	1.0	5.2	4.47

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Tulare, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
841	58841, HM	Cur Wk	113	0.0	1.7	3.8	1.0	21.5	1.0	4.9	4.53
		YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
996	1996, HZ	Cur Wk	20	0.0	1.6	2.9	0.3	21.2	0.9	4.5	4.47
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			325	0.0	1.4	2.7	0.6	21.6	0.8	5.0	4.48
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
006	68, BP	Cur Wk	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	231	0.0	1.8	5.4	0.8	22.8	3.1	4.6	4.52
		YTD	231	0.0	1.8	5.4	0.8	22.8	3.1	4.6	4.52
036	8163, HM	Cur Wk	26	0.0	1.6	0.5	0.3	19.5	1.5	5.6	4.49
		YTD	26	0.0	1.6	0.5	0.3	19.5	1.5	5.6	4.49
037	8237, HM	Cur Wk	599	0.0	1.0	1.7	0.3	22.9	0.6	5.0	4.36
		YTD	1,000	0.0	0.8	2.6	0.3	23.1	0.8	5.0	4.33
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
068	8268, HM	Cur Wk	269	0.0	0.8	1.0	0.1	20.6	0.8	5.0	4.44
		YTD	1,065	0.0	0.5	0.7	0.1	20.3	0.7	5.1	4.39
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	121	0.0	0.5	1.5	0.0	19.7	0.1	4.5	4.41
		YTD	121	0.0	0.5	1.5	0.0	19.7	0.1	4.5	4.41
173	0371, HM	Cur Wk	110	0.0	1.0	0.9	0.2	20.5	0.8	5.3	4.33
		YTD	482	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	71	0.0	3.0	4.0	1.9	22.0	11.1	4.8	4.56
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	113	0.0	0.4	0.7	0.1	20.4	1.8	5.3	4.25
219	109, BP	Cur Wk	150	0.0	0.6	0.7	0.3	21.4	1.3	4.9	4.29
		YTD	309	0.0	0.6	0.8	0.2	21.1	1.5	5.1	4.28
227	22706, ISI	Cur Wk	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	67	0.0	0.9	1.1	0.3	20.7	1.6	4.8	4.30
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	2.0	4.7	0.9	21.6	1.4	4.6	4.31
301	7103, HM	Cur Wk	41	0.0	0.1	0.2	0.0	19.6	0.7	4.9	4.38
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38
320	9032, SVTM	Cur Wk	235	0.0	0.6	2.6	1.0	22.2	3.5	5.3	4.38
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	22	0.0	0.5	9.1	0.3	21.2	1.6	4.7	4.29
		YTD	22	0.0	0.5	9.1	0.3	21.2	1.6	4.7	4.29
409	9040, SVTM	Cur Wk	61	0.0	0.7	1.0	0.2	23.2	2.6	5.3	4.48
		YTD	61	0.0	0.7	1.0	0.2	23.2	2.6	5.3	4.48
430	9034, SVTM	Cur Wk	64	0.0	0.3	0.1	0.1	21.2	0.3	5.0	4.41
		YTD	754	0.0	0.7	0.3	0.2	21.0	0.6	5.1	4.42
434	6434, N	Cur Wk	691	0.0	2.2	4.0	1.3	23.3	3.5	4.9	4.52
		YTD	885	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
552	5522, HM	Cur Wk	7	0.0	2.0	0.1	0.1	20.4	0.9	5.5	4.36
		YTD	182	0.0	0.8	0.1	0.1	20.3	1.7	6.1	4.40
649	6498, N	Cur Wk	10	0.0	1.5	1.6	0.5	22.0	2.2	5.2	4.56
		YTD	10	0.0	1.5	1.6	0.5	22.0	2.2	5.2	4.56
730	9037, SVTM	Cur Wk	14	0.0	0.4	8.7	0.5	23.4	0.5	4.5	4.25
		YTD	15	0.0	0.4	8.1	0.4	23.1	0.6	4.6	4.26
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
841	58841, HM	Cur Wk	717	0.0	1.2	0.8	0.2	21.0	0.6	5.5	4.42
		YTD	3,050	0.0	1.0	0.9	0.3	20.9	0.5	5.4	4.39
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
916	9016, SVTM	Cur Wk	712	0.0	0.9	1.2	0.4	22.6	0.5	4.9	4.33
		YTD	1,063	0.0	0.8	1.1	0.4	22.6	0.5	4.9	4.33
919	9019, SVTM	Cur Wk	176	0.0	0.8	0.5	0.2	23.6	1.1	4.9	4.27
		YTD	176	0.0	0.8	0.5	0.2	23.6	1.1	4.9	4.27
941	9041, SVTM	Cur Wk	264	0.0	1.0	1.0	0.2	21.8	0.7	5.0	4.33
		YTD	1,714	0.0	0.5	2.4	0.6	22.2	1.0	4.8	4.31
996	1996, HZ	Cur Wk	100	0.0	0.2	2.7	0.5	23.5	2.2	4.8	4.38

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Yolo, Continued

Variety #	Name	#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	YTD	100	0.0	0.2	2.7	0.5	23.5	2.2	4.8	4.38
Cur Wk:		4,761	0.0	1.2	1.9	0.5	22.1	1.6	5.0	4.40
YTD		15,253	0.0	0.8	1.6	0.5	21.5	1.3	5.1	4.37
TOTAL STATEWIDE	Cur Wk	33,587	0.0	1.0	1.9	0.6	21.2	1.2	5.2	4.42
	YTD	151,437	0.0	0.6	1.7	0.5	20.6	0.9	5.2	4.39

Average Defects by Variety Report (RP20)1203
08/18/2026 11:17 AM**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 7 Ending 08/15/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
124	0221, HMC	Cur Wk	86	0.0	3.3	1.6	1.5	20.7	1.9	4.9	4.38
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
173	0371, HM	Cur Wk	606	0.0	0.5	1.0	0.3	20.7	1.1	5.3	4.43
		YTD	9381	0.0	0.5	1.1	0.5	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	547	0.0	0.8	1.1	0.7	20.5	1.9	5.4	4.59
		YTD	1203	0.0	0.7	1.4	0.5	20.2	1.4	5.4	4.53
196	0691, LS	Cur Wk	71	0.0	3.0	4.0	1.9	22.0	11.1	4.8	4.56
		YTD	499	0.0	0.8	3.7	1.0	20.6	3.1	4.8	4.47
1	1	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	162	0.0	0.9	1.0	0.5	20.9	1.5	4.8	4.52
		YTD	508	0.0	1.0	1.2	0.6	20.8	1.6	4.9	4.47
015	1015, HZ	Cur Wk	53	0.0	1.3	2.0	1.0	21.2	1.6	4.6	4.53
		YTD	806	0.0	1.2	2.0	1.2	20.4	1.0	4.9	4.46
820	1082, SVTM	Cur Wk	496	0.0	0.7	1.4	0.7	21.6	1.8	5.6	4.40
		YTD	771	0.0	0.6	2.1	0.6	21.5	1.6	5.6	4.38
219	109, BP	Cur Wk	314	0.0	0.5	0.8	0.2	21.2	1.0	5.5	4.32
		YTD	1142	0.0	0.7	1.2	0.3	20.9	1.2	5.4	4.33
210	110, BP	Cur Wk	159	0.0	0.7	0.6	0.1	20.0	0.8	5.7	4.39
		YTD	543	0.0	0.7	0.9	0.3	20.2	1.4	5.5	4.36
161	116, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
130	130, BP	Cur Wk	3	0.0	1.7	1.0	0.0	20.5	0.7	6.3	4.55
		YTD	3	0.0	1.7	1.0	0.0	20.5	0.7	6.3	4.55
112	16112, UG	Cur Wk	79	0.0	1.6	1.7	0.6	21.0	0.9	4.7	4.47
		YTD	506	0.0	0.4	0.7	0.5	19.9	0.4	5.0	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1453	0.0	0.7	5.1	1.2	19.5	0.4	4.5	4.54
662	1662, HZ	Cur Wk	69	0.0	1.7	2.0	0.1	22.5	0.7	5.1	4.52
		YTD	69	0.0	1.7	2.0	0.1	22.5	0.7	5.1	4.52
171	1715, LS	Cur Wk	121	0.0	0.5	1.5	0.0	19.7	0.1	4.5	4.41
		YTD	121	0.0	0.5	1.5	0.0	19.7	0.1	4.5	4.41
776	1776, HZ	Cur Wk	197	0.0	1.1	6.6	1.7	21.6	0.8	4.8	4.49
		YTD	1085	0.0	1.0	5.8	1.3	21.0	0.6	4.7	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
996	1996, HZ	Cur Wk	1560	0.0	0.4	1.9	0.5	21.0	0.9	5.1	4.43
		YTD	4197	0.0	0.3	1.8	0.4	20.8	0.6	5.0	4.40
010	2010, HZ	Cur Wk	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	144	0.0	0.5	3.8	1.6	19.7	0.4	4.8	4.49
		YTD	144	0.0	0.5	3.8	1.6	19.7	0.4	4.8	4.49
610	2016, HZ	Cur Wk	3251	0.0	1.2	1.7	0.7	20.0	0.8	4.7	4.40
		YTD	9872	0.0	0.6	1.8	0.5	20.0	0.5	4.7	4.36
227	22706, ISI	Cur Wk	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	85	0.0	0.8	0.9	0.2	20.7	1.4	4.9	4.30
		YTD	1453	0.0	0.8	1.7	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	125	0.0	0.8	0.8	0.4	22.0	2.3	5.2	4.55
		YTD	268	0.0	0.8	1.3	0.7	21.7	1.8	5.2	4.51
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
256	2516, HZ	Cur Wk	3	0.0	0.5	0.8	0.0	20.5	0.3	4.9	4.48
		YTD	3	0.0	0.5	0.8	0.0	20.5	0.3	4.9	4.48
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	785	0.0	0.1	1.3	0.4	19.2	0.8	5.4	4.42
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.3	4.33
452	4521, HM	Cur Wk	572	0.0	0.8	1.7	0.8	20.9	0.4	5.0	4.40
		YTD	2243	0.0	0.4	1.2	0.4	20.7	0.3	5.1	4.35
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
707	47073, HZ	Cur Wk	291	0.0	0.2	2.3	0.4	22.1	0.1	4.9	4.40
		YTD	291	0.0	0.2	2.3	0.4	22.1	0.1	4.9	4.40
491	491	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
369	5369, HM	Cur Wk	117	0.0	0.8	0.6	0.0	20.5	0.4	5.3	4.62
		YTD	131	0.0	0.8	0.6	0.0	20.4	0.4	5.3	4.63
511	5511, HM	Cur Wk	134	0.0	0.3	1.1	0.3	20.2	3.2	5.2	4.43
		YTD	483	0.0	0.3	0.9	0.2	20.1	2.0	5.7	4.43
552	5522, HM	Cur Wk	1820	0.0	0.7	1.5	0.4	19.9	0.6	5.5	4.38

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	8581	0.0	0.4	1.2	0.4	19.8	0.6	5.5	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3549	0.0	0.5	1.6	0.2	19.9	0.5	4.8	4.37
841	58841, HM	Cur Wk	2063	0.0	1.1	1.5	0.5	20.9	0.6	5.4	4.45
		YTD	6213	0.0	0.9	1.6	0.5	20.9	0.6	5.4	4.42
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	608	0.0	2.0	4.4	1.0	22.6	3.9	4.8	4.50
		YTD	2181	0.0	1.4	4.0	0.9	22.3	2.5	4.9	4.48
434	6434, N	Cur Wk	1480	0.0	2.0	4.0	1.3	22.9	3.2	5.1	4.50
		YTD	2052	0.0	1.8	4.0	1.5	22.8	2.8	5.0	4.49
074	6474, N	Cur Wk	520	0.0	0.9	4.1	1.3	22.3	0.9	5.5	4.49
		YTD	1396	0.0	0.6	5.1	1.4	21.4	0.7	5.5	4.43
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	277	0.0	1.2	0.8	0.4	20.7	0.5	4.5	4.60
		YTD	951	0.0	1.0	1.0	0.4	20.3	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1447	0.0	0.4	0.9	0.2	19.5	0.4	5.2	4.39
649	6498, N	Cur Wk	81	0.0	0.7	2.0	1.6	20.9	1.8	5.6	4.49
		YTD	89	0.0	0.7	2.1	1.5	20.9	1.7	5.6	4.49
650	6500, N	Cur Wk	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
		YTD	59	0.0	1.3	4.7	0.8	21.1	0.8	4.7	4.45
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
		YTD	28	0.0	1.7	7.0	1.5	21.7	1.4	5.1	4.54
659	6509, N	Cur Wk	20	0.0	1.4	0.6	0.6	20.5	0.8	5.7	4.48
		YTD	20	0.0	1.4	0.6	0.6	20.5	0.8	5.7	4.48
006	68, BP	Cur Wk	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	770	0.0	0.5	2.5	0.6	19.5	0.5	4.9	4.42
301	7103, HM	Cur Wk	328	0.0	0.6	3.2	0.5	20.1	0.7	4.9	4.39
		YTD	7437	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	251	0.0	0.6	1.5	0.7	20.1	1.2	5.2	4.44
		YTD	434	0.0	0.5	1.3	0.6	20.0	1.8	5.2	4.43
755	7558, NB	Cur Wk	1	0.0	2.0	0.5	0.5	22.5	1.5	6.5	4.38
		YTD	1	0.0	2.0	0.5	0.5	22.5	1.5	6.5	4.38

* Loads Which Were Certified And Paid For
 Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
178	7708, BOS	Cur Wk	33	0.0	2.3	2.0	0.4	19.6	1.5	5.5	4.48
		YTD	757	0.0	0.9	3.3	0.6	19.3	1.3	5.4	4.42
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1253	0.0	0.6	2.7	0.9	19.7	0.3	5.0	4.33
036	8163, HM	Cur Wk	1284	0.0	1.1	1.0	0.8	20.0	1.4	5.7	4.49
		YTD	5101	0.0	0.7	0.7	0.4	19.5	0.9	5.7	4.47
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	0.5	0.0	21.0	3.5	5.5	4.44
037	8237, HM	Cur Wk	3004	0.0	0.7	2.1	0.3	21.8	0.5	5.3	4.37
		YTD	6056	0.0	0.5	2.0	0.3	21.8	0.6	5.3	4.36
068	8268, HM	Cur Wk	1039	0.0	1.0	1.4	0.4	20.0	1.6	5.3	4.48
		YTD	7135	0.0	0.6	1.0	0.3	19.8	1.1	5.4	4.42
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	2.0	4.7	0.9	21.6	1.4	4.7	4.31
324	8423, BOS	Cur Wk	22	0.0	0.5	9.1	0.3	21.2	1.6	4.7	4.29
		YTD	22	0.0	0.5	9.1	0.3	21.2	1.6	4.7	4.29
807	8507, HM	Cur Wk	62	0.0	1.0	0.7	0.1	18.8	0.9	5.5	4.52
		YTD	62	0.0	1.0	0.7	0.1	18.8	0.9	5.5	4.52
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
913	9013, SVTM	Cur Wk	484	0.0	1.3	2.0	1.2	20.5	2.4	5.5	4.40
		YTD	1485	0.0	0.7	1.8	0.6	19.9	1.4	5.3	4.38
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
916	9016, SVTM	Cur Wk	1646	0.0	1.8	2.5	0.7	22.1	0.7	5.2	4.36
		YTD	2134	0.0	1.5	2.1	0.6	22.2	0.7	5.1	4.36
919	9019, SVTM	Cur Wk	1189	0.0	1.1	1.2	0.7	22.7	1.7	5.5	4.31
		YTD	2682	0.0	0.9	2.0	0.7	22.3	1.4	5.6	4.29
921	9021, SVTM	Cur Wk	560	0.0	1.3	2.6	0.7	21.2	1.4	5.3	4.40
		YTD	1443	0.0	1.1	2.5	1.2	21.3	1.6	5.3	4.40
239	9023, SVTM	Cur Wk	897	0.0	1.6	1.0	0.7	21.7	1.3	4.9	4.43
		YTD	3173	0.0	0.7	1.3	0.5	21.8	1.1	5.1	4.40
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	906	0.0	0.7	0.5	0.3	21.4	1.1	5.4	4.30
		YTD	2614	0.0	0.4	0.9	0.3	21.5	0.9	5.5	4.27
027	9027, SVTM	Cur Wk	681	0.0	0.9	1.8	0.4	21.0	1.3	5.5	4.44
		YTD	13943	0.0	0.5	1.3	0.5	20.0	0.7	5.5	4.37
320	9032, SVTM	Cur Wk	260	0.0	0.7	2.7	1.1	22.2	3.4	5.2	4.38
		YTD	2595	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	842	0.0	0.8	1.6	0.5	21.5	1.5	5.4	4.56

* Loads Which Were Certified And Paid For
 Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 7 Ending 08/15/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
903	9036, SVTM	YTD	8138	0.0	0.6	1.0	0.4	20.4	1.0	5.4	4.48
		Cur Wk	802	0.0	0.5	1.3	0.3	22.0	1.7	5.2	4.49
730	9037, SVTM	YTD	3284	0.0	0.4	1.2	0.3	21.4	1.5	5.3	4.44
		Cur Wk	1156	0.0	1.1	2.1	0.4	22.4	0.9	5.1	4.38
409	9040, SVTM	YTD	2120	0.0	0.9	2.0	0.4	22.3	0.7	5.0	4.35
		Cur Wk	236	0.0	1.5	1.2	1.1	22.0	2.8	5.7	4.53
941	9041, SVTM	YTD	236	0.0	1.5	1.2	1.1	22.0	2.8	5.7	4.53
		Cur Wk	1659	0.0	1.0	2.4	0.8	21.9	0.7	5.0	4.38
577	HEINZ TRIAL	YTD	4644	0.0	0.6	2.3	0.6	21.6	0.7	5.0	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
555	MISC TRIAL	YTD	42	0.0	0.5	1.7	0.2	20.5	0.7	5.5	4.34
		Cur Wk	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
565	MIX	YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
		Cur Wk	7	0.0	0.8	0.5	0.3	20.3	1.3	5.2	4.49
000	UNCODED	YTD	21	0.0	0.7	0.9	0.2	19.9	1.4	5.4	4.45
		Cur Wk	97	0.0	3.0	1.3	1.4	20.5	0.7	5.1	4.40
		YTD	350	0.0	1.5	2.1	0.9	20.8	0.5	5.0	4.36
TOTAL STATEWIDE		Cur Wk	33,587	0.0	1.0	1.9	0.6	21.2	1.2	5.2	4.42
		YTD	151,437	0.0	0.6	1.7	0.5	20.6	0.9	5.2	4.39