

Statewide Tonnage and History (RP70P)

Week 8 Ending 08/22/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
Week 08/09/2026 - 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0.04%
LAST WEEK YTD	151,437	3,944,998		4.2%	75	2,041		0%
CUR WEEK ENDING 08/22/2026	35,191	904,124	0	5.5%	80	2,228	0	0%
CUR YTD	186,628	4,849,122		4.4%	155	4,269		0%
YTD WEEK ENDING 08/23/2025	202,714	5,342,212		4.2%	212	5,638		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY								
Week 8 Ending 08/22/2026								
County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Butte	86	2,122	0	0	86	2,122	0	0
Colusa	3,068	76,127	0	0	8,545	213,025	0	0
Contra Costa	1,015	27,625	0	0	6,042	163,921	0	0
Fresno	11,833	308,289	45	1,262	81,960	2,152,309	94	2,584
Glenn	88	2,101	0	0	88	2,101	0	0
Kern	217	5,618	0	0	8,908	236,278	9	268
Kings	4,035	97,333	24	670	34,944	885,340	37	1,003
Madera	1,305	34,861	0	0	2,538	66,864	0	0
Merced	3,401	90,028	0	0	8,377	225,591	0	0
Sacramento	162	3,696	0	0	162	3,696	0	0
San Benito	83	2,197	0	0	83	2,197	0	0
San Joaquin	943	25,083	0	0	1,809	48,417	0	0
Santa Clara	60	1,560	0	0	60	1,560	0	0
Solano	1,264	33,117	0	0	2,971	77,474	0	0
Stanislaus	605	16,491	1	27	1,284	35,796	1	27
Sutter	1,418	35,229	0	0	3,097	77,046	0	0
Tehama	457	10,775	0	0	599	13,927	0	0
Tulare	0	0	0	0	4,671	118,018	0	0
Yolo	5,151	131,871	10	269	20,404	523,437	14	386
STATEWIDE TOTALS:								
LAST WEEK YTD					151,437	3,944,998	75	2,041
CURRENT WEEK	35,191	904,124	80	2,228	186,628	4,849,122	155	4,269

Average Load Grades by County - Board Certified Loads (RP90)

Week 8 Ending 08/22/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Butte	0.0	2.2	4.0	2.2	21.3	1.5	5.0	4.45	0.0	2.2	4.0	2.2	21.3	1.5	5.0	4.45
Colusa	0.0	1.6	3.6	1.2	21.7	1.3	5.1	4.36	0.0	1.5	3.6	1.1	21.6	1.7	5.1	4.39
Contra Costa	0.0	0.6	0.9	0.2	19.9	0.9	5.2	4.39	0.0	0.3	0.9	0.3	20.1	0.9	5.2	4.38
Fresno	0.0	1.4	1.5	0.5	20.6	0.8	5.3	4.42	0.0	0.7	1.5	0.5	20.4	0.9	5.4	4.40
Glenn	0.0	6.5	2.2	1.7	24.1	1.0	5.0	4.45	0.0	6.5	2.2	1.7	24.1	1.0	5.0	4.45
Kern	0.0	0.5	1.1	0.5	21.5	1.0	4.9	4.43	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	2.8	1.5	0.7	20.2	0.8	4.9	4.42	0.0	0.9	1.6	0.5	20.2	0.7	4.9	4.38
Madera	0.0	0.8	2.4	0.5	21.5	0.6	5.0	4.43	0.0	0.7	2.7	0.7	21.3	0.5	5.0	4.42
Merced	0.0	1.7	1.5	1.0	21.4	1.2	5.1	4.45	0.0	1.0	1.6	0.8	21.4	1.5	5.3	4.45
Sacramento	0.0	0.3	5.7	4.1	21.5	0.5	5.0	4.30	0.0	0.3	5.7	4.1	21.5	0.5	5.0	4.30
San Benito	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26
San Joaquin	0.0	0.6	1.4	1.6	21.7	0.9	5.4	4.31	0.0	0.5	1.8	1.2	21.8	0.8	5.5	4.32
Santa Clara	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31
Solano	0.0	0.8	1.2	0.2	21.0	0.5	5.1	4.34	0.0	0.8	1.0	0.3	21.0	0.5	5.3	4.37
Stanislaus	0.0	1.1	0.7	0.2	21.2	0.9	5.5	4.41	0.0	1.0	0.5	0.2	21.1	1.4	5.5	4.43
Sutter	0.0	1.6	3.1	0.7	22.0	1.2	5.0	4.39	0.0	1.5	3.3	0.7	21.8	1.4	5.1	4.39
Tehama	0.0	1.5	4.3	1.8	21.9	1.4	4.9	4.33	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
Tulare	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	1.2	1.5	0.4	22.0	1.0	5.0	4.35	0.0	0.9	1.6	0.4	21.7	1.2	5.0	4.37
Statewide Totals:																
Current Week	0.0	1.5	1.8	0.7	21.1	0.9	5.1	4.40	0.0	0.8	1.7	0.5	20.7	0.9	5.2	4.39
Last Week YTD									0.0	0.6	1.7	0.5	20.6	0.9	5.2	4.39

Week 8 Ending 08/22/2026

Last Week YTD						Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	0.01	0.00	0.00	0.05	86	0.01	0.00	0.00	0.05
Colusa	5,477	0.00	0.00	0.00	0.02	3068	0.00	0.00	0.00	0.04	8545	0.00	0.00	0.00	0.03
Contra Costa	5,027	0.00	0.00	0.00	0.02	1015	0.00	0.00	0.00	0.03	6042	0.00	0.00	0.00	0.02
Fresno	70,176	0.00	0.00	0.00	0.03	11878	0.00	0.00	0.00	0.05	82054	0.00	0.00	0.00	0.03
Glenn	0	0.00	0.00	0.00	0.00	88	0.04	0.00	0.00	0.16	88	0.04	0.00	0.00	0.16
Kern	8,700	0.01	0.00	0.00	0.06	217	0.00	0.00	0.00	0.00	8917	0.01	0.00	0.00	0.06
Kings	30,922	0.00	0.00	0.00	0.04	4059	0.00	0.00	0.00	0.05	34981	0.00	0.00	0.00	0.04
Madera	1,233	0.00	0.00	0.00	0.03	1305	0.00	0.00	0.00	0.02	2538	0.00	0.00	0.00	0.03
Merced	4,976	0.00	0.00	0.00	0.01	3401	0.00	0.00	0.00	0.02	8377	0.00	0.00	0.00	0.01
Sacramento	0	0.00	0.00	0.00	0.00	162	0.00	0.00	0.00	0.00	162	0.00	0.00	0.00	0.00
San Benito	0	0.00	0.00	0.00	0.00	83	0.00	0.00	0.00	0.00	83	0.00	0.00	0.00	0.00
San Joaquin	866	0.00	0.00	0.00	0.02	943	0.00	0.00	0.00	0.00	1809	0.00	0.00	0.00	0.02
Santa Clara	0	0.00	0.00	0.00	0.00	60	0.00	0.00	0.00	0.00	60	0.00	0.00	0.00	0.00
Solano	1,707	0.00	0.00	0.00	0.02	1264	0.00	0.00	0.00	0.06	2971	0.00	0.00	0.00	0.04
Stanislaus	679	0.00	0.00	0.00	0.00	606	0.00	0.00	0.00	0.02	1285	0.00	0.00	0.00	0.01
Sutter	1,679	0.00	0.00	0.00	0.00	1418	0.00	0.00	0.00	0.04	3097	0.00	0.00	0.00	0.03
Tehama	142	0.00	0.00	0.00	0.04	457	0.01	0.00	0.00	0.06	599	0.01	0.00	0.00	0.05
Tulare	4,671	0.00	0.00	0.00	0.04	0	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	15,257	0.00	0.00	0.00	0.03	5161	0.00	0.00	0.00	0.02	20418	0.00	0.00	0.00	0.02
STATEWIDE	151,512	0.00	0.00	0.00	0.03	35271	0.00	0.00	0.00	0.04	186783	0.00	0.00	0.00	0.03

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	2.20	2.00	2.00	1.15	86	2.20	2.00	2.00	1.15
Colusa	5,477	1.36	1.00	1.00	1.94	3068	1.62	0.50	1.00	1.75	8545	1.45	1.00	1.00	1.88
Contra Costa	5,027	0.20	0.00	0.00	0.37	1015	0.60	0.50	0.50	0.61	6042	0.27	0.00	0.00	0.45
Fresno	70,176	0.53	0.00	0.50	0.79	11878	1.44	0.00	1.00	1.93	82054	0.66	0.00	0.50	1.08
Glenn	0	0.00	0.00	0.00	0.00	88	6.50	7.00	6.50	2.42	88	6.50	7.00	6.50	2.42
Kern	8,700	0.55	0.00	0.50	0.70	217	0.47	0.00	0.50	0.50	8917	0.55	0.00	0.50	0.69
Kings	30,922	0.63	0.00	0.50	1.05	4059	2.82	1.00	2.50	2.20	34981	0.88	0.00	0.50	1.43
Madera	1,233	0.68	0.00	0.50	0.90	1305	0.78	0.00	0.50	0.82	2538	0.73	0.00	0.50	0.86
Merced	4,976	0.55	0.00	0.50	0.76	3401	1.67	0.00	1.00	1.63	8377	1.00	0.00	0.50	1.31
Sacramento	0	0.00	0.00	0.00	0.00	162	0.29	0.00	0.00	0.49	162	0.29	0.00	0.00	0.49
San Benito	0	0.00	0.00	0.00	0.00	83	0.18	0.00	0.00	0.28	83	0.18	0.00	0.00	0.28
San Joaquin	866	0.41	0.00	0.00	0.54	943	0.61	0.00	0.50	0.78	1809	0.51	0.00	0.50	0.68
Santa Clara	0	0.00	0.00	0.00	0.00	60	0.01	0.00	0.00	0.06	60	0.01	0.00	0.00	0.06
Solano	1,707	0.79	0.00	0.50	0.88	1264	0.81	0.00	0.50	1.04	2971	0.80	0.00	0.50	0.95
Stanislaus	679	0.96	0.00	0.50	1.35	606	1.09	0.00	1.00	1.03	1285	1.02	0.00	0.50	1.21
Sutter	1,679	1.37	1.00	1.00	1.11	1418	1.56	1.00	1.50	1.27	3097	1.46	1.00	1.00	1.19

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 8 Ending 08/22/2026

Last Week YTD						Current Week					Year To Date				
Grade: Mold, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Tehama	142	1.43	1.00	1.50	0.88	457	1.49	1.00	1.00	1.14	599	1.48	1.00	1.00	1.08
Tulare	4,671	1.03	0.00	1.00	1.08	0	0.00	0.00	0.00	0.00	4671	1.03	0.00	1.00	1.08
Yolo	15,257	0.82	0.00	0.50	1.02	5161	1.18	0.50	1.00	1.38	20418	0.91	0.00	0.50	1.13
STATEWIDE	151,512	0.63	0.00	0.50	0.96	35271	1.49	0.00	1.00	1.79	186783	0.79	0.00	0.50	1.22
Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	4.03	4.00	4.00	1.53	86	4.03	4.00	4.00	1.53
Colusa	5,477	3.57	2.00	3.00	2.72	3068	3.62	1.50	3.00	2.63	8545	3.59	1.00	3.00	2.68
Contra Costa	5,027	0.87	0.50	0.50	0.93	1015	0.85	0.00	0.50	1.06	6042	0.87	0.50	0.50	0.95
Fresno	70,176	1.43	0.50	1.00	1.49	11878	1.55	0.50	1.00	1.60	82054	1.45	0.50	1.00	1.51
Glenn	0	0.00	0.00	0.00	0.00	88	2.15	3.50	2.00	1.42	88	2.15	3.50	2.00	1.42
Kern	8,700	1.50	0.50	1.00	1.68	217	1.07	1.00	1.00	0.57	8917	1.49	0.50	1.00	1.66
Kings	30,922	1.60	1.00	1.00	1.62	4059	1.52	1.00	1.50	1.36	34981	1.59	1.00	1.00	1.59
Madera	1,233	3.15	1.00	3.00	1.88	1305	2.36	1.50	2.00	1.64	2538	2.74	1.00	2.50	1.81
Merced	4,976	1.62	1.00	1.00	1.53	3401	1.49	1.00	1.00	1.37	8377	1.57	1.00	1.00	1.47
Sacramento	0	0.00	0.00	0.00	0.00	162	5.67	5.00	5.50	1.77	162	5.67	5.00	5.50	1.77
San Benito	0	0.00	0.00	0.00	0.00	83	0.32	0.50	0.50	0.30	83	0.32	0.50	0.50	0.30
San Joaquin	866	2.28	1.50	2.00	1.23	943	1.43	1.00	1.00	0.97	1809	1.84	1.00	1.50	1.18
Santa Clara	0	0.00	0.00	0.00	0.00	60	0.41	0.50	0.50	0.31	60	0.41	0.50	0.50	0.31
Solano	1,707	0.84	0.00	0.50	1.47	1264	1.15	0.50	0.50	1.52	2971	0.98	0.00	0.50	1.50
Stanislaus	679	0.42	0.00	0.50	0.44	606	0.67	0.00	0.00	1.17	1285	0.54	0.00	0.00	0.87
Sutter	1,679	3.44	1.00	3.00	2.95	1418	3.06	0.50	2.00	2.92	3097	3.26	0.50	2.50	2.94
Tehama	142	5.18	4.00	4.50	2.79	457	4.34	2.00	4.00	2.32	599	4.53	4.00	4.50	2.47
Tulare	4,671	4.27	2.00	3.50	2.88	0	0.00	0.00	0.00	0.00	4671	4.27	2.00	3.50	2.88
Yolo	15,257	1.59	0.00	1.00	1.96	5161	1.46	0.50	1.00	1.79	20418	1.56	0.00	1.00	1.92
STATEWIDE	151,512	1.68	0.50	1.00	1.84	35271	1.80	0.50	1.00	1.92	186783	1.70	0.50	1.00	1.86
Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	1.47	0.50	1.00	1.26	86	1.47	0.50	1.00	1.26
Colusa	5,477	1.97	1.00	1.50	2.17	3068	1.28	0.00	1.00	1.51	8545	1.72	0.00	1.00	1.99
Contra Costa	5,027	0.85	0.00	0.50	1.10	1015	0.89	0.00	0.50	1.04	6042	0.86	0.00	0.50	1.09
Fresno	70,176	0.86	0.00	0.50	1.15	11878	0.84	0.00	0.50	1.10	82054	0.86	0.00	0.50	1.15
Glenn	0	0.00	0.00	0.00	0.00	88	0.96	0.50	1.00	0.87	88	0.96	0.50	1.00	0.87
Kern	8,700	0.92	0.00	0.50	0.96	217	0.98	1.00	1.00	0.83	8917	0.92	0.00	0.50	0.96
Kings	30,922	0.68	0.00	0.50	1.01	4059	0.81	0.00	0.50	1.00	34981	0.69	0.00	0.50	1.01
Madera	1,233	0.49	0.00	0.50	0.60	1305	0.55	0.00	0.50	0.74	2538	0.52	0.00	0.50	0.68
Merced	4,976	1.73	0.00	1.00	1.98	3401	1.24	0.00	1.00	1.28	8377	1.53	0.00	1.00	1.75

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 8 Ending 08/22/2026

	Last Week YTD					Current Week					Year To Date				
Grade: LU, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Sacramento	0	0.00	0.00	0.00	0.00	162	0.55	0.00	0.50	0.75	162	0.55	0.00	0.50	0.75
San Benito	0	0.00	0.00	0.00	0.00	83	2.00	1.00	1.50	1.23	83	2.00	1.00	1.50	1.23
San Joaquin	866	0.69	0.00	0.50	0.83	943	0.85	0.00	0.50	1.06	1809	0.77	0.00	0.50	0.96
Santa Clara	0	0.00	0.00	0.00	0.00	60	0.67	0.50	0.50	0.73	60	0.67	0.50	0.50	0.73
Solano	1,707	0.50	0.00	0.50	0.78	1264	0.51	0.00	0.00	0.75	2971	0.50	0.00	0.50	0.76
Stanislaus	679	1.83	1.00	1.50	1.81	606	0.92	0.00	0.50	1.01	1285	1.41	0.00	1.00	1.55
Sutter	1,679	1.68	0.50	1.00	1.93	1418	1.17	0.50	1.00	1.28	3097	1.45	0.50	1.00	1.68
Tehama	142	0.92	0.50	0.50	1.04	457	1.40	0.50	1.00	1.68	599	1.29	0.50	1.00	1.57
Tulare	4,671	0.70	0.00	0.50	0.93	0	0.00	0.00	0.00	0.00	4671	0.70	0.00	0.50	0.93
Yolo	15,257	1.31	0.00	0.50	1.94	5161	1.01	0.00	0.50	1.55	20418	1.24	0.00	0.50	1.85
STATEWIDE	151,512	0.94	0.00	0.50	1.34	35271	0.95	0.00	0.50	1.23	186783	0.94	0.00	0.50	1.32

Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	2.20	2.00	2.00	1.82	86	2.20	2.00	2.00	1.82
Colusa	5,477	1.13	0.50	1.00	1.16	3068	1.17	0.50	1.00	1.23	8545	1.14	0.50	1.00	1.19
Contra Costa	5,027	0.33	0.00	0.00	0.68	1015	0.25	0.00	0.00	0.52	6042	0.32	0.00	0.00	0.66
Fresno	70,176	0.45	0.00	0.00	0.80	11878	0.55	0.00	0.50	0.95	82054	0.46	0.00	0.00	0.83
Glenn	0	0.00	0.00	0.00	0.00	88	1.68	0.50	1.25	1.76	88	1.68	0.50	1.25	1.76
Kern	8,700	0.63	0.00	0.50	1.15	217	0.53	0.00	0.50	0.85	8917	0.63	0.00	0.50	1.14
Kings	30,922	0.44	0.00	0.50	0.67	4059	0.72	0.50	0.50	0.91	34981	0.47	0.00	0.50	0.71
Madera	1,233	0.94	0.00	0.50	1.42	1305	0.52	0.00	0.50	0.77	2538	0.72	0.00	0.50	1.15
Merced	4,976	0.69	0.00	0.50	0.88	3401	0.98	0.00	0.50	1.28	8377	0.80	0.00	0.50	1.07
Sacramento	0	0.00	0.00	0.00	0.00	162	4.14	4.00	4.00	2.21	162	4.14	4.00	4.00	2.21
San Benito	0	0.00	0.00	0.00	0.00	83	0.60	0.50	0.50	0.28	83	0.60	0.50	0.50	0.28
San Joaquin	866	0.75	0.50	0.50	1.28	943	1.61	0.00	0.50	2.88	1809	1.19	0.00	0.50	2.30
Santa Clara	0	0.00	0.00	0.00	0.00	60	0.34	0.50	0.50	0.27	60	0.34	0.50	0.50	0.27
Solano	1,707	0.32	0.00	0.00	0.73	1264	0.22	0.00	0.00	0.61	2971	0.28	0.00	0.00	0.69
Stanislaus	679	0.25	0.00	0.00	0.39	606	0.21	0.00	0.00	0.47	1285	0.23	0.00	0.00	0.43
Sutter	1,679	0.76	0.00	0.50	0.91	1418	0.73	0.00	0.50	1.08	3097	0.75	0.00	0.50	0.99
Tehama	142	1.36	0.50	1.00	1.73	457	1.79	1.00	1.50	1.89	599	1.69	1.00	1.00	1.86
Tulare	4,671	1.03	0.50	1.00	1.12	0	0.00	0.00	0.00	0.00	4671	1.03	0.50	1.00	1.12
Yolo	15,257	0.46	0.00	0.00	0.89	5161	0.39	0.00	0.00	0.73	20418	0.44	0.00	0.00	0.86
STATEWIDE	151,512	0.51	0.00	0.50	0.87	35271	0.69	0.00	0.50	1.16	186783	0.55	0.00	0.50	0.93

Grade: Hue															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	21.27	21.00	21.00	0.76	86	21.27	21.00	21.00	0.76
Colusa	5,477	21.56	21.50	21.50	1.18	3068	21.71	21.50	21.50	1.04	8545	21.61	21.50	21.50	1.14

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 8 Ending 08/22/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Hue, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	5,027	20.14	20.00	20.00	1.01	1015	19.87	20.00	20.00	0.89	6042	20.09	20.00	20.00	1.00
Fresno	70,176	20.35	19.50	20.00	1.29	11878	20.63	20.50	20.50	1.21	82054	20.39	20.00	20.00	1.28
Glenn	0	0.00	0.00	0.00	0.00	88	24.08	26.00	24.00	1.89	88	24.08	26.00	24.00	1.89
Kern	8,700	20.51	20.50	20.50	1.08	217	21.53	21.00	21.00	1.37	8917	20.54	20.50	20.50	1.10
Kings	30,922	20.24	20.00	20.00	1.10	4059	20.23	19.50	20.00	1.22	34981	20.24	19.50	20.00	1.11
Madera	1,233	21.06	20.50	21.00	1.20	1305	21.51	22.00	21.50	1.19	2538	21.29	22.00	21.50	1.21
Merced	4,976	21.38	21.50	21.50	1.19	3401	21.42	21.00	21.50	1.33	8377	21.39	21.50	21.50	1.25
Sacramento	0	0.00	0.00	0.00	0.00	162	21.54	21.50	21.50	0.84	162	21.54	21.50	21.50	0.84
San Benito	0	0.00	0.00	0.00	0.00	83	20.38	20.00	20.50	0.56	83	20.38	20.00	20.50	0.56
San Joaquin	866	21.85	22.50	22.00	1.60	943	21.70	22.00	22.00	1.47	1809	21.77	22.00	22.00	1.54
Santa Clara	0	0.00	0.00	0.00	0.00	60	19.47	19.50	19.50	0.50	60	19.47	19.50	19.50	0.50
Solano	1,707	21.04	20.50	20.50	1.40	1264	21.00	21.00	21.00	1.09	2971	21.02	20.50	21.00	1.28
Stanislaus	679	21.05	20.00	21.00	1.21	606	21.17	21.00	21.00	1.30	1285	21.11	21.00	21.00	1.26
Sutter	1,679	21.65	21.50	21.50	1.16	1418	21.97	22.00	22.00	1.13	3097	21.80	21.50	21.50	1.15
Tehama	142	22.89	22.50	22.50	1.00	457	21.88	21.50	21.50	0.90	599	22.11	21.50	22.00	1.02
Tulare	4,671	20.33	20.50	20.00	1.02	0	0.00	0.00	0.00	0.00	4671	20.33	20.50	20.00	1.02
Yolo	15,257	21.55	21.00	21.50	1.41	5161	21.99	22.50	22.00	1.50	20418	21.66	21.00	21.50	1.45
STATEWIDE	151,512	20.57	20.00	20.50	1.33	35271	21.11	20.50	21.00	1.41	186783	20.67	20.00	20.50	1.36

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	5.05	5.00	5.00	0.31	86	5.05	5.00	5.00	0.31
Colusa	5,477	5.17	4.90	5.10	0.42	3068	5.08	5.00	5.10	0.36	8545	5.14	4.90	5.10	0.40
Contra Costa	5,027	5.14	5.10	5.10	0.31	1015	5.24	5.00	5.20	0.35	6042	5.16	5.10	5.10	0.32
Fresno	70,176	5.41	5.30	5.40	0.44	11878	5.28	5.40	5.30	0.50	82054	5.39	5.30	5.40	0.45
Glenn	0	0.00	0.00	0.00	0.00	88	4.99	5.00	5.00	0.23	88	4.99	5.00	5.00	0.23
Kern	8,700	5.05	4.60	5.00	0.55	217	4.86	5.00	4.90	0.32	8917	5.04	4.60	5.00	0.54
Kings	30,922	4.96	4.90	4.90	0.47	4059	4.90	4.90	4.90	0.37	34981	4.95	4.90	4.90	0.46
Madera	1,233	5.12	4.80	5.10	0.36	1305	4.98	4.70	4.90	0.44	2538	5.05	4.80	5.00	0.41
Merced	4,976	5.50	5.30	5.40	0.56	3401	5.10	4.90	5.10	0.41	8377	5.34	5.00	5.30	0.54
Sacramento	0	0.00	0.00	0.00	0.00	162	5.01	4.80	4.90	0.36	162	5.01	4.80	4.90	0.36
San Benito	0	0.00	0.00	0.00	0.00	83	4.92	4.80	4.80	0.25	83	4.92	4.80	4.80	0.25
San Joaquin	866	5.61	5.70	5.60	0.39	943	5.44	5.10	5.40	0.40	1809	5.52	5.40	5.50	0.40
Santa Clara	0	0.00	0.00	0.00	0.00	60	5.34	5.30	5.30	0.16	60	5.34	5.30	5.30	0.16
Solano	1,707	5.39	5.00	5.40	0.46	1264	5.14	5.30	5.10	0.45	2971	5.28	5.30	5.30	0.47
Stanislaus	679	5.40	5.60	5.40	0.31	606	5.51	5.70	5.50	0.59	1285	5.45	5.60	5.50	0.47
Sutter	1,679	5.10	4.80	5.00	0.44	1418	5.05	5.00	5.00	0.45	3097	5.08	5.00	5.00	0.44
Tehama	142	4.67	4.60	4.70	0.19	457	4.87	4.80	4.80	0.29	599	4.83	4.80	4.80	0.28
Tulare	4,671	4.87	4.50	4.80	0.42	0	0.00	0.00	0.00	0.00	4671	4.87	4.50	4.80	0.42
Yolo	15,257	5.06	5.00	5.00	0.40	5161	4.96	4.90	4.90	0.40	20418	5.04	5.00	5.00	0.41

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 8 Ending 08/22/2026

STATEWIDE	151,512	5.23	5.10	5.20	0.50	35271	5.13	4.90	5.10	0.46	186783	5.21	5.10	5.20	0.49
-----------	---------	------	------	------	------	-------	------	------	------	------	--------	------	------	------	------

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	0	0.00	0.00	0.00	0.00	86	4.45	4.41	4.45	0.05	86	4.45	4.41	4.45	0.05
Colusa	5,477	4.41	4.43	4.40	0.09	3068	4.36	4.35	4.35	0.09	8545	4.39	4.36	4.38	0.09
Contra Costa	5,027	4.37	4.38	4.37	0.08	1015	4.39	4.40	4.40	0.08	6042	4.38	4.41	4.38	0.08
Fresno	70,176	4.40	4.40	4.40	0.09	11878	4.42	4.43	4.42	0.10	82054	4.40	4.40	4.40	0.10
Glenn	0	0.00	0.00	0.00	0.00	88	4.45	4.36	4.42	0.10	88	4.45	4.36	4.42	0.10
Kern	8,700	4.38	4.34	4.38	0.09	217	4.43	4.39	4.41	0.08	8917	4.38	4.36	4.38	0.09
Kings	30,922	4.37	4.35	4.36	0.09	4059	4.42	4.42	4.42	0.08	34981	4.38	4.35	4.37	0.09
Madera	1,233	4.42	4.40	4.42	0.09	1305	4.43	4.38	4.42	0.08	2538	4.42	4.43	4.42	0.09
Merced	4,976	4.46	4.38	4.45	0.11	3401	4.45	4.39	4.45	0.10	8377	4.45	4.40	4.45	0.10
Sacramento	0	0.00	0.00	0.00	0.00	162	4.30	4.31	4.30	0.07	162	4.30	4.31	4.30	0.07
San Benito	0	0.00	0.00	0.00	0.00	83	4.26	4.24	4.25	0.04	83	4.26	4.24	4.25	0.04
San Joaquin	866	4.34	4.37	4.35	0.10	943	4.31	4.32	4.31	0.08	1809	4.32	4.32	4.32	0.09
Santa Clara	0	0.00	0.00	0.00	0.00	60	4.31	4.35	4.33	0.05	60	4.31	4.35	4.33	0.05
Solano	1,707	4.39	4.42	4.39	0.08	1264	4.34	4.29	4.32	0.08	2971	4.37	4.34	4.36	0.08
Stanislaus	679	4.46	4.44	4.46	0.10	606	4.41	4.40	4.40	0.07	1285	4.43	4.44	4.43	0.09
Sutter	1,679	4.39	4.38	4.39	0.09	1418	4.39	4.34	4.38	0.07	3097	4.39	4.38	4.38	0.08
Tehama	142	4.31	4.29	4.31	0.04	457	4.33	4.34	4.33	0.06	599	4.33	4.33	4.32	0.06
Tulare	4,671	4.43	4.39	4.43	0.09	0	0.00	0.00	0.00	0.00	4671	4.43	4.39	4.43	0.09
Yolo	15,257	4.37	4.36	4.37	0.09	5161	4.35	4.31	4.34	0.10	20418	4.37	4.36	4.36	0.10
STATEWIDE	151,512	4.39	4.38	4.39	0.09	35271	4.40	4.40	4.39	0.10	186783	4.39	4.38	4.39	0.10

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 8 Ending 08/22/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.7	186,182	0.0	40.4	75,420	0.0	16.1	29,993	0.0	35.5	66,339	0.0	47.8	89,304
0.5	100.0	186,733	0.5	64.9	121,262	0.5	35.9	67,111	0.5	59.7	111,465	0.5	77.2	144,259
1.0	100.0	186,771	1.0	79.9	149,156	1.0	53.6	100,050	1.0	75.8	141,591	1.0	88.7	165,609
1.5	100.0	186,777	1.5	87.3	163,131	1.5	65.8	122,864	1.5	84.3	157,413	1.5	93.3	174,340
2.0	100.0	186,783	2.0	91.6	171,153	2.0	74.7	139,563	2.0	89.4	166,972	2.0	95.7	178,823
			2.5	94.3	176,177	2.5	81.1	151,500	2.5	92.6	173,000	2.5	97.1	181,443
			3.0	96.0	179,263	3.0	85.7	160,108	3.0	94.7	176,966	3.0	98.0	183,084
			3.5	97.1	181,420	3.5	89.1	166,416	3.5	96.2	179,605	3.5	98.6	184,188
			4.0	97.9	182,858	4.0	91.5	170,965	4.0	97.1	181,413	4.0	99.0	184,884
			4.5	98.4	183,872	4.5	93.4	174,416	4.5	97.9	182,803	4.5	99.2	185,356
			5.0	98.8	184,582	5.0	94.8	176,981	5.0	98.4	183,723	5.0	99.4	185,707
			5.5	99.1	185,128	5.5	95.8	178,964	5.5	98.7	184,445	5.5	99.5	185,939
			6.0	99.3	185,482	6.0	96.6	180,485	6.0	99.0	184,961	6.0	99.7	186,142
			6.5	99.5	185,784	6.5	97.3	181,796	6.5	99.2	185,350	6.5	99.7	186,267
			7.0	99.6	185,998	7.0	97.9	182,847	7.0	99.4	185,641	7.0	99.8	186,365
			7.5	99.7	186,165	7.5	98.3	183,675	7.5	99.5	185,865	7.5	99.8	186,447
			8.0	99.7	186,293	8.0	98.7	184,358	8.0	99.6	186,053	8.0	99.9	186,509
			8.5	99.8	186,391	8.5	99.0	184,932	8.5	99.7	186,195	8.5	99.9	186,550
			9.0	99.8	186,468	9.0	99.2	185,346	9.0	99.7	186,301	9.0	99.9	186,600
			9.5	99.9	186,521	9.5	99.4	185,663	9.5	99.8	186,396	9.5	99.9	186,629
			10.0	99.9	186,563	10.0	99.5	185,899	10.0	99.8	186,474	10.0	99.9	186,661
			10.5	99.9	186,595	10.5	99.6	186,125	10.5	99.9	186,536	10.5	99.9	186,679
			11.0	99.9	186,629	11.0	99.7	186,248	11.0	99.9	186,582	11.0	100.0	186,690
			11.5	99.9	186,653	11.5	99.8	186,362	11.5	99.9	186,613	11.5	100.0	186,697
			12.0	99.9	186,670	12.0	99.8	186,465	12.0	99.9	186,644	12.0	100.0	186,709
			12.5	99.9	186,686	12.5	99.9	186,534	12.5	99.9	186,672	12.5	100.0	186,720
			13.0	100.0	186,695	13.0	99.9	186,597	13.0	100.0	186,691	13.0	100.0	186,730
			13.5	100.0	186,712	13.5	99.9	186,630	13.5	100.0	186,707	13.5	100.0	186,739
			14.0	100.0	186,717	14.0	99.9	186,654	14.0	100.0	186,730	14.0	100.0	186,742
			14.5	100.0	186,727	14.5	99.9	186,677	14.5	100.0	186,738	14.5	100.0	186,746
			15.0	100.0	186,731	15.0	100.0	186,699	15.0	100.0	186,743	15.0	100.0	186,749
			15.5	100.0	186,734	15.5	100.0	186,708	15.5	100.0	186,751	15.5	100.0	186,752
			16.0	100.0	186,738	16.0	100.0	186,721	16.0	100.0	186,755	16.0	100.0	186,755
			16.5	100.0	186,744	16.5	100.0	186,731	16.5	100.0	186,757	16.5	100.0	186,758
			17.0	100.0	186,744	17.0	100.0	186,742	17.0	100.0	186,759	17.0	100.0	186,759
			17.5	100.0	186,747	17.5	100.0	186,745	17.5	100.0	186,765	17.5	100.0	186,764
			18.0	100.0	186,750	18.0	100.0	186,752	18.0	100.0	186,766	18.0	100.0	186,771
			18.5	100.0	186,753	18.5	100.0	186,759	18.5	100.0	186,768	18.5	100.0	186,775
			19.0	100.0	186,753	19.0	100.0	186,762	19.0	100.0	186,773	19.0	100.0	186,779
			19.5	100.0	186,757	19.5	100.0	186,764	19.5	100.0	186,774	19.5	100.0	186,780
			20.0	100.0	186,759	20.0	100.0	186,765	20.0	100.0	186,776	20.0	100.0	186,782
			20.5	100.0	186,761	20.5	100.0	186,766	20.5	100.0	186,776	20.5	100.0	186,782
			21.0	100.0	186,762	21.0	100.0	186,770	21.0	100.0	186,776	21.0	100.0	186,783
			21.5	100.0	186,762	21.5	100.0	186,772	21.5	100.0	186,777			

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 8 Ending 08/22/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week				#Loads	Year To Date			
		GREEN Percent Less than or Equal To:					GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Butte	86	1	6	33	65	86	1	6	33	65
Colusa	3,068	16	36	54	67	8,545	18	37	54	67
Contra Costa	1,015	76	88	95	98	6,042	76	91	96	98
Fresno	11,878	54	76	88	94	82,054	57	79	90	95
Glenn	88	28	51	71	96	88	28	51	71	96
Kern	217	65	97	100	100	8,917	59	81	89	93
Kings	4,059	49	81	92	96	34,981	52	78	89	94
Madera	1,305	28	52	75	87	2,538	23	44	65	80
Merced	3,401	53	80	91	95	8,377	52	78	90	95
Sacramento	162	0	0	5	22	162	0	0	5	22
San Benito	83	100	100	100	100	83	100	100	100	100
San Joaquin	943	51	83	95	98	1,809	35	70	88	96
Santa Clara	60	100	100	100	100	60	100	100	100	100
Solano	1,264	70	86	93	96	2,971	76	88	93	96
Stanislaus	606	81	87	94	98	1,285	88	93	97	99
Sutter	1,418	39	53	63	71	3,097	33	47	57	67
Tehama	457	6	22	40	52	599	4	18	34	49
Tulare	0	0	0	0	0	4,671	8	25	42	57
Yolo	5,161	65	78	85	91	20,418	61	76	84	90
STATEWIDE TOTALS										
CURRENT WEEK	35,271	51.4	72.5	84.0	90.2	186,783	54	75	86	92
LAST WEEK YTD						151,512	54	75	86	92

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 8 Ending 08/22/2026

ANALYSIS BY COUNTY FOR GRADE: LU

County	Current Week					Year To Date				
	#Loads	LU Percent Less than or Equal To:				#Loads	LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Butte	86	97	100	100	100	86	97	100	100	100
Colusa	3,068	97	99	99	100	8,545	94	98	99	99
Contra Costa	1,015	99	99	100	100	6,042	99	99	100	100
Fresno	11,878	99	99	100	100	82,054	98	99	99	99
Glenn	88	100	100	100	100	88	100	100	100	100
Kern	217	100	100	100	100	8,917	99	99	100	100
Kings	4,059	99	99	100	100	34,981	99	99	99	99
Madera	1,305	99	100	100	100	2,538	99	100	100	100
Merced	3,401	98	99	100	100	8,377	95	99	99	99
Sacramento	162	99	100	100	100	162	99	100	100	100
San Benito	83	96	100	100	100	83	96	100	100	100
San Joaquin	943	99	99	99	100	1,809	99	99	99	100
Santa Clara	60	100	100	100	100	60	100	100	100	100
Solano	1,264	99	100	100	100	2,971	99	99	100	100
Stanislaus	606	99	100	100	100	1,285	97	99	99	99
Sutter	1,418	98	99	100	100	3,097	96	99	99	99
Tehama	457	96	98	100	100	599	96	99	100	100
Tulare	0	0	0	0	0	4,671	99	100	100	100
Yolo	5,161	97	99	99	100	20,418	95	98	99	99
STATEWIDE TOTALS										
CURRENT WEEK	35,271	98.6	99.8	100.0	100.0	186,783	98	100	100	100
LAST WEEK YTD						151,512	98	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 8 Ending 08/22/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	Current Week							Year To Date						
	MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:						
	#Loads	3%	4%	5%	6%	7%	8%	#Loads	3%	4%	5%	6%	7%	8%
Butte	86	84	93	97	100	100	100	86	84	93	97	100	100	100
Colusa	3,068	86	93	96	97	98	98	8,545	91	95	97	98	98	99
Contra Costa	1,015	99	100	100	100	100	100	6,042	99	100	100	100	100	100
Fresno	11,878	89	93	96	97	98	98	82,054	97	98	99	99	99	99
Glenn	88	7	17	28	44	69	80	88	7	17	28	44	69	80
Kern	217	100	100	100	100	100	100	8,917	99	99	99	99	100	100
Kings	4,059	66	79	87	92	95	96	34,981	93	96	97	98	99	99
Madera	1,305	98	99	99	100	100	100	2,538	98	99	99	99	99	100
Merced	3,401	85	92	96	98	99	99	8,377	93	96	98	99	99	99
Sacramento	162	99	100	100	100	100	100	162	99	100	100	100	100	100
San Benito	83	100	100	100	100	100	100	83	100	100	100	100	100	100
San Joaquin	943	98	99	99	100	100	100	1,809	99	99	99	100	100	100
Santa Clara	60	100	100	100	100	100	100	60	100	100	100	100	100	100
Solano	1,264	96	98	99	99	99	99	2,971	97	98	99	99	99	99
Stanislaus	606	96	99	99	100	100	100	1,285	94	97	98	99	99	100
Sutter	1,418	90	96	98	99	99	99	3,097	92	97	99	99	99	99
Tehama	457	92	96	99	99	100	100	599	93	97	99	99	100	100
Tulare	0	0	0	0	0	0	0	4,671	95	98	99	99	99	99
Yolo	5,161	92	95	97	98	99	99	20,418	95	97	98	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	35,271	88.0	93.2	96.0	97.5	98.5	99.0	186,783	96	98	99	99	100	100
LAST WEEK YTD								151,512	98	99	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 8 Ending 08/22/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Butte	86	16	33	68	79	86	16	33	68	79
Colusa	3,068	44	65	86	94	8,545	45	66	86	94
Contra Costa	1,015	86	95	98	99	6,042	86	93	97	99
Fresno	11,878	78	89	96	98	82,054	81	91	97	98
Glenn	88	31	50	72	88	88	31	50	72	88
Kern	217	76	87	96	98	8,917	75	88	95	97
Kings	4,059	68	84	94	97	34,981	80	91	97	98
Madera	1,305	79	91	96	98	2,538	72	85	92	96
Merced	3,401	59	75	88	94	8,377	64	80	92	96
Sacramento	162	2	8	19	38	162	2	8	19	38
San Benito	83	74	98	100	100	83	74	98	100	100
San Joaquin	943	66	73	78	81	1,809	69	79	85	88
Santa Clara	60	96	100	100	100	60	96	100	100	100
Solano	1,264	91	95	97	99	2,971	89	94	97	98
Stanislaus	606	89	97	98	99	1,285	91	97	99	99
Sutter	1,418	67	79	92	97	3,097	64	79	93	97
Tehama	457	27	48	75	87	599	31	52	77	87
Tulare	0	0	0	0	0	4,671	47	70	89	96
Yolo	5,161	83	91	97	98	20,418	80	90	96	98
STATEWIDE TOTALS										
CURRENT WEEK	35,271	72.1	84.6	93.5	96.7	186,783	77	89	96	98
LAST WEEK YTD						151,512	78	90	96	98

Average Defects Report (RP10)**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS**
Week 8 Ending 08/22/2026**Butte**

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
		YTD	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
434	6434, N	Cur Wk	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
		YTD	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
Cur Wk:			86	0.0	2.2	4.0	2.2	21.3	1.5	5.0	4.45
YTD			86	0.0	2.2	4.0	2.2	21.3	1.5	5.0	4.45

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
		YTD	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
015	1015, HZ	Cur Wk	159	0.0	1.9	0.8	1.2	20.6	2.6	4.9	4.50
		YTD	751	0.0	1.0	1.1	1.3	20.3	1.3	4.9	4.45
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	681	0.0	3.0	5.3	1.7	22.6	2.1	4.9	4.42
		YTD	1,978	0.0	2.1	4.8	1.4	22.6	2.8	4.9	4.47
037	8237, HM	Cur Wk	637	0.0	0.7	4.4	1.0	21.8	0.8	5.3	4.31
		YTD	1,100	0.0	0.5	5.1	0.9	21.8	0.7	5.3	4.32
1	1	Cur Wk	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
		YTD	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	33	0.0	1.9	2.2	0.8	19.9	6.1	5.0	4.42
		YTD	164	0.0	0.8	4.3	1.4	20.7	2.7	4.8	4.45
248	8422, BOS	Cur Wk	82	0.0	2.6	7.1	1.4	22.0	1.1	4.5	4.42
		YTD	82	0.0	2.6	7.1	1.4	22.0	1.1	4.5	4.42
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
324	8423, BOS	Cur Wk	17	0.0	2.9	5.8	1.4	22.1	2.1	4.6	4.39
		YTD	17	0.0	2.9	5.8	1.4	22.1	2.1	4.6	4.39
434	6434, N	Cur Wk	34	0.0	3.9	1.8	1.5	22.7	5.2	4.9	4.49
		YTD	360	0.0	1.3	3.6	1.6	22.4	2.9	5.2	4.42
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
610	2016, HZ	Cur Wk	31	0.0	0.5	4.5	0.8	20.1	0.7	5.0	4.33
		YTD	130	0.0	0.7	3.8	1.3	21.5	4.5	4.9	4.42

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
650	6500, N	Cur Wk	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
		YTD	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
659	6509, N	Cur Wk	21	0.0	2.7	1.9	1.1	21.7	0.8	5.0	4.39
		YTD	21	0.0	2.7	1.9	1.1	21.7	0.8	5.0	4.39
730	9037, SVTM	Cur Wk	162	0.0	0.6	3.8	1.5	22.0	0.6	5.0	4.31
		YTD	162	0.0	0.6	3.8	1.5	22.0	0.6	5.0	4.31
851	6851, BOS	Cur Wk	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
916	9016, SVTM	Cur Wk	599	0.0	1.5	2.6	0.9	21.6	0.6	5.2	4.33
		YTD	1,394	0.0	2.2	3.2	1.0	21.7	0.8	5.3	4.36
921	9021, SVTM	Cur Wk	21	0.0	2.4	4.2	0.9	21.7	1.3	4.9	4.41
		YTD	159	0.0	2.0	2.3	0.9	22.0	2.3	4.9	4.43
941	9041, SVTM	Cur Wk	541	0.0	1.0	2.3	0.9	21.1	0.7	5.1	4.33
		YTD	556	0.0	1.0	2.3	0.9	21.1	0.7	5.1	4.33
Cur Wk:			3,068	0.0	1.6	3.6	1.2	21.7	1.3	5.1	4.36
YTD			8,545	0.0	1.5	3.6	1.1	21.6	1.7	5.1	4.39

Contra Costa											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
036	8163, HM	Cur Wk	37	0.0	0.7	0.2	0.1	19.3	0.5	5.5	4.50
		YTD	37	0.0	0.7	0.2	0.1	19.3	0.5	5.5	4.50
064	0645, LS	Cur Wk	56	0.0	0.3	0.6	0.0	19.9	0.7	4.9	4.45
		YTD	241	0.0	0.2	1.5	0.6	20.1	0.6	4.9	4.43
068	8268, HM	Cur Wk	116	0.0	0.3	0.4	0.1	19.0	1.0	5.2	4.43
		YTD	1,253	0.0	0.1	0.6	0.2	19.7	0.9	5.2	4.40
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	66	0.0	0.5	0.8	0.1	20.1	1.0	5.3	4.27
		YTD	139	0.0	0.4	1.3	0.5	20.1	1.1	5.3	4.28
219	109, BP	Cur Wk	79	0.0	0.3	1.9	0.7	19.9	0.5	5.3	4.28

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Contra Costa, Continued			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
301	7103, HM	YTD	87	0.0	0.3	1.9	1.0	20.1	0.6	5.3	4.29
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	93	0.0	0.8	1.5	0.9	20.2	0.5	5.3	4.43
		YTD	296	0.0	0.3	0.6	0.4	20.4	0.7	5.2	4.41
511	5511, HM	Cur Wk	131	0.0	0.6	1.7	0.3	20.6	2.1	5.0	4.42
		YTD	265	0.0	0.5	1.4	0.3	20.4	2.7	5.1	4.42
552	5522, HM	Cur Wk	174	0.0	0.6	0.2	0.0	19.3	0.4	5.5	4.37
		YTD	814	0.0	0.2	0.6	0.4	19.5	0.4	5.3	4.34
740	74, BP	Cur Wk	238	0.0	0.9	0.7	0.1	19.8	0.9	5.2	4.42
		YTD	672	0.0	0.6	1.1	0.4	19.9	1.5	5.2	4.43
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	25	0.0	0.5	0.4	0.4	23.1	1.1	4.8	4.26
		YTD	232	0.0	0.5	0.8	0.4	22.5	1.2	5.1	4.26
Cur Wk:			1,015	0.0	0.6	0.9	0.2	19.9	0.9	5.2	4.39
YTD			6,042	0.0	0.3	0.9	0.3	20.1	0.9	5.2	4.38

Fresno			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	355	0.0	0.8	0.3	0.1	20.3	0.7	5.7	4.45
		YTD	8,289	0.0	0.4	1.2	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	369	0.0	1.5	0.7	0.5	19.7	2.1	5.8	4.50
		YTD	4,298	0.0	0.8	0.7	0.5	19.5	1.0	5.7	4.47
037	8237, HM	Cur Wk	1,357	0.0	1.1	1.2	0.5	21.1	0.6	5.4	4.36
		YTD	4,784	0.0	0.6	1.2	0.3	21.2	0.5	5.4	4.37
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	160	0.0	2.1	1.5	1.0	20.1	2.0	5.8	4.60
		YTD	1,076	0.0	0.9	1.3	0.4	20.0	1.4	5.6	4.55
068	8268, HM	Cur Wk	1	0.0	1.0	1.0	0.0	21.5	3.5	6.2	4.47
		YTD	3,575	0.0	0.7	1.3	0.4	19.6	1.1	5.5	4.44

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
074	6474, N	Cur Wk	163	0.0	1.1	1.6	0.5	21.3	1.3	5.4	4.53
		YTD	1,184	0.0	0.7	4.8	1.4	21.2	0.8	5.5	4.43
1	1	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	27	0.0	0.7	0.4	0.0	21.0	1.4	4.8	4.54
		YTD	495	0.0	1.1	1.1	0.5	20.7	1.5	5.0	4.48
112	16112, UG	Cur Wk	433	0.0	1.1	0.8	0.2	19.9	0.8	5.2	4.46
		YTD	939	0.0	0.7	0.7	0.4	19.9	0.6	5.1	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
124	0221, HMC	Cur Wk	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
		YTD	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
130	130, BP	Cur Wk	6	0.0	1.4	1.9	0.6	20.3	1.9	6.2	4.43
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	51	0.0	1.1	2.2	0.7	19.2	0.4	4.7	4.50
		YTD	141	0.0	0.9	1.5	0.7	19.6	0.4	4.7	4.54
173	0371, HM	Cur Wk	157	0.0	0.6	0.2	0.3	20.0	0.8	5.8	4.38
		YTD	5,665	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	332	0.0	4.5	3.6	0.4	19.8	1.3	5.2	4.47
		YTD	694	0.0	2.7	3.6	0.6	19.6	1.5	5.3	4.45
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	25	0.0	1.0	0.6	0.1	20.3	1.2	5.5	4.36
		YTD	282	0.0	0.7	0.6	0.2	19.9	0.8	5.7	4.40
219	109, BP	Cur Wk	60	0.0	0.3	0.3	0.2	20.5	0.8	6.3	4.37
		YTD	318	0.0	0.7	0.9	0.1	20.7	0.8	5.8	4.36
239	9023, SVTM	Cur Wk	83	0.0	1.9	0.1	0.3	23.0	3.5	5.0	4.49
		YTD	2,658	0.0	0.5	1.3	0.4	21.9	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
251	2515, HZ	Cur Wk	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	6	0.0	0.8	1.1	0.2	20.7	0.8	5.5	4.44
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
263	2639, HZ	Cur Wk	65	0.0	3.2	1.5	1.0	20.6	0.8	4.8	4.46

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	65	0.0	3.2	1.5	1.0	20.6	0.8	4.8	4.46
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
316	621316, HMC	Cur Wk	4	0.0	0.3	3.0	0.1	20.5	0.1	5.6	4.33
		YTD	4	0.0	0.3	3.0	0.1	20.5	0.1	5.6	4.33
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
369	5369, HM	Cur Wk	288	0.0	1.9	0.2	0.1	20.0	1.3	5.3	4.64
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	1	0.0	1.5	0.5	1.0	20.5	0.0	6.1	4.25
		YTD	146	0.0	1.9	1.1	1.3	21.5	2.9	5.9	4.53
430	9034, SVTM	Cur Wk	405	0.0	2.2	1.7	1.0	21.1	1.1	5.2	4.50
		YTD	5,906	0.0	0.7	1.2	0.5	20.4	0.9	5.4	4.49
434	6434, N	Cur Wk	114	0.0	9.1	2.2	1.4	22.3	2.0	5.2	4.56
		YTD	740	0.0	3.1	3.3	1.7	22.2	2.1	5.0	4.50
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	255	0.0	0.1	2.4	0.4	21.2	0.3	5.0	4.38
476	2476, HZ	Cur Wk	2	0.0	0.3	0.3	0.0	23.3	7.5	5.2	4.60
		YTD	159	0.0	0.8	1.0	0.5	21.8	2.3	5.4	4.55
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	173	0.0	1.4	0.4	0.3	20.4	1.3	4.7	4.64
		YTD	732	0.0	1.2	0.9	0.4	20.2	0.6	4.6	4.57
489	6489, N	Cur Wk	28	0.0	1.1	2.5	1.1	19.7	0.5	4.9	4.45
		YTD	1,115	0.0	0.5	0.8	0.2	19.4	0.3	5.2	4.40
491	491	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
552	5522, HM	Cur Wk	361	0.0	2.1	0.2	0.3	19.6	1.1	5.8	4.45
		YTD	5,542	0.0	0.6	0.8	0.2	19.6	0.6	5.6	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,142	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	5	0.0	0.5	0.3	0.2	20.7	1.0	5.6	4.43
		YTD	23	0.0	0.7	0.8	0.2	20.1	1.4	5.5	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
566	6506, N	Cur Wk	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
		YTD	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
577	HEINZ TRIAL	Cur Wk	18	0.0	1.5	1.3	0.2	21.0	1.7	5.4	4.41
		YTD	18	0.0	1.5	1.3	0.2	21.0	1.7	5.4	4.41
610	2016, HZ	Cur Wk	1,105	0.0	1.5	1.7	0.5	20.4	0.5	4.7	4.41
		YTD	1,434	0.0	1.2	1.6	0.5	20.4	0.5	4.7	4.40
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	49	0.0	0.6	1.9	0.1	19.5	0.1	5.5	4.43
		YTD	57	0.0	0.6	2.0	0.2	19.7	0.1	5.6	4.44
650	6500, N	Cur Wk	28	0.0	0.8	2.1	0.7	19.6	0.2	4.9	4.41
		YTD	41	0.0	0.7	1.5	0.5	19.5	0.1	4.9	4.40
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	1.4	0.6	0.6	20.5	0.8	5.7	4.48
662	1662, HZ	Cur Wk	29	0.1	4.5	1.8	0.4	21.6	1.5	4.7	4.56
		YTD	98	0.0	2.5	1.9	0.2	22.2	0.9	5.0	4.53
707	47073, HZ	Cur Wk	147	0.0	2.1	1.2	0.5	24.3	3.0	5.0	4.57
		YTD	147	0.0	2.1	1.2	0.5	24.3	3.0	5.0	4.57
730	9037, SVTM	Cur Wk	197	0.0	1.4	2.0	0.3	22.2	0.7	5.0	4.41
		YTD	1,230	0.0	1.3	1.6	0.3	22.5	0.6	4.9	4.34
776	1776, HZ	Cur Wk	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
		YTD	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
807	8507, HM	Cur Wk	17	0.0	1.7	0.6	0.1	18.5	1.1	5.5	4.58
		YTD	79	0.0	1.1	0.7	0.1	18.7	1.0	5.5	4.54
820	1082, SVTM	Cur Wk	284	0.0	1.9	0.4	0.2	20.5	1.4	5.7	4.43
		YTD	749	0.0	1.0	1.7	0.3	21.1	1.4	5.7	4.39
841	58841, HM	Cur Wk	552	0.0	0.8	2.1	0.8	20.5	0.5	5.6	4.44
		YTD	2,272	0.0	0.7	2.1	0.9	20.7	0.5	5.5	4.44
848	6848, BOS	Cur Wk	114	0.0	2.2	6.2	1.1	19.2	0.5	4.9	4.39
		YTD	483	0.0	0.8	2.8	0.8	19.4	0.4	5.0	4.41
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	244	0.0	1.7	2.2	0.6	21.8	1.1	4.8	4.43
		YTD	3,250	0.0	0.5	1.3	0.3	21.4	1.2	5.2	4.44
904	9048, SVTM	Cur Wk	2	0.0	0.7	0.3	0.0	19.5	0.2	6.0	4.43
		YTD	2	0.0	0.7	0.3	0.0	19.5	0.2	6.0	4.43
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	130	0.0	0.9	0.9	0.2	21.4	0.2	5.4	4.35

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Week 8 Ending 08/22/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	YTD	296	0.0	0.7	0.9	0.2	21.3	0.1	5.3	4.37
		Cur Wk	486	0.0	1.4	1.8	1.4	21.6	1.4	5.9	4.30
		YTD	2,339	0.0	1.0	2.0	0.7	21.9	1.4	5.8	4.30
921	9021, SVTM	Cur Wk	235	0.0	1.7	5.2	0.9	20.4	0.5	5.3	4.36
		YTD	1,027	0.0	1.2	3.3	1.3	21.0	1.6	5.3	4.40
925	9025, SVTM	Cur Wk	712	0.0	1.1	0.5	0.3	21.2	0.8	5.6	4.29
		YTD	2,707	0.0	0.5	0.9	0.3	21.4	0.7	5.5	4.28
941	9041, SVTM	Cur Wk	312	0.0	0.9	1.0	0.5	21.4	0.6	5.3	4.38
		YTD	1,570	0.0	0.5	1.4	0.3	21.2	0.4	5.4	4.40
996	1996, HZ	Cur Wk	2,007	0.0	0.5	2.2	0.5	20.0	0.2	4.9	4.41
		YTD	3,264	0.0	0.4	2.2	0.4	20.1	0.3	4.9	4.41
Cur Wk:			11,833	0.0	1.4	1.5	0.5	20.6	0.8	5.3	4.42
YTD			81,960	0.0	0.7	1.5	0.5	20.4	0.9	5.4	4.40

Glenn

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
566	6506, N	Cur Wk	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
		YTD	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
916	9016, SVTM	Cur Wk	65	0.0	7.2	2.7	1.9	24.8	1.0	5.1	4.40
		YTD	65	0.0	7.2	2.7	1.9	24.8	1.0	5.1	4.40
Cur Wk:			88	0.0	6.5	2.2	1.7	24.1	1.0	5.0	4.45
YTD			88	0.0	6.5	2.2	1.7	24.1	1.0	5.0	4.45

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	20	0.0	0.8	1.1	0.1	24.3	1.9	4.4	4.57
		YTD	22	0.0	0.8	1.0	0.2	24.0	1.9	4.4	4.56
610	2016, HZ	Cur Wk	197	0.0	0.4	1.1	0.6	21.2	0.9	4.9	4.42
		YTD	1,021	0.0	0.2	1.4	0.5	20.9	0.5	4.7	4.35
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Kern, Continued

Variety #	Name	#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:		217	0.0	0.5	1.1	0.5	21.5	1.0	4.9	4.43
YTD		8,908	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38

Kings

Variety #	Name	#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	311	0.0	1.6	2.0	0.9	20.6	0.5	4.36
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	4.35
036	8163, HM	Cur Wk	44	0.0	1.0	0.2	0.4	19.9	0.6	4.56
		YTD	887	0.0	0.7	0.7	0.4	19.6	0.7	4.50
037	8237, HM	Cur Wk	5	0.0	0.5	1.2	0.2	22.8	0.5	4.50
		YTD	622	0.0	1.0	0.7	0.5	21.6	1.0	4.34
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.38
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	4.43
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.47
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	4.30
239	9023, SVTM	Cur Wk	643	0.0	3.8	1.2	0.9	22.0	1.2	4.46
		YTD	1,111	0.0	3.2	1.3	0.9	21.6	0.9	4.43
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	72	0.0	2.7	2.6	2.5	20.6	0.3	5.0	4.44
		YTD	2,018	0.0	0.5	1.1	0.5	20.6	0.3	5.1	4.35
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	76	0.0	3.1	1.3	1.9	21.2	1.0	4.9	4.44
		YTD	187	0.0	1.7	1.5	1.3	21.4	1.1	4.9	4.45
485	6485, N	Cur Wk	109	0.0	1.4	0.2	0.1	21.3	0.8	4.5	4.65
		YTD	320	0.0	0.9	0.7	0.3	21.0	1.0	4.4	4.61
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
555	MISC TRIAL	Cur Wk	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
		YTD	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	2,290	0.0	2.9	1.9	0.7	19.5	0.7	4.7	4.41
		YTD	10,820	0.0	1.1	1.9	0.5	19.8	0.5	4.7	4.37
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
730	9037, SVTM	Cur Wk	140	0.0	2.9	1.1	1.0	20.6	0.3	5.3	4.32
		YTD	560	0.0	0.9	2.1	0.4	21.3	0.3	5.4	4.32
763	17763, HZ	Cur Wk	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
776	1776, HZ	YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
		Cur Wk	275	0.0	1.4	1.4	0.8	19.6	0.2	5.3	4.35
		YTD	472	0.0	1.3	3.6	1.2	20.5	0.5	5.1	4.41
903	9036, SVTM	Cur Wk	118	0.0	1.8	1.0	0.2	22.2	1.0	5.0	4.47
		YTD	118	0.0	1.8	1.0	0.2	22.2	1.0	5.0	4.47
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
925	9025, SVTM	Cur Wk	204	0.0	2.2	0.4	0.3	20.8	1.3	5.5	4.31
		YTD	763	0.0	1.2	0.5	0.2	20.9	1.2	5.2	4.26
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	21	0.0	1.4	1.3	0.3	21.3	0.6	5.0	4.42
		YTD	775	0.0	0.4	1.2	0.4	20.7	0.4	4.6	4.40
Cur Wk:			4,035	0.0	2.8	1.5	0.7	20.2	0.8	4.9	4.42
YTD			34,944	0.0	0.9	1.6	0.5	20.2	0.7	4.9	4.38

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	128	0.0	0.5	4.3	0.4	22.0	0.4	4.9	4.36
074	6474, N	Cur Wk	246	0.0	1.4	3.2	0.7	22.6	0.9	5.3	4.52
		YTD	424	0.0	1.1	3.6	1.2	22.5	0.9	5.3	4.52
248	8422, BOS	Cur Wk	133	0.0	1.4	1.9	0.8	21.9	1.3	4.6	4.42
		YTD	133	0.0	1.4	1.9	0.8	21.9	1.3	4.6	4.42
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	72	0.0	3.1	5.5	2.2	21.8	0.7	5.1	4.54
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.5	3.8	1.6	19.7	0.4	4.8	4.49
610	2016, HZ	Cur Wk	209	0.0	0.7	1.1	0.7	20.1	0.6	4.9	4.39
		YTD	250	0.0	0.6	1.5	0.8	20.1	0.6	5.0	4.40
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
707	47073, HZ	Cur Wk	554	0.0	0.4	3.1	0.4	21.9	0.2	4.8	4.39
		YTD	707	0.0	0.3	3.1	0.4	21.9	0.2	4.8	4.40
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	0.8	3.3	0.7	20.8	0.6	5.0	4.33
996	1996, HZ	Cur Wk	163	0.0	0.9	0.5	0.2	20.1	0.4	5.5	4.44
		YTD	505	0.0	0.6	1.2	0.4	20.2	0.4	5.4	4.41

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS									
Week 8 Ending 08/22/2026									
Cur Wk:	1,305	0.0	0.8	2.4	0.5	21.5	0.6	5.0	4.43
YTD	2,538	0.0	0.7	2.7	0.7	21.3	0.5	5.0	4.42

Merced											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
037	8237, HM	Cur Wk	12	0.0	0.3	1.5	0.2	22.6	0.1	4.9	4.27
		YTD	12	0.0	0.3	1.5	0.2	22.6	0.1	4.9	4.27
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	102	0.0	1.5	1.8	1.0	21.9	3.7	5.3	4.62
068	8268, HM	Cur Wk	112	0.0	2.1	1.9	3.0	21.3	3.1	5.3	4.57
		YTD	214	0.0	1.4	1.8	2.1	20.9	2.8	5.4	4.53
074	6474, N	Cur Wk	266	0.0	1.5	2.6	0.7	22.3	1.0	5.2	4.53
		YTD	384	0.0	1.2	3.3	0.6	22.1	0.9	5.3	4.50
101	101, BP	Cur Wk	8	0.0	0.6	0.3	0.5	21.6	2.3	4.5	4.49
		YTD	48	0.0	0.5	1.0	0.7	21.8	2.2	4.5	4.49
165	1657, HZ	Cur Wk	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
		YTD	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	150	0.0	1.3	1.2	1.1	21.6	4.6	6.0	4.56
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	0.2	2.7	0.5	19.7	1.1	5.3	4.38
219	109, BP	Cur Wk	30	0.0	0.4	0.3	1.5	20.9	1.1	5.2	4.28
		YTD	30	0.0	0.4	0.3	1.5	20.9	1.1	5.2	4.28
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.6	1.2	0.9	22.7	1.0	5.1	4.51
409	9040, SVTM	Cur Wk	71	0.0	1.2	1.3	1.7	22.7	2.6	5.6	4.57
		YTD	101	0.0	1.2	1.4	1.6	22.6	2.6	5.6	4.57
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
434	6434, N	Cur Wk	453	0.0	3.4	1.4	1.7	23.1	1.8	4.9	4.49
		YTD	453	0.0	3.4	1.4	1.7	23.1	1.8	4.9	4.49
485	6485, N	Cur Wk	17	0.0	0.5	0.4	0.2	21.3	0.5	4.7	4.68
		YTD	77	0.0	0.3	0.7	0.2	20.9	0.5	4.7	4.64
510	2015, HZ	Cur Wk	159	0.0	2.4	1.7	0.7	19.7	1.5	4.8	4.55
		YTD	159	0.0	2.4	1.7	0.7	19.7	1.5	4.8	4.55
552	5522, HM	Cur Wk	150	0.0	1.9	0.6	0.2	20.2	0.5	5.1	4.38
		YTD	176	0.0	1.9	0.7	0.3	20.3	0.6	5.1	4.38

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Merced, Continued											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
565	MIX	Cur Wk	1	0.0	0.0	0.5	0.0	22.0	2.0	5.1	4.34
		YTD	1	0.0	0.0	0.5	0.0	22.0	2.0	5.1	4.34
610	2016, HZ	Cur Wk	254	0.0	0.7	1.6	1.2	20.9	0.8	4.6	4.37
		YTD	254	0.0	0.7	1.6	1.2	20.9	0.8	4.6	4.37
649	6498, N	Cur Wk	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
		YTD	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
707	47073, HZ	Cur Wk	102	0.0	0.1	1.7	0.6	22.0	0.3	5.0	4.39
		YTD	240	0.0	0.1	1.6	0.5	22.1	0.2	5.0	4.39
730	9037, SVTM	Cur Wk	84	0.0	1.1	1.0	0.2	22.8	1.6	4.9	4.40
		YTD	347	0.0	0.6	3.1	0.6	22.3	1.2	5.1	4.40
740	74, BP	Cur Wk	91	0.0	1.7	1.3	0.7	20.2	1.0	5.2	4.46
		YTD	91	0.0	1.7	1.3	0.7	20.2	1.0	5.2	4.46
820	1082, SVTM	Cur Wk	442	0.0	1.0	1.4	0.6	21.4	1.6	5.5	4.42
		YTD	740	0.0	0.9	1.5	0.7	21.4	1.8	5.5	4.41
841	58841, HM	Cur Wk	16	0.0	0.8	1.2	1.0	21.8	1.9	5.5	4.53
		YTD	207	0.0	0.8	1.6	1.0	21.6	1.9	5.5	4.53
903	9036, SVTM	Cur Wk	42	0.0	1.3	1.0	0.2	21.6	0.9	4.9	4.45
		YTD	320	0.0	0.6	0.7	0.9	21.5	3.7	6.1	4.47
916	9016, SVTM	Cur Wk	131	0.0	0.9	0.9	0.1	22.6	0.3	5.0	4.38
		YTD	162	0.0	0.8	1.1	0.1	22.6	0.3	5.0	4.37
921	9021, SVTM	Cur Wk	531	0.0	2.5	0.8	1.3	20.9	1.5	5.4	4.46
		YTD	751	0.0	1.9	0.9	1.2	21.2	1.3	5.4	4.44
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.6	0.8	0.6	23.1	4.3	6.7	4.43
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	487	0.0	0.5	2.7	0.3	21.5	0.5	5.2	4.35
996	1996, HZ	Cur Wk	378	0.0	0.3	2.7	0.5	20.2	0.3	5.0	4.39
		YTD	1,012	0.0	0.3	2.0	0.6	20.9	0.9	5.0	4.44
Cur Wk:			3,401	0.0	1.7	1.5	1.0	21.4	1.2	5.1	4.45
YTD			8,377	0.0	1.0	1.6	0.8	21.4	1.5	5.3	4.45
Sacramento											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
610	2016, HZ	Cur Wk	47	0.0	0.5	5.7	3.6	21.0	0.6	5.5	4.22
		YTD	47	0.0	0.5	5.7	3.6	21.0	0.6	5.5	4.22
996	1996, HZ	Cur Wk	115	0.0	0.2	5.6	4.3	21.8	0.5	4.8	4.32
		YTD	115	0.0	0.2	5.6	4.3	21.8	0.5	4.8	4.32
Cur Wk:			162	0.0	0.3	5.7	4.1	21.5	0.5	5.0	4.30
YTD			162	0.0	0.3	5.7	4.1	21.5	0.5	5.0	4.30

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

San Benito

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
103	403, BQ	Cur Wk	83	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26	
		YTD	83	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26	
Cur Wk:			83	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26	
YTD			83	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26	

San Joaquin

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	187	0.0	0.9	1.5	0.3	21.7	0.7	5.7	4.39
		YTD	520	0.0	0.7	2.0	0.3	22.4	0.8	5.7	4.40
068	8268, HM	Cur Wk	6	0.0	0.4	1.7	0.5	19.9	3.5	6.6	4.31
		YTD	6	0.0	0.4	1.7	0.5	19.9	3.5	6.6	4.31
124	0221, HMC	Cur Wk	13	0.0	0.2	1.1	0.2	23.5	1.3	5.4	4.32
		YTD	13	0.0	0.2	1.1	0.2	23.5	1.3	5.4	4.32
173	0371, HM	Cur Wk	48	0.0	0.3	0.2	0.1	20.7	0.9	5.5	4.33
		YTD	48	0.0	0.3	0.2	0.1	20.7	0.9	5.5	4.33
239	9023, SVTM	Cur Wk	47	0.0	0.4	1.1	0.0	19.9	1.1	6.0	4.31
		YTD	47	0.0	0.4	1.1	0.0	19.9	1.1	6.0	4.31
301	7103, HM	Cur Wk	84	0.0	0.5	1.8	0.3	20.4	0.8	5.3	4.31
		YTD	84	0.0	0.5	1.8	0.3	20.4	0.8	5.3	4.31
409	9040, SVTM	Cur Wk	11	0.0	1.1	1.2	0.5	21.4	1.5	5.4	4.30
		YTD	11	0.0	1.1	1.2	0.5	21.4	1.5	5.4	4.30
430	9034, SVTM	Cur Wk	10	0.0	0.1	0.1	0.2	21.0	0.7	5.5	4.39
		YTD	10	0.0	0.1	0.1	0.2	21.0	0.7	5.5	4.39
552	5522, HM	Cur Wk	12	0.0	0.7	0.9	0.2	23.4	0.8	4.8	4.34
		YTD	12	0.0	0.7	0.9	0.2	23.4	0.8	4.8	4.34
820	1082, SVTM	Cur Wk	5	0.0	1.1	2.4	0.2	21.0	0.1	5.4	4.32
		YTD	5	0.0	1.1	2.4	0.2	21.0	0.1	5.4	4.32
841	58841, HM	Cur Wk	174	0.0	0.5	1.6	6.8	22.5	0.2	5.1	4.33
		YTD	174	0.0	0.5	1.6	6.8	22.5	0.2	5.1	4.33
919	9019, SVTM	Cur Wk	246	0.0	0.8	1.4	0.8	22.8	1.5	5.5	4.23
		YTD	391	0.0	0.7	1.7	1.3	22.9	1.3	5.4	4.22
996	1996, HZ	Cur Wk	100	0.0	0.2	1.5	0.8	19.6	0.3	5.4	4.31
		YTD	488	0.0	0.2	2.1	0.6	20.4	0.4	5.6	4.32
Cur Wk:			943	0.0	0.6	1.4	1.6	21.7	0.9	5.4	4.31
YTD			1,809	0.0	0.5	1.8	1.2	21.8	0.8	5.5	4.32

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Santa Clara, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
400	400, BQ	Cur Wk	60	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31
		YTD	60	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31
Cur Wk:			60	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31
YTD			60	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31

Solano

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.9	0.3	1.0	21.9	1.0	6.7	4.38
018	811, BOS	Cur Wk	90	0.0	1.0	4.7	0.2	20.9	0.5	4.4	4.29
		YTD	90	0.0	1.0	4.7	0.2	20.9	0.5	4.4	4.29
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
036	8163, HM	Cur Wk	7	0.0	1.1	0.2	0.1	19.5	1.4	6.1	4.48
		YTD	7	0.0	1.1	0.2	0.1	19.5	1.4	6.1	4.48
037	8237, HM	Cur Wk	186	0.0	0.6	0.4	0.2	21.7	0.1	5.3	4.29
		YTD	245	0.0	0.5	1.8	0.7	22.7	0.2	5.2	4.29
068	8268, HM	Cur Wk	182	0.0	1.1	0.7	0.1	20.0	0.8	5.2	4.41
		YTD	409	0.0	1.1	0.5	0.1	20.3	0.6	5.4	4.40
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.8	1.5	0.2	22.5	1.5	6.1	4.40
247	247, E	Cur Wk	77	0.0	0.7	0.5	0.1	20.4	1.0	5.2	4.33
		YTD	151	0.0	0.8	0.5	0.1	20.4	0.7	4.9	4.32
248	8422, BOS	Cur Wk	1	0.0	4.5	1.0	3.5	23.5	6.0	4.7	4.40
		YTD	1	0.0	4.5	1.0	3.5	23.5	6.0	4.7	4.40
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	315	0.0	0.8	0.1	0.3	20.6	0.3	5.0	4.45
552	5522, HM	Cur Wk	200	0.0	0.4	0.5	0.0	20.2	0.2	5.1	4.30
		YTD	327	0.0	0.3	0.6	0.0	20.3	0.6	5.2	4.32
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	100	0.0	0.2	1.9	1.2	22.2	1.2	4.8	4.28
		YTD	111	0.0	0.2	2.0	1.3	22.3	1.2	4.8	4.29
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	0.5	0.5	22.5	1.5	6.5	4.38
841	58841, HM	Cur Wk	301	0.0	1.4	0.8	0.2	21.5	0.5	5.5	4.38
		YTD	931	0.0	1.1	0.9	0.3	21.2	0.5	5.6	4.40
916	9016, SVTM	Cur Wk	1	0.0	1.5	1.5	3.0	23.0	4.0	4.6	4.34
		YTD	48	0.0	1.0	0.6	0.1	22.8	0.6	5.5	4.41
941	9041, SVTM	Cur Wk	119	0.0	0.3	2.1	0.1	21.2	0.1	4.7	4.29

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	119	0.0	0.3	2.1	0.1	21.2	0.1	4.7	4.29
Cur Wk:			1,264	0.0	0.8	1.2	0.2	21.0	0.5	5.1	4.34
YTD			2,971	0.0	0.8	1.0	0.3	21.0	0.5	5.3	4.37

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	77	0.0	1.7	0.1	0.1	20.7	0.2	5.6	4.39
		YTD	554	0.0	1.2	0.3	0.2	20.6	1.8	5.5	4.46
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
037	8237, HM	Cur Wk	83	0.0	1.6	2.7	0.6	21.2	0.6	6.2	4.38
		YTD	88	0.0	1.5	2.6	0.6	21.3	0.6	6.1	4.39
068	8268, HM	Cur Wk	82	0.0	1.1	0.3	0.0	19.9	1.1	5.5	4.43
		YTD	82	0.0	1.1	0.3	0.0	19.9	1.1	5.5	4.43
210	110, BP	Cur Wk	7	0.0	0.9	0.3	0.0	21.4	0.7	6.1	4.31
		YTD	7	0.0	0.9	0.3	0.0	21.4	0.7	6.1	4.31
219	109, BP	Cur Wk	50	0.0	1.0	0.3	0.1	21.6	0.3	6.0	4.35
		YTD	82	0.0	0.9	0.5	0.1	21.7	0.2	5.9	4.33
452	4521, HM	Cur Wk	69	0.0	1.9	0.1	0.1	21.3	1.6	5.5	4.44
		YTD	111	0.0	1.6	0.1	0.2	21.5	1.4	5.4	4.46
485	6485, N	Cur Wk	9	0.0	0.3	0.2	0.0	20.2	0.0	4.5	4.53
		YTD	9	0.0	0.3	0.2	0.0	20.2	0.0	4.5	4.53
565	MIX	Cur Wk	2	0.0	0.0	0.0	0.0	22.5	0.8	4.7	4.40
		YTD	2	0.0	0.0	0.0	0.0	22.5	0.8	4.7	4.40
730	9037, SVTM	Cur Wk	41	0.0	1.1	0.7	0.4	23.1	2.1	5.9	4.48
		YTD	108	0.0	0.7	0.6	0.3	22.9	2.0	5.4	4.48
903	9036, SVTM	Cur Wk	73	0.0	0.9	1.2	0.5	20.2	1.0	5.6	4.40
		YTD	73	0.0	0.9	1.2	0.5	20.2	1.0	5.6	4.40
921	9021, SVTM	Cur Wk	112	0.0	0.1	0.1	0.0	22.1	0.9	4.7	4.41
		YTD	121	0.0	0.1	0.1	0.0	22.1	0.9	4.7	4.41
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	45	0.0	0.1	0.8	0.3	21.0	1.8	5.2	4.35
Cur Wk:			605	0.0	1.1	0.7	0.2	21.2	0.9	5.5	4.41
YTD			1,284	0.0	1.0	0.5	0.2	21.1	1.4	5.5	4.43

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
-----------	------	--	--------	----------	----------	-----------	---------	---------	--------	------------	--------

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Week 8 Ending 08/22/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
028	6428, N	Cur Wk	28	0.0	2.9	7.3	1.5	22.8	2.6	4.8	4.53
		YTD	28	0.0	2.9	7.3	1.5	22.8	2.6	4.8	4.53
037	8237, HM	Cur Wk	136	0.0	1.0	2.0	0.6	21.6	0.5	5.1	4.31
		YTD	160	0.0	0.9	1.8	0.5	21.5	0.5	5.1	4.31
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	1.6	0.9	0.3	20.1	4.8	5.4	4.42
320	9032, SVTM	Cur Wk	25	0.0	1.1	2.8	0.7	22.3	1.9	5.1	4.38
		YTD	183	0.0	0.7	6.5	0.8	22.2	1.7	5.1	4.27
434	6434, N	Cur Wk	160	0.0	1.9	6.7	0.4	23.4	2.1	4.9	4.46
		YTD	303	0.0	1.6	6.9	0.3	23.5	2.3	4.9	4.46
552	5522, HM	Cur Wk	54	0.0	1.9	0.3	0.0	20.7	0.3	5.9	4.38
		YTD	159	0.0	1.4	0.8	0.0	20.8	0.4	5.7	4.39
610	2016, HZ	Cur Wk	209	0.0	1.1	1.6	0.5	21.4	1.6	4.8	4.37
		YTD	247	0.0	1.1	1.7	0.5	21.7	2.3	5.0	4.38
649	6498, N	Cur Wk	66	0.0	1.5	4.9	2.1	21.4	0.8	4.7	4.46
		YTD	66	0.0	1.5	4.9	2.1	21.4	0.8	4.7	4.46
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
730	9037, SVTM	Cur Wk	136	0.0	2.3	2.6	1.1	22.8	2.4	5.0	4.33
		YTD	136	0.0	2.3	2.6	1.1	22.8	2.4	5.0	4.33
820	1082, SVTM	Cur Wk	151	0.0	0.9	0.5	0.0	21.9	0.6	5.6	4.40
		YTD	159	0.0	0.9	0.5	0.0	21.9	0.6	5.6	4.40
916	9016, SVTM	Cur Wk	224	0.0	2.3	1.6	1.1	22.3	0.7	5.1	4.38
		YTD	227	0.0	2.3	1.6	1.0	22.3	0.7	5.1	4.38
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	229	0.0	1.1	5.3	0.8	21.3	0.6	5.0	4.38
		YTD	916	0.0	1.1	3.8	1.1	21.6	0.9	4.9	4.37
Cur Wk:			1,418	0.0	1.6	3.1	0.7	22.0	1.2	5.0	4.39
YTD			3,097	0.0	1.5	3.3	0.7	21.8	1.4	5.1	4.39

Tehama

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
		YTD	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
916	9016, SVTM	Cur Wk	64	0.0	1.7	5.2	1.6	22.7	0.8	4.9	4.31

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Week 8 Ending 08/22/2026

Tehama, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
921	9021, SVTM	YTD	93	0.0	1.7	6.0	1.4	22.7	0.8	4.8	4.31
		Cur Wk	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39
		YTD	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39
941	9041, SVTM	Cur Wk	148	0.0	1.1	3.3	1.3	21.6	0.9	4.7	4.34
		YTD	261	0.0	1.2	3.8	1.4	22.2	0.9	4.7	4.33
Cur Wk:			457	0.0	1.5	4.3	1.8	21.9	1.4	4.9	4.33
YTD			599	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	356	0.0	2.8	4.7	0.7	23.0	4.0	4.7	4.53
		YTD	587	0.0	2.4	5.0	0.7	22.9	3.6	4.7	4.53
036	8163, HM	Cur Wk	32	0.0	1.4	1.0	0.7	19.5	1.5	5.6	4.51
		YTD	58	0.0	1.5	0.8	0.5	19.5	1.5	5.6	4.50
037	8237, HM	Cur Wk	1,194	0.0	1.2	1.1	0.4	22.5	0.6	5.0	4.32
		YTD	2,194	0.0	1.0	1.8	0.3	22.8	0.7	5.0	4.33
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
068	8268, HM	Cur Wk	187	0.0	0.9	0.1	0.1	19.9	0.3	5.2	4.37
		YTD	1,252	0.0	0.6	0.6	0.1	20.2	0.7	5.1	4.39
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
101	101, BP	Cur Wk	46	0.0	1.0	0.2	0.2	20.9	0.6	4.5	4.48
		YTD	46	0.0	1.0	0.2	0.2	20.9	0.6	4.5	4.48
109	109	Cur Wk	53	0.0	1.0	0.3	0.1	20.1	0.8	5.5	4.24
		YTD	53	0.0	1.0	0.3	0.1	20.1	0.8	5.5	4.24
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	43	0.0	1.2	0.4	0.1	19.6	0.3	4.5	4.40
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
173	0371, HM	Cur Wk	12	0.0	0.5	1.0	0.5	20.3	1.2	5.6	4.30
		YTD	494	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49
210	110, BP	Cur Wk	153	0.0	0.6	0.5	0.1	20.4	1.0	5.2	4.22
		YTD	266	0.0	0.5	0.6	0.1	20.4	1.4	5.3	4.23
219	109, BP	Cur Wk	136	0.0	0.4	0.3	0.2	20.5	0.4	5.1	4.27
		YTD	445	0.0	0.5	0.7	0.2	20.9	1.2	5.1	4.28
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	2.0	4.7	0.9	21.6	1.4	4.6	4.31

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	66	0.0	0.6	3.3	0.5	21.1	1.4	4.6	4.34
		YTD	88	0.0	0.6	4.8	0.5	21.1	1.4	4.6	4.33
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.7	1.0	0.2	23.2	2.6	5.3	4.48
430	9034, SVTM	Cur Wk	46	0.0	0.5	0.0	0.0	21.0	0.3	5.0	4.46
		YTD	800	0.0	0.7	0.3	0.1	21.0	0.6	5.1	4.43
434	6434, N	Cur Wk	10	0.0	2.2	2.6	0.2	22.7	2.5	4.9	4.56
		YTD	895	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
476	2476, HZ	Cur Wk	65	0.0	0.6	0.3	0.1	21.9	0.5	4.9	4.40
		YTD	65	0.0	0.6	0.3	0.1	21.9	0.5	4.9	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	182	0.0	0.8	0.1	0.1	20.3	1.7	6.1	4.40
560	5608, HZ	Cur Wk	111	0.0	0.6	1.7	1.4	20.7	0.9	4.3	4.39
		YTD	111	0.0	0.6	1.7	1.4	20.7	0.9	4.3	4.39
610	2016, HZ	Cur Wk	78	0.0	0.5	2.5	0.6	23.8	0.6	4.2	4.31
		YTD	78	0.0	0.5	2.5	0.6	23.8	0.6	4.2	4.31
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	1.5	1.6	0.5	22.0	2.2	5.2	4.56
730	9037, SVTM	Cur Wk	398	0.0	1.0	2.2	0.3	23.1	1.4	4.8	4.34
		YTD	413	0.0	1.0	2.4	0.4	23.1	1.4	4.8	4.34
755	7558, NB	Cur Wk	22	0.0	0.3	1.4	0.2	20.8	0.1	5.4	4.25
		YTD	22	0.0	0.3	1.4	0.2	20.8	0.1	5.4	4.25
820	1082, SVTM	Cur Wk	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
		YTD	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
823	8232, SV	Cur Wk	1	0.0	1.5	1.0	0.0	22.0	2.0	5.9	4.40
		YTD	2	0.0	1.0	0.7	0.0	21.5	2.8	5.7	4.42
841	58841, HM	Cur Wk	815	0.0	1.2	0.8	0.2	21.2	0.6	5.3	4.38
		YTD	3,865	0.0	1.0	0.8	0.3	21.0	0.6	5.4	4.39
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
916	9016, SVTM	Cur Wk	611	0.0	1.3	2.2	0.5	22.3	0.4	4.9	4.32
		YTD	1,674	0.0	1.0	1.5	0.4	22.5	0.5	4.9	4.33
919	9019, SVTM	Cur Wk	161	0.0	0.4	0.5	0.1	22.9	0.9	5.1	4.23
		YTD	337	0.0	0.6	0.5	0.2	23.3	1.0	5.0	4.25
941	9041, SVTM	Cur Wk	289	0.0	1.1	1.1	0.4	21.9	0.5	4.7	4.31
		YTD	2,003	0.0	0.6	2.2	0.6	22.1	0.9	4.7	4.31
996	1996, HZ	Cur Wk	136	0.0	0.3	1.3	0.7	23.8	4.3	4.8	4.44

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Yolo, Continued

Variety #	Name	#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	YTD	236	0.0	0.2	1.9	0.7	23.7	3.4	4.8	4.42
Cur Wk:		5,151	0.0	1.2	1.5	0.4	22.0	1.0	5.0	4.35
YTD		20,404	0.0	0.9	1.6	0.4	21.7	1.2	5.0	4.37
TOTAL STATEWIDE	Cur Wk	35,191	0.0	1.5	1.8	0.7	21.1	0.9	5.1	4.40
	YTD	186,628	0.0	0.8	1.7	0.5	20.7	0.9	5.2	4.39

Average Defects by Variety Report (RP20)1203
08/24/2026 1:19 PM**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 8 Ending 08/22/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
124	0221, HMC	Cur Wk	39	0.0	3.0	1.1	4.2	22.5	3.4	5.3	4.47
		YTD	228	0.0	2.4	1.5	1.8	21.2	2.5	5.0	4.39
173	0371, HM	Cur Wk	217	0.0	0.5	0.2	0.3	20.2	0.8	5.7	4.36
		YTD	9598	0.0	0.5	1.1	0.5	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	216	0.0	1.6	1.3	0.8	20.1	1.6	5.5	4.56
		YTD	1419	0.0	0.8	1.4	0.5	20.2	1.5	5.4	4.53
196	0691, LS	Cur Wk	33	0.0	1.9	2.2	0.8	19.9	6.1	5.0	4.42
		YTD	532	0.0	0.8	3.6	1.0	20.6	3.3	4.8	4.47
1	1	Cur Wk	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
		YTD	37	0.0	1.0	2.9	0.4	20.2	2.9	5.4	4.39
101	101, BP	Cur Wk	81	0.0	0.9	0.3	0.2	21.0	1.0	4.6	4.50
		YTD	589	0.0	1.0	1.0	0.5	20.8	1.5	4.9	4.48
015	1015, HZ	Cur Wk	159	0.0	1.9	0.8	1.2	20.6	2.6	4.9	4.50
		YTD	965	0.0	1.3	1.8	1.2	20.4	1.3	4.9	4.47
820	1082, SVTM	Cur Wk	1012	0.0	1.3	0.9	0.4	21.2	1.3	5.5	4.40
		YTD	1783	0.0	1.0	1.4	0.5	21.4	1.5	5.5	4.40
109	109	Cur Wk	53	0.0	1.0	0.3	0.1	20.1	0.8	5.5	4.24
		YTD	53	0.0	1.0	0.3	0.1	20.1	0.8	5.5	4.24
219	109, BP	Cur Wk	355	0.0	0.5	0.6	0.4	20.5	0.6	5.5	4.30
		YTD	1497	0.0	0.6	1.1	0.3	20.8	1.0	5.5	4.32
210	110, BP	Cur Wk	251	0.0	0.6	0.6	0.1	20.3	1.0	5.3	4.25
		YTD	794	0.0	0.6	0.8	0.2	20.2	1.3	5.4	4.32
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
130	130, BP	Cur Wk	6	0.0	1.4	1.9	0.6	20.3	1.9	6.2	4.43
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
112	16112, UG	Cur Wk	433	0.0	1.1	0.8	0.2	19.9	0.8	5.2	4.46
		YTD	939	0.0	0.7	0.7	0.4	19.9	0.6	5.1	4.42
165	1657, HZ	Cur Wk	84	0.0	1.2	1.7	0.7	19.3	0.5	4.6	4.51
		YTD	1537	0.0	0.7	4.9	1.2	19.5	0.4	4.5	4.54
662	1662, HZ	Cur Wk	29	0.1	4.5	1.8	0.4	21.6	1.5	4.7	4.56
		YTD	98	0.0	2.5	1.9	0.2	22.2	0.9	5.0	4.53
171	1715, LS	Cur Wk	43	0.0	1.2	0.4	0.1	19.6	0.3	4.5	4.40
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
776	1776, HZ	Cur Wk	376	0.0	1.1	1.4	0.7	20.0	0.3	5.5	4.35
		YTD	1461	0.0	1.0	4.7	1.1	20.7	0.5	4.9	4.40
763	17763, HZ	Cur Wk	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	2920	0.0	0.5	2.2	0.7	20.3	0.4	5.0	4.41
		YTD	7117	0.0	0.4	2.0	0.5	20.6	0.5	5.0	4.40
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	159	0.0	2.4	1.7	0.7	19.7	1.5	4.8	4.55
		YTD	303	0.0	1.5	2.7	1.1	19.7	1.0	4.8	4.52
610	2016, HZ	Cur Wk	4520	0.0	2.0	1.8	0.7	20.2	0.7	4.7	4.40
		YTD	14392	0.0	1.0	1.8	0.6	20.0	0.6	4.7	4.37
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	77	0.0	0.7	0.5	0.1	20.4	1.0	5.2	4.33
		YTD	1530	0.0	0.8	1.6	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	143	0.0	2.0	0.9	1.1	21.5	0.9	4.9	4.43
		YTD	411	0.0	1.2	1.1	0.8	21.6	1.5	5.1	4.48
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
251	2515, HZ	Cur Wk	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	6	0.0	0.8	1.1	0.2	20.7	0.8	5.5	4.44
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
263	2639, HZ	Cur Wk	65	0.0	3.2	1.5	1.0	20.6	0.8	4.8	4.46
		YTD	65	0.0	3.2	1.5	1.0	20.6	0.8	4.8	4.46
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	60	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31
		YTD	845	0.0	0.1	1.2	0.4	19.2	0.8	5.4	4.41
103	403, BQ	Cur Wk	83	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26
		YTD	236	0.0	0.7	1.9	1.0	20.4	1.9	5.1	4.30
452	4521, HM	Cur Wk	141	0.0	2.3	1.4	1.3	20.9	1.0	5.2	4.44
		YTD	2384	0.0	0.5	1.2	0.5	20.7	0.3	5.1	4.36
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
707	47073, HZ	Cur Wk	803	0.0	0.7	2.6	0.4	22.4	0.8	4.9	4.43
		YTD	1094	0.0	0.5	2.5	0.4	22.3	0.6	4.9	4.42
491	491	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
369	5369, HM	Cur Wk	288	0.0	1.9	0.2	0.1	20.0	1.3	5.3	4.64
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
511	5511, HM	Cur Wk	131	0.0	0.6	1.7	0.3	20.6	2.1	5.1	4.42
		YTD	614	0.0	0.3	1.1	0.2	20.2	2.0	5.5	4.43
552	5522, HM	Cur Wk	951	0.0	1.4	0.4	0.2	19.9	0.6	5.5	4.39
		YTD	9532	0.0	0.5	1.2	0.4	19.8	0.6	5.5	4.37
560	5608, HZ	Cur Wk	111	0.0	0.6	1.7	1.4	20.7	0.9	4.3	4.39
		YTD	3660	0.0	0.5	1.6	0.3	20.0	0.5	4.7	4.37
841	58841, HM	Cur Wk	1858	0.0	1.1	1.3	1.0	21.2	0.6	5.4	4.40
		YTD	8071	0.0	0.9	1.5	0.6	21.0	0.6	5.4	4.41
316	621316, HMC	Cur Wk	4	0.0	0.3	3.0	0.1	20.5	0.1	5.6	4.33
		YTD	4	0.0	0.3	3.0	0.1	20.5	0.1	5.6	4.33
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	1145	0.0	2.9	5.1	1.4	22.6	2.7	4.9	4.46
		YTD	3326	0.0	1.9	4.4	1.1	22.4	2.5	4.9	4.48
434	6434, N	Cur Wk	777	0.0	3.9	2.6	1.4	23.0	2.0	4.9	4.50
		YTD	2829	0.0	2.4	3.6	1.5	22.8	2.6	5.0	4.49
074	6474, N	Cur Wk	675	0.0	1.4	2.6	0.7	22.2	1.0	5.3	4.53
		YTD	2071	0.0	0.9	4.3	1.2	21.7	0.8	5.4	4.46
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	308	0.0	1.3	0.3	0.2	20.8	1.1	4.6	4.64
		YTD	1259	0.0	1.0	0.8	0.4	20.4	0.7	4.6	4.58
489	6489, N	Cur Wk	28	0.0	1.1	2.5	1.1	19.7	0.5	4.9	4.45
		YTD	1475	0.0	0.4	1.0	0.2	19.5	0.4	5.2	4.40
649	6498, N	Cur Wk	133	0.0	1.2	3.1	1.2	20.8	0.5	5.0	4.47
		YTD	222	0.0	1.0	2.7	1.3	20.8	1.0	5.2	4.48
650	6500, N	Cur Wk	36	0.0	0.8	1.9	0.7	19.7	0.4	4.9	4.41
		YTD	95	0.0	1.1	3.6	0.7	20.6	0.6	4.8	4.43
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	26	0.1	4.3	1.0	0.8	21.8	0.9	4.8	4.56
		YTD	54	0.0	2.9	4.2	1.2	21.7	1.2	4.9	4.55
659	6509, N	Cur Wk	21	0.0	2.7	1.9	1.1	21.7	0.8	5.0	4.39
		YTD	41	0.0	2.1	1.3	0.9	21.1	0.8	5.3	4.43

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	114	0.0	2.2	6.2	1.1	19.2	0.5	4.9	4.39
		YTD	884	0.0	0.7	3.0	0.7	19.4	0.5	4.9	4.42
851	6851, BOS	Cur Wk	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
301	7103, HM	Cur Wk	84	0.0	0.5	1.8	0.3	20.4	0.8	5.3	4.31
		YTD	7521	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	329	0.0	1.1	0.8	0.3	19.9	0.9	5.2	4.43
		YTD	763	0.0	0.7	1.1	0.4	20.0	1.4	5.2	4.43
755	7558, NB	Cur Wk	22	0.0	0.3	1.4	0.2	20.8	0.1	5.4	4.25
		YTD	23	0.0	0.4	1.3	0.2	20.9	0.2	5.4	4.25
178	7708, BOS	Cur Wk	332	0.0	4.5	3.6	0.4	19.8	1.3	5.2	4.47
		YTD	1089	0.0	2.0	3.4	0.6	19.4	1.3	5.4	4.43
018	811, BOS	Cur Wk	90	0.0	1.0	4.7	0.2	20.9	0.5	4.5	4.29
		YTD	1343	0.0	0.7	2.8	0.8	19.7	0.4	5.0	4.33
036	8163, HM	Cur Wk	489	0.0	1.4	0.7	0.5	19.7	1.8	5.8	4.51
		YTD	5590	0.0	0.8	0.7	0.4	19.5	1.0	5.7	4.47
823	8232, SV	Cur Wk	1	0.0	1.5	1.0	0.0	22.0	2.0	5.9	4.40
		YTD	2	0.0	1.0	0.7	0.0	21.5	2.8	5.7	4.42
037	8237, HM	Cur Wk	3930	0.0	1.0	1.9	0.6	21.7	0.6	5.3	4.34
		YTD	9986	0.0	0.7	1.9	0.4	21.8	0.6	5.3	4.35
068	8268, HM	Cur Wk	686	0.0	1.1	0.7	0.6	20.0	1.2	5.2	4.43
		YTD	7821	0.0	0.6	0.9	0.3	19.8	1.1	5.4	4.42
248	8422, BOS	Cur Wk	216	0.0	1.8	3.9	1.1	22.0	1.2	4.6	4.42
		YTD	304	0.0	1.9	4.1	1.0	21.8	1.3	4.6	4.39
324	8423, BOS	Cur Wk	83	0.0	1.1	3.8	0.7	21.3	1.5	4.6	4.35
		YTD	105	0.0	1.0	4.9	0.6	21.3	1.5	4.6	4.34
807	8507, HM	Cur Wk	17	0.0	1.7	0.6	0.1	18.5	1.1	5.5	4.58
		YTD	79	0.0	1.1	0.7	0.1	18.7	1.0	5.5	4.54
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1485	0.0	0.7	1.8	0.6	19.9	1.4	5.3	4.38
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	1.0	0.8	0.0	23.5	3.0	5.0	4.35
916	9016, SVTM	Cur Wk	1825	0.0	1.7	2.2	0.8	22.1	0.5	5.1	4.34
		YTD	3959	0.0	1.6	2.2	0.7	22.2	0.6	5.1	4.35
919	9019, SVTM	Cur Wk	918	0.0	1.1	1.5	1.0	22.2	1.4	5.6	4.27
		YTD	3600	0.0	0.9	1.9	0.7	22.2	1.4	5.6	4.29
921	9021, SVTM	Cur Wk	1011	0.0	2.1	2.0	1.2	21.1	1.4	5.3	4.42
		YTD	2454	0.0	1.5	2.3	1.2	21.2	1.5	5.3	4.41
239	9023, SVTM	Cur Wk	773	0.0	3.3	1.1	0.8	22.0	1.5	5.1	4.45

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 8 Ending 08/22/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	3946	0.0	1.2	1.3	0.6	21.8	1.2	5.1	4.41
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	916	0.0	1.3	0.5	0.3	21.1	0.9	5.5	4.29
		YTD	3530	0.0	0.7	0.8	0.3	21.4	0.9	5.5	4.28
027	9027, SVTM	Cur Wk	432	0.0	1.0	0.3	0.1	20.3	0.6	5.7	4.44
		YTD	14375	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.38
320	9032, SVTM	Cur Wk	25	0.0	1.1	2.8	0.7	22.3	1.9	5.1	4.38
		YTD	2620	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	554	0.0	1.8	1.5	0.9	21.0	0.9	5.2	4.48
		YTD	8692	0.0	0.7	1.0	0.4	20.5	1.0	5.4	4.48
903	9036, SVTM	Cur Wk	477	0.0	1.5	1.6	0.4	21.6	1.0	5.0	4.44
		YTD	3761	0.0	0.5	1.2	0.3	21.4	1.4	5.3	4.44
730	9037, SVTM	Cur Wk	1158	0.0	1.4	2.2	0.7	22.4	1.2	5.0	4.36
		YTD	3278	0.0	1.1	2.1	0.5	22.4	0.9	5.0	4.35
409	9040, SVTM	Cur Wk	83	0.0	1.2	1.3	1.6	22.5	2.5	5.6	4.53
		YTD	319	0.0	1.4	1.2	1.2	22.2	2.7	5.7	4.53
941	9041, SVTM	Cur Wk	1638	0.0	1.0	2.3	0.7	21.4	0.6	5.0	4.34
		YTD	6282	0.0	0.7	2.3	0.6	21.5	0.7	5.0	4.34
904	9048, SVTM	Cur Wk	2	0.0	0.7	0.3	0.0	19.5	0.2	6.0	4.43
		YTD	2	0.0	0.7	0.3	0.0	19.5	0.2	6.0	4.43
577	HEINZ TRIAL	Cur Wk	38	0.0	1.1	1.2	0.1	22.8	1.8	4.9	4.49
		YTD	80	0.0	0.8	1.5	0.2	21.5	1.2	5.2	4.41
555	MISC TRIAL	Cur Wk	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
		YTD	10	0.0	2.5	0.6	0.5	20.4	3.5	5.6	4.41
565	MIX	Cur Wk	8	0.0	0.3	0.3	0.1	21.3	1.1	5.3	4.41
		YTD	29	0.0	0.6	0.7	0.2	20.3	1.3	5.4	4.44
000	UNCODED	Cur Wk	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
		YTD	351	0.0	1.5	2.1	0.9	20.8	0.5	5.0	4.36
TOTAL STATEWIDE		Cur Wk	35,191	0.0	1.5	1.8	0.7	21.1	0.9	5.1	4.40
		YTD	186,628	0.0	0.8	1.7	0.5	20.7	0.9	5.2	4.40