

Statewide Tonnage and History (RP70P)

Week 9 Ending 08/29/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
Week 08/09/2026 - 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0.04%
Week 08/16/2026 - 08/22/2026	35,191	904,124	0	5.5%	80	2228	0	0.25%
LAST WEEK YTD	186,628	4,849,122		4.4%	155	4,269		0%
CUR WEEK ENDING 08/29/2026	35,159	905,313	0	5.6%	73	1,978	0	0%
CUR YTD	221,787	5,754,435		4.6%	228	6,247		0%
YTD WEEK ENDING 08/30/2025	241,973	6,371,070		4.4%	297	8,002		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 9 Ending 08/29/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Butte	431	10,961	0	0	517	13,083	0	0
Colusa	1,984	50,179	0	0	10,529	263,204	0	0
Contra Costa	842	23,163	0	0	6,884	187,085	0	0
Fresno	9,433	246,648	53	1,413	91,393	2,398,957	147	3,997
Glenn	140	3,341	1	27	228	5,442	1	27
Kern	0	0	0	0	8,908	236,278	9	268
Kings	4,023	94,731	2	52	38,967	980,071	39	1,054
Madera	1,766	46,658	0	0	4,304	113,522	0	0
Merced	3,905	103,514	0	0	12,282	329,105	0	0
Sacramento	348	8,560	0	0	510	12,256	0	0
San Benito	0	0	0	0	83	2,197	0	0
San Joaquin	1,452	37,860	0	0	3,261	86,277	0	0
Santa Clara	0	0	0	0	60	1,560	0	0
Solano	1,607	41,581	0	0	4,578	119,056	0	0
Stanislaus	1,040	28,673	1	30	2,324	64,468	2	57
Sutter	2,517	63,067	0	0	5,614	140,113	0	0
Tehama	0	0	0	0	599	13,927	0	0
Tulare	0	0	0	0	4,671	118,018	0	0
Yolo	5,671	146,378	16	457	26,075	669,814	30	843
STATEWIDE TOTALS:								
LAST WEEK YTD					186,628	4,849,122	155	4,269
CURRENT WEEK	35,159	905,313	73	1,978	221,787	5,754,435	228	6,247

Average Load Grades by County - Board Certified Loads (RP90)

Week 9 Ending 08/29/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Butte	0.0	1.8	2.7	1.1	21.7	0.5	4.6	4.33	0.0	1.9	2.9	1.3	21.6	0.7	4.7	4.35
Colusa	0.0	1.8	3.0	1.2	21.3	0.9	4.8	4.37	0.0	1.5	3.5	1.1	21.5	1.6	5.1	4.39
Contra Costa	0.0	0.9	0.8	0.2	19.5	1.3	5.5	4.42	0.0	0.3	0.9	0.3	20.0	0.9	5.2	4.38
Fresno	0.0	2.0	1.3	0.6	20.8	1.0	5.3	4.43	0.0	0.8	1.4	0.5	20.4	0.9	5.4	4.41
Glenn	0.1	7.8	2.3	1.6	23.9	0.9	5.1	4.38	0.1	7.3	2.2	1.7	24.0	0.9	5.0	4.41
Kern	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	4.0	1.5	0.9	21.0	0.9	5.1	4.43	0.0	1.2	1.6	0.5	20.3	0.7	5.0	4.38
Madera	0.0	1.9	2.8	1.0	21.2	1.1	5.0	4.47	0.0	1.2	2.8	0.8	21.3	0.8	5.0	4.44
Merced	0.0	1.2	1.3	0.5	21.0	1.0	4.9	4.47	0.0	1.1	1.5	0.7	21.3	1.4	5.2	4.46
Sacramento	0.0	0.7	2.6	4.0	21.6	0.8	5.2	4.29	0.0	0.6	3.6	4.0	21.6	0.7	5.1	4.29
San Benito	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26
San Joaquin	0.0	0.8	0.9	1.8	21.2	0.8	5.4	4.35	0.0	0.6	1.4	1.5	21.5	0.8	5.5	4.33
Santa Clara	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31
Solano	0.0	0.9	0.7	0.5	21.1	0.6	5.2	4.38	0.0	0.8	0.9	0.3	21.0	0.5	5.3	4.37
Stanislaus	0.0	1.9	0.5	0.3	20.8	1.4	5.5	4.45	0.0	1.4	0.5	0.3	21.0	1.4	5.5	4.44
Sutter	0.0	1.9	3.0	1.0	21.8	1.1	4.9	4.39	0.0	1.7	3.1	0.9	21.8	1.3	5.0	4.39
Tehama	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
Tulare	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	1.3	1.5	0.4	21.6	0.7	4.9	4.35	0.0	1.0	1.5	0.4	21.6	1.1	5.0	4.37
Statewide Totals:																
Current Week	0.0	1.9	1.6	0.7	21.1	0.9	5.1	4.41	0.0	1.0	1.7	0.6	20.7	0.9	5.2	4.40
Last Week YTD									0.0	0.8	1.7	0.5	20.7	0.9	5.2	4.39

Grade Distribution By County (RP110)

Week 9 Ending 08/29/2026

Last Week YTD						Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	0.01	0.00	0.00	0.05	431	0.00	0.00	0.00	0.04	517	0.00	0.00	0.00	0.04
Colusa	8,545	0.00	0.00	0.00	0.03	1984	0.00	0.00	0.00	0.04	10529	0.00	0.00	0.00	0.03
Contra Costa	6,042	0.00	0.00	0.00	0.02	842	0.00	0.00	0.00	0.03	6884	0.00	0.00	0.00	0.02
Fresno	82,054	0.00	0.00	0.00	0.03	9486	0.00	0.00	0.00	0.04	91540	0.00	0.00	0.00	0.03
Glenn	88	0.04	0.00	0.00	0.16	141	0.07	0.00	0.00	0.21	229	0.06	0.00	0.00	0.19
Kern	8,917	0.01	0.00	0.00	0.06	0	0.00	0.00	0.00	0.00	8917	0.01	0.00	0.00	0.06
Kings	34,981	0.00	0.00	0.00	0.04	4025	0.03	0.00	0.00	0.21	39006	0.01	0.00	0.00	0.08
Madera	2,538	0.00	0.00	0.00	0.03	1766	0.00	0.00	0.00	0.04	4304	0.00	0.00	0.00	0.03
Merced	8,377	0.00	0.00	0.00	0.01	3905	0.00	0.00	0.00	0.02	12282	0.00	0.00	0.00	0.02
Sacramento	162	0.00	0.00	0.00	0.00	348	0.00	0.00	0.00	0.03	510	0.00	0.00	0.00	0.02
San Benito	83	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.00	83	0.00	0.00	0.00	0.00
San Joaquin	1,809	0.00	0.00	0.00	0.02	1452	0.00	0.00	0.00	0.02	3261	0.00	0.00	0.00	0.02
Santa Clara	60	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.00	60	0.00	0.00	0.00	0.00
Solano	2,971	0.00	0.00	0.00	0.04	1607	0.00	0.00	0.00	0.03	4578	0.00	0.00	0.00	0.04
Stanislaus	1,285	0.00	0.00	0.00	0.01	1041	0.00	0.00	0.00	0.03	2326	0.00	0.00	0.00	0.02
Sutter	3,097	0.00	0.00	0.00	0.03	2517	0.00	0.00	0.00	0.03	5614	0.00	0.00	0.00	0.03
Tehama	599	0.01	0.00	0.00	0.05	0	0.00	0.00	0.00	0.00	599	0.01	0.00	0.00	0.05
Tulare	4,671	0.00	0.00	0.00	0.04	0	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	20,418	0.00	0.00	0.00	0.02	5687	0.00	0.00	0.00	0.02	26105	0.00	0.00	0.00	0.02
STATEWIDE	186,783	0.00	0.00	0.00	0.03	35232	0.01	0.00	0.00	0.08	222015	0.00	0.00	0.00	0.04

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	2.20	2.00	2.00	1.15	431	1.85	1.00	1.50	1.16	517	1.91	1.00	2.00	1.16
Colusa	8,545	1.45	1.00	1.00	1.88	1984	1.79	1.00	1.00	2.16	10529	1.52	1.00	1.00	1.94
Contra Costa	6,042	0.27	0.00	0.00	0.45	842	0.89	0.00	0.50	1.07	6884	0.35	0.00	0.00	0.60
Fresno	82,054	0.66	0.00	0.50	1.08	9486	2.01	1.00	1.50	2.19	91540	0.80	0.00	0.50	1.31
Glenn	88	6.50	7.00	6.50	2.42	141	7.80	8.50	8.00	2.64	229	7.31	8.00	7.00	2.62
Kern	8,917	0.55	0.00	0.50	0.69	0	0.00	0.00	0.00	0.00	8917	0.55	0.00	0.50	0.69
Kings	34,981	0.88	0.00	0.50	1.43	4025	4.03	3.50	3.50	2.63	39006	1.19	0.00	0.50	1.86
Madera	2,538	0.73	0.00	0.50	0.86	1766	1.91	1.00	1.50	1.43	4304	1.22	0.00	1.00	1.27
Merced	8,377	1.00	0.00	0.50	1.31	3905	1.18	0.50	1.00	1.46	12282	1.05	0.00	0.50	1.36
Sacramento	162	0.29	0.00	0.00	0.49	348	0.69	0.00	0.50	1.00	510	0.56	0.00	0.50	0.89
San Benito	83	0.18	0.00	0.00	0.28	0	0.00	0.00	0.00	0.00	83	0.18	0.00	0.00	0.28
San Joaquin	1,809	0.51	0.00	0.50	0.68	1452	0.79	0.00	0.50	1.46	3261	0.63	0.00	0.50	1.11
Santa Clara	60	0.01	0.00	0.00	0.06	0	0.00	0.00	0.00	0.00	60	0.01	0.00	0.00	0.06
Solano	2,971	0.80	0.00	0.50	0.95	1607	0.92	0.00	0.50	1.18	4578	0.84	0.00	0.50	1.04
Stanislaus	1,285	1.02	0.00	0.50	1.21	1041	1.90	1.00	1.50	1.67	2326	1.41	0.00	1.00	1.49
Sutter	3,097	1.46	1.00	1.00	1.19	2517	1.90	1.00	1.50	1.52	5614	1.66	1.00	1.50	1.37

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 9 Ending 08/29/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Mold, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Tehama	599	1.48	1.00	1.00	1.08	0	0.00	0.00	0.00	0.00	599	1.48	1.00	1.00	1.08
Tulare	4,671	1.03	0.00	1.00	1.08	0	0.00	0.00	0.00	0.00	4671	1.03	0.00	1.00	1.08
Yolo	20,418	0.91	0.00	0.50	1.13	5687	1.26	0.00	1.00	1.35	26105	0.99	0.00	0.50	1.19
STATEWIDE	186,783	0.79	0.00	0.50	1.22	35232	1.87	0.50	1.00	2.10	222015	0.96	0.00	0.50	1.45

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	4.03	4.00	4.00	1.53	431	2.69	1.00	2.50	1.84	517	2.91	1.00	3.00	1.86
Colusa	8,545	3.59	1.00	3.00	2.68	1984	3.05	1.50	2.50	2.05	10529	3.49	2.00	3.00	2.59
Contra Costa	6,042	0.87	0.50	0.50	0.95	842	0.78	0.00	0.50	0.82	6884	0.86	0.50	0.50	0.94
Fresno	82,054	1.45	0.50	1.00	1.51	9486	1.31	0.50	1.00	1.35	91540	1.44	0.50	1.00	1.49
Glenn	88	2.15	3.50	2.00	1.42	141	2.29	2.00	2.00	0.85	229	2.23	2.00	2.00	1.10
Kern	8,917	1.49	0.50	1.00	1.66	0	0.00	0.00	0.00	0.00	8917	1.49	0.50	1.00	1.66
Kings	34,981	1.59	1.00	1.00	1.59	4025	1.49	1.00	1.50	1.16	39006	1.58	1.00	1.00	1.55
Madera	2,538	2.74	1.00	2.50	1.81	1766	2.81	1.00	2.00	2.61	4304	2.77	1.00	2.50	2.17
Merced	8,377	1.57	1.00	1.00	1.47	3905	1.35	1.00	1.00	1.10	12282	1.50	1.00	1.00	1.37
Sacramento	162	5.67	5.00	5.50	1.77	348	2.59	1.00	1.50	2.35	510	3.57	1.00	3.50	2.62
San Benito	83	0.32	0.50	0.50	0.30	0	0.00	0.00	0.00	0.00	83	0.32	0.50	0.50	0.30
San Joaquin	1,809	1.84	1.00	1.50	1.18	1452	0.94	0.50	1.00	0.79	3261	1.44	1.00	1.00	1.12
Santa Clara	60	0.41	0.50	0.50	0.31	0	0.00	0.00	0.00	0.00	60	0.41	0.50	0.50	0.31
Solano	2,971	0.98	0.00	0.50	1.50	1607	0.65	0.00	0.50	1.10	4578	0.86	0.00	0.50	1.38
Stanislaus	1,285	0.54	0.00	0.00	0.87	1041	0.48	0.00	0.00	0.86	2326	0.51	0.00	0.00	0.87
Sutter	3,097	3.26	0.50	2.50	2.94	2517	2.97	0.50	2.50	2.15	5614	3.13	0.50	2.50	2.62
Tehama	599	4.53	4.00	4.50	2.47	0	0.00	0.00	0.00	0.00	599	4.53	4.00	4.50	2.47
Tulare	4,671	4.27	2.00	3.50	2.88	0	0.00	0.00	0.00	0.00	4671	4.27	2.00	3.50	2.88
Yolo	20,418	1.56	0.00	1.00	1.92	5687	1.48	0.00	0.50	2.11	26105	1.54	0.00	1.00	1.97
STATEWIDE	186,783	1.70	0.50	1.00	1.86	35232	1.61	0.50	1.00	1.77	222015	1.69	0.50	1.00	1.84

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	1.47	0.50	1.00	1.26	431	0.49	0.00	0.00	0.67	517	0.65	0.00	0.50	0.88
Colusa	8,545	1.72	0.00	1.00	1.99	1984	0.85	0.00	0.50	0.98	10529	1.56	0.00	1.00	1.87
Contra Costa	6,042	0.86	0.00	0.50	1.09	842	1.26	1.00	1.00	0.99	6884	0.91	0.00	0.50	1.08
Fresno	82,054	0.86	0.00	0.50	1.15	9486	0.98	0.00	0.50	1.30	91540	0.87	0.00	0.50	1.16
Glenn	88	0.96	0.50	1.00	0.87	141	0.89	0.00	0.50	1.01	229	0.92	0.00	0.50	0.96
Kern	8,917	0.92	0.00	0.50	0.96	0	0.00	0.00	0.00	0.00	8917	0.92	0.00	0.50	0.96
Kings	34,981	0.69	0.00	0.50	1.01	4025	0.90	0.00	0.50	1.01	39006	0.71	0.00	0.50	1.01
Madera	2,538	0.52	0.00	0.50	0.68	1766	1.14	0.50	1.00	1.26	4304	0.78	0.00	0.50	1.01
Merced	8,377	1.53	0.00	1.00	1.75	3905	0.96	0.00	0.50	1.07	12282	1.35	0.00	1.00	1.58

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 9 Ending 08/29/2026

Last Week YTD						Current Week					Year To Date				
Grade: LU, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Sacramento	162	0.55	0.00	0.50	0.75	348	0.82	0.50	0.50	0.84	510	0.74	0.00	0.50	0.82
San Benito	83	2.00	1.00	1.50	1.23	0	0.00	0.00	0.00	0.00	83	2.00	1.00	1.50	1.23
San Joaquin	1,809	0.77	0.00	0.50	0.96	1452	0.84	0.00	0.50	1.05	3261	0.80	0.00	0.50	1.00
Santa Clara	60	0.67	0.50	0.50	0.73	0	0.00	0.00	0.00	0.00	60	0.67	0.50	0.50	0.73
Solano	2,971	0.50	0.00	0.50	0.76	1607	0.60	0.00	0.50	1.14	4578	0.53	0.00	0.50	0.91
Stanislaus	1,285	1.41	0.00	1.00	1.55	1041	1.37	0.00	1.00	1.55	2326	1.39	0.00	1.00	1.55
Sutter	3,097	1.45	0.50	1.00	1.68	2517	1.11	0.00	0.50	1.31	5614	1.29	0.00	1.00	1.54
Tehama	599	1.29	0.50	1.00	1.57	0	0.00	0.00	0.00	0.00	599	1.29	0.50	1.00	1.57
Tulare	4,671	0.70	0.00	0.50	0.93	0	0.00	0.00	0.00	0.00	4671	0.70	0.00	0.50	0.93
Yolo	20,418	1.24	0.00	0.50	1.85	5687	0.72	0.00	0.50	1.04	26105	1.12	0.00	0.50	1.72
STATEWIDE	186,783	0.94	0.00	0.50	1.32	35232	0.93	0.00	0.50	1.17	222015	0.94	0.00	0.50	1.30

Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	2.20	2.00	2.00	1.82	431	1.12	0.50	0.50	1.49	517	1.30	0.50	1.00	1.60
Colusa	8,545	1.14	0.50	1.00	1.19	1984	1.17	0.50	1.00	1.19	10529	1.15	0.50	1.00	1.19
Contra Costa	6,042	0.32	0.00	0.00	0.66	842	0.24	0.00	0.00	0.39	6884	0.31	0.00	0.00	0.63
Fresno	82,054	0.46	0.00	0.00	0.83	9486	0.59	0.00	0.50	1.08	91540	0.47	0.00	0.00	0.86
Glenn	88	1.68	0.50	1.25	1.76	141	1.65	1.00	1.50	1.38	229	1.66	1.00	1.50	1.53
Kern	8,917	0.63	0.00	0.50	1.14	0	0.00	0.00	0.00	0.00	8917	0.63	0.00	0.50	1.14
Kings	34,981	0.47	0.00	0.50	0.71	4025	0.92	0.50	0.50	1.32	39006	0.52	0.00	0.50	0.81
Madera	2,538	0.72	0.00	0.50	1.15	1766	0.96	0.50	0.50	1.29	4304	0.82	0.00	0.50	1.21
Merced	8,377	0.80	0.00	0.50	1.07	3905	0.54	0.00	0.50	0.77	12282	0.72	0.00	0.50	0.99
Sacramento	162	4.14	4.00	4.00	2.21	348	3.96	0.00	2.50	4.54	510	4.02	0.00	3.00	3.95
San Benito	83	0.60	0.50	0.50	0.28	0	0.00	0.00	0.00	0.00	83	0.60	0.50	0.50	0.28
San Joaquin	1,809	1.19	0.00	0.50	2.30	1452	1.81	0.00	0.00	3.58	3261	1.46	0.00	0.50	2.96
Santa Clara	60	0.34	0.50	0.50	0.27	0	0.00	0.00	0.00	0.00	60	0.34	0.50	0.50	0.27
Solano	2,971	0.28	0.00	0.00	0.69	1607	0.48	0.00	0.00	1.13	4578	0.35	0.00	0.00	0.87
Stanislaus	1,285	0.23	0.00	0.00	0.43	1041	0.28	0.00	0.00	0.51	2326	0.25	0.00	0.00	0.47
Sutter	3,097	0.75	0.00	0.50	0.99	2517	1.03	0.00	0.50	1.38	5614	0.88	0.00	0.50	1.19
Tehama	599	1.69	1.00	1.00	1.86	0	0.00	0.00	0.00	0.00	599	1.69	1.00	1.00	1.86
Tulare	4,671	1.03	0.50	1.00	1.12	0	0.00	0.00	0.00	0.00	4671	1.03	0.50	1.00	1.12
Yolo	20,418	0.44	0.00	0.00	0.86	5687	0.38	0.00	0.00	0.69	26105	0.43	0.00	0.00	0.82
STATEWIDE	186,783	0.55	0.00	0.50	0.93	35232	0.74	0.00	0.50	1.42	222015	0.58	0.00	0.50	1.03

Grade: Hue															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	21.27	21.00	21.00	0.76	431	21.65	21.50	21.50	0.75	517	21.59	21.50	21.50	0.76
Colusa	8,545	21.61	21.50	21.50	1.14	1984	21.26	21.50	21.50	1.00	10529	21.55	21.50	21.50	1.12

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Week 9 Ending 08/29/2026

Last Week YTD						Current Week					Year To Date				
Grade: Hue, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	6,042	20.09	20.00	20.00	1.00	842	19.49	19.50	19.50	0.69	6884	20.02	19.50	20.00	0.99
Fresno	82,054	20.39	20.00	20.00	1.28	9486	20.77	20.00	20.50	1.34	91540	20.43	20.00	20.00	1.29
Glenn	88	24.08	26.00	24.00	1.89	141	23.93	23.00	24.00	1.24	229	23.99	24.00	24.00	1.52
Kern	8,917	20.54	20.50	20.50	1.10	0	0.00	0.00	0.00	0.00	8917	20.54	20.50	20.50	1.10
Kings	34,981	20.24	19.50	20.00	1.11	4025	20.97	20.50	21.00	1.31	39006	20.31	19.50	20.00	1.16
Madera	2,538	21.29	22.00	21.50	1.21	1766	21.24	20.00	21.50	1.44	4304	21.27	20.00	21.50	1.31
Merced	8,377	21.39	21.50	21.50	1.25	3905	21.01	20.50	21.00	0.99	12282	21.27	21.00	21.00	1.18
Sacramento	162	21.54	21.50	21.50	0.84	348	21.57	21.50	21.50	1.00	510	21.56	21.50	21.50	0.96
San Benito	83	20.38	20.00	20.50	0.56	0	0.00	0.00	0.00	0.00	83	20.38	20.00	20.50	0.56
San Joaquin	1,809	21.77	22.00	22.00	1.54	1452	21.18	21.50	21.00	1.18	3261	21.51	22.00	21.50	1.42
Santa Clara	60	19.47	19.50	19.50	0.50	0	0.00	0.00	0.00	0.00	60	19.47	19.50	19.50	0.50
Solano	2,971	21.02	20.50	21.00	1.28	1607	21.08	20.50	21.00	1.30	4578	21.04	20.50	21.00	1.28
Stanislaus	1,285	21.11	21.00	21.00	1.26	1041	20.79	20.00	20.50	1.46	2326	20.96	20.00	20.50	1.36
Sutter	3,097	21.80	21.50	21.50	1.15	2517	21.76	22.00	22.00	1.05	5614	21.78	21.50	21.50	1.11
Tehama	599	22.11	21.50	22.00	1.02	0	0.00	0.00	0.00	0.00	599	22.11	21.50	22.00	1.02
Tulare	4,671	20.33	20.50	20.00	1.02	0	0.00	0.00	0.00	0.00	4671	20.33	20.50	20.00	1.02
Yolo	20,418	21.66	21.00	21.50	1.45	5687	21.55	21.50	21.50	1.15	26105	21.64	21.50	21.50	1.39
STATEWIDE	186,783	20.67	20.00	20.50	1.36	35232	21.10	20.50	21.00	1.30	222015	20.74	20.00	20.50	1.36

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	5.05	5.00	5.00	0.31	431	4.60	4.60	4.60	0.18	517	4.67	4.60	4.60	0.26
Colusa	8,545	5.14	4.90	5.10	0.40	1984	4.84	4.80	4.80	0.30	10529	5.08	4.90	5.00	0.40
Contra Costa	6,042	5.16	5.10	5.10	0.32	842	5.48	5.50	5.50	0.39	6884	5.20	5.10	5.20	0.35
Fresno	82,054	5.39	5.30	5.40	0.45	9486	5.28	5.40	5.30	0.49	91540	5.38	5.30	5.40	0.46
Glenn	88	4.99	5.00	5.00	0.23	141	5.06	5.00	5.10	0.17	229	5.03	5.00	5.00	0.20
Kern	8,917	5.04	4.60	5.00	0.54	0	0.00	0.00	0.00	0.00	8917	5.04	4.60	5.00	0.54
Kings	34,981	4.95	4.90	4.90	0.46	4025	5.06	5.00	5.00	0.34	39006	4.96	4.90	4.90	0.45
Madera	2,538	5.05	4.80	5.00	0.41	1766	4.98	4.70	4.90	0.43	4304	5.02	4.70	5.00	0.42
Merced	8,377	5.34	5.00	5.30	0.54	3905	4.95	4.50	4.80	0.49	12282	5.22	4.90	5.10	0.55
Sacramento	162	5.01	4.80	4.90	0.36	348	5.16	5.20	5.20	0.37	510	5.11	4.80	5.10	0.38
San Benito	83	4.92	4.80	4.80	0.25	0	0.00	0.00	0.00	0.00	83	4.92	4.80	4.80	0.25
San Joaquin	1,809	5.52	5.40	5.50	0.40	1452	5.42	5.40	5.40	0.44	3261	5.48	5.40	5.50	0.42
Santa Clara	60	5.34	5.30	5.30	0.16	0	0.00	0.00	0.00	0.00	60	5.34	5.30	5.30	0.16
Solano	2,971	5.28	5.30	5.30	0.47	1607	5.21	5.30	5.20	0.50	4578	5.26	5.30	5.20	0.48
Stanislaus	1,285	5.45	5.60	5.50	0.47	1041	5.46	5.10	5.40	0.51	2326	5.46	5.40	5.40	0.49
Sutter	3,097	5.08	5.00	5.00	0.44	2517	4.88	4.80	4.80	0.40	5614	4.99	4.80	4.90	0.43
Tehama	599	4.83	4.80	4.80	0.28	0	0.00	0.00	0.00	0.00	599	4.83	4.80	4.80	0.28
Tulare	4,671	4.87	4.50	4.80	0.42	0	0.00	0.00	0.00	0.00	4671	4.87	4.50	4.80	0.42
Yolo	20,418	5.04	5.00	5.00	0.41	5687	4.90	4.70	4.90	0.38	26105	5.01	5.00	5.00	0.40

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 9 Ending 08/29/2026

STATEWIDE	186,783	5.21	5.10	5.20	0.49	35232	5.09	5.00	5.00	0.48	222015	5.19	5.00	5.20	0.49
-----------	---------	------	------	------	------	-------	------	------	------	------	--------	------	------	------	------

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	86	4.45	4.41	4.45	0.05	431	4.33	4.32	4.32	0.05	517	4.35	4.32	4.34	0.07
Colusa	8,545	4.39	4.36	4.38	0.09	1984	4.37	4.33	4.35	0.09	10529	4.39	4.36	4.38	0.09
Contra Costa	6,042	4.38	4.41	4.38	0.08	842	4.42	4.47	4.43	0.08	6884	4.38	4.41	4.38	0.08
Fresno	82,054	4.40	4.40	4.40	0.10	9486	4.43	4.48	4.44	0.10	91540	4.41	4.40	4.40	0.10
Glenn	88	4.45	4.36	4.42	0.10	141	4.38	4.40	4.39	0.05	229	4.41	4.37	4.40	0.08
Kern	8,917	4.38	4.36	4.38	0.09	0	0.00	0.00	0.00	0.00	8917	4.38	4.36	4.38	0.09
Kings	34,981	4.38	4.35	4.37	0.09	4025	4.43	4.44	4.43	0.07	39006	4.38	4.35	4.38	0.09
Madera	2,538	4.42	4.43	4.42	0.09	1766	4.47	4.46	4.47	0.10	4304	4.44	4.45	4.44	0.09
Merced	8,377	4.45	4.40	4.45	0.10	3905	4.47	4.44	4.45	0.10	12282	4.46	4.40	4.45	0.10
Sacramento	162	4.30	4.31	4.30	0.07	348	4.29	4.21	4.29	0.07	510	4.29	4.31	4.29	0.07
San Benito	83	4.26	4.24	4.25	0.04	0	0.00	0.00	0.00	0.00	83	4.26	4.24	4.25	0.04
San Joaquin	1,809	4.32	4.32	4.32	0.09	1452	4.35	4.37	4.36	0.08	3261	4.33	4.37	4.34	0.08
Santa Clara	60	4.31	4.35	4.33	0.05	0	0.00	0.00	0.00	0.00	60	4.31	4.35	4.33	0.05
Solano	2,971	4.37	4.34	4.36	0.08	1607	4.38	4.38	4.38	0.08	4578	4.37	4.38	4.37	0.08
Stanislaus	1,285	4.43	4.44	4.43	0.09	1041	4.45	4.43	4.45	0.09	2326	4.44	4.44	4.44	0.09
Sutter	3,097	4.39	4.38	4.38	0.08	2517	4.39	4.41	4.39	0.07	5614	4.39	4.38	4.39	0.08
Tehama	599	4.33	4.33	4.32	0.06	0	0.00	0.00	0.00	0.00	599	4.33	4.33	4.32	0.06
Tulare	4,671	4.43	4.39	4.43	0.09	0	0.00	0.00	0.00	0.00	4671	4.43	4.39	4.43	0.09
Yolo	20,418	4.37	4.36	4.36	0.10	5687	4.35	4.33	4.34	0.10	26105	4.37	4.33	4.36	0.10
STATEWIDE	186,783	4.39	4.38	4.39	0.10	35232	4.41	4.41	4.41	0.10	222015	4.40	4.40	4.39	0.10

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 9 Ending 08/29/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.6	221,127	0.0	36.7	81,374	0.0	16.5	36,688	0.0	35.2	78,068	0.0	47.2	104,717
0.5	99.9	221,892	0.5	60.0	133,209	0.5	36.5	80,966	0.5	59.4	131,902	0.5	76.4	169,683
1.0	100.0	221,971	1.0	75.2	166,930	1.0	54.0	119,796	1.0	75.7	168,016	1.0	88.0	195,393
1.5	100.0	221,995	1.5	83.3	185,033	1.5	66.0	146,614	1.5	84.2	187,013	1.5	92.8	206,085
2.0	100.0	222,009	2.0	88.4	196,193	2.0	74.9	166,236	2.0	89.4	198,582	2.0	95.3	211,602
2.5	100.0	222,011	2.5	91.6	203,436	2.5	81.2	180,345	2.5	92.7	205,744	2.5	96.8	214,821
3.0	100.0	222,013	3.0	93.8	208,262	3.0	85.8	190,538	3.0	94.8	210,481	3.0	97.7	216,855
3.5	100.0	222,014	3.5	95.4	211,728	3.5	89.2	197,998	3.5	96.2	213,686	3.5	98.3	218,248
4.0	100.0	222,015	4.0	96.5	214,211	4.0	91.6	203,390	4.0	97.2	215,861	4.0	98.7	219,186
			4.5	97.3	216,081	4.5	93.5	207,494	4.5	98.0	217,476	4.5	99.0	219,821
			5.0	97.9	217,382	5.0	94.9	210,584	5.0	98.4	218,547	5.0	99.2	220,267
			5.5	98.4	218,430	5.5	95.9	212,934	5.5	98.8	219,398	5.5	99.4	220,610
			6.0	98.7	219,146	6.0	96.7	214,761	6.0	99.1	219,999	6.0	99.5	220,898
			6.5	99.0	219,764	6.5	97.4	216,273	6.5	99.3	220,443	6.5	99.6	221,099
			7.0	99.2	220,195	7.0	98.0	217,484	7.0	99.4	220,779	7.0	99.7	221,249
			7.5	99.3	220,570	7.5	98.4	218,433	7.5	99.6	221,033	7.5	99.7	221,370
			8.0	99.5	220,865	8.0	98.7	219,210	8.0	99.7	221,240	8.0	99.8	221,472
			8.5	99.6	221,093	8.5	99.0	219,870	8.5	99.7	221,391	8.5	99.8	221,549
			9.0	99.7	221,269	9.0	99.3	220,352	9.0	99.8	221,508	9.0	99.8	221,634
			9.5	99.7	221,397	9.5	99.4	220,730	9.5	99.8	221,613	9.5	99.9	221,684
			10.0	99.8	221,507	10.0	99.6	221,017	10.0	99.9	221,696	10.0	99.9	221,736
			10.5	99.8	221,590	10.5	99.7	221,281	10.5	99.9	221,761	10.5	99.9	221,773
			11.0	99.8	221,665	11.0	99.7	221,419	11.0	99.9	221,808	11.0	99.9	221,803
			11.5	99.9	221,734	11.5	99.8	221,552	11.5	99.9	221,840	11.5	99.9	221,827
			12.0	99.9	221,782	12.0	99.8	221,666	12.0	99.9	221,872	12.0	99.9	221,857
			12.5	99.9	221,823	12.5	99.9	221,741	12.5	99.9	221,900	12.5	99.9	221,882
			13.0	99.9	221,852	13.0	99.9	221,811	13.0	100.0	221,920	13.0	100.0	221,906
			13.5	99.9	221,887	13.5	99.9	221,853	13.5	100.0	221,936	13.5	100.0	221,922
			14.0	99.9	221,899	14.0	99.9	221,880	14.0	100.0	221,960	14.0	100.0	221,932
			14.5	100.0	221,920	14.5	100.0	221,905	14.5	100.0	221,969	14.5	100.0	221,944
			15.0	100.0	221,930	15.0	100.0	221,929	15.0	100.0	221,974	15.0	100.0	221,954
			15.5	100.0	221,934	15.5	100.0	221,938	15.5	100.0	221,982	15.5	100.0	221,962
			16.0	100.0	221,943	16.0	100.0	221,952	16.0	100.0	221,986	16.0	100.0	221,969
			16.5	100.0	221,955	16.5	100.0	221,963	16.5	100.0	221,988	16.5	100.0	221,978
			17.0	100.0	221,956	17.0	100.0	221,974	17.0	100.0	221,990	17.0	100.0	221,980
			17.5	100.0	221,964	17.5	100.0	221,977	17.5	100.0	221,996	17.5	100.0	221,988
			18.0	100.0	221,970	18.0	100.0	221,984	18.0	100.0	221,997	18.0	100.0	221,996
			18.5	100.0	221,975	18.5	100.0	221,991	18.5	100.0	221,999	18.5	100.0	222,003
			19.0	100.0	221,977	19.0	100.0	221,994	19.0	100.0	222,004	19.0	100.0	222,007
			19.5	100.0	221,982	19.5	100.0	221,996	19.5	100.0	222,005	19.5	100.0	222,009
			20.0	100.0	221,985	20.0	100.0	221,997	20.0	100.0	222,007	20.0	100.0	222,012
			20.5	100.0	221,988	20.5	100.0	221,998	20.5	100.0	222,007	20.5	100.0	222,012
			21.0	100.0	221,989	21.0	100.0	222,002	21.0	100.0	222,007	21.0	100.0	222,014
			21.5	100.0	221,989	21.5	100.0	222,004	21.5	100.0	222,008	21.5	100.0	222,014

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 9 Ending 08/29/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week				#Loads	Year To Date			
		GREEN Percent Less than or Equal To:					GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Butte	431	30	43	61	80	517	25	37	56	77
Colusa	1,984	19	40	61	76	10,529	18	37	55	69
Contra Costa	842	76	93	98	100	6,884	76	91	96	99
Fresno	9,486	61	82	92	96	91,540	57	79	90	95
Glenn	141	10	53	87	97	229	17	52	81	96
Kern	0	0	0	0	0	8,917	59	81	89	93
Kings	4,025	49	81	92	96	39,006	51	78	90	94
Madera	1,766	30	53	71	80	4,304	26	48	68	80
Merced	3,905	55	82	94	98	12,282	53	79	91	96
Sacramento	348	40	60	68	77	510	27	41	48	60
San Benito	0	0	0	0	0	83	100	100	100	100
San Joaquin	1,452	71	93	98	99	3,261	51	80	93	97
Santa Clara	0	0	0	0	0	60	100	100	100	100
Solano	1,607	86	95	97	98	4,578	79	90	95	97
Stanislaus	1,041	86	93	98	99	2,326	87	93	97	99
Sutter	2,517	27	42	58	73	5,614	30	45	58	70
Tehama	0	0	0	0	0	599	4	18	34	49
Tulare	0	0	0	0	0	4,671	8	25	42	57
Yolo	5,687	68	77	85	90	26,105	63	76	84	90
STATEWIDE TOTALS										
CURRENT WEEK	35,232	56.0	75.7	86.4	92.0	222,015	54	75	86	92
LAST WEEK YTD						186,783	54	75	86	92

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 9 Ending 08/29/2026

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week				#Loads	Year To Date			
		LU Percent Less than or Equal To:					LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Butte	431	100	100	100	100	517	99	100	100	100
Colusa	1,984	99	99	100	100	10,529	95	98	99	99
Contra Costa	842	99	100	100	100	6,884	99	99	100	100
Fresno	9,486	98	99	99	100	91,540	98	99	99	99
Glenn	141	99	100	100	100	229	99	100	100	100
Kern	0	0	0	0	0	8,917	99	99	100	100
Kings	4,025	99	100	100	100	39,006	99	99	99	99
Madera	1,766	98	99	100	100	4,304	99	99	100	100
Merced	3,905	99	99	100	100	12,282	96	99	99	99
Sacramento	348	100	100	100	100	510	99	100	100	100
San Benito	0	0	0	0	0	83	96	100	100	100
San Joaquin	1,452	99	100	100	100	3,261	99	99	99	100
Santa Clara	0	0	0	0	0	60	100	100	100	100
Solano	1,607	99	99	99	99	4,578	99	99	99	99
Stanislaus	1,041	96	99	99	100	2,326	97	99	99	99
Sutter	2,517	98	99	100	100	5,614	97	99	99	99
Tehama	0	0	0	0	0	599	96	99	100	100
Tulare	0	0	0	0	0	4,671	99	100	100	100
Yolo	5,687	99	99	99	100	26,105	96	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	35,232	98.8	99.9	100.0	100.0	222,015	98	100	100	100
LAST WEEK YTD						186,783	98	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 9 Ending 08/29/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD														
County	#Loads	Current Week						#Loads	Year To Date					
		MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Butte	431	88	95	99	100	100	100	517	88	95	99	100	100	100
Colusa	1,984	88	92	94	95	96	96	10,529	90	95	96	97	98	98
Contra Costa	842	97	98	99	99	99	99	6,884	99	99	99	99	99	99
Fresno	9,486	80	87	92	94	96	97	91,540	95	97	98	99	99	99
Glenn	141	3	8	16	27	41	58	229	5	11	20	34	51	67
Kern	0	0	0	0	0	0	0	8,917	99	99	99	99	100	100
Kings	4,025	42	59	72	82	88	92	39,006	88	92	95	96	98	98
Madera	1,766	84	93	97	98	99	99	4,304	92	96	98	99	99	99
Merced	3,905	94	97	98	99	99	99	12,282	93	96	98	99	99	99
Sacramento	348	97	98	99	99	99	100	510	97	99	99	99	99	100
San Benito	0	0	0	0	0	0	0	83	100	100	100	100	100	100
San Joaquin	1,452	97	99	99	99	99	99	3,261	98	99	99	99	99	99
Santa Clara	0	0	0	0	0	0	0	60	100	100	100	100	100	100
Solano	1,607	95	97	99	99	99	99	4,578	96	98	99	99	99	99
Stanislaus	1,041	82	90	95	97	99	99	2,326	88	94	97	98	99	99
Sutter	2,517	83	92	96	98	99	99	5,614	88	94	97	99	99	99
Tehama	0	0	0	0	0	0	0	599	93	97	99	99	100	100
Tulare	0	0	0	0	0	0	0	4,671	95	98	99	99	99	99
Yolo	5,687	91	96	98	99	99	99	26,105	94	97	98	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	35,232	82.3	89.0	93.1	95.5	97.1	98.1	222,015	94	96	98	99	99	99
LAST WEEK YTD								186,783	96	98	99	99	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 9 Ending 08/29/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Butte	431	51	71	90	94	517	45	65	86	91
Colusa	1,984	44	66	86	93	10,529	45	66	86	94
Contra Costa	842	89	97	99	100	6,884	86	94	98	99
Fresno	9,486	78	89	95	97	91,540	81	91	96	98
Glenn	141	21	46	79	92	229	25	47	76	91
Kern	0	0	0	0	0	8,917	75	88	95	97
Kings	4,025	60	78	91	95	39,006	78	89	96	98
Madera	1,766	59	76	89	93	4,304	67	81	91	95
Merced	3,905	76	88	96	98	12,282	68	82	93	97
Sacramento	348	33	38	49	59	510	23	29	40	52
San Benito	0	0	0	0	0	83	74	98	100	100
San Joaquin	1,452	72	78	81	82	3,261	70	79	83	85
Santa Clara	0	0	0	0	0	60	96	100	100	100
Solano	1,607	84	88	93	96	4,578	87	92	95	97
Stanislaus	1,041	88	95	98	99	2,326	90	96	98	99
Sutter	2,517	55	73	87	93	5,614	60	76	90	95
Tehama	0	0	0	0	0	599	31	52	77	87
Tulare	0	0	0	0	0	4,671	47	70	89	96
Yolo	5,687	83	92	97	99	26,105	81	90	96	98
STATEWIDE TOTALS										
CURRENT WEEK	35,232	72.2	84.5	93.0	95.9	222,015	76	88	95	98
LAST WEEK YTD						186,783	77	89	96	98

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Butte

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
610	2016, HZ	Cur Wk	10	0.0	0.9	2.1	8.3	20.2	1.4	4.9	4.42
		YTD	10	0.0	0.9	2.1	8.3	20.2	1.4	4.9	4.42
916	9016, SVTM	Cur Wk	421	0.0	1.9	2.7	0.9	21.7	0.5	4.6	4.32
		YTD	421	0.0	1.9	2.7	0.9	21.7	0.5	4.6	4.32
Cur Wk:			431	0.0	1.8	2.7	1.1	21.7	0.5	4.6	4.33
YTD			517	0.0	1.9	2.9	1.3	21.6	0.7	4.7	4.35

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	751	0.0	1.0	1.1	1.3	20.3	1.3	4.9	4.45
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	114	0.0	8.1	3.3	1.6	22.6	2.3	4.9	4.59
		YTD	2,092	0.0	2.4	4.8	1.4	22.6	2.8	4.9	4.47
036	8163, HM	Cur Wk	61	0.0	2.1	0.5	1.1	20.2	0.5	5.3	4.45
		YTD	61	0.0	2.1	0.5	1.1	20.2	0.5	5.3	4.45
037	8237, HM	Cur Wk	273	0.0	0.8	4.3	0.8	21.2	0.8	5.0	4.33
		YTD	1,373	0.0	0.6	4.9	0.9	21.7	0.7	5.2	4.32
068	8268, HM	Cur Wk	57	0.0	2.3	0.6	0.2	19.6	0.4	5.0	4.48
		YTD	57	0.0	2.3	0.6	0.2	19.6	0.4	5.0	4.48
1	1	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.8	4.3	1.4	20.7	2.7	4.8	4.45
248	8422, BOS	Cur Wk	32	0.0	2.3	4.5	1.0	21.8	1.4	4.5	4.40
		YTD	114	0.0	2.5	6.4	1.3	21.9	1.2	4.5	4.42
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
324	8423, BOS	Cur Wk	59	0.0	3.2	3.9	2.5	22.0	1.7	4.8	4.40
		YTD	76	0.0	3.1	4.3	2.2	22.0	1.7	4.7	4.39
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.3	3.6	1.6	22.4	2.9	5.2	4.42
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
485	6485, N	Cur Wk	16	0.0	2.1	0.9	1.3	20.8	0.7	4.1	4.56
		YTD	16	0.0	2.1	0.9	1.3	20.8	0.7	4.1	4.56
552	5522, HM	Cur Wk	65	0.0	2.0	0.4	0.3	20.2	0.3	5.1	4.37
		YTD	65	0.0	2.0	0.4	0.3	20.2	0.3	5.1	4.37
565	MIX	Cur Wk	1	0.0	4.5	0.5	0.0	20.5	1.0	5.1	4.46
		YTD	1	0.0	4.5	0.5	0.0	20.5	1.0	5.1	4.46
566	6506, N	Cur Wk	18	0.0	1.6	0.8	0.7	20.9	1.7	4.9	4.55
		YTD	18	0.0	1.6	0.8	0.7	20.9	1.7	4.9	4.55
577	HEINZ TRIAL	Cur Wk	43	0.0	1.1	5.0	0.9	21.1	0.9	4.8	4.34
		YTD	43	0.0	1.1	5.0	0.9	21.1	0.9	4.8	4.34
610	2016, HZ	Cur Wk	351	0.0	0.6	2.9	1.3	20.4	1.0	4.8	4.32
		YTD	481	0.0	0.7	3.2	1.3	20.7	1.9	4.8	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
659	6509, N	Cur Wk	5	0.0	1.4	1.2	1.1	22.6	0.1	4.9	4.37
		YTD	26	0.0	2.4	1.7	1.1	21.9	0.7	4.9	4.38
730	9037, SVTM	Cur Wk	178	0.0	1.1	3.9	1.1	21.9	0.9	4.8	4.36
		YTD	340	0.0	0.9	3.9	1.3	22.0	0.7	4.9	4.34
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
856	6508, N	Cur Wk	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
916	9016, SVTM	Cur Wk	453	0.0	1.7	2.8	1.0	21.4	0.6	4.9	4.34
		YTD	1,847	0.0	2.1	3.1	1.0	21.6	0.8	5.2	4.36
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	2.0	2.3	0.9	22.0	2.3	4.9	4.43
941	9041, SVTM	Cur Wk	256	0.0	1.7	3.0	1.6	21.8	0.6	4.6	4.34
		YTD	812	0.0	1.2	2.5	1.2	21.3	0.7	5.0	4.33
Cur Wk:			1,984	0.0	1.8	3.0	1.2	21.3	0.9	4.8	4.37
YTD			10,529	0.0	1.5	3.5	1.1	21.5	1.6	5.1	4.39

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Contra Costa			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
036	8163, HM	Cur Wk	90	0.0	0.8	0.3	0.2	19.3	1.0	5.6	4.54
		YTD	127	0.0	0.8	0.3	0.2	19.3	0.8	5.6	4.53
064	0645, LS	Cur Wk	102	0.0	0.7	1.0	0.4	19.3	1.4	5.6	4.45
		YTD	343	0.0	0.4	1.4	0.5	19.8	0.8	5.1	4.43
068	8268, HM	Cur Wk	196	0.0	0.1	1.1	0.4	19.1	2.0	5.6	4.40
		YTD	1,449	0.0	0.1	0.7	0.3	19.6	1.0	5.3	4.40
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	1.3	0.5	20.1	1.1	5.3	4.28
219	109, BP	Cur Wk	57	0.0	0.4	0.1	0.1	20.2	0.9	5.5	4.30
		YTD	144	0.0	0.4	1.2	0.6	20.1	0.7	5.4	4.30
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.3	0.6	0.4	20.4	0.7	5.2	4.41
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	265	0.0	0.5	1.4	0.3	20.4	2.7	5.1	4.42
552	5522, HM	Cur Wk	125	0.0	1.2	0.3	0.1	19.6	0.5	5.4	4.39
		YTD	939	0.0	0.4	0.6	0.3	19.5	0.4	5.3	4.35
740	74, BP	Cur Wk	272	0.0	1.5	1.0	0.1	19.6	1.1	5.3	4.44
		YTD	944	0.0	0.9	1.0	0.3	19.8	1.4	5.2	4.43
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	0.5	0.8	0.4	22.5	1.2	5.1	4.26
Cur Wk:			842	0.0	0.9	0.8	0.2	19.5	1.3	5.5	4.42
YTD			6,884	0.0	0.3	0.9	0.3	20.0	0.9	5.2	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	94	0.0	1.6	0.4	0.3	20.2	0.5	5.6	4.45
		YTD	8,383	0.0	0.4	1.2	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	183	0.0	3.3	0.8	1.0	19.5	2.8	6.0	4.51
		YTD	4,481	0.0	0.9	0.7	0.5	19.5	1.1	5.8	4.47
037	8237, HM	Cur Wk	2,018	0.0	1.4	1.0	0.4	21.4	0.7	5.4	4.41
		YTD	6,802	0.0	0.8	1.2	0.3	21.3	0.5	5.4	4.38
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	82	0.0	5.2	1.3	0.9	20.7	1.6	5.2	4.56
		YTD	1,158	0.0	1.2	1.3	0.5	20.1	1.4	5.5	4.55
068	8268, HM	Cur Wk	149	0.0	2.3	0.2	0.1	18.9	0.8	5.8	4.50
		YTD	3,724	0.0	0.8	1.2	0.3	19.6	1.1	5.5	4.44
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,184	0.0	0.7	4.8	1.4	21.2	0.8	5.5	4.43
1	1	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	190	0.0	1.0	0.5	0.1	19.8	0.5	4.8	4.47
		YTD	685	0.0	1.0	0.9	0.4	20.5	1.3	4.9	4.48
112	16112, UG	Cur Wk	531	0.0	1.7	0.5	0.3	19.8	1.0	5.2	4.49
		YTD	1,472	0.0	1.1	0.6	0.3	19.9	0.7	5.1	4.45
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	27	0.0	1.1	2.1	0.9	19.1	0.4	4.6	4.55
		YTD	168	0.0	1.0	1.6	0.8	19.5	0.4	4.7	4.55
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,665	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	256	0.0	4.3	4.0	1.0	19.4	1.6	5.4	4.48
		YTD	950	0.0	3.1	3.8	0.7	19.5	1.5	5.3	4.46
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	99	0.0	1.4	0.3	0.1	19.7	0.4	5.3	4.32
		YTD	381	0.0	0.9	0.5	0.1	19.9	0.7	5.6	4.38
211	121, BP	Cur Wk	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
219	109, BP	Cur Wk	65	0.0	1.2	0.3	0.1	19.2	0.4	5.6	4.30
		YTD	383	0.0	0.7	0.8	0.1	20.5	0.7	5.8	4.35
239	9023, SVTM	Cur Wk	1	0.0	4.0	0.5	0.0	20.0	0.5	5.0	4.48
		YTD	2,659	0.0	0.5	1.3	0.4	21.9	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	65	0.0	3.2	1.5	1.0	20.6	0.8	4.8	4.46
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
316	621316, HMC	Cur Wk	2	0.0	0.5	0.2	0.0	21.7	1.0	5.9	4.31
		YTD	6	0.0	0.3	2.0	0.1	21.0	0.4	5.7	4.33
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	1.9	1.1	1.3	21.5	2.9	5.9	4.53
430	9034, SVTM	Cur Wk	51	0.0	2.3	1.1	0.6	20.5	0.9	5.3	4.54
		YTD	5,957	0.0	0.7	1.2	0.5	20.4	0.9	5.4	4.49
434	6434, N	Cur Wk	243	0.0	2.2	2.1	0.7	20.8	0.7	5.5	4.46
		YTD	983	0.0	2.9	3.0	1.4	21.9	1.7	5.1	4.49
452	4521, HM	Cur Wk	92	0.0	0.8	0.2	0.3	20.6	0.3	5.4	4.43
		YTD	347	0.0	0.3	1.8	0.4	21.1	0.3	5.1	4.39
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	159	0.0	0.8	1.0	0.5	21.8	2.3	5.4	4.55
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	163	0.0	1.5	0.5	0.0	19.8	0.4	4.6	4.59
		YTD	895	0.0	1.3	0.8	0.3	20.1	0.5	4.6	4.57
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,115	0.0	0.5	0.8	0.2	19.4	0.3	5.2	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
552	5522, HM	Cur Wk	101	0.0	1.8	0.4	0.2	18.9	1.0	5.8	4.40
		YTD	5,643	0.0	0.6	0.8	0.2	19.6	0.6	5.6	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,142	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	6	0.0	1.1	0.8	0.3	20.4	0.7	5.2	4.41
		YTD	29	0.0	0.7	0.8	0.2	20.1	1.2	5.4	4.44
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
577	HEINZ TRIAL	Cur Wk	35	0.0	2.7	1.0	0.2	20.2	0.9	5.4	4.50
		YTD	53	0.0	2.3	1.1	0.2	20.5	1.2	5.4	4.47
610	2016, HZ	Cur Wk	856	0.0	2.8	1.3	0.4	20.2	0.8	4.7	4.48
		YTD	2,290	0.0	1.8	1.5	0.4	20.3	0.6	4.7	4.43
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	57	0.0	0.6	2.0	0.2	19.7	0.1	5.6	4.44
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.7	1.5	0.5	19.5	0.1	4.9	4.40
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	1.4	0.6	0.6	20.5	0.8	5.7	4.48
662	1662, HZ	Cur Wk	140	0.0	5.5	1.6	0.4	21.6	2.0	5.0	4.57
		YTD	238	0.0	4.3	1.7	0.3	21.9	1.6	5.0	4.55
707	47073, HZ	Cur Wk	146	0.0	5.6	1.6	0.3	23.5	1.8	4.8	4.58
		YTD	293	0.0	3.8	1.4	0.4	23.9	2.4	4.9	4.58
730	9037, SVTM	Cur Wk	272	0.0	1.3	2.1	0.3	22.8	0.4	4.7	4.42
		YTD	1,502	0.0	1.3	1.7	0.3	22.6	0.6	4.9	4.36

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
807	8507, HM	Cur Wk	27	0.0	1.6	0.7	0.1	18.5	0.8	5.4	4.55
		YTD	106	0.0	1.2	0.7	0.1	18.7	0.9	5.4	4.54
820	1082, SVTM	Cur Wk	375	0.0	2.6	0.8	0.6	21.2	2.1	5.6	4.42
		YTD	1,124	0.0	1.5	1.4	0.4	21.1	1.6	5.7	4.40
841	58841, HM	Cur Wk	69	0.0	2.0	4.6	0.8	20.7	0.7	5.4	4.42
		YTD	2,341	0.0	0.8	2.2	0.9	20.7	0.5	5.5	4.44
848	6848, BOS	Cur Wk	3	0.0	2.0	4.6	0.5	18.8	0.3	4.9	4.38
		YTD	486	0.0	0.8	2.8	0.8	19.4	0.4	5.0	4.41
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	322	0.0	1.5	1.3	0.5	21.2	1.3	5.1	4.47
		YTD	3,572	0.0	0.6	1.3	0.3	21.4	1.2	5.1	4.44
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.7	0.3	0.0	19.5	0.2	6.0	4.43
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.7	0.9	0.2	21.3	0.1	5.3	4.37
919	9019, SVTM	Cur Wk	706	0.0	2.0	2.5	2.3	22.0	2.3	5.5	4.29
		YTD	3,045	0.0	1.2	2.1	1.1	21.9	1.6	5.7	4.29
921	9021, SVTM	Cur Wk	41	0.0	2.8	1.4	1.0	21.3	0.8	4.7	4.41
		YTD	1,068	0.0	1.2	3.2	1.3	21.0	1.6	5.3	4.40
925	9025, SVTM	Cur Wk	379	0.0	1.6	0.3	0.2	20.8	1.0	5.8	4.32
		YTD	3,084	0.0	0.7	0.8	0.3	21.4	0.8	5.6	4.28
941	9041, SVTM	Cur Wk	636	0.0	1.9	0.5	0.5	20.8	0.7	5.3	4.41
		YTD	2,206	0.0	0.9	1.2	0.4	21.1	0.5	5.4	4.40
996	1996, HZ	Cur Wk	1,068	0.0	1.0	2.0	0.6	19.9	0.2	5.1	4.46
		YTD	4,332	0.0	0.6	2.1	0.5	20.1	0.3	5.0	4.42
Cur Wk:			9,433	0.0	2.0	1.3	0.6	20.8	1.0	5.3	4.43
YTD			91,393	0.0	0.8	1.4	0.5	20.4	0.9	5.4	4.41

Glenn

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
916	9016, SVTM	Cur Wk	140	0.1	7.8	2.3	1.7	23.9	0.9	5.1	4.38
		YTD	205	0.1	7.6	2.4	1.7	24.2	0.9	5.1	4.39
Cur Wk:			140	0.1	7.8	2.3	1.7	23.9	0.9	5.1	4.38

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

YTD	228	0.1	7.3	2.2	1.7	24.0	0.9	5.0	4.41
-----	-----	-----	-----	-----	-----	------	-----	-----	------

Kern			Variety #	Name	#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29		
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50		
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43		
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33		
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41		
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36		
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50		
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41		
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37		
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30		
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44		
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36		
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35		
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36		
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41		
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56		
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36		
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36		
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40		
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
577	HEINZ TRIAL	YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	0.8	1.0	0.2	24.0	1.9	4.4	4.56
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,021	0.0	0.2	1.4	0.5	20.9	0.5	4.7	4.35
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			8,908	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	78	0.0	4.5	2.0	0.8	20.1	0.9	5.1	4.43
		YTD	389	0.0	2.2	2.0	0.9	20.5	0.6	5.0	4.38
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	886	0.0	0.7	0.7	0.4	19.6	0.7	5.6	4.50
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	622	0.0	1.0	0.7	0.5	21.6	1.0	5.2	4.34
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
239	9023, SVTM	Cur Wk	1,083	0.1	5.8	1.7	1.4	21.6	1.1	5.1	4.46
		YTD	2,194	0.0	4.4	1.5	1.1	21.6	1.0	5.0	4.44
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
365	2365, HZ	Cur Wk	72	0.0	2.0	1.7	0.9	20.1	0.5	5.0	4.48
		YTD	72	0.0	2.0	1.7	0.9	20.1	0.5	5.0	4.48
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,018	0.0	0.5	1.1	0.5	20.6	0.3	5.1	4.35
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	1.7	1.5	1.3	21.4	1.1	4.9	4.45
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.9	0.7	0.3	21.0	1.0	4.4	4.61
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
565	MIX	YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	946	0.0	2.8	1.3	0.6	19.4	1.2	4.8	4.43
		YTD	11,766	0.0	1.3	1.8	0.6	19.7	0.6	4.7	4.38
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
730	9037, SVTM	Cur Wk	1,585	0.0	3.9	1.5	0.9	21.5	0.6	5.1	4.40
		YTD	2,145	0.0	3.1	1.6	0.8	21.5	0.5	5.2	4.38
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	472	0.0	1.3	3.6	1.2	20.5	0.5	5.1	4.41
903	9036, SVTM	Cur Wk	70	0.0	2.7	1.3	0.4	22.2	1.2	5.0	4.52
		YTD	188	0.0	2.1	1.1	0.3	22.2	1.1	5.0	4.49
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
925	9025, SVTM	Cur Wk	99	0.0	2.0	0.5	0.3	20.5	1.2	5.8	4.29
		YTD	862	0.0	1.3	0.5	0.2	20.9	1.2	5.3	4.27
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	90	0.0	2.2	1.8	0.5	20.8	0.3	4.9	4.48
		YTD	865	0.0	0.6	1.3	0.4	20.7	0.4	4.6	4.41
Cur Wk:			4,023	0.0	4.0	1.5	0.9	21.0	0.9	5.1	4.43
YTD			38,967	0.0	1.2	1.6	0.5	20.3	0.7	5.0	4.38

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	1	0.0	1.0	4.5	0.0	20.5	0.0	4.7	4.35
		YTD	129	0.0	0.5	4.3	0.4	21.9	0.4	4.9	4.36

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
068	8268, HM	Cur Wk	1	0.0	3.0	2.0	2.0	21.0	1.5	5.4	4.35
		YTD	1	0.0	3.0	2.0	2.0	21.0	1.5	5.4	4.35
074	6474, N	Cur Wk	411	0.0	2.1	5.2	1.6	22.6	0.8	4.9	4.50
		YTD	835	0.0	1.6	4.4	1.4	22.6	0.8	5.1	4.51
178	7708, BOS	Cur Wk	75	0.0	2.3	3.0	0.7	19.6	2.7	6.0	4.54
		YTD	75	0.0	2.3	3.0	0.7	19.6	2.7	6.0	4.54
248	8422, BOS	Cur Wk	94	0.0	1.9	1.0	0.8	21.8	2.7	4.8	4.49
		YTD	227	0.0	1.6	1.5	0.8	21.9	1.9	4.7	4.45
409	9040, SVTM	Cur Wk	130	0.0	2.5	5.8	2.1	21.6	1.0	5.1	4.41
		YTD	130	0.0	2.5	5.8	2.1	21.6	1.0	5.1	4.41
434	6434, N	Cur Wk	205	0.0	2.4	1.7	0.8	22.6	2.0	5.1	4.59
		YTD	277	0.0	2.6	2.6	1.1	22.4	1.7	5.1	4.58
469	8654, BOS	Cur Wk	5	0.0	1.7	3.3	1.7	19.8	0.5	5.1	4.37
		YTD	5	0.0	1.7	3.3	1.7	19.8	0.5	5.1	4.37
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.5	3.8	1.6	19.7	0.4	4.8	4.49
610	2016, HZ	Cur Wk	610	0.0	1.1	1.4	0.5	19.9	0.6	4.7	4.44
		YTD	860	0.0	1.0	1.4	0.6	19.9	0.6	4.8	4.43
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
707	47073, HZ	Cur Wk	13	0.0	3.4	0.8	1.2	22.4	1.2	5.4	4.48
		YTD	720	0.0	0.4	3.1	0.4	21.9	0.2	4.8	4.40
904	9048, SVTM	Cur Wk	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
		YTD	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
913	9013, SVTM	Cur Wk	71	0.0	4.8	2.1	0.5	20.1	0.9	5.1	4.48
		YTD	71	0.0	4.8	2.1	0.5	20.1	0.9	5.1	4.48
919	9019, SVTM	Cur Wk	141	0.0	1.9	2.5	0.9	21.9	1.7	5.5	4.29
		YTD	141	0.0	1.9	2.5	0.9	21.9	1.7	5.5	4.29
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	0.8	3.3	0.7	20.8	0.6	5.0	4.33
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	505	0.0	0.6	1.2	0.4	20.2	0.4	5.4	4.41
Cur Wk:			1,766	0.0	1.9	2.8	1.0	21.2	1.1	5.0	4.47
YTD			4,304	0.0	1.2	2.8	0.8	21.3	0.8	5.0	4.44

Merced

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	31	0.0	1.5	1.0	0.8	21.0	1.0	5.3	4.35
		YTD	31	0.0	1.5	1.0	0.8	21.0	1.0	5.3	4.35
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
036	8163, HM	Cur Wk	64	0.0	1.5	0.6	0.1	19.8	0.8	5.5	4.52
		YTD	64	0.0	1.5	0.6	0.1	19.8	0.8	5.5	4.52
037	8237, HM	Cur Wk	112	0.0	2.0	0.8	0.2	21.8	0.6	5.0	4.32
		YTD	124	0.0	1.9	0.9	0.2	21.8	0.6	5.0	4.31
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	102	0.0	1.5	1.8	1.0	21.9	3.7	5.3	4.62
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	1.4	1.8	2.1	20.9	2.8	5.4	4.53
074	6474, N	Cur Wk	329	0.0	1.4	2.1	0.3	20.7	1.3	5.8	4.60
		YTD	713	0.0	1.3	2.7	0.5	21.5	1.1	5.5	4.55
101	101, BP	Cur Wk	98	0.0	1.0	0.6	0.8	21.0	1.3	4.7	4.58
		YTD	146	0.0	0.9	0.7	0.8	21.3	1.6	4.6	4.55
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
173	0371, HM	Cur Wk	77	0.0	1.4	0.3	0.0	20.0	1.3	5.1	4.47
		YTD	227	0.0	1.3	0.9	0.8	21.2	3.6	5.7	4.53
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	0.2	2.7	0.5	19.7	1.1	5.3	4.38
219	109, BP	Cur Wk	23	0.0	0.8	0.2	0.4	20.6	0.7	5.1	4.32
		YTD	53	0.0	0.6	0.3	1.0	20.8	0.9	5.1	4.30
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.6	1.2	0.9	22.7	1.0	5.1	4.51
248	8422, BOS	Cur Wk	126	0.0	1.3	2.4	0.4	21.4	1.3	5.1	4.48
		YTD	126	0.0	1.3	2.4	0.4	21.4	1.3	5.1	4.48
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	1.2	1.4	1.6	22.6	2.6	5.6	4.57
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
434	6434, N	Cur Wk	16	0.0	2.8	1.5	1.4	22.6	1.0	4.8	4.47
		YTD	469	0.0	3.4	1.4	1.7	23.1	1.8	4.9	4.49
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	77	0.0	0.3	0.7	0.2	20.9	0.5	4.7	4.64
510	2015, HZ	Cur Wk	23	0.0	1.6	1.1	0.5	19.7	1.7	4.8	4.57
		YTD	182	0.0	2.3	1.6	0.6	19.7	1.6	4.8	4.55
552	5522, HM	Cur Wk	1	0.0	2.5	0.5	0.5	19.5	0.5	4.4	4.47
		YTD	177	0.0	1.9	0.7	0.3	20.3	0.6	5.1	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
565	MIX	Cur Wk	3	0.0	1.5	0.3	0.0	19.8	1.2	5.0	4.49
		YTD	4	0.0	1.1	0.4	0.0	20.4	1.4	5.0	4.45
610	2016, HZ	Cur Wk	950	0.0	1.0	1.4	0.6	20.8	1.0	4.6	4.46
		YTD	1,204	0.0	1.0	1.5	0.7	20.8	0.9	4.6	4.44
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
707	47073, HZ	Cur Wk	339	0.0	0.4	1.8	0.3	22.1	0.2	4.5	4.41
		YTD	579	0.0	0.3	1.7	0.4	22.1	0.2	4.7	4.40
730	9037, SVTM	Cur Wk	154	0.0	0.9	1.4	0.5	22.3	0.5	4.7	4.38
		YTD	501	0.0	0.7	2.6	0.6	22.3	1.0	5.0	4.39
740	74, BP	Cur Wk	39	0.0	1.7	0.6	0.1	20.2	0.6	5.1	4.48
		YTD	130	0.0	1.7	1.1	0.5	20.2	0.9	5.2	4.46
820	1082, SVTM	Cur Wk	167	0.0	1.7	0.7	0.9	20.8	1.3	5.1	4.40
		YTD	907	0.0	1.0	1.3	0.8	21.3	1.7	5.4	4.41
841	58841, HM	Cur Wk	40	0.0	1.5	1.5	1.7	20.8	1.1	5.2	4.45
		YTD	247	0.0	1.0	1.6	1.1	21.4	1.8	5.5	4.51
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	320	0.0	0.6	0.7	0.9	21.5	3.7	6.1	4.47
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	162	0.0	0.8	1.1	0.1	22.6	0.3	5.0	4.37
919	9019, SVTM	Cur Wk	123	0.0	2.2	2.0	1.2	23.0	3.1	5.5	4.36
		YTD	123	0.0	2.2	2.0	1.2	23.0	3.1	5.5	4.36
921	9021, SVTM	Cur Wk	245	0.0	2.4	1.2	1.0	20.6	1.3	5.7	4.43
		YTD	996	0.0	2.1	1.0	1.2	21.1	1.3	5.5	4.43
925	9025, SVTM	Cur Wk	41	0.0	2.0	0.3	0.2	22.0	1.3	4.8	4.42
		YTD	100	0.0	1.2	0.6	0.5	22.6	3.2	6.0	4.43
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	487	0.0	0.5	2.7	0.3	21.5	0.5	5.2	4.35
996	1996, HZ	Cur Wk	904	0.0	0.7	1.1	0.5	20.7	0.6	4.8	4.50
		YTD	1,916	0.0	0.5	1.6	0.6	20.8	0.8	4.9	4.47
Cur Wk:			3,905	0.0	1.2	1.3	0.5	21.0	1.0	4.9	4.47
YTD			12,282	0.0	1.1	1.5	0.7	21.3	1.4	5.2	4.46

Sacramento

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
552	5522, HM	Cur Wk	109	0.0	0.3	1.2	0.1	21.8	0.4	4.9	4.25
		YTD	109	0.0	0.3	1.2	0.1	21.8	0.4	4.9	4.25
610	2016, HZ	Cur Wk	96	0.0	1.0	5.6	3.9	20.8	1.1	5.4	4.29
		YTD	143	0.0	0.8	5.6	3.8	20.9	0.9	5.4	4.27
841	58841, HM	Cur Wk	95	0.0	0.5	0.9	8.8	21.6	0.4	5.0	4.37

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Week 9 Ending 08/29/2026

Sacramento, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	YTD	95	0.0	0.5	0.9	8.8	21.6	0.4	5.0	4.37
		Cur Wk	48	0.0	1.3	3.0	2.6	22.6	1.9	5.5	4.24
		YTD	48	0.0	1.3	3.0	2.6	22.6	1.9	5.5	4.24
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.2	5.6	4.3	21.8	0.5	4.8	4.32
Cur Wk:			348	0.0	0.7	2.6	4.0	21.6	0.8	5.2	4.29
YTD			510	0.0	0.6	3.6	4.0	21.6	0.7	5.1	4.29

San Benito

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	83	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26
Cur Wk:		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
YTD		83	0.0	0.2	0.3	0.6	20.4	2.0	4.9	4.26	

San Joaquin

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	183	0.0	0.4	1.2	0.5	21.1	0.4	5.7	4.34
		YTD	703	0.0	0.6	1.8	0.3	22.1	0.7	5.7	4.39
043	43, BP	Cur Wk	59	0.0	0.2	0.3	0.1	21.5	0.6	5.2	4.43
		YTD	59	0.0	0.2	0.3	0.1	21.5	0.6	5.2	4.43
064	0645, LS	Cur Wk	72	0.0	0.7	0.7	0.2	20.3	0.6	5.2	4.43
		YTD	72	0.0	0.7	0.7	0.2	20.3	0.6	5.2	4.43
068	8268, HM	Cur Wk	100	0.0	0.4	0.5	0.1	19.7	1.5	5.9	4.38
		YTD	106	0.0	0.4	0.6	0.2	19.7	1.6	5.9	4.38
101	101, BP	Cur Wk	9	0.0	0.2	0.8	0.1	20.5	0.6	5.2	4.39
		YTD	9	0.0	0.2	0.8	0.1	20.5	0.6	5.2	4.39
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.2	1.1	0.2	23.5	1.3	5.4	4.32
173	0371, HM	Cur Wk	45	0.0	0.5	0.2	0.1	20.6	0.8	5.6	4.41
		YTD	93	0.0	0.4	0.2	0.1	20.6	0.8	5.5	4.37
239	9023, SVTM	Cur Wk	99	0.0	1.1	0.8	0.1	20.1	1.2	5.8	4.39
		YTD	146	0.0	0.8	0.9	0.1	20.0	1.2	5.8	4.37
301	7103, HM	Cur Wk	69	0.0	0.9	1.6	0.2	21.0	1.4	5.2	4.36
		YTD	153	0.0	0.7	1.7	0.3	20.7	1.0	5.2	4.33
409	9040, SVTM	Cur Wk	96	0.0	1.4	0.7	0.3	20.6	1.0	5.6	4.33
		YTD	107	0.0	1.4	0.8	0.3	20.7	1.1	5.6	4.33
430	9034, SVTM	Cur Wk	45	0.0	0.2	0.3	0.2	21.3	0.4	5.7	4.45
		YTD	55	0.0	0.2	0.2	0.2	21.2	0.5	5.7	4.44

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
552	5522, HM	Cur Wk	46	0.0	0.6	0.5	0.1	21.4	0.3	5.0	4.36
		YTD	58	0.0	0.6	0.6	0.1	21.9	0.4	5.0	4.35
730	9037, SVTM	Cur Wk	30	0.0	0.6	1.9	0.5	20.9	0.7	5.6	4.27
		YTD	30	0.0	0.6	1.9	0.5	20.9	0.7	5.6	4.27
755	7558, NB	Cur Wk	28	0.0	0.2	1.2	0.5	20.4	0.4	5.6	4.33
		YTD	28	0.0	0.2	1.2	0.5	20.4	0.4	5.6	4.33
820	1082, SVTM	Cur Wk	37	0.0	1.0	0.1	0.5	20.7	1.2	5.5	4.34
		YTD	42	0.0	1.0	0.4	0.5	20.7	1.1	5.5	4.33
841	58841, HM	Cur Wk	282	0.0	0.6	1.1	8.2	22.3	0.4	5.0	4.36
		YTD	456	0.0	0.6	1.3	7.6	22.4	0.3	5.0	4.35
913	9013, SVTM	Cur Wk	12	0.0	0.0	0.3	0.0	18.7	0.2	5.7	4.24
		YTD	12	0.0	0.0	0.3	0.0	18.7	0.2	5.7	4.24
919	9019, SVTM	Cur Wk	147	0.0	2.1	0.8	0.2	22.0	2.1	5.6	4.26
		YTD	538	0.0	1.1	1.5	1.0	22.6	1.6	5.4	4.24
921	9021, SVTM	Cur Wk	17	0.0	1.3	1.3	0.1	20.7	0.6	5.5	4.28
		YTD	17	0.0	1.3	1.3	0.1	20.7	0.6	5.5	4.28
941	9041, SVTM	Cur Wk	65	0.0	0.1	2.0	0.5	22.4	0.2	4.7	4.26
		YTD	65	0.0	0.1	2.0	0.5	22.4	0.2	4.7	4.26
996	1996, HZ	Cur Wk	11	0.0	0.3	2.5	1.2	19.1	0.5	6.1	4.30
		YTD	499	0.0	0.2	2.1	0.6	20.4	0.4	5.7	4.32
Cur Wk:			1,452	0.0	0.8	0.9	1.8	21.2	0.8	5.4	4.35
YTD			3,261	0.0	0.6	1.4	1.5	21.5	0.8	5.5	4.33

Santa Clara

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	60	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31
Cur Wk:		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD		60	0.0	0.0	0.4	0.3	19.5	0.7	5.3	4.31	

Solano

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.9	0.3	1.0	21.9	1.0	6.7	4.38
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.0	4.7	0.2	20.9	0.5	4.4	4.29
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
036	8163, HM	Cur Wk	103	0.0	0.9	0.8	0.2	19.6	1.1	5.8	4.48

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	110	0.0	0.9	0.8	0.1	19.6	1.1	5.9	4.48
037	8237, HM	Cur Wk	169	0.0	0.9	0.7	0.9	22.3	0.2	5.1	4.32
		YTD	414	0.0	0.7	1.3	0.8	22.5	0.2	5.2	4.30
068	8268, HM	Cur Wk	214	0.0	0.7	0.7	0.2	20.0	1.0	5.4	4.39
		YTD	623	0.0	0.9	0.6	0.1	20.2	0.8	5.4	4.39
210	110, BP	Cur Wk	8	0.0	0.1	1.1	0.4	21.0	0.5	6.4	4.21
		YTD	8	0.0	0.1	1.1	0.4	21.0	0.5	6.4	4.21
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.8	1.5	0.2	22.5	1.5	6.1	4.40
239	9023, SVTM	Cur Wk	92	0.0	0.2	0.6	0.1	22.7	0.4	4.8	4.36
		YTD	92	0.0	0.2	0.6	0.1	22.7	0.4	4.8	4.36
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.8	0.5	0.1	20.4	0.7	4.9	4.32
248	8422, BOS	Cur Wk	20	0.0	3.2	0.7	2.4	23.2	5.5	4.7	4.41
		YTD	21	0.0	3.3	0.7	2.4	23.2	5.6	4.7	4.41
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	315	0.0	0.8	0.1	0.3	20.6	0.3	5.0	4.45
485	6485, N	Cur Wk	41	0.0	0.1	0.1	0.1	20.3	0.3	4.8	4.55
		YTD	41	0.0	0.1	0.1	0.1	20.3	0.3	4.8	4.55
510	2015, HZ	Cur Wk	84	0.0	0.3	1.5	3.0	20.7	0.5	4.4	4.41
		YTD	84	0.0	0.3	1.5	3.0	20.7	0.5	4.4	4.41
552	5522, HM	Cur Wk	125	0.0	0.3	0.3	0.1	20.3	0.5	5.8	4.28
		YTD	452	0.0	0.3	0.5	0.1	20.3	0.6	5.3	4.31
565	MIX	Cur Wk	1	0.0	1.0	0.5	0.0	20.0	2.5	6.0	4.55
		YTD	1	0.0	1.0	0.5	0.0	20.0	2.5	6.0	4.55
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	15	0.0	1.0	7.4	4.2	21.5	2.7	5.8	4.31
		YTD	126	0.0	0.3	2.6	1.7	22.2	1.4	4.9	4.29
730	9037, SVTM	Cur Wk	3	0.0	4.2	1.2	3.2	23.6	2.5	4.5	4.35
		YTD	3	0.0	4.2	1.2	3.2	23.6	2.5	4.5	4.35
755	7558, NB	Cur Wk	51	0.0	0.1	1.5	0.1	21.0	0.2	4.9	4.36
		YTD	52	0.0	0.2	1.5	0.1	21.0	0.2	4.9	4.36
841	58841, HM	Cur Wk	595	0.0	1.4	0.3	0.2	21.2	0.4	5.2	4.40
		YTD	1,526	0.0	1.2	0.7	0.2	21.2	0.4	5.4	4.40
916	9016, SVTM	Cur Wk	22	0.0	1.8	0.7	1.1	23.4	1.8	5.1	4.38
		YTD	70	0.0	1.2	0.6	0.4	23.0	0.9	5.4	4.40
941	9041, SVTM	Cur Wk	64	0.0	0.3	1.0	0.3	21.5	0.1	4.9	4.35
		YTD	183	0.0	0.3	1.7	0.1	21.3	0.1	4.8	4.31
Cur Wk:			1,607	0.0	0.9	0.7	0.5	21.1	0.6	5.2	4.38
YTD			4,578	0.0	0.8	0.9	0.3	21.0	0.5	5.3	4.37

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	554	0.0	1.2	0.3	0.2	20.6	1.8	5.5	4.46
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
036	8163, HM	Cur Wk	45	0.0	1.2	0.1	0.1	20.0	0.7	5.3	4.43
		YTD	45	0.0	1.2	0.1	0.1	20.0	0.7	5.3	4.43
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	1.5	2.6	0.6	21.3	0.6	6.1	4.39
068	8268, HM	Cur Wk	164	0.0	1.9	0.2	0.0	20.0	1.6	5.5	4.46
		YTD	246	0.0	1.6	0.2	0.0	19.9	1.5	5.5	4.45
171	1715, LS	Cur Wk	25	0.0	1.5	0.2	0.0	19.7	1.3	5.1	4.47
		YTD	25	0.0	1.5	0.2	0.0	19.7	1.3	5.1	4.47
173	0371, HM	Cur Wk	111	0.0	0.9	0.1	0.1	20.2	0.5	5.1	4.33
		YTD	111	0.0	0.9	0.1	0.1	20.2	0.5	5.1	4.33
210	110, BP	Cur Wk	97	0.0	2.1	0.1	0.1	21.0	1.1	5.9	4.39
		YTD	104	0.0	2.1	0.1	0.1	21.0	1.1	5.9	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.9	0.5	0.1	21.7	0.2	5.9	4.33
452	4521, HM	Cur Wk	29	0.0	2.4	0.0	0.3	21.7	1.7	5.6	4.48
		YTD	140	0.0	1.7	0.1	0.2	21.5	1.5	5.5	4.46
485	6485, N	Cur Wk	76	0.0	0.9	0.1	0.0	20.1	0.2	4.6	4.53
		YTD	85	0.0	0.8	0.1	0.0	20.1	0.2	4.6	4.53
552	5522, HM	Cur Wk	56	0.0	0.6	0.8	0.0	19.2	0.3	5.7	4.32
		YTD	56	0.0	0.6	0.8	0.0	19.2	0.3	5.7	4.32
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.0	22.5	0.8	4.7	4.40
730	9037, SVTM	Cur Wk	50	0.0	1.2	0.4	0.4	23.7	2.2	5.7	4.51
		YTD	155	0.0	0.8	0.4	0.3	23.2	2.1	5.5	4.49
903	9036, SVTM	Cur Wk	164	0.0	1.1	2.0	0.8	19.9	1.6	6.1	4.42
		YTD	240	0.0	1.0	1.8	0.7	20.0	1.4	5.9	4.42
921	9021, SVTM	Cur Wk	21	0.0	3.2	0.1	0.1	19.7	2.1	5.0	4.42
		YTD	142	0.0	0.6	0.1	0.0	21.7	1.1	4.8	4.41
925	9025, SVTM	Cur Wk	192	0.0	3.9	0.2	0.5	22.5	2.1	5.1	4.52
		YTD	192	0.0	3.9	0.2	0.5	22.5	2.1	5.1	4.52
996	1996, HZ	Cur Wk	10	0.0	0.2	0.2	0.1	21.4	0.9	5.0	4.40
		YTD	55	0.0	0.1	0.7	0.2	21.1	1.7	5.2	4.36
Cur Wk:			1,040	0.0	1.9	0.5	0.3	20.8	1.4	5.5	4.45
YTD			2,324	0.0	1.4	0.5	0.3	21.0	1.4	5.5	4.44

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
028	6428, N	Cur Wk	17	0.0	2.5	2.8	0.7	21.8	4.2	5.1	4.53
		YTD	45	0.0	2.7	5.6	1.2	22.4	3.2	4.9	4.53
037	8237, HM	Cur Wk	660	0.0	1.2	3.7	0.9	21.9	0.8	5.0	4.37
		YTD	820	0.0	1.2	3.3	0.9	21.8	0.7	5.0	4.36
068	8268, HM	Cur Wk	98	0.0	1.3	0.7	0.1	19.5	0.8	5.7	4.49
		YTD	179	0.0	1.5	0.8	0.2	19.7	2.7	5.5	4.46
248	8422, BOS	Cur Wk	21	0.0	2.7	3.3	1.6	21.7	1.5	4.4	4.40
		YTD	21	0.0	2.7	3.3	1.6	21.7	1.5	4.4	4.40
263	2639, HZ	Cur Wk	8	0.0	2.3	4.1	0.7	21.0	0.6	4.4	4.33
		YTD	8	0.0	2.3	4.1	0.7	21.0	0.6	4.4	4.33
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	0.7	6.5	0.8	22.2	1.7	5.1	4.27
434	6434, N	Cur Wk	230	0.0	3.1	3.1	3.2	22.1	2.7	4.7	4.43
		YTD	533	0.0	2.3	5.2	1.6	22.9	2.4	4.8	4.45
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	1.4	0.8	0.0	20.8	0.4	5.7	4.39
577	HEINZ TRIAL	Cur Wk	12	0.0	0.3	1.1	0.1	20.9	1.8	5.6	4.40
		YTD	12	0.0	0.3	1.1	0.1	20.9	1.8	5.6	4.40
610	2016, HZ	Cur Wk	264	0.0	0.8	1.5	0.7	21.8	2.0	4.6	4.40
		YTD	511	0.0	0.9	1.6	0.6	21.8	2.1	4.8	4.39
649	6498, N	Cur Wk	23	0.0	1.8	5.2	0.7	20.8	0.7	4.9	4.53
		YTD	89	0.0	1.6	5.0	1.8	21.2	0.8	4.8	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
730	9037, SVTM	Cur Wk	69	0.0	3.1	2.3	0.6	21.7	1.5	5.4	4.36
		YTD	205	0.0	2.6	2.5	0.9	22.4	2.1	5.1	4.34
820	1082, SVTM	Cur Wk	61	0.0	1.1	0.7	0.1	20.7	0.8	5.6	4.47
		YTD	220	0.0	1.0	0.5	0.0	21.6	0.7	5.6	4.42
909	0199, BOS	Cur Wk	16	0.0	1.7	0.9	1.0	21.4	4.6	4.6	4.33
		YTD	16	0.0	1.7	0.9	1.0	21.4	4.6	4.6	4.33
916	9016, SVTM	Cur Wk	859	0.0	2.4	3.2	0.9	22.0	0.6	4.8	4.38
		YTD	1,086	0.0	2.3	2.9	0.9	22.0	0.6	4.9	4.38
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	179	0.0	2.4	3.4	1.0	21.7	0.7	4.6	4.40
		YTD	1,095	0.0	1.3	3.7	1.1	21.6	0.9	4.9	4.37

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Cur Wk:	2,517	0.0	1.9	3.0	1.0	21.8	1.1	4.9	4.39
YTD	5,614	0.0	1.7	3.1	0.9	21.8	1.3	5.0	4.39

Tehama											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.7	6.0	1.4	22.7	0.8	4.8	4.31
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.2	3.8	1.4	22.2	0.9	4.7	4.33
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			599	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33

Tulare											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Tulare, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	92	0.0	2.7	4.8	0.8	22.2	3.2	4.6	4.56
		YTD	679	0.0	2.5	4.9	0.8	22.8	3.6	4.7	4.53
036	8163, HM	Cur Wk	70	0.0	2.4	0.6	0.4	19.6	1.4	5.5	4.47
		YTD	128	0.0	2.0	0.7	0.4	19.5	1.4	5.6	4.48
037	8237, HM	Cur Wk	1,438	0.0	0.9	0.9	0.3	21.7	0.4	5.0	4.33
		YTD	3,632	0.0	1.0	1.4	0.3	22.3	0.6	5.0	4.33
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
068	8268, HM	Cur Wk	282	0.0	0.8	0.5	0.3	19.7	0.8	5.2	4.39
		YTD	1,534	0.0	0.6	0.6	0.2	20.1	0.7	5.1	4.39
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
101	101, BP	Cur Wk	69	0.0	1.0	0.3	0.5	21.3	2.2	4.4	4.57
		YTD	115	0.0	1.0	0.2	0.4	21.1	1.5	4.5	4.54
109	109	Cur Wk	40	0.0	0.9	0.3	0.1	20.1	1.2	5.0	4.29
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	494	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49
210	110, BP	Cur Wk	90	0.0	1.1	0.1	0.2	20.2	0.8	5.1	4.33
		YTD	356	0.0	0.6	0.5	0.1	20.4	1.2	5.2	4.26
219	109, BP	Cur Wk	147	0.0	1.0	0.3	0.1	20.0	0.5	5.1	4.32

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	592	0.0	0.6	0.6	0.2	20.7	1.0	5.1	4.29
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	161	0.0	1.3	2.8	0.5	21.4	2.7	4.5	4.39
		YTD	249	0.0	1.5	3.5	0.6	21.5	2.3	4.5	4.36
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	4.8	0.5	21.1	1.4	4.6	4.33
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.7	1.0	0.2	23.2	2.6	5.3	4.48
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	800	0.0	0.7	0.3	0.1	21.0	0.6	5.1	4.43
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	895	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
476	2476, HZ	Cur Wk	75	0.0	1.8	0.2	0.1	21.3	0.5	5.0	4.43
		YTD	140	0.0	1.3	0.3	0.1	21.5	0.5	5.0	4.42
485	6485, N	Cur Wk	67	0.0	0.7	1.0	0.3	21.0	0.5	4.1	4.54
		YTD	67	0.0	0.7	1.0	0.3	21.0	0.5	4.1	4.54
502	205, BQ	Cur Wk	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
552	5522, HM	Cur Wk	6	0.0	1.5	0.0	0.1	19.8	0.3	4.9	4.33
		YTD	188	0.0	0.8	0.1	0.1	20.3	1.7	6.0	4.39
560	5608, HZ	Cur Wk	55	0.0	4.2	1.9	0.7	21.0	2.0	5.1	4.56
		YTD	166	0.0	1.8	1.8	1.2	20.8	1.2	4.5	4.45
565	MIX	Cur Wk	1	0.0	2.0	0.0	0.0	19.5	0.0	5.1	4.38
		YTD	1	0.0	2.0	0.0	0.0	19.5	0.0	5.1	4.38
566	6506, N	Cur Wk	5	0.0	0.4	1.1	0.4	20.5	0.5	4.8	4.46
		YTD	5	0.0	0.4	1.1	0.4	20.5	0.5	4.8	4.46
610	2016, HZ	Cur Wk	178	0.0	0.2	4.1	0.8	22.9	0.4	4.5	4.28
		YTD	256	0.0	0.3	3.6	0.7	23.2	0.4	4.4	4.29
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	1.5	1.6	0.5	22.0	2.2	5.2	4.56
730	9037, SVTM	Cur Wk	452	0.0	1.0	6.2	0.9	22.0	0.4	4.7	4.31
		YTD	865	0.0	1.0	4.4	0.6	22.5	0.9	4.8	4.32
755	7558, NB	Cur Wk	10	0.0	0.6	0.0	0.0	20.2	0.2	5.1	4.33
		YTD	32	0.0	0.4	0.9	0.1	20.7	0.1	5.3	4.27

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
807	8507, HM	Cur Wk	29	0.0	1.8	0.1	0.1	18.7	0.9	5.1	4.55
		YTD	29	0.0	1.8	0.1	0.1	18.7	0.9	5.1	4.55
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
823	8232, SV	Cur Wk	1	0.0	2.0	1.5	0.0	23.5	0.0	5.4	4.35
		YTD	3	0.0	1.3	1.0	0.0	22.1	1.9	5.6	4.40
841	58841, HM	Cur Wk	798	0.0	2.4	0.5	0.4	21.8	1.0	5.2	4.42
		YTD	4,663	0.0	1.2	0.8	0.3	21.1	0.6	5.3	4.39
914	9014, SVTM	Cur Wk	1	0.0	3.0	0.0	0.5	21.0	0.0	5.4	4.44
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	819	0.0	1.4	1.5	0.2	21.6	0.4	4.9	4.32
		YTD	2,493	0.0	1.1	1.5	0.4	22.2	0.5	4.9	4.32
919	9019, SVTM	Cur Wk	146	0.0	1.1	0.4	0.2	22.7	1.2	5.0	4.23
		YTD	483	0.0	0.8	0.5	0.2	23.1	1.1	5.0	4.24
941	9041, SVTM	Cur Wk	637	0.0	0.6	0.7	0.5	21.7	0.4	4.6	4.32
		YTD	2,640	0.0	0.6	1.8	0.6	22.0	0.8	4.7	4.32
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	236	0.0	0.2	1.9	0.7	23.7	3.4	4.8	4.42
Cur Wk:			5,671	0.0	1.2	1.5	0.4	21.6	0.7	4.9	4.35
YTD			26,075	0.0	1.0	1.5	0.4	21.6	1.1	5.0	4.37
TOTAL STATEWIDE		Cur Wk	35,159	0.0	1.9	1.6	0.7	21.1	0.9	5.1	4.41
		YTD	221,787	0.0	1.0	1.7	0.6	20.7	0.9	5.2	4.40

Average Defects by Variety Report (RP20)1203
08/31/2026 4:26 PM**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 9 Ending 08/29/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	109	0.0	3.6	1.7	0.8	20.4	0.9	5.1	4.41
		YTD	460	0.0	2.0	2.0	0.9	20.7	0.6	5.0	4.37
909	0199, BOS	Cur Wk	16	0.0	1.7	0.9	1.0	21.4	4.6	4.6	4.33
		YTD	16	0.0	1.7	0.9	1.0	21.4	4.6	4.6	4.33
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	2.4	1.5	1.8	21.2	2.5	5.0	4.39
173	0371, HM	Cur Wk	233	0.0	1.0	0.2	0.1	20.2	0.8	5.2	4.39
		YTD	9831	0.0	0.5	1.1	0.5	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	256	0.0	2.2	1.0	0.5	20.0	1.3	5.4	4.48
		YTD	1675	0.0	1.0	1.3	0.5	20.2	1.4	5.4	4.52
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	532	0.0	0.8	3.6	1.0	20.6	3.3	4.8	4.47
1	1	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	37	0.0	1.0	2.9	0.4	20.2	2.9	5.4	4.39
101	101, BP	Cur Wk	366	0.0	1.0	0.5	0.4	20.5	1.1	4.7	4.52
		YTD	955	0.0	1.0	0.8	0.5	20.7	1.3	4.8	4.49
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	965	0.0	1.3	1.8	1.2	20.4	1.3	4.9	4.47
820	1082, SVTM	Cur Wk	640	0.0	2.1	0.7	0.6	21.0	1.7	5.5	4.41
		YTD	2423	0.0	1.3	1.2	0.5	21.3	1.5	5.5	4.40
109	109	Cur Wk	40	0.0	0.9	0.3	0.1	20.1	1.2	5.1	4.29
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
219	109, BP	Cur Wk	292	0.0	0.9	0.2	0.1	19.9	0.6	5.3	4.31
		YTD	1789	0.0	0.7	0.9	0.3	20.7	1.0	5.4	4.32
210	110, BP	Cur Wk	294	0.0	1.5	0.2	0.1	20.3	0.8	5.5	4.34
		YTD	1088	0.0	0.9	0.7	0.2	20.3	1.1	5.4	4.33
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
211	121, BP	Cur Wk	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
112	16112, UG	Cur Wk	531	0.0	1.7	0.5	0.3	19.8	1.0	5.2	4.49
		YTD	1472	0.0	1.1	0.6	0.3	19.9	0.7	5.2	4.45
165	1657, HZ	Cur Wk	27	0.0	1.1	2.1	0.9	19.1	0.4	4.6	4.55
		YTD	1564	0.0	0.7	4.8	1.2	19.5	0.4	4.5	4.54
662	1662, HZ	Cur Wk	140	0.0	5.5	1.6	0.4	21.6	2.0	5.0	4.57
		YTD	238	0.0	4.3	1.7	0.3	21.9	1.6	5.0	4.55

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
171	1715, LS	Cur Wk	25	0.0	1.5	0.2	0.0	19.7	1.3	5.1	4.47
		YTD	189	0.0	0.8	1.1	0.0	19.7	0.3	4.6	4.42
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1461	0.0	1.0	4.7	1.1	20.7	0.5	4.9	4.40
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	2083	0.0	0.9	1.6	0.5	20.3	0.4	5.0	4.48
		YTD	9200	0.0	0.5	1.9	0.5	20.5	0.5	5.0	4.42
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	107	0.0	0.6	1.4	2.4	20.4	0.8	4.5	4.44
		YTD	410	0.0	1.3	2.4	1.4	19.9	0.9	4.7	4.50
610	2016, HZ	Cur Wk	4276	0.0	1.7	1.7	0.7	20.4	1.0	4.7	4.43
		YTD	18668	0.0	1.2	1.8	0.6	20.1	0.7	4.7	4.39
502	205, BQ	Cur Wk	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
365	2365, HZ	Cur Wk	72	0.0	2.0	1.7	0.9	20.1	0.5	5.0	4.48
		YTD	72	0.0	2.0	1.7	0.9	20.1	0.5	5.0	4.48
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1530	0.0	0.8	1.6	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	75	0.0	1.8	0.2	0.1	21.3	0.5	5.1	4.43
		YTD	486	0.0	1.3	1.0	0.7	21.6	1.3	5.1	4.47
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
263	2639, HZ	Cur Wk	8	0.0	2.3	4.1	0.7	21.0	0.6	4.4	4.33
		YTD	73	0.0	3.1	1.8	1.0	20.7	0.8	4.7	4.44
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	845	0.0	0.1	1.2	0.4	19.2	0.8	5.4	4.41
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	236	0.0	0.7	1.9	1.0	20.4	1.9	5.1	4.30
043	43, BP	Cur Wk	59	0.0	0.2	0.3	0.1	21.5	0.6	5.2	4.43
		YTD	59	0.0	0.2	0.3	0.1	21.5	0.6	5.2	4.43
452	4521, HM	Cur Wk	121	0.0	1.2	0.2	0.3	20.9	0.7	5.5	4.44
		YTD	2505	0.0	0.6	1.1	0.5	20.8	0.4	5.1	4.36
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
707	47073, HZ	Cur Wk	498	0.0	2.1	1.7	0.3	22.5	0.8	4.6	4.46
		YTD	1592	0.0	1.0	2.3	0.4	22.4	0.6	4.8	4.43
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	614	0.0	0.3	1.1	0.2	20.2	2.0	5.5	4.43
552	5522, HM	Cur Wk	634	0.0	0.9	0.5	0.1	20.2	0.5	5.4	4.34
		YTD	10166	0.0	0.6	1.1	0.4	19.8	0.6	5.5	4.36
560	5608, HZ	Cur Wk	55	0.0	4.2	1.9	0.7	21.0	2.0	5.1	4.56
		YTD	3715	0.0	0.6	1.6	0.3	20.0	0.5	4.7	4.37
841	58841, HM	Cur Wk	1879	0.0	1.7	0.7	2.0	21.6	0.7	5.2	4.40
		YTD	9950	0.0	1.1	1.4	0.9	21.1	0.6	5.4	4.41
316	621316, HMC	Cur Wk	2	0.0	0.5	0.2	0.0	21.7	1.0	5.9	4.31
		YTD	6	0.0	0.3	2.0	0.1	21.0	0.4	5.7	4.33
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	223	0.0	5.4	3.9	1.2	22.4	2.8	4.8	4.57
		YTD	3549	0.0	2.1	4.3	1.1	22.4	2.6	4.9	4.48
434	6434, N	Cur Wk	694	0.0	2.6	2.3	1.5	21.8	1.7	5.1	4.49
		YTD	3523	0.0	2.5	3.4	1.5	22.6	2.4	5.0	4.49
074	6474, N	Cur Wk	740	0.0	1.8	3.8	1.0	21.8	1.0	5.3	4.55
		YTD	2811	0.0	1.1	4.1	1.1	21.7	0.9	5.4	4.49
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	363	0.0	1.1	0.4	0.2	20.2	0.4	4.5	4.56
		YTD	1623	0.0	1.1	0.7	0.3	20.3	0.6	4.6	4.58
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1475	0.0	0.4	1.0	0.2	19.5	0.4	5.2	4.40

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
649	6498, N	Cur Wk	23	0.0	1.8	5.2	0.7	20.8	0.7	4.9	4.53
		YTD	245	0.0	1.1	3.0	1.3	20.8	1.0	5.2	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	95	0.0	1.1	3.6	0.7	20.6	0.6	4.8	4.43
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	23	0.0	1.3	0.9	0.7	20.8	1.4	4.9	4.53
		YTD	77	0.0	2.4	3.2	1.0	21.5	1.2	4.9	4.55
856	6508, N	Cur Wk	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
659	6509, N	Cur Wk	5	0.0	1.4	1.2	1.1	22.6	0.1	4.9	4.37
		YTD	46	0.0	2.0	1.2	0.9	21.3	0.7	5.3	4.43
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	3	0.0	2.0	4.6	0.5	18.8	0.3	4.9	4.38
		YTD	887	0.0	0.7	3.0	0.7	19.4	0.5	4.9	4.42
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
301	7103, HM	Cur Wk	69	0.0	0.9	1.6	0.2	21.0	1.4	5.2	4.36
		YTD	7590	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	311	0.0	1.5	0.9	0.1	19.7	1.1	5.3	4.45
		YTD	1074	0.0	1.0	1.0	0.3	19.9	1.3	5.2	4.44
755	7558, NB	Cur Wk	89	0.0	0.2	1.2	0.2	20.7	0.2	5.2	4.35
		YTD	112	0.0	0.2	1.3	0.2	20.8	0.2	5.2	4.33
178	7708, BOS	Cur Wk	331	0.0	3.9	3.8	1.0	19.4	1.9	5.6	4.49
		YTD	1420	0.0	2.4	3.5	0.6	19.4	1.5	5.4	4.45
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1343	0.0	0.7	2.8	0.8	19.7	0.4	5.0	4.33
036	8163, HM	Cur Wk	616	0.0	2.0	0.6	0.5	19.6	1.5	5.7	4.49
		YTD	6205	0.0	0.9	0.6	0.4	19.5	1.0	5.7	4.48
823	8232, SV	Cur Wk	1	0.0	2.0	1.5	0.0	23.5	0.0	5.4	4.35
		YTD	3	0.0	1.3	1.0	0.0	22.1	1.9	5.6	4.40
037	8237, HM	Cur Wk	4854	0.0	1.2	1.5	0.5	21.6	0.6	5.2	4.37
		YTD	14840	0.0	0.9	1.8	0.4	21.7	0.6	5.3	4.35
068	8268, HM	Cur Wk	1261	0.0	1.1	0.6	0.2	19.6	1.2	5.5	4.43
		YTD	9082	0.0	0.7	0.9	0.3	19.8	1.1	5.4	4.42
248	8422, BOS	Cur Wk	454	0.0	1.6	2.4	0.7	21.6	2.3	4.7	4.44
		YTD	758	0.0	1.7	3.1	0.8	21.7	1.9	4.7	4.42
324	8423, BOS	Cur Wk	59	0.0	3.2	3.9	2.5	22.0	1.7	4.8	4.40
		YTD	164	0.0	1.8	4.6	1.3	21.5	1.6	4.7	4.36
807	8507, HM	Cur Wk	56	0.0	1.7	0.4	0.1	18.6	0.9	5.2	4.55
		YTD	135	0.0	1.4	0.6	0.1	18.7	0.9	5.4	4.54
469	8654, BOS	Cur Wk	5	0.0	1.7	3.3	1.7	19.8	0.5	5.1	4.37

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	5	0.0	1.7	3.3	1.7	19.8	0.5	5.1	4.37
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
913	9013, SVTM	Cur Wk	83	0.0	4.1	1.9	0.4	19.9	0.8	5.2	4.45
		YTD	1568	0.0	0.9	1.8	0.6	19.9	1.4	5.3	4.39
914	9014, SVTM	Cur Wk	1	0.0	3.0	0.0	0.5	21.0	0.0	5.4	4.44
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	2714	0.0	2.2	2.5	0.8	21.8	0.6	4.8	4.35
		YTD	6673	0.0	1.8	2.3	0.7	22.0	0.6	5.0	4.35
919	9019, SVTM	Cur Wk	1311	0.0	1.9	2.1	1.6	22.2	2.2	5.5	4.28
		YTD	4911	0.0	1.2	1.9	1.0	22.2	1.6	5.6	4.29
921	9021, SVTM	Cur Wk	324	0.0	2.4	1.1	0.9	20.7	1.3	5.5	4.42
		YTD	2778	0.0	1.6	2.1	1.2	21.2	1.5	5.3	4.41
239	9023, SVTM	Cur Wk	1275	0.1	5.0	1.5	1.2	21.5	1.0	5.2	4.44
		YTD	5221	0.0	2.1	1.3	0.7	21.7	1.2	5.1	4.42
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	711	0.0	2.3	0.3	0.3	21.3	1.3	5.6	4.38
		YTD	4239	0.0	1.0	0.7	0.3	21.4	1.0	5.5	4.30
027	9027, SVTM	Cur Wk	94	0.0	1.6	0.4	0.3	20.2	0.5	5.6	4.45
		YTD	14469	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2620	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	96	0.0	1.3	0.7	0.4	20.8	0.7	5.5	4.50
		YTD	8788	0.0	0.7	1.0	0.4	20.5	1.0	5.4	4.48
903	9036, SVTM	Cur Wk	556	0.0	1.5	1.5	0.6	21.0	1.4	5.4	4.46
		YTD	4320	0.0	0.7	1.3	0.4	21.3	1.4	5.3	4.45
730	9037, SVTM	Cur Wk	2793	0.0	2.7	2.5	0.8	21.9	0.6	5.0	4.38
		YTD	6068	0.0	1.8	2.3	0.6	22.1	0.7	5.0	4.36
409	9040, SVTM	Cur Wk	226	0.0	2.0	3.7	1.3	21.2	1.0	5.3	4.38
		YTD	545	0.0	1.7	2.2	1.3	21.8	2.0	5.5	4.47
941	9041, SVTM	Cur Wk	1837	0.0	1.4	1.3	0.7	21.4	0.5	4.9	4.36
		YTD	8119	0.0	0.8	2.1	0.6	21.5	0.7	5.0	4.35
904	9048, SVTM	Cur Wk	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
		YTD	11	0.0	1.0	1.2	0.5	20.0	0.4	5.2	4.36
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
577	HEINZ TRIAL	Cur Wk	90	0.0	1.6	2.9	0.5	20.7	1.0	5.1	4.41
		YTD	170	0.0	1.2	2.2	0.4	21.1	1.1	5.2	4.41
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	2.5	0.6	0.5	20.4	3.5	5.6	4.41

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 9 Ending 08/29/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
565	MIX	Cur Wk	12	0.0	1.5	0.5	0.2	20.2	0.9	5.2	4.44
		YTD	41	0.0	0.8	0.7	0.2	20.3	1.2	5.3	4.44
TOTAL STATEWIDE		Cur Wk	35,159	0.0	1.9	1.6	0.7	21.1	0.9	5.1	4.41
		YTD	221,787	0.0	1.0	1.7	0.6	20.7	0.9	5.2	4.40