

Statewide Tonnage and History (RP70P)

1203
09/08/2026 12:43 PM

Week 10 Ending 09/05/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
Week 08/09/2026 - 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0.04%
Week 08/16/2026 - 08/22/2026	35,191	904,124	0	5.5%	80	2228	0	0.25%
Week 08/23/2026 - 08/29/2026	35,159	905,313	0	5.6%	73	1978	0	0.22%
LAST WEEK YTD	221,787	5,754,435		4.6%	228	6,247		0%
CUR WEEK ENDING 09/05/2026	36,756	944,361	0	5.4%	62	1,691	0	0%
CUR YTD	258,543	6,698,796		4.7%	290	7,938		0%
YTD WEEK ENDING 09/06/2025	280,480	7,378,999		4.6%	388	10,576		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 10 Ending 09/05/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Butte	772	19,222	1	28	1,289	32,305	1	28
Colusa	2,991	77,609	0	0	13,520	340,813	0	0
Contra Costa	343	9,069	0	0	7,227	196,154	0	0
Fresno	7,513	193,278	42	1,165	98,906	2,592,235	189	5,162
Glenn	118	3,147	0	0	346	8,588	1	27
Kern	0	0	0	0	8,908	236,278	9	268
Kings	3,479	77,820	5	127	42,446	1,057,892	44	1,181
Madera	1,427	38,163	1	28	5,731	151,685	1	28
Merced	6,889	183,109	1	25	19,171	512,215	1	25
Sacramento	727	18,503	0	0	1,279	31,817	0	0
San Benito	27	740	0	0	110	2,937	0	0
San Joaquin	1,778	46,467	0	0	5,039	132,744	0	0
Santa Clara	101	2,638	0	0	161	4,199	0	0
Solano	2,653	68,561	0	0	7,189	186,559	0	0
Stanislaus	1,079	28,655	9	245	3,403	93,123	11	302
Sutter	2,463	62,768	0	0	8,077	202,881	0	0
Tehama	0	0	0	0	599	13,927	0	0
Tulare	0	0	0	0	4,671	118,018	0	0
Yolo	4,396	114,610	3	75	30,471	784,425	33	919
STATEWIDE TOTALS:								
LAST WEEK YTD					221,787	5,754,435	228	6,247
CURRENT WEEK	36,756	944,361	62	1,691	258,543	6,698,796	290	7,938

Average Load Grades by County - Board Certified Loads (RP90)

Week 10 Ending 09/05/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Butte	0.0	1.5	3.3	3.5	20.8	0.9	4.8	4.44	0.0	1.6	3.2	2.6	21.1	0.8	4.7	4.40
Colusa	0.0	1.3	2.5	1.1	20.3	0.9	5.0	4.39	0.0	1.5	3.3	1.1	21.3	1.4	5.1	4.39
Contra Costa	0.0	1.8	0.4	0.2	19.6	0.9	5.3	4.48	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39
Fresno	0.0	2.5	1.5	0.5	20.3	0.6	5.2	4.45	0.0	0.9	1.4	0.5	20.4	0.9	5.4	4.41
Glenn	0.0	1.5	1.5	0.7	19.7	0.7	4.6	4.34	0.0	5.3	2.0	1.3	22.5	0.8	4.9	4.39
Kern	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	4.4	1.6	1.3	20.9	0.8	5.1	4.47	0.0	1.4	1.6	0.6	20.4	0.7	5.0	4.39
Madera	0.0	3.0	2.0	0.6	19.9	1.0	5.4	4.50	0.0	1.7	2.6	0.8	20.9	0.8	5.1	4.46
Merced	0.0	1.7	1.5	0.8	20.6	0.8	4.9	4.45	0.0	1.3	1.5	0.7	21.0	1.2	5.1	4.45
Sacramento	0.0	0.9	2.1	1.1	21.1	0.9	5.2	4.32	0.0	0.8	2.7	2.3	21.4	0.8	5.1	4.31
San Benito	0.0	0.2	0.0	0.4	20.1	6.9	4.9	4.36	0.0	0.2	0.3	0.5	20.3	3.2	4.9	4.28
San Joaquin	0.0	0.6	0.8	0.3	20.2	0.6	5.4	4.35	0.0	0.6	1.2	1.1	21.0	0.7	5.5	4.34
Santa Clara	0.0	0.3	0.1	0.2	19.5	1.8	4.8	4.43	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
Solano	0.0	0.7	0.3	0.4	20.5	0.4	5.3	4.40	0.0	0.8	0.7	0.3	20.8	0.5	5.3	4.38
Stanislaus	0.0	0.9	0.4	0.1	20.0	0.6	5.2	4.41	0.0	1.3	0.5	0.2	20.7	1.2	5.4	4.43
Sutter	0.0	1.5	2.5	0.9	20.9	0.8	4.8	4.40	0.0	1.6	2.9	0.9	21.5	1.1	4.9	4.39
Tehama	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
Tulare	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	1.0	0.7	0.3	20.8	0.5	4.9	4.34	0.0	1.0	1.4	0.4	21.5	1.0	5.0	4.36
Statewide Totals:																
Current Week	0.0	1.8	1.5	0.7	20.5	0.7	5.1	4.42	0.0	1.1	1.7	0.6	20.7	0.9	5.2	4.40
Last Week YTD									0.0	1.0	1.7	0.6	20.7	0.9	5.2	4.40

Grade Distribution By County (RP110)

Week 10 Ending 09/05/2026

Last Week YTD						Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	0.00	0.00	0.00	0.04	773	0.00	0.00	0.00	0.02	1290	0.00	0.00	0.00	0.03
Colusa	10,529	0.00	0.00	0.00	0.03	2991	0.00	0.00	0.00	0.04	13520	0.00	0.00	0.00	0.03
Contra Costa	6,884	0.00	0.00	0.00	0.02	343	0.00	0.00	0.00	0.04	7227	0.00	0.00	0.00	0.02
Fresno	91,540	0.00	0.00	0.00	0.03	7555	0.00	0.00	0.00	0.05	99095	0.00	0.00	0.00	0.04
Glenn	229	0.06	0.00	0.00	0.19	118	0.00	0.00	0.00	0.00	347	0.04	0.00	0.00	0.16
Kern	8,917	0.01	0.00	0.00	0.06	0	0.00	0.00	0.00	0.00	8917	0.01	0.00	0.00	0.06
Kings	39,006	0.01	0.00	0.00	0.08	3484	0.01	0.00	0.00	0.08	42490	0.01	0.00	0.00	0.08
Madera	4,304	0.00	0.00	0.00	0.03	1428	0.00	0.00	0.00	0.04	5732	0.00	0.00	0.00	0.04
Merced	12,282	0.00	0.00	0.00	0.02	6890	0.00	0.00	0.00	0.03	19172	0.00	0.00	0.00	0.02
Sacramento	552	0.00	0.00	0.00	0.02	727	0.00	0.00	0.00	0.00	1279	0.00	0.00	0.00	0.01
San Benito	83	0.00	0.00	0.00	0.00	27	0.00	0.00	0.00	0.00	110	0.00	0.00	0.00	0.00
San Joaquin	3,261	0.00	0.00	0.00	0.02	1778	0.00	0.00	0.00	0.02	5039	0.00	0.00	0.00	0.02
Santa Clara	60	0.00	0.00	0.00	0.00	101	0.00	0.00	0.00	0.00	161	0.00	0.00	0.00	0.00
Solano	4,536	0.00	0.00	0.00	0.04	2653	0.00	0.00	0.00	0.03	7189	0.00	0.00	0.00	0.03
Stanislaus	2,326	0.00	0.00	0.00	0.02	1088	0.00	0.00	0.00	0.04	3414	0.00	0.00	0.00	0.03
Sutter	5,614	0.00	0.00	0.00	0.03	2463	0.00	0.00	0.00	0.03	8077	0.00	0.00	0.00	0.03
Tehama	599	0.01	0.00	0.00	0.05	0	0.00	0.00	0.00	0.00	599	0.01	0.00	0.00	0.05
Tulare	4,671	0.00	0.00	0.00	0.04	0	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	26,105	0.00	0.00	0.00	0.02	4399	0.00	0.00	0.00	0.03	30504	0.00	0.00	0.00	0.03
STATEWIDE	222,015	0.00	0.00	0.00	0.04	36818	0.00	0.00	0.00	0.04	258833	0.00	0.00	0.00	0.04

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	1.91	1.00	2.00	1.16	773	1.47	1.00	1.00	1.16	1290	1.64	1.00	1.50	1.18
Colusa	10,529	1.52	1.00	1.00	1.94	2991	1.25	1.00	1.00	1.17	13520	1.46	1.00	1.00	1.80
Contra Costa	6,884	0.35	0.00	0.00	0.60	343	1.80	2.00	1.50	1.27	7227	0.41	0.00	0.00	0.72
Fresno	91,540	0.80	0.00	0.50	1.31	7555	2.49	0.50	1.50	3.18	99095	0.93	0.00	0.50	1.60
Glenn	229	7.31	8.00	7.00	2.62	118	1.49	1.00	1.50	0.83	347	5.29	1.00	5.50	3.52
Kern	8,917	0.55	0.00	0.50	0.69	0	0.00	0.00	0.00	0.00	8917	0.55	0.00	0.50	0.69
Kings	39,006	1.19	0.00	0.50	1.86	3484	4.35	2.50	4.00	2.87	42490	1.44	0.00	0.50	2.15
Madera	4,304	1.22	0.00	1.00	1.27	1428	3.02	2.50	3.00	2.08	5732	1.68	0.00	1.00	1.70
Merced	12,282	1.05	0.00	0.50	1.36	6890	1.70	0.50	1.00	1.80	19172	1.29	0.00	1.00	1.56
Sacramento	552	0.58	0.00	0.50	0.87	727	0.90	0.50	0.50	0.92	1279	0.76	0.00	0.50	0.91
San Benito	83	0.18	0.00	0.00	0.28	27	0.24	0.00	0.00	0.25	110	0.19	0.00	0.00	0.27
San Joaquin	3,261	0.63	0.00	0.50	1.11	1778	0.57	0.00	0.50	0.70	5039	0.61	0.00	0.50	0.98
Santa Clara	60	0.01	0.00	0.00	0.06	101	0.31	0.00	0.00	0.37	161	0.20	0.00	0.00	0.33
Solano	4,536	0.84	0.00	0.50	1.04	2653	0.67	0.00	0.50	0.85	7189	0.78	0.00	0.50	0.98
Stanislaus	2,326	1.41	0.00	1.00	1.49	1088	0.93	0.00	0.50	1.04	3414	1.27	0.00	1.00	1.38
Sutter	5,614	1.66	1.00	1.50	1.37	2463	1.54	1.00	1.00	1.33	8077	1.62	1.00	1.50	1.36

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 10 Ending 09/05/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Mold, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Tehama	599	1.48	1.00	1.00	1.08	0	0.00	0.00	0.00	0.00	599	1.48	1.00	1.00	1.08
Tulare	4,671	1.03	0.00	1.00	1.08	0	0.00	0.00	0.00	0.00	4671	1.03	0.00	1.00	1.08
Yolo	26,105	0.99	0.00	0.50	1.19	4399	1.02	0.00	1.00	1.09	30504	0.99	0.00	0.50	1.18
STATEWIDE	222,015	0.96	0.00	0.50	1.45	36818	1.84	0.00	1.00	2.29	258833	1.09	0.00	0.50	1.63

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	2.91	1.00	3.00	1.86	773	3.33	0.50	2.50	2.78	1290	3.17	1.00	2.75	2.46
Colusa	10,529	3.49	2.00	3.00	2.59	2991	2.46	0.50	2.00	1.97	13520	3.26	1.00	2.50	2.50
Contra Costa	6,884	0.86	0.50	0.50	0.94	343	0.42	0.00	0.50	0.57	7227	0.84	0.50	0.50	0.93
Fresno	91,540	1.44	0.50	1.00	1.49	7555	1.55	0.50	1.00	1.50	99095	1.44	0.50	1.00	1.49
Glenn	229	2.23	2.00	2.00	1.10	118	1.53	1.00	1.50	0.68	347	1.99	2.00	2.00	1.04
Kern	8,917	1.49	0.50	1.00	1.66	0	0.00	0.00	0.00	0.00	8917	1.49	0.50	1.00	1.66
Kings	39,006	1.58	1.00	1.00	1.55	3484	1.58	0.50	1.50	1.32	42490	1.58	1.00	1.00	1.53
Madera	4,304	2.77	1.00	2.50	2.17	1428	2.03	1.00	1.50	1.50	5732	2.59	1.00	2.00	2.05
Merced	12,282	1.50	1.00	1.00	1.37	6890	1.49	1.00	1.00	1.20	19172	1.50	1.00	1.00	1.31
Sacramento	552	3.44	1.00	3.00	2.59	727	2.09	0.50	1.50	1.91	1279	2.68	1.00	2.00	2.33
San Benito	83	0.32	0.50	0.50	0.30	27	0.04	0.00	0.00	0.13	110	0.25	0.00	0.00	0.29
San Joaquin	3,261	1.44	1.00	1.00	1.12	1778	0.80	0.00	0.50	0.98	5039	1.22	0.50	1.00	1.11
Santa Clara	60	0.41	0.50	0.50	0.31	101	0.10	0.00	0.00	0.21	161	0.21	0.00	0.00	0.29
Solano	4,536	0.85	0.00	0.50	1.38	2653	0.33	0.00	0.00	0.63	7189	0.66	0.00	0.50	1.19
Stanislaus	2,326	0.51	0.00	0.00	0.87	1088	0.43	0.00	0.00	0.61	3414	0.49	0.00	0.00	0.79
Sutter	5,614	3.13	0.50	2.50	2.62	2463	2.51	1.00	2.00	2.17	8077	2.94	0.50	2.50	2.51
Tehama	599	4.53	4.00	4.50	2.47	0	0.00	0.00	0.00	0.00	599	4.53	4.00	4.50	2.47
Tulare	4,671	4.27	2.00	3.50	2.88	0	0.00	0.00	0.00	0.00	4671	4.27	2.00	3.50	2.88
Yolo	26,105	1.54	0.00	1.00	1.97	4399	0.70	0.00	0.00	1.32	30504	1.42	0.00	0.50	1.91
STATEWIDE	222,015	1.69	0.50	1.00	1.84	36818	1.48	0.00	1.00	1.62	258833	1.66	0.50	1.00	1.81

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	0.65	0.00	0.50	0.88	773	0.90	0.00	0.50	0.98	1290	0.80	0.00	0.50	0.95
Colusa	10,529	1.56	0.00	1.00	1.87	2991	0.87	0.00	0.50	0.96	13520	1.41	0.00	1.00	1.73
Contra Costa	6,884	0.91	0.00	0.50	1.08	343	0.89	1.00	1.00	0.72	7227	0.91	0.00	0.50	1.07
Fresno	91,540	0.87	0.00	0.50	1.16	7555	0.64	0.00	0.50	0.91	99095	0.85	0.00	0.50	1.15
Glenn	229	0.92	0.00	0.50	0.96	118	0.70	0.50	0.50	0.66	347	0.84	0.50	0.50	0.87
Kern	8,917	0.92	0.00	0.50	0.96	0	0.00	0.00	0.00	0.00	8917	0.92	0.00	0.50	0.96
Kings	39,006	0.71	0.00	0.50	1.01	3484	0.83	0.00	0.50	1.02	42490	0.72	0.00	0.50	1.01
Madera	4,304	0.78	0.00	0.50	1.01	1428	1.05	0.50	1.00	0.92	5732	0.85	0.00	0.50	0.99
Merced	12,282	1.35	0.00	1.00	1.58	6890	0.79	0.00	0.50	1.00	19172	1.15	0.00	0.50	1.43

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 10 Ending 09/05/2026

Last Week YTD

Current Week

Year To Date

Grade: LU, Continued

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Sacramento	552	0.72	0.50	0.50	0.80	727	0.90	0.00	0.50	1.04	1279	0.83	0.00	0.50	0.94
San Benito	83	2.00	1.00	1.50	1.23	27	6.91	5.50	7.00	1.79	110	3.25	1.00	2.50	2.54
San Joaquin	3,261	0.80	0.00	0.50	1.00	1778	0.62	0.00	0.50	0.78	5039	0.74	0.00	0.50	0.93
Santa Clara	60	0.67	0.50	0.50	0.73	101	1.81	1.50	1.50	0.89	161	1.39	0.50	1.50	1.00
Solano	4,536	0.53	0.00	0.50	0.92	2653	0.42	0.00	0.00	0.77	7189	0.49	0.00	0.00	0.87
Stanislaus	2,326	1.39	0.00	1.00	1.55	1088	0.63	0.00	0.50	1.00	3414	1.16	0.00	0.50	1.44
Sutter	5,614	1.29	0.00	1.00	1.54	2463	0.79	0.00	0.50	0.99	8077	1.14	0.00	0.50	1.41
Tehama	599	1.29	0.50	1.00	1.57	0	0.00	0.00	0.00	0.00	599	1.29	0.50	1.00	1.57
Tulare	4,671	0.70	0.00	0.50	0.93	0	0.00	0.00	0.00	0.00	4671	0.70	0.00	0.50	0.93
Yolo	26,105	1.12	0.00	0.50	1.72	4399	0.46	0.00	0.00	0.86	30504	1.03	0.00	0.50	1.64
STATEWIDE	222,015	0.94	0.00	0.50	1.30	36818	0.71	0.00	0.50	0.96	258833	0.91	0.00	0.50	1.26

Grade: MOT

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	1.30	0.50	1.00	1.60	773	3.51	0.50	3.00	2.95	1290	2.64	0.50	1.50	2.72
Colusa	10,529	1.15	0.50	1.00	1.19	2991	1.12	0.50	1.00	1.25	13520	1.14	0.50	1.00	1.20
Contra Costa	6,884	0.31	0.00	0.00	0.63	343	0.20	0.00	0.00	0.67	7227	0.30	0.00	0.00	0.64
Fresno	91,540	0.47	0.00	0.00	0.86	7555	0.49	0.00	0.50	0.66	99095	0.48	0.00	0.50	0.84
Glenn	229	1.66	1.00	1.50	1.53	118	0.69	0.50	0.50	0.57	347	1.32	0.50	1.00	1.37
Kern	8,917	0.63	0.00	0.50	1.14	0	0.00	0.00	0.00	0.00	8917	0.63	0.00	0.50	1.14
Kings	39,006	0.52	0.00	0.50	0.81	3484	1.28	0.50	0.50	2.25	42490	0.58	0.00	0.50	1.03
Madera	4,304	0.82	0.00	0.50	1.21	1428	0.61	0.00	0.50	0.83	5732	0.77	0.00	0.50	1.13
Merced	12,282	0.72	0.00	0.50	0.99	6890	0.77	0.00	0.50	1.11	19172	0.74	0.00	0.50	1.04
Sacramento	552	3.92	0.00	3.00	3.84	727	1.12	0.50	0.50	1.50	1279	2.34	0.00	1.00	3.08
San Benito	83	0.60	0.50	0.50	0.28	27	0.40	0.50	0.50	0.20	110	0.55	0.50	0.50	0.27
San Joaquin	3,261	1.46	0.00	0.50	2.96	1778	0.29	0.00	0.00	0.46	5039	1.06	0.00	0.00	2.46
Santa Clara	60	0.34	0.50	0.50	0.27	101	0.22	0.00	0.00	0.33	161	0.26	0.00	0.00	0.32
Solano	4,536	0.33	0.00	0.00	0.83	2653	0.36	0.00	0.00	0.81	7189	0.34	0.00	0.00	0.82
Stanislaus	2,326	0.25	0.00	0.00	0.47	1088	0.13	0.00	0.00	0.34	3414	0.21	0.00	0.00	0.43
Sutter	5,614	0.88	0.00	0.50	1.19	2463	0.91	0.00	0.50	1.35	8077	0.89	0.00	0.50	1.24
Tehama	599	1.69	1.00	1.00	1.86	0	0.00	0.00	0.00	0.00	599	1.69	1.00	1.00	1.86
Tulare	4,671	1.03	0.50	1.00	1.12	0	0.00	0.00	0.00	0.00	4671	1.03	0.50	1.00	1.12
Yolo	26,105	0.43	0.00	0.00	0.82	4399	0.29	0.00	0.00	0.51	30504	0.41	0.00	0.00	0.79
STATEWIDE	222,015	0.58	0.00	0.50	1.03	36818	0.72	0.00	0.50	1.29	258833	0.60	0.00	0.50	1.07

Grade: Hue

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	21.59	21.50	21.50	0.76	773	20.80	21.50	21.00	1.16	1290	21.11	21.50	21.50	1.09
Colusa	10,529	21.55	21.50	21.50	1.12	2991	20.34	20.00	20.50	1.03	13520	21.28	21.50	21.00	1.21

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 10 Ending 09/05/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Hue, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	6,884	20.02	19.50	20.00	0.99	343	19.60	19.50	19.50	0.54	7227	20.00	19.50	20.00	0.98
Fresno	91,540	20.43	20.00	20.00	1.29	7555	20.26	20.00	20.00	1.20	99095	20.41	20.00	20.00	1.29
Glenn	229	23.99	24.00	24.00	1.52	118	19.72	19.50	19.50	0.47	347	22.51	19.50	23.00	2.39
Kern	8,917	20.54	20.50	20.50	1.10	0	0.00	0.00	0.00	0.00	8917	20.54	20.50	20.50	1.10
Kings	39,006	20.31	19.50	20.00	1.16	3484	20.87	20.50	20.50	1.12	42490	20.36	20.00	20.00	1.17
Madera	4,304	21.27	20.00	21.50	1.31	1428	19.87	19.00	19.50	1.21	5732	20.92	20.00	21.00	1.42
Merced	12,282	21.27	21.00	21.00	1.18	6890	20.63	20.50	20.50	1.18	19172	21.04	20.50	21.00	1.22
Sacramento	552	21.74	21.50	21.50	1.17	727	21.08	21.00	21.00	0.96	1279	21.37	21.00	21.00	1.11
San Benito	83	20.38	20.00	20.50	0.56	27	20.07	20.00	20.00	0.33	110	20.30	20.00	20.00	0.53
San Joaquin	3,261	21.51	22.00	21.50	1.42	1778	20.16	19.50	20.00	1.20	5039	21.05	20.00	21.00	1.49
Santa Clara	60	19.47	19.50	19.50	0.50	101	19.51	19.50	19.50	0.35	161	19.50	19.50	19.50	0.41
Solano	4,536	21.01	20.50	21.00	1.25	2653	20.46	20.50	20.50	1.06	7189	20.81	20.50	20.50	1.22
Stanislaus	2,326	20.96	20.00	20.50	1.36	1088	19.96	19.50	20.00	1.00	3414	20.66	20.50	20.50	1.34
Sutter	5,614	21.78	21.50	21.50	1.11	2463	20.94	21.50	21.00	1.25	8077	21.52	21.50	21.50	1.21
Tehama	599	22.11	21.50	22.00	1.02	0	0.00	0.00	0.00	0.00	599	22.11	21.50	22.00	1.02
Tulare	4,671	20.33	20.50	20.00	1.02	0	0.00	0.00	0.00	0.00	4671	20.33	20.50	20.00	1.02
Yolo	26,105	21.64	21.50	21.50	1.39	4399	20.78	21.00	21.00	1.14	30504	21.51	21.00	21.50	1.39
STATEWIDE	222,015	20.74	20.00	20.50	1.36	36818	20.50	20.00	20.50	1.19	258833	20.71	20.00	20.50	1.34

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	4.67	4.60	4.60	0.26	773	4.79	4.70	4.80	0.29	1290	4.75	4.60	4.70	0.29
Colusa	10,529	5.08	4.90	5.00	0.40	2991	4.99	4.90	4.90	0.43	13520	5.06	4.90	5.00	0.41
Contra Costa	6,884	5.20	5.10	5.20	0.35	343	5.28	5.60	5.30	0.39	7227	5.20	5.10	5.20	0.35
Fresno	91,540	5.38	5.30	5.40	0.46	7555	5.22	5.20	5.20	0.49	99095	5.36	5.30	5.40	0.46
Glenn	229	5.03	5.00	5.00	0.20	118	4.59	4.60	4.60	0.19	347	4.88	5.00	4.90	0.29
Kern	8,917	5.04	4.60	5.00	0.54	0	0.00	0.00	0.00	0.00	8917	5.04	4.60	5.00	0.54
Kings	39,006	4.96	4.90	4.90	0.45	3484	5.12	5.00	5.10	0.36	42490	4.97	4.90	4.90	0.45
Madera	4,304	5.02	4.70	5.00	0.42	1428	5.36	5.30	5.40	0.37	5732	5.11	4.90	5.10	0.43
Merced	12,282	5.22	4.90	5.10	0.55	6890	4.91	4.50	4.80	0.50	19172	5.11	4.90	5.00	0.56
Sacramento	552	5.09	4.80	5.10	0.38	727	5.20	5.00	5.10	0.39	1279	5.15	5.00	5.10	0.39
San Benito	83	4.92	4.80	4.80	0.25	27	4.87	4.80	4.90	0.14	110	4.91	4.80	4.90	0.23
San Joaquin	3,261	5.48	5.40	5.50	0.42	1778	5.40	5.40	5.40	0.48	5039	5.45	5.40	5.40	0.44
Santa Clara	60	5.34	5.30	5.30	0.16	101	4.81	4.90	4.80	0.28	161	5.01	4.90	4.90	0.35
Solano	4,536	5.26	5.30	5.20	0.48	2653	5.26	5.30	5.20	0.61	7189	5.26	5.30	5.20	0.53
Stanislaus	2,326	5.46	5.40	5.40	0.49	1088	5.15	5.20	5.20	0.37	3414	5.36	5.40	5.30	0.47
Sutter	5,614	4.99	4.80	4.90	0.43	2463	4.77	4.60	4.70	0.40	8077	4.92	4.80	4.90	0.44
Tehama	599	4.83	4.80	4.80	0.28	0	0.00	0.00	0.00	0.00	599	4.83	4.80	4.80	0.28
Tulare	4,671	4.87	4.50	4.80	0.42	0	0.00	0.00	0.00	0.00	4671	4.87	4.50	4.80	0.42
Yolo	26,105	5.01	5.00	5.00	0.40	4399	4.87	4.80	4.90	0.37	30504	4.99	4.90	5.00	0.40

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 10 Ending 09/05/2026

STATEWIDE	222,015	5.19	5.00	5.20	0.49	36818	5.06	4.90	5.00	0.49	258833	5.17	5.00	5.10	0.49
Grade: PH															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	517	4.35	4.32	4.34	0.07	773	4.44	4.44	4.44	0.07	1290	4.40	4.41	4.40	0.08
Colusa	10,529	4.39	4.36	4.38	0.09	2991	4.39	4.36	4.38	0.08	13520	4.39	4.36	4.38	0.09
Contra Costa	6,884	4.38	4.41	4.38	0.08	343	4.48	4.51	4.49	0.07	7227	4.39	4.41	4.39	0.08
Fresno	91,540	4.41	4.40	4.40	0.10	7555	4.45	4.38	4.43	0.11	99095	4.41	4.40	4.40	0.10
Glenn	229	4.41	4.37	4.40	0.08	118	4.34	4.36	4.34	0.05	347	4.39	4.36	4.38	0.08
Kern	8,917	4.38	4.36	4.38	0.09	0	0.00	0.00	0.00	0.00	8917	4.38	4.36	4.38	0.09
Kings	39,006	4.38	4.35	4.38	0.09	3484	4.47	4.48	4.47	0.05	42490	4.39	4.40	4.39	0.09
Madera	4,304	4.44	4.45	4.44	0.09	1428	4.50	4.51	4.51	0.08	5732	4.46	4.46	4.46	0.09
Merced	12,282	4.46	4.40	4.45	0.10	6890	4.45	4.48	4.46	0.10	19172	4.45	4.44	4.45	0.10
Sacramento	552	4.30	4.31	4.29	0.07	727	4.32	4.22	4.31	0.10	1279	4.31	4.31	4.30	0.09
San Benito	83	4.26	4.24	4.25	0.04	27	4.36	4.33	4.36	0.05	110	4.28	4.24	4.27	0.06
San Joaquin	3,261	4.33	4.37	4.34	0.08	1778	4.35	4.39	4.35	0.08	5039	4.34	4.37	4.34	0.09
Santa Clara	60	4.31	4.35	4.33	0.05	101	4.43	4.39	4.41	0.07	161	4.39	4.35	4.38	0.09
Solano	4,536	4.37	4.38	4.37	0.08	2653	4.40	4.40	4.40	0.08	7189	4.38	4.40	4.38	0.08
Stanislaus	2,326	4.44	4.44	4.44	0.09	1088	4.41	4.41	4.41	0.07	3414	4.43	4.44	4.43	0.09
Sutter	5,614	4.39	4.38	4.39	0.08	2463	4.40	4.38	4.39	0.08	8077	4.39	4.38	4.39	0.08
Tehama	599	4.33	4.33	4.32	0.06	0	0.00	0.00	0.00	0.00	599	4.33	4.33	4.32	0.06
Tulare	4,671	4.43	4.39	4.43	0.09	0	0.00	0.00	0.00	0.00	4671	4.43	4.39	4.43	0.09
Yolo	26,105	4.37	4.33	4.36	0.10	4399	4.34	4.33	4.34	0.08	30504	4.36	4.33	4.35	0.10
STATEWIDE	222,015	4.40	4.40	4.39	0.10	36818	4.42	4.41	4.42	0.10	258833	4.40	4.40	4.39	0.10

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 10 Ending 09/05/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.6	257,771	0.0	34.2	88,548	0.0	17.3	44,742	0.0	36.0	93,069	0.0	46.6	120,600
0.5	99.9	258,696	0.5	56.9	147,168	0.5	37.3	96,441	0.5	60.3	156,200	0.5	75.6	195,783
1.0	100.0	258,784	1.0	72.2	186,862	1.0	54.6	141,211	1.0	76.5	198,075	1.0	87.5	226,371
1.5	100.0	258,811	1.5	80.7	208,928	1.5	66.6	172,262	1.5	85.0	219,911	1.5	92.4	239,195
2.0	100.0	258,827	2.0	86.1	222,955	2.0	75.4	195,057	2.0	90.0	233,025	2.0	95.0	245,908
2.5	100.0	258,829	2.5	89.8	232,360	2.5	81.6	211,278	2.5	93.2	241,106	2.5	96.5	249,805
3.0	100.0	258,831	3.0	92.3	238,787	3.0	86.1	222,922	3.0	95.2	246,374	3.0	97.5	252,317
3.5	100.0	258,832	3.5	94.1	243,443	3.5	89.5	231,549	3.5	96.5	249,870	3.5	98.1	254,026
4.0	100.0	258,833	4.0	95.4	246,905	4.0	91.9	237,769	4.0	97.5	252,257	4.0	98.6	255,185
			4.5	96.4	249,529	4.5	93.7	242,452	4.5	98.1	253,988	4.5	98.9	255,988
			5.0	97.1	251,422	5.0	95.0	246,001	5.0	98.6	255,150	5.0	99.1	256,567
			5.5	97.7	252,942	5.5	96.1	248,730	5.5	98.9	256,070	5.5	99.3	257,010
			6.0	98.1	254,021	6.0	96.9	250,815	6.0	99.2	256,712	6.0	99.4	257,380
			6.5	98.5	255,011	6.5	97.6	252,527	6.5	99.4	257,187	6.5	99.5	257,634
			7.0	98.8	255,700	7.0	98.1	253,881	7.0	99.5	257,543	7.0	99.6	257,837
			7.5	99.0	256,288	7.5	98.5	254,948	7.5	99.6	257,820	7.5	99.7	257,993
			8.0	99.2	256,756	8.0	98.8	255,813	8.0	99.7	258,038	8.0	99.7	258,122
			8.5	99.4	257,154	8.5	99.1	256,535	8.5	99.8	258,193	8.5	99.8	258,226
			9.0	99.5	257,463	9.0	99.3	257,061	9.0	99.8	258,316	9.0	99.8	258,330
			9.5	99.6	257,721	9.5	99.5	257,476	9.5	99.8	258,424	9.5	99.8	258,398
			10.0	99.6	257,924	10.0	99.6	257,788	10.0	99.9	258,508	10.0	99.9	258,462
			10.5	99.7	258,065	10.5	99.7	258,075	10.5	99.9	258,576	10.5	99.9	258,509
			11.0	99.8	258,192	11.0	99.8	258,221	11.0	99.9	258,624	11.0	99.9	258,550
			11.5	99.8	258,307	11.5	99.8	258,360	11.5	99.9	258,656	11.5	99.9	258,580
			12.0	99.8	258,384	12.0	99.9	258,475	12.0	99.9	258,689	12.0	99.9	258,615
			12.5	99.9	258,454	12.5	99.9	258,554	12.5	100.0	258,718	12.5	99.9	258,650
			13.0	99.9	258,502	13.0	99.9	258,627	13.0	100.0	258,738	13.0	99.9	258,681
			13.5	99.9	258,557	13.5	99.9	258,670	13.5	100.0	258,754	13.5	99.9	258,703
			14.0	99.9	258,589	14.0	99.9	258,697	14.0	100.0	258,778	14.0	100.0	258,717
			14.5	99.9	258,630	14.5	100.0	258,722	14.5	100.0	258,787	14.5	100.0	258,734
			15.0	99.9	258,653	15.0	100.0	258,746	15.0	100.0	258,792	15.0	100.0	258,749
			15.5	99.9	258,671	15.5	100.0	258,755	15.5	100.0	258,800	15.5	100.0	258,759
			16.0	99.9	258,691	16.0	100.0	258,769	16.0	100.0	258,804	16.0	100.0	258,767
			16.5	100.0	258,713	16.5	100.0	258,780	16.5	100.0	258,806	16.5	100.0	258,778
			17.0	100.0	258,719	17.0	100.0	258,792	17.0	100.0	258,808	17.0	100.0	258,784
			17.5	100.0	258,734	17.5	100.0	258,795	17.5	100.0	258,814	17.5	100.0	258,793
			18.0	100.0	258,743	18.0	100.0	258,802	18.0	100.0	258,815	18.0	100.0	258,804
			18.5	100.0	258,750	18.5	100.0	258,809	18.5	100.0	258,817	18.5	100.0	258,811
			19.0	100.0	258,756	19.0	100.0	258,812	19.0	100.0	258,822	19.0	100.0	258,816
			19.5	100.0	258,769	19.5	100.0	258,814	19.5	100.0	258,823	19.5	100.0	258,818
			20.0	100.0	258,778	20.0	100.0	258,815	20.0	100.0	258,825	20.0	100.0	258,821
			20.5	100.0	258,784	20.5	100.0	258,816	20.5	100.0	258,825	20.5	100.0	258,824
			21.0	100.0	258,789	21.0	100.0	258,820	21.0	100.0	258,825	21.0	100.0	258,826
			21.5	100.0	258,790	21.5	100.0	258,822	21.5	100.0	258,826	21.5	100.0	258,826

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 10 Ending 09/05/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week				#Loads	Year To Date			
		GREEN Percent Less than or Equal To:					GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Butte	773	37	48	54	63	1,290	32	43	55	69
Colusa	2,991	34	53	69	82	13,520	22	41	58	72
Contra Costa	343	93	98	99	100	7,227	77	91	97	99
Fresno	7,555	53	78	89	94	99,095	57	79	90	95
Glenn	118	39	87	98	99	347	25	64	87	97
Kern	0	0	0	0	0	8,917	59	81	89	93
Kings	3,484	47	75	88	95	42,490	51	78	89	94
Madera	1,428	33	67	84	92	5,732	28	53	72	83
Merced	6,890	52	79	91	96	19,172	52	79	91	96
Sacramento	727	44	67	78	86	1,279	37	57	67	76
San Benito	27	100	100	100	100	110	100	100	100	100
San Joaquin	1,778	75	89	96	99	5,039	59	83	94	98
Santa Clara	101	100	100	100	100	161	100	100	100	100
Solano	2,653	94	98	99	99	7,189	85	93	96	98
Stanislaus	1,088	89	98	99	100	3,414	88	95	98	99
Sutter	2,463	34	56	72	82	8,077	31	48	62	74
Tehama	0	0	0	0	0	599	4	18	34	49
Tulare	0	0	0	0	0	4,671	8	25	42	57
Yolo	4,399	85	92	94	96	30,504	66	79	86	91
STATEWIDE TOTALS										
CURRENT WEEK	36,818	58.2	78.3	88.0	93.4	258,833	55	75	86	92
LAST WEEK YTD						222,015	54	75	86	92

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 10 Ending 09/05/2026

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week				#Loads	Year To Date			
		LU Percent Less than or Equal To:					LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Butte	773	99	100	100	100	1,290	99	100	100	100
Colusa	2,991	99	100	100	100	13,520	96	98	99	99
Contra Costa	343	100	100	100	100	7,227	99	99	100	100
Fresno	7,555	99	99	100	100	99,095	98	99	99	99
Glenn	118	100	100	100	100	347	99	100	100	100
Kern	0	0	0	0	0	8,917	99	99	100	100
Kings	3,484	99	99	100	100	42,490	99	99	99	99
Madera	1,428	99	100	100	100	5,732	99	99	100	100
Merced	6,890	99	99	100	100	19,172	97	99	99	99
Sacramento	727	99	100	100	100	1,279	99	100	100	100
San Benito	27	14	81	100	100	110	76	95	100	100
San Joaquin	1,778	99	100	100	100	5,039	99	99	99	100
Santa Clara	101	100	100	100	100	161	100	100	100	100
Solano	2,653	99	99	100	100	7,189	99	99	99	99
Stanislaus	1,088	99	99	100	100	3,414	97	99	99	99
Sutter	2,463	99	99	99	100	8,077	97	99	99	99
Tehama	0	0	0	0	0	599	96	99	100	100
Tulare	0	0	0	0	0	4,671	99	100	100	100
Yolo	4,399	99	99	100	100	30,504	97	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	36,818	99.4	99.9	100.0	100.0	258,833	99	100	100	100
LAST WEEK YTD						222,015	98	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 10 Ending 09/05/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD														
County	#Loads	Current Week						#Loads	Year To Date					
		MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Butte	773	92	97	99	99	100	100	1,290	90	96	99	99	100	100
Colusa	2,991	93	97	98	99	99	100	13,520	91	95	97	98	98	98
Contra Costa	343	86	95	99	99	99	99	7,227	98	99	99	99	99	99
Fresno	7,555	77	83	87	90	92	93	99,095	94	96	97	98	98	99
Glenn	118	98	99	100	100	100	100	347	36	41	47	56	68	78
Kern	0	0	0	0	0	0	0	8,917	99	99	99	99	100	100
Kings	3,484	40	54	67	76	84	89	42,490	84	89	92	95	96	98
Madera	1,428	58	74	85	92	96	98	5,732	83	91	95	97	98	99
Merced	6,890	84	90	94	96	98	99	19,172	90	94	97	98	99	99
Sacramento	727	97	99	99	100	100	100	1,279	97	99	99	99	99	100
San Benito	27	100	100	100	100	100	100	110	100	100	100	100	100	100
San Joaquin	1,778	98	99	99	100	100	100	5,039	98	99	99	99	99	99
Santa Clara	101	100	100	100	100	100	100	161	100	100	100	100	100	100
Solano	2,653	97	99	99	99	100	100	7,189	97	98	99	99	99	99
Stanislaus	1,088	97	99	99	99	99	99	3,414	91	95	98	99	99	99
Sutter	2,463	89	96	98	99	99	99	8,077	88	95	98	99	99	99
Tehama	0	0	0	0	0	0	0	599	93	97	99	99	100	100
Tulare	0	0	0	0	0	0	0	4,671	95	98	99	99	99	99
Yolo	4,399	95	98	99	99	99	99	30,504	94	97	98	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	36,818	82.9	88.8	92.5	94.7	96.4	97.5	258,833	92	95	97	98	99	99
LAST WEEK YTD								222,015	94	96	98	99	99	99

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 10 Ending 09/05/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Butte	773	16	24	40	57	1,290	27	41	59	71
Colusa	2,991	46	69	87	94	13,520	45	67	86	94
Contra Costa	343	93	97	97	98	7,227	87	94	98	99
Fresno	7,555	78	92	97	99	99,095	81	91	96	98
Glenn	118	61	89	97	100	347	37	61	83	94
Kern	0	0	0	0	0	8,917	75	88	95	97
Kings	3,484	54	70	85	91	42,490	76	88	95	98
Madera	1,428	71	86	95	98	5,732	68	82	92	96
Merced	6,890	67	81	92	96	19,172	67	82	93	96
Sacramento	727	51	71	88	95	1,279	38	52	68	77
San Benito	27	100	100	100	100	110	80	99	100	100
San Joaquin	1,778	87	96	99	99	5,039	76	85	89	90
Santa Clara	101	97	98	100	100	161	96	98	100	100
Solano	2,653	84	92	96	98	7,189	86	92	96	98
Stanislaus	1,088	95	98	99	100	3,414	91	97	99	99
Sutter	2,463	61	77	90	94	8,077	60	76	90	95
Tehama	0	0	0	0	0	599	31	52	77	87
Tulare	0	0	0	0	0	4,671	47	70	89	96
Yolo	4,399	87	95	99	99	30,504	82	91	97	98
STATEWIDE TOTALS										
CURRENT WEEK	36,818	70.9	84.1	93.2	96.3	258,833	76	87	95	97
LAST WEEK YTD						222,015	76	88	95	98

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Butte

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
510	2015, HZ	Cur Wk	137	0.0	2.5	6.8	4.2	19.1	0.6	4.4	4.49
		YTD	137	0.0	2.5	6.8	4.2	19.1	0.6	4.4	4.49
610	2016, HZ	Cur Wk	116	0.0	1.2	1.2	4.0	20.0	1.4	4.9	4.49
		YTD	126	0.0	1.2	1.3	4.3	20.0	1.4	4.9	4.49
730	9037, SVTM	Cur Wk	270	0.0	0.8	4.8	5.0	21.1	1.1	5.1	4.44
		YTD	270	0.0	0.8	4.8	5.0	21.1	1.1	5.1	4.44
916	9016, SVTM	Cur Wk	249	0.0	1.8	0.7	1.2	21.8	0.6	4.7	4.37
		YTD	670	0.0	1.8	1.9	1.0	21.7	0.5	4.6	4.34
Cur Wk:			772	0.0	1.5	3.3	3.5	20.8	0.9	4.8	4.44
YTD			1,289	0.0	1.6	3.2	2.6	21.1	0.8	4.7	4.40

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	751	0.0	1.0	1.1	1.3	20.3	1.3	4.9	4.45
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,092	0.0	2.4	4.8	1.4	22.6	2.8	4.9	4.47
036	8163, HM	Cur Wk	38	0.0	3.6	0.4	0.4	20.2	0.3	5.3	4.48
		YTD	99	0.0	2.6	0.5	0.8	20.2	0.4	5.3	4.46
037	8237, HM	Cur Wk	481	0.0	0.9	3.2	1.3	21.6	0.9	5.0	4.41
		YTD	1,854	0.0	0.7	4.5	1.0	21.6	0.8	5.2	4.34
068	8268, HM	Cur Wk	15	0.0	2.5	0.5	0.3	19.3	0.2	5.0	4.42
		YTD	72	0.0	2.4	0.6	0.2	19.5	0.4	5.0	4.46
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.8	4.3	1.4	20.7	2.7	4.8	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	1	0.0	3.0	0.5	0.0	20.0	0.0	5.1	4.33
		YTD	1	0.0	3.0	0.5	0.0	20.0	0.0	5.1	4.33
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	114	0.0	2.5	6.4	1.3	21.9	1.2	4.5	4.42
256	2516, HZ	Cur Wk	3	0.0	1.8	0.8	0.0	20.7	0.2	4.9	4.48
		YTD	3	0.0	1.8	0.8	0.0	20.7	0.2	4.9	4.48
263	2639, HZ	Cur Wk	18	0.0	2.2	4.2	0.9	19.7	0.7	5.1	4.34
		YTD	18	0.0	2.2	4.2	0.9	19.7	0.7	5.1	4.34
264	2640, HZ	Cur Wk	18	0.0	2.1	7.2	0.6	21.2	0.7	4.4	4.50
		YTD	18	0.0	2.1	7.2	0.6	21.2	0.7	4.4	4.50
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	76	0.0	3.1	4.3	2.2	22.0	1.7	4.7	4.39
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.3	3.6	1.6	22.4	2.9	5.2	4.42
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
485	6485, N	Cur Wk	72	0.0	3.0	1.3	0.6	20.6	0.5	4.1	4.57
		YTD	88	0.0	2.8	1.2	0.7	20.6	0.5	4.1	4.57
510	2015, HZ	Cur Wk	259	0.0	1.7	3.0	1.1	19.2	1.2	4.8	4.48
		YTD	259	0.0	1.7	3.0	1.1	19.2	1.2	4.8	4.48
552	5522, HM	Cur Wk	59	0.0	3.0	0.5	0.3	20.1	0.3	5.2	4.37
		YTD	124	0.0	2.5	0.5	0.3	20.1	0.3	5.1	4.37
565	MIX	Cur Wk	10	0.0	2.8	0.7	0.4	20.6	0.1	5.1	4.34
		YTD	11	0.0	3.0	0.7	0.3	20.6	0.2	5.1	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.8	0.7	20.9	1.7	4.9	4.55
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	43	0.0	1.1	5.0	0.9	21.1	0.9	4.8	4.34
610	2016, HZ	Cur Wk	815	0.0	0.8	1.5	1.4	19.9	1.1	4.8	4.34
		YTD	1,296	0.0	0.8	2.1	1.3	20.2	1.4	4.8	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	2.4	1.7	1.1	21.9	0.7	4.9	4.38
730	9037, SVTM	Cur Wk	9	0.0	1.9	7.1	0.7	22.1	1.2	4.9	4.38
		YTD	349	0.0	0.9	4.0	1.3	22.0	0.7	4.9	4.34
755	7558, NB	Cur Wk	3	0.2	1.8	0.2	0.0	20.5	0.2	5.0	4.35

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
851	6851, BOS	YTD	3	0.2	1.8	0.2	0.0	20.5	0.2	5.0	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
904	9048, SVTM	Cur Wk	3	0.2	2.2	0.3	0.0	20.0	0.2	5.1	4.38
		YTD	3	0.2	2.2	0.3	0.0	20.0	0.2	5.1	4.38
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
916	9016, SVTM	Cur Wk	703	0.0	1.8	3.9	1.0	21.0	0.5	5.0	4.34
		YTD	2,550	0.0	2.0	3.3	1.0	21.4	0.7	5.1	4.35
919	9019, SVTM	Cur Wk	4	0.0	1.6	1.4	0.0	21.9	0.6	5.0	4.24
		YTD	4	0.0	1.6	1.4	0.0	21.9	0.6	5.0	4.24
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	2.0	2.3	0.9	22.0	2.3	4.9	4.43
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	812	0.0	1.2	2.5	1.2	21.3	0.7	5.0	4.33
996	1996, HZ	Cur Wk	480	0.0	0.5	1.3	1.1	19.7	1.1	5.5	4.42
		YTD	480	0.0	0.5	1.3	1.1	19.7	1.1	5.5	4.42
Cur Wk:			2,991	0.0	1.3	2.5	1.1	20.3	0.9	5.0	4.39
YTD			13,520	0.0	1.5	3.3	1.1	21.3	1.4	5.1	4.39

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
036	8163, HM	Cur Wk	120	0.0	1.9	0.6	0.4	19.3	1.3	5.6	4.52
		YTD	247	0.0	1.3	0.4	0.3	19.3	1.1	5.6	4.52
064	0645, LS	Cur Wk	78	0.0	1.2	0.1	0.1	19.8	0.8	4.9	4.51
		YTD	421	0.0	0.5	1.1	0.4	19.8	0.8	5.1	4.45
068	8268, HM	Cur Wk	53	0.0	1.6	0.1	0.1	19.9	0.5	5.0	4.48
		YTD	1,502	0.0	0.2	0.7	0.2	19.6	1.0	5.3	4.40
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	1.3	0.5	20.1	1.1	5.3	4.28

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Contra Costa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.4	1.2	0.6	20.1	0.7	5.4	4.30
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.3	0.6	0.4	20.4	0.7	5.2	4.41
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	265	0.0	0.5	1.4	0.3	20.4	2.7	5.1	4.42
552	5522, HM	Cur Wk	60	0.0	1.6	0.2	0.1	19.3	0.4	5.5	4.36
		YTD	999	0.0	0.4	0.6	0.3	19.5	0.4	5.3	4.35
740	74, BP	Cur Wk	32	0.0	3.4	1.5	0.1	20.2	1.0	5.0	4.50
		YTD	976	0.0	1.0	1.1	0.3	19.9	1.4	5.2	4.43
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	0.5	0.8	0.4	22.5	1.2	5.1	4.26
Cur Wk:			343	0.0	1.8	0.4	0.2	19.6	0.9	5.3	4.48
YTD			7,227	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	5	0.0	1.3	0.6	0.3	21.5	0.5	5.1	4.37
		YTD	5	0.0	1.3	0.6	0.3	21.5	0.5	5.1	4.37
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8,383	0.0	0.4	1.2	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	68	0.0	3.2	1.1	0.8	19.2	0.9	5.8	4.54
		YTD	4,549	0.0	0.9	0.7	0.5	19.5	1.1	5.8	4.47
037	8237, HM	Cur Wk	915	0.0	1.1	1.2	0.5	20.6	0.4	5.2	4.37
		YTD	7,717	0.0	0.9	1.2	0.3	21.2	0.5	5.4	4.38
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
068	8268, HM	YTD	1,158	0.0	1.2	1.3	0.5	20.1	1.4	5.5	4.55
		Cur Wk	73	0.0	0.5	0.5	0.1	18.0	0.5	6.2	4.46
		YTD	3,797	0.0	0.8	1.2	0.3	19.6	1.1	5.5	4.44
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,184	0.0	0.7	4.8	1.4	21.2	0.8	5.5	4.43
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	10	0.1	1.4	1.0	0.3	20.1	0.1	4.6	4.45
		YTD	695	0.0	1.0	0.9	0.4	20.5	1.2	4.9	4.48
112	16112, UG	Cur Wk	232	0.0	4.2	1.1	0.5	19.6	1.0	5.0	4.59
		YTD	1,704	0.0	1.5	0.7	0.4	19.8	0.8	5.1	4.47
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.0	1.6	0.8	19.5	0.4	4.7	4.55
173	0371, HM	Cur Wk	47	0.0	0.3	0.1	0.0	17.9	0.3	6.1	4.40
		YTD	5,712	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	101	0.0	0.7	7.2	0.8	18.2	2.8	6.0	4.41
		YTD	1,051	0.0	2.9	4.1	0.7	19.4	1.6	5.4	4.45
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	381	0.0	0.9	0.5	0.1	19.9	0.7	5.6	4.38
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
219	109, BP	Cur Wk	18	0.0	1.5	0.4	0.1	19.1	0.3	6.0	4.30
		YTD	401	0.0	0.8	0.8	0.1	20.4	0.7	5.8	4.35
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,659	0.0	0.5	1.3	0.4	21.9	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
263	2639, HZ	Cur Wk	5	0.0	0.7	0.7	0.3	20.9	1.1	4.9	4.30
		YTD	70	0.0	3.0	1.4	1.0	20.7	0.8	4.8	4.45
264	2640, HZ	Cur Wk	2	0.0	1.0	1.0	0.2	21.3	1.3	5.0	4.28
		YTD	2	0.0	1.0	1.0	0.2	21.3	1.3	5.0	4.28
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
316	621316, HMC	Cur Wk	1	0.0	1.0	0.5	0.0	19.0	0.0	5.7	4.47
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
326	621326, HMC	Cur Wk	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
365	2365, HZ	Cur Wk	199	0.0	2.4	1.7	0.6	20.5	0.3	5.0	4.55
		YTD	199	0.0	2.4	1.7	0.6	20.5	0.3	5.0	4.55
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	93	0.0	0.2	5.2	1.4	19.5	0.6	6.4	4.33
		YTD	239	0.0	1.2	2.7	1.4	20.7	2.0	6.1	4.46
430	9034, SVTM	Cur Wk	83	0.0	3.0	0.3	0.7	20.9	1.0	5.4	4.56
		YTD	6,040	0.0	0.7	1.2	0.5	20.4	0.9	5.4	4.49
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	983	0.0	2.9	3.0	1.4	21.9	1.7	5.1	4.49
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	347	0.0	0.3	1.8	0.4	21.1	0.3	5.1	4.39
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	0.8	1.0	0.5	21.8	2.3	5.4	4.55
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	130	0.0	1.2	1.1	0.2	19.2	0.4	4.8	4.59
		YTD	1,025	0.0	1.3	0.8	0.3	20.0	0.5	4.6	4.58
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,115	0.0	0.5	0.8	0.2	19.4	0.3	5.2	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
552	5522, HM	Cur Wk	145	0.0	2.9	0.5	0.1	18.6	0.4	5.7	4.38
		YTD	5,788	0.0	0.6	0.8	0.2	19.5	0.6	5.6	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	1	0.0	10.0	0.0	0.5	21.5	3.5	4.9	4.53
		YTD	1,143	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	10	0.0	2.0	0.7	0.3	20.8	0.7	5.3	4.44
		YTD	39	0.0	1.1	0.7	0.2	20.3	1.1	5.4	4.44
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
572	0275, SY	Cur Wk	4	0.0	1.4	0.9	0.4	20.3	2.9	5.4	4.42
		YTD	4	0.0	1.4	0.9	0.4	20.3	2.9	5.4	4.42
577	HEINZ TRIAL	Cur Wk	20	0.0	14.6	1.5	0.8	20.5	1.7	5.3	4.60
		YTD	73	0.0	5.8	1.2	0.4	20.5	1.3	5.4	4.50
610	2016, HZ	Cur Wk	868	0.0	4.9	1.8	0.6	19.6	0.7	4.8	4.54
		YTD	3,158	0.0	2.7	1.6	0.5	20.1	0.6	4.7	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	57	0.0	0.6	2.0	0.2	19.7	0.1	5.6	4.44
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.7	1.5	0.5	19.5	0.1	4.9	4.40
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	4	0.0	3.5	0.4	0.1	20.7	0.4	5.3	4.55
		YTD	24	0.0	1.8	0.6	0.5	20.5	0.7	5.6	4.49
662	1662, HZ	Cur Wk	78	0.0	2.9	2.2	0.2	21.0	0.5	4.7	4.62
		YTD	316	0.0	4.0	1.9	0.3	21.7	1.3	4.9	4.57
707	47073, HZ	Cur Wk	135	0.0	13.4	3.0	0.5	22.9	1.5	4.7	4.63
		YTD	428	0.0	6.9	1.9	0.4	23.6	2.1	4.8	4.59
730	9037, SVTM	Cur Wk	1,109	0.0	1.1	2.3	0.5	21.3	0.4	5.3	4.37
		YTD	2,611	0.0	1.2	2.0	0.4	22.0	0.5	5.1	4.36
755	7558, NB	Cur Wk	19	0.0	3.9	1.3	0.4	19.9	2.9	6.1	4.49
		YTD	19	0.0	3.9	1.3	0.4	19.9	2.9	6.1	4.49
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
807	8507, HM	Cur Wk	33	0.0	0.7	0.1	0.2	18.1	0.7	5.9	4.52
		YTD	139	0.0	1.1	0.6	0.1	18.5	0.9	5.6	4.53

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
820	1082, SVTM	Cur Wk	603	0.0	0.8	0.7	0.5	20.1	1.0	5.7	4.36
		YTD	1,727	0.0	1.3	1.2	0.5	20.8	1.4	5.7	4.38
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,341	0.0	0.8	2.2	0.9	20.7	0.5	5.5	4.44
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	486	0.0	0.8	2.8	0.8	19.4	0.4	5.0	4.41
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	1	0.0	1.0	4.0	0.0	22.0	0.0	5.3	4.42
		YTD	3,573	0.0	0.6	1.3	0.3	21.4	1.2	5.1	4.44
904	9048, SVTM	Cur Wk	11	0.0	1.3	0.9	0.0	18.8	0.5	5.5	4.42
		YTD	13	0.0	1.2	0.8	0.0	18.9	0.5	5.6	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.7	0.9	0.2	21.3	0.1	5.3	4.37
919	9019, SVTM	Cur Wk	226	0.0	2.2	2.0	0.9	21.6	1.5	5.5	4.32
		YTD	3,271	0.0	1.3	2.1	1.1	21.9	1.6	5.7	4.30
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,068	0.0	1.2	3.2	1.3	21.0	1.6	5.3	4.40
925	9025, SVTM	Cur Wk	270	0.0	2.9	0.4	0.2	20.5	0.8	5.7	4.36
		YTD	3,353	0.0	0.8	0.8	0.3	21.3	0.8	5.6	4.29
941	9041, SVTM	Cur Wk	463	0.0	2.6	0.6	0.3	20.7	0.7	5.3	4.45
		YTD	2,670	0.0	1.2	1.1	0.3	21.0	0.5	5.4	4.41
988	1988, LS	Cur Wk	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
		YTD	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
996	1996, HZ	Cur Wk	1,518	0.0	2.3	1.4	0.5	19.8	0.3	4.9	4.48
		YTD	5,850	0.0	1.0	1.9	0.5	20.0	0.3	5.0	4.44
Cur Wk:			7,513	0.0	2.4	1.5	0.5	20.3	0.6	5.2	4.45
YTD			98,906	0.0	0.9	1.4	0.5	20.4	0.9	5.4	4.41

Glenn

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
610	2016, HZ	Cur Wk	118	0.0	1.5	1.5	0.7	19.7	0.7	4.6	4.34
		YTD	118	0.0	1.5	1.5	0.7	19.7	0.7	4.6	4.34
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	205	0.1	7.6	2.4	1.7	24.2	0.9	5.1	4.39
Cur Wk:			118	0.0	1.5	1.5	0.7	19.7	0.7	4.6	4.34

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

YTD	346	0.0	5.3	2.0	1.3	22.5	0.8	4.9	4.39
-----	-----	-----	-----	-----	-----	------	-----	-----	------

Kern											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
577	HEINZ TRIAL	YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	0.8	1.0	0.2	24.0	1.9	4.4	4.56
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,021	0.0	0.2	1.4	0.5	20.9	0.5	4.7	4.35
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			8,908	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	56	0.0	3.8	0.8	0.8	20.4	0.7	5.0	4.44
		YTD	445	0.0	2.4	1.9	0.9	20.5	0.6	5.0	4.38
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	886	0.0	0.7	0.7	0.4	19.6	0.7	5.6	4.50
037	8237, HM	Cur Wk	570	0.0	2.3	2.0	0.6	20.2	0.6	5.2	4.45
		YTD	1,192	0.0	1.6	1.3	0.6	20.9	0.9	5.2	4.39
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
239	9023, SVTM	Cur Wk	1,174	0.0	5.6	1.1	1.8	21.4	1.1	5.1	4.49
		YTD	3,368	0.0	4.9	1.4	1.4	21.5	1.0	5.0	4.46
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
365	2365, HZ	Cur Wk	530	0.0	2.2	2.3	1.0	19.8	0.5	4.9	4.52
		YTD	602	0.0	2.1	2.2	1.0	19.9	0.5	4.9	4.52
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,018	0.0	0.5	1.1	0.5	20.6	0.3	5.1	4.35
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	1.7	1.5	1.3	21.4	1.1	4.9	4.45
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.9	0.7	0.3	21.0	1.0	4.4	4.61
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
565	MIX	YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11,766	0.0	1.3	1.8	0.6	19.7	0.6	4.7	4.38
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
730	9037, SVTM	Cur Wk	1,091	0.0	5.1	1.6	1.2	21.2	0.6	5.2	4.45
		YTD	3,236	0.0	3.7	1.6	0.9	21.4	0.6	5.2	4.40
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	472	0.0	1.3	3.6	1.2	20.5	0.5	5.1	4.41
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	188	0.0	2.1	1.1	0.3	22.2	1.1	5.0	4.49
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
925	9025, SVTM	Cur Wk	58	0.0	3.8	0.9	0.6	20.5	2.7	5.8	4.45
		YTD	920	0.0	1.4	0.5	0.2	20.8	1.3	5.3	4.28
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	865	0.0	0.6	1.3	0.4	20.7	0.4	4.6	4.41
Cur Wk:			3,479	0.0	4.3	1.6	1.3	20.9	0.8	5.1	4.47
YTD			42,446	0.0	1.4	1.6	0.6	20.4	0.7	5.0	4.39

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	105	0.0	0.8	4.7	0.7	20.3	0.3	5.1	4.38
		YTD	234	0.0	0.7	4.5	0.5	21.2	0.3	5.0	4.37

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
068	8268, HM	Cur Wk	390	0.0	3.5	1.7	0.6	19.0	1.3	5.6	4.53
		YTD	391	0.0	3.5	1.7	0.6	19.0	1.3	5.6	4.53
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	835	0.0	1.6	4.4	1.4	22.6	0.8	5.1	4.51
178	7708, BOS	Cur Wk	33	0.0	2.2	2.9	0.3	19.3	1.9	5.8	4.56
		YTD	108	0.0	2.3	2.9	0.6	19.5	2.4	5.9	4.55
248	8422, BOS	Cur Wk	5	0.0	1.8	0.9	0.3	22.5	2.5	4.6	4.53
		YTD	232	0.0	1.6	1.5	0.8	21.9	1.9	4.7	4.45
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	2.5	5.8	2.1	21.6	1.0	5.1	4.41
434	6434, N	Cur Wk	9	0.0	2.9	1.2	0.2	23.4	2.9	5.3	4.63
		YTD	286	0.0	2.6	2.6	1.1	22.4	1.7	5.1	4.58
469	8654, BOS	Cur Wk	3	0.0	4.6	2.2	0.5	19.8	2.0	5.3	4.44
		YTD	8	0.0	2.6	2.9	1.3	19.8	1.0	5.2	4.39
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.5	3.8	1.6	19.7	0.4	4.8	4.49
610	2016, HZ	Cur Wk	179	0.0	0.4	2.1	0.3	19.1	0.5	4.9	4.46
		YTD	1,039	0.0	0.9	1.6	0.5	19.8	0.6	4.8	4.44
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
707	47073, HZ	Cur Wk	204	0.0	3.5	1.1	0.5	22.0	0.8	5.5	4.49
		YTD	924	0.0	1.1	2.6	0.4	21.9	0.4	5.0	4.42
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
913	9013, SVTM	Cur Wk	384	0.0	4.1	2.0	0.7	19.7	1.1	5.3	4.54
		YTD	455	0.0	4.2	2.0	0.7	19.8	1.1	5.3	4.53
919	9019, SVTM	Cur Wk	16	0.0	2.1	1.6	1.0	21.6	1.5	5.4	4.33
		YTD	157	0.0	1.9	2.4	0.9	21.9	1.6	5.5	4.30
921	9021, SVTM	Cur Wk	99	0.0	3.5	2.0	1.1	20.1	1.3	5.5	4.50
		YTD	262	0.0	1.8	2.8	0.8	20.6	0.9	5.2	4.39
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	505	0.0	0.6	1.2	0.4	20.2	0.4	5.4	4.41
Cur Wk:			1,427	0.0	3.0	2.0	0.6	19.9	1.0	5.4	4.50
YTD			5,731	0.0	1.7	2.6	0.8	20.9	0.8	5.1	4.46

Merced

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	1.5	1.0	0.8	21.0	1.0	5.3	4.35
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
036	8163, HM	Cur Wk	87	0.0	1.3	0.2	0.3	19.6	0.7	5.9	4.57
		YTD	151	0.0	1.3	0.4	0.2	19.7	0.8	5.7	4.55
037	8237, HM	Cur Wk	358	0.0	0.9	0.8	0.4	20.9	0.3	5.2	4.35
		YTD	482	0.0	1.1	0.9	0.3	21.1	0.3	5.1	4.34
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	43	0.0	1.0	0.4	0.2	20.2	1.1	5.7	4.59
		YTD	145	0.0	1.3	1.4	0.8	21.4	3.0	5.4	4.61
068	8268, HM	Cur Wk	31	0.0	1.2	0.5	0.3	19.5	1.0	5.8	4.55
		YTD	245	0.0	1.4	1.7	1.9	20.7	2.6	5.5	4.53
074	6474, N	Cur Wk	16	0.0	0.4	2.0	1.1	21.0	0.6	5.5	4.54
		YTD	729	0.0	1.3	2.7	0.5	21.4	1.1	5.5	4.55
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	0.9	0.7	0.8	21.3	1.6	4.6	4.55
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	227	0.0	1.3	0.9	0.8	21.2	3.6	5.7	4.53
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	0.2	2.7	0.5	19.7	1.1	5.3	4.38
210	110, BP	Cur Wk	22	0.0	0.9	0.3	0.4	19.8	0.8	6.5	4.45
		YTD	22	0.0	0.9	0.3	0.4	19.8	0.8	6.5	4.45
219	109, BP	Cur Wk	35	0.0	0.5	0.2	0.2	20.5	0.6	5.9	4.36
		YTD	88	0.0	0.6	0.3	0.7	20.7	0.8	5.4	4.32
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.6	1.2	0.9	22.7	1.0	5.1	4.51
248	8422, BOS	Cur Wk	54	0.0	0.5	0.5	1.8	19.0	0.9	5.8	4.37
		YTD	180	0.0	1.0	1.8	0.8	20.6	1.2	5.3	4.44
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	1.2	1.4	1.6	22.6	2.6	5.6	4.57
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
434	6434, N	Cur Wk	753	0.0	4.4	1.1	1.4	21.8	1.2	4.6	4.55
		YTD	1,222	0.0	4.0	1.2	1.5	22.3	1.4	4.7	4.53
485	6485, N	Cur Wk	31	0.0	1.3	0.5	0.6	19.7	0.3	5.2	4.61
		YTD	108	0.0	0.6	0.6	0.3	20.6	0.4	4.8	4.63
510	2015, HZ	Cur Wk	302	0.0	0.8	1.2	1.2	18.6	0.4	5.0	4.46
		YTD	484	0.0	1.4	1.4	1.0	19.0	0.8	4.9	4.50

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	177	0.0	1.9	0.7	0.3	20.3	0.6	5.1	4.38
555	MISC TRIAL	Cur Wk	13	0.0	2.2	0.2	0.0	21.3	0.8	4.3	4.51
		YTD	13	0.0	2.2	0.2	0.0	21.3	0.8	4.3	4.51
565	MIX	Cur Wk	2	0.0	1.7	0.7	0.0	19.8	0.8	6.1	4.57
		YTD	6	0.0	1.3	0.5	0.0	20.2	1.2	5.4	4.49
577	HEINZ TRIAL	Cur Wk	28	0.0	1.3	1.8	0.1	20.8	0.9	4.9	4.44
		YTD	28	0.0	1.3	1.8	0.1	20.8	0.9	4.9	4.44
610	2016, HZ	Cur Wk	1,221	0.0	1.2	1.9	0.5	20.3	0.6	4.4	4.47
		YTD	2,425	0.0	1.1	1.7	0.6	20.5	0.8	4.5	4.45
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
707	47073, HZ	Cur Wk	74	0.0	0.3	1.3	0.4	22.3	0.4	4.5	4.45
		YTD	653	0.0	0.3	1.7	0.4	22.1	0.2	4.7	4.41
730	9037, SVTM	Cur Wk	254	0.0	0.8	0.8	0.3	22.4	0.4	4.7	4.34
		YTD	755	0.0	0.7	2.0	0.5	22.3	0.8	4.9	4.37
740	74, BP	Cur Wk	141	0.0	2.1	1.1	0.2	20.0	0.8	5.3	4.50
		YTD	271	0.0	1.9	1.1	0.4	20.1	0.8	5.2	4.48
776	1776, HZ	Cur Wk	90	0.0	1.6	1.7	1.2	21.1	1.1	4.6	4.50
		YTD	90	0.0	1.6	1.7	1.2	21.1	1.1	4.6	4.50
820	1082, SVTM	Cur Wk	291	0.0	1.3	1.3	0.7	20.6	1.2	5.3	4.34
		YTD	1,198	0.0	1.1	1.3	0.7	21.2	1.6	5.4	4.39
841	58841, HM	Cur Wk	127	0.0	1.9	1.7	1.5	20.8	0.8	5.1	4.48
		YTD	374	0.0	1.3	1.6	1.3	21.2	1.4	5.3	4.50
903	9036, SVTM	Cur Wk	21	0.0	2.1	0.7	0.4	21.5	0.8	4.8	4.51
		YTD	341	0.0	0.7	0.7	0.9	21.5	3.5	6.1	4.47
913	9013, SVTM	Cur Wk	16	0.0	1.0	0.4	1.5	19.7	1.6	6.3	4.37
		YTD	16	0.0	1.0	0.4	1.5	19.7	1.6	6.3	4.37
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	162	0.0	0.8	1.1	0.1	22.6	0.3	5.0	4.37
919	9019, SVTM	Cur Wk	611	0.0	2.6	2.9	1.1	21.5	2.0	5.5	4.32
		YTD	734	0.0	2.5	2.8	1.1	21.7	2.2	5.5	4.32
921	9021, SVTM	Cur Wk	317	0.0	3.3	1.1	1.1	20.2	1.0	5.0	4.45
		YTD	1,313	0.0	2.4	1.0	1.1	20.9	1.2	5.4	4.44
925	9025, SVTM	Cur Wk	341	0.0	2.6	0.3	0.3	21.5	1.0	4.9	4.41
		YTD	441	0.0	2.3	0.4	0.3	21.8	1.5	5.1	4.41
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	487	0.0	0.5	2.7	0.3	21.5	0.5	5.2	4.35
996	1996, HZ	Cur Wk	1,610	0.0	0.7	1.7	0.6	20.1	0.3	4.9	4.49
		YTD	3,526	0.0	0.6	1.6	0.6	20.5	0.6	4.9	4.48
Cur Wk:			6,889	0.0	1.7	1.5	0.8	20.6	0.8	4.9	4.45

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

YTD	19,171	0.0	1.3	1.5	0.7	21.0	1.2	5.1	4.45
-----	--------	-----	-----	-----	-----	------	-----	-----	------

Sacramento											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	43	0.0	0.3	1.2	0.3	21.5	0.3	5.0	4.29
		YTD	85	0.0	0.6	1.6	1.5	22.7	0.5	4.9	4.31
068	8268, HM	Cur Wk	39	0.0	0.8	1.1	0.2	20.1	0.6	5.3	4.38
		YTD	39	0.0	0.8	1.1	0.2	20.1	0.6	5.3	4.38
210	110, BP	Cur Wk	12	0.0	0.7	0.7	0.2	20.6	0.5	5.3	4.25
		YTD	12	0.0	0.7	0.7	0.2	20.6	0.5	5.3	4.25
324	8423, BOS	Cur Wk	39	0.0	0.5	5.5	0.8	20.6	1.0	4.8	4.34
		YTD	39	0.0	0.5	5.5	0.8	20.6	1.0	4.8	4.34
552	5522, HM	Cur Wk	9	0.0	1.6	0.5	0.4	20.4	0.2	5.1	4.28
		YTD	118	0.0	0.4	1.2	0.2	21.7	0.4	4.9	4.26
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.8	5.6	3.8	20.9	0.9	5.4	4.27
841	58841, HM	Cur Wk	156	0.0	0.5	0.5	1.7	20.9	0.3	5.0	4.40
		YTD	251	0.0	0.5	0.6	4.5	21.1	0.3	5.0	4.39
919	9019, SVTM	Cur Wk	250	0.0	1.6	3.1	1.5	21.9	1.8	5.5	4.24
		YTD	298	0.0	1.6	3.1	1.7	22.0	1.8	5.5	4.24
996	1996, HZ	Cur Wk	179	0.0	0.3	1.9	0.6	20.2	0.4	4.9	4.37
		YTD	294	0.0	0.3	3.4	2.1	20.9	0.4	4.9	4.35
Cur Wk:			727	0.0	0.9	2.1	1.1	21.1	0.9	5.2	4.32
YTD			1,279	0.0	0.8	2.7	2.3	21.4	0.8	5.1	4.31

San Benito											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
103	403, BQ	Cur Wk	27	0.0	0.2	0.0	0.4	20.1	6.9	4.9	4.36
		YTD	110	0.0	0.2	0.3	0.5	20.3	3.2	4.9	4.28
Cur Wk:		27	0.0	0.2	0.0	0.4	20.1	6.9	4.9	4.36	
YTD		110	0.0	0.2	0.3	0.5	20.3	3.2	4.9	4.28	

San Joaquin											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
036	8163, HM	Cur Wk	12	0.0	0.5	0.5	0.2	19.1	1.0	5.9	4.44
		YTD	12	0.0	0.5	0.5	0.2	19.1	1.0	5.9	4.44
037	8237, HM	Cur Wk	94	0.0	0.4	0.4	0.1	20.0	0.4	5.3	4.36
		YTD	797	0.0	0.6	1.7	0.3	21.8	0.7	5.6	4.38
043	43, BP	Cur Wk	131	0.0	0.9	0.2	0.0	20.6	0.7	5.2	4.46
		YTD	190	0.0	0.7	0.2	0.1	20.9	0.7	5.2	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
064	0645, LS	Cur Wk	35	0.0	1.2	0.3	0.4	20.5	0.5	4.8	4.45
		YTD	107	0.0	0.9	0.6	0.3	20.4	0.6	5.0	4.43
068	8268, HM	Cur Wk	339	0.0	0.5	0.7	0.2	19.6	0.9	5.6	4.40
		YTD	445	0.0	0.5	0.7	0.2	19.6	1.0	5.6	4.40
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.2	0.8	0.1	20.5	0.6	5.2	4.39
124	0221, HMC	Cur Wk	7	0.0	0.6	1.9	0.3	21.8	1.6	5.4	4.39
		YTD	20	0.0	0.3	1.4	0.3	22.9	1.4	5.4	4.35
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	0.4	0.2	0.1	20.6	0.8	5.5	4.37
210	110, BP	Cur Wk	146	0.0	0.6	0.7	0.1	20.3	0.5	5.6	4.26
		YTD	146	0.0	0.6	0.7	0.1	20.3	0.5	5.6	4.26
219	109, BP	Cur Wk	49	0.0	0.4	0.4	0.2	21.3	0.3	5.3	4.25
		YTD	49	0.0	0.4	0.4	0.2	21.3	0.3	5.3	4.25
239	9023, SVTM	Cur Wk	9	0.0	0.3	0.2	0.0	19.9	0.7	5.4	4.44
		YTD	155	0.0	0.8	0.9	0.1	20.0	1.1	5.8	4.37
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	0.7	1.7	0.3	20.7	1.0	5.2	4.33
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	107	0.0	1.4	0.8	0.3	20.7	1.1	5.6	4.33
430	9034, SVTM	Cur Wk	75	0.0	0.4	0.1	0.2	20.7	0.3	5.3	4.45
		YTD	130	0.0	0.3	0.2	0.2	20.9	0.4	5.5	4.44
485	6485, N	Cur Wk	13	0.0	0.2	0.3	0.1	20.3	0.2	4.7	4.47
		YTD	13	0.0	0.2	0.3	0.1	20.3	0.2	4.7	4.47
552	5522, HM	Cur Wk	93	0.0	0.8	0.6	0.4	20.6	0.4	5.1	4.32
		YTD	151	0.0	0.8	0.6	0.3	21.1	0.4	5.0	4.34
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	0.6	1.9	0.5	20.9	0.7	5.6	4.27
740	74, BP	Cur Wk	127	0.0	1.4	0.4	0.3	20.0	1.0	5.6	4.40
		YTD	127	0.0	1.4	0.4	0.3	20.0	1.0	5.6	4.40
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	0.2	1.2	0.5	20.4	0.4	5.6	4.33
820	1082, SVTM	Cur Wk	198	0.0	0.8	0.2	0.5	20.9	1.2	5.4	4.33
		YTD	240	0.0	0.8	0.2	0.5	20.9	1.2	5.4	4.33
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.6	1.3	7.6	22.4	0.3	5.0	4.35
904	9048, SVTM	Cur Wk	4	0.0	0.0	0.4	0.1	20.6	0.3	5.3	4.28
		YTD	4	0.0	0.0	0.4	0.1	20.6	0.3	5.3	4.28
913	9013, SVTM	Cur Wk	50	0.0	0.1	0.1	0.1	18.4	0.4	5.5	4.26
		YTD	62	0.0	0.1	0.2	0.1	18.5	0.3	5.5	4.26
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
921	9021, SVTM	YTD	538	0.0	1.1	1.5	1.0	22.6	1.6	5.4	4.24
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	17	0.0	1.3	1.3	0.1	20.7	0.6	5.5	4.28
941	9041, SVTM	Cur Wk	113	0.0	0.1	1.8	0.1	21.9	0.1	4.7	4.25
		YTD	178	0.0	0.1	1.9	0.2	22.1	0.1	4.7	4.26
996	1996, HZ	Cur Wk	283	0.0	0.2	2.2	0.6	19.2	0.2	5.7	4.31
		YTD	782	0.0	0.2	2.2	0.6	20.0	0.3	5.7	4.32
Cur Wk:			1,778	0.0	0.6	0.8	0.3	20.2	0.6	5.4	4.35
YTD			5,039	0.0	0.6	1.2	1.1	21.0	0.7	5.5	4.34

Santa Clara

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
400	400, BQ	Cur Wk	101	0.0	0.3	0.1	0.2	19.5	1.8	4.8	4.43
		YTD	161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
Cur Wk:		101	0.0	0.3	0.1	0.2	19.5	1.8	4.8	4.43	
YTD		161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39	

Solano

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.9	0.3	1.0	21.9	1.0	6.7	4.38
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.0	4.7	0.2	20.9	0.5	4.4	4.29
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
036	8163, HM	Cur Wk	172	0.0	1.3	0.3	0.3	19.6	0.4	5.4	4.42
		YTD	282	0.0	1.2	0.5	0.2	19.6	0.7	5.6	4.45
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.7	1.2	0.6	22.4	0.2	5.2	4.30
068	8268, HM	Cur Wk	294	0.0	0.5	0.2	0.2	19.6	0.5	5.3	4.40
		YTD	916	0.0	0.8	0.5	0.2	20.0	0.7	5.4	4.40
210	110, BP	Cur Wk	117	0.0	0.0	0.4	0.4	21.1	0.5	6.4	4.27
		YTD	125	0.0	0.0	0.5	0.4	21.1	0.5	6.4	4.27
219	109, BP	Cur Wk	23	0.0	0.1	1.7	1.1	21.4	0.9	6.8	4.18
		YTD	52	0.0	0.5	1.6	0.6	22.0	1.3	6.4	4.31
239	9023, SVTM	Cur Wk	325	0.0	0.5	0.1	0.1	21.2	0.4	4.8	4.38
		YTD	417	0.0	0.4	0.2	0.1	21.5	0.4	4.8	4.38
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.8	0.5	0.1	20.4	0.7	4.9	4.32

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	3.3	0.7	2.4	23.2	5.6	4.7	4.41
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	315	0.0	0.8	0.1	0.3	20.6	0.3	5.0	4.45
485	6485, N	Cur Wk	47	0.0	0.2	0.4	0.2	19.5	0.1	4.6	4.45
		YTD	88	0.0	0.1	0.2	0.2	19.9	0.2	4.7	4.50
510	2015, HZ	Cur Wk	84	0.0	0.2	0.7	1.3	19.7	0.3	4.2	4.37
		YTD	168	0.0	0.2	1.1	2.1	20.2	0.4	4.3	4.39
552	5522, HM	Cur Wk	324	0.0	0.5	0.4	0.3	20.8	0.9	5.9	4.38
		YTD	776	0.0	0.4	0.5	0.1	20.5	0.7	5.6	4.34
560	5608, HZ	Cur Wk	112	0.0	0.4	0.4	1.7	20.0	0.8	4.5	4.48
		YTD	112	0.0	0.4	0.4	1.7	20.0	0.8	4.5	4.48
565	MIX	Cur Wk	2	0.0	0.0	0.0	0.0	20.7	0.7	4.8	4.42
		YTD	3	0.0	0.3	0.2	0.0	20.5	1.3	5.2	4.46
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	13	0.0	1.7	6.1	3.3	20.7	2.3	6.0	4.32
		YTD	139	0.0	0.4	3.0	1.8	22.1	1.5	5.0	4.29
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	4.2	1.2	3.2	23.6	2.5	4.5	4.35
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	52	0.0	0.2	1.5	0.1	21.0	0.2	4.9	4.36
841	58841, HM	Cur Wk	1,033	0.0	0.9	0.3	0.2	20.4	0.2	5.2	4.41
		YTD	2,560	0.0	1.1	0.5	0.2	20.9	0.3	5.3	4.40
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	70	0.0	1.2	0.6	0.4	23.0	0.9	5.4	4.40
925	9025, SVTM	Cur Wk	1	0.0	3.5	0.5	0.5	21.5	0.5	4.6	4.42
		YTD	1	0.0	3.5	0.5	0.5	21.5	0.5	4.6	4.42
941	9041, SVTM	Cur Wk	106	0.0	0.6	0.3	0.5	22.0	0.3	4.9	4.39
		YTD	289	0.0	0.4	1.2	0.3	21.5	0.2	4.8	4.34
Cur Wk:			2,653	0.0	0.7	0.3	0.4	20.5	0.4	5.3	4.40
YTD			7,189	0.0	0.8	0.7	0.3	20.8	0.5	5.3	4.38

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	554	0.0	1.2	0.3	0.2	20.6	1.8	5.5	4.46
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
036	8163, HM	Cur Wk	169	0.0	1.1	0.1	0.1	19.7	0.4	5.4	4.42
		YTD	214	0.0	1.1	0.1	0.1	19.8	0.4	5.4	4.42
037	8237, HM	Cur Wk	109	0.0	0.9	0.7	0.1	20.4	0.3	5.1	4.41
		YTD	197	0.0	1.2	1.6	0.3	20.8	0.4	5.6	4.40
064	0645, LS	Cur Wk	23	0.0	0.8	0.1	0.1	20.5	1.2	5.2	4.49
		YTD	23	0.0	0.8	0.1	0.1	20.5	1.2	5.2	4.49
068	8268, HM	Cur Wk	57	0.0	1.1	0.6	0.1	19.3	0.3	5.2	4.40
		YTD	303	0.0	1.5	0.3	0.0	19.8	1.3	5.4	4.44
171	1715, LS	Cur Wk	134	0.0	0.4	0.5	0.0	19.3	0.4	4.6	4.43
		YTD	159	0.0	0.5	0.4	0.0	19.3	0.5	4.7	4.44
173	0371, HM	Cur Wk	24	0.0	1.1	0.0	0.1	20.2	0.3	5.1	4.33
		YTD	135	0.0	0.9	0.1	0.1	20.2	0.4	5.1	4.33
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	2.1	0.1	0.1	21.0	1.1	5.9	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.9	0.5	0.1	21.7	0.2	5.9	4.33
239	9023, SVTM	Cur Wk	51	0.0	0.8	0.1	0.0	20.6	0.8	5.1	4.44
		YTD	51	0.0	0.8	0.1	0.0	20.6	0.8	5.1	4.44
452	4521, HM	Cur Wk	10	0.0	2.7	0.0	0.4	20.6	1.2	5.3	4.52
		YTD	150	0.0	1.8	0.1	0.2	21.5	1.5	5.4	4.46
485	6485, N	Cur Wk	67	0.0	0.7	0.1	0.1	19.6	0.2	5.0	4.43
		YTD	152	0.0	0.8	0.1	0.0	19.8	0.2	4.8	4.48
552	5522, HM	Cur Wk	95	0.0	0.4	0.5	0.1	18.6	0.2	5.7	4.35
		YTD	151	0.0	0.5	0.6	0.0	18.8	0.3	5.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.0	22.5	0.8	4.7	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	155	0.0	0.8	0.4	0.3	23.2	2.1	5.5	4.49
820	1082, SVTM	Cur Wk	183	0.0	1.1	1.0	0.2	20.8	0.5	5.2	4.35
		YTD	183	0.0	1.1	1.0	0.2	20.8	0.5	5.2	4.35
903	9036, SVTM	Cur Wk	104	0.0	1.3	0.1	0.4	20.5	2.4	5.1	4.49
		YTD	344	0.0	1.1	1.3	0.6	20.2	1.7	5.7	4.44
921	9021, SVTM	Cur Wk	30	0.0	1.7	0.3	0.0	19.7	1.1	4.9	4.48
		YTD	172	0.0	0.8	0.1	0.0	21.4	1.1	4.8	4.42
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	3.9	0.2	0.5	22.5	2.1	5.1	4.52
996	1996, HZ	Cur Wk	23	0.0	0.3	0.3	0.2	20.5	0.5	5.0	4.42
		YTD	78	0.0	0.2	0.6	0.2	20.9	1.3	5.1	4.37
Cur Wk:			1,079	0.0	0.9	0.4	0.1	20.0	0.6	5.2	4.41
YTD			3,403	0.0	1.3	0.5	0.2	20.7	1.2	5.4	4.43

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
028	6428, N	Cur Wk	10	0.0	3.2	1.1	1.2	21.9	5.1	5.1	4.58
		YTD	55	0.0	2.8	4.8	1.2	22.3	3.5	4.9	4.54
037	8237, HM	Cur Wk	378	0.0	1.3	3.9	1.1	21.5	0.8	5.0	4.39
		YTD	1,198	0.0	1.2	3.5	0.9	21.7	0.7	5.0	4.37
068	8268, HM	Cur Wk	136	0.0	2.4	1.6	0.1	19.0	0.9	5.6	4.55
		YTD	315	0.0	1.9	1.1	0.1	19.4	1.9	5.6	4.50
248	8422, BOS	Cur Wk	85	0.0	3.5	2.5	1.2	21.6	1.4	4.4	4.48
		YTD	106	0.0	3.3	2.7	1.2	21.6	1.4	4.4	4.47
263	2639, HZ	Cur Wk	32	0.0	1.7	8.1	1.0	20.7	0.7	4.4	4.34
		YTD	40	0.0	1.8	7.3	1.0	20.7	0.7	4.4	4.34
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	0.7	6.5	0.8	22.2	1.7	5.1	4.27
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	533	0.0	2.3	5.2	1.6	22.9	2.4	4.8	4.45
468	8641, BOS	Cur Wk	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
510	2015, HZ	Cur Wk	153	0.0	0.6	4.0	0.4	18.7	0.3	4.7	4.40
		YTD	153	0.0	0.6	4.0	0.4	18.7	0.3	4.7	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	1.4	0.8	0.0	20.8	0.4	5.7	4.39
577	HEINZ TRIAL	Cur Wk	40	0.0	0.7	1.5	0.8	20.6	0.6	5.1	4.43
		YTD	52	0.0	0.6	1.4	0.6	20.7	0.9	5.2	4.42
610	2016, HZ	Cur Wk	357	0.0	1.2	3.2	1.5	20.1	0.6	4.6	4.34
		YTD	868	0.0	1.0	2.3	1.0	21.1	1.5	4.7	4.37
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	1.6	5.0	1.8	21.2	0.8	4.8	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
659	6509, N	Cur Wk	24	0.0	1.8	0.8	1.1	20.7	0.8	4.8	4.44
		YTD	24	0.0	1.8	0.8	1.1	20.7	0.8	4.8	4.44
662	1662, HZ	Cur Wk	9	0.0	3.7	3.5	1.1	21.4	1.7	5.0	4.46
		YTD	9	0.0	3.7	3.5	1.1	21.4	1.7	5.0	4.46
730	9037, SVTM	Cur Wk	193	0.0	0.8	1.5	1.2	22.0	1.4	4.8	4.40
		YTD	398	0.0	1.7	2.1	1.1	22.2	1.7	5.0	4.37
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	220	0.0	1.0	0.5	0.0	21.6	0.7	5.6	4.42

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
909	0199, BOS	Cur Wk	12	0.0	1.6	1.0	0.5	21.0	2.8	4.5	4.43
		YTD	28	0.0	1.7	1.0	0.8	21.2	3.8	4.6	4.38
916	9016, SVTM	Cur Wk	729	0.0	2.0	2.0	0.6	21.7	0.6	4.7	4.38
		YTD	1,815	0.0	2.2	2.5	0.8	21.9	0.6	4.8	4.38
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,095	0.0	1.3	3.7	1.1	21.6	0.9	4.9	4.37
996	1996, HZ	Cur Wk	285	0.0	1.3	1.3	0.8	20.5	0.8	4.6	4.44
		YTD	285	0.0	1.3	1.3	0.8	20.5	0.8	4.6	4.44
Cur Wk:			2,463	0.0	1.5	2.5	0.9	20.9	0.8	4.8	4.40
YTD			8,077	0.0	1.6	2.9	0.9	21.5	1.1	4.9	4.39

Tehama

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.7	6.0	1.4	22.7	0.8	4.8	4.31
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.2	3.8	1.4	22.2	0.9	4.7	4.33
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			599	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Tulare, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
560	5608, HZ	YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
650	6500, N	YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
730	9037, SVTM	YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
776	1776, HZ	YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
841	58841, HM	YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
848	6848, BOS	YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
996	1996, HZ	YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	1	0.0	2.5	1.0	0.5	18.5	0.0	5.4	4.30
		YTD	1	0.0	2.5	1.0	0.5	18.5	0.0	5.4	4.30
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	2.5	4.9	0.8	22.8	3.6	4.7	4.53
036	8163, HM	Cur Wk	49	0.0	1.9	0.1	0.4	19.8	0.7	5.1	4.46
		YTD	177	0.0	2.0	0.5	0.4	19.6	1.2	5.4	4.47
037	8237, HM	Cur Wk	1,547	0.0	1.1	0.3	0.2	21.0	0.2	5.0	4.33
		YTD	5,179	0.0	1.0	1.1	0.3	22.0	0.5	5.0	4.33
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
068	8268, HM	Cur Wk	305	0.0	0.7	0.2	0.3	19.4	0.5	5.1	4.38
		YTD	1,839	0.0	0.7	0.5	0.2	20.0	0.7	5.1	4.39
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	1.0	0.2	0.4	21.1	1.5	4.5	4.54
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	494	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49
210	110, BP	Cur Wk	67	0.0	1.7	0.2	0.2	19.8	0.9	5.1	4.32
		YTD	423	0.0	0.8	0.5	0.1	20.3	1.2	5.2	4.27
219	109, BP	Cur Wk	36	0.0	2.3	0.1	0.1	19.9	0.2	5.1	4.29
		YTD	628	0.0	0.7	0.5	0.2	20.6	1.0	5.1	4.29
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	1	0.0	2.0	3.0	1.0	22.0	0.5	4.3	4.37
		YTD	250	0.0	1.5	3.5	0.6	21.5	2.3	4.5	4.36
256	2516, HZ	Cur Wk	20	0.0	0.4	0.2	0.1	21.7	0.2	5.2	4.37
		YTD	20	0.0	0.4	0.2	0.1	21.7	0.2	5.2	4.37
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	4.8	0.5	21.1	1.4	4.6	4.33
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.7	1.0	0.2	23.2	2.6	5.3	4.48
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	800	0.0	0.7	0.3	0.1	21.0	0.6	5.1	4.43
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	895	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
473	2374, HZ	Cur Wk	7	0.0	2.4	0.3	0.1	21.1	0.0	5.0	4.32
		YTD	7	0.0	2.4	0.3	0.1	21.1	0.0	5.0	4.32
476	2476, HZ	Cur Wk	1	0.0	1.0	0.5	0.0	20.0	1.5	5.2	4.38
		YTD	141	0.0	1.3	0.3	0.1	21.5	0.5	5.0	4.42
485	6485, N	Cur Wk	24	0.0	0.7	0.5	0.2	20.9	0.1	4.2	4.47

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	91	0.0	0.7	0.8	0.3	21.0	0.4	4.1	4.52
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
510	2015, HZ	Cur Wk	9	0.0	0.9	0.2	1.5	19.8	0.4	4.5	4.44
		YTD	9	0.0	0.9	0.2	1.5	19.8	0.4	4.5	4.44
552	5522, HM	Cur Wk	81	0.0	1.3	0.0	0.0	19.6	0.2	5.1	4.35
		YTD	269	0.0	0.9	0.1	0.1	20.1	1.2	5.8	4.38
560	5608, HZ	Cur Wk	63	0.0	2.5	0.2	0.4	20.8	1.7	4.2	4.56
		YTD	229	0.0	2.0	1.3	1.0	20.8	1.3	4.4	4.48
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	0.0	0.0	19.5	0.0	5.1	4.38
566	6506, N	Cur Wk	9	0.0	0.8	1.2	0.7	20.4	0.3	4.8	4.52
		YTD	14	0.0	0.7	1.2	0.6	20.5	0.4	4.8	4.50
610	2016, HZ	Cur Wk	581	0.0	0.6	2.7	0.4	20.4	0.6	4.4	4.33
		YTD	837	0.0	0.5	3.0	0.5	21.2	0.6	4.4	4.32
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	1.5	1.6	0.5	22.0	2.2	5.2	4.56
662	1662, HZ	Cur Wk	85	0.0	1.4	1.2	0.5	21.8	2.3	4.5	4.46
		YTD	85	0.0	1.4	1.2	0.5	21.8	2.3	4.5	4.46
730	9037, SVTM	Cur Wk	100	0.0	1.6	1.5	0.5	21.5	0.3	4.8	4.36
		YTD	965	0.0	1.1	4.1	0.6	22.4	0.8	4.8	4.33
755	7558, NB	Cur Wk	37	0.0	1.0	0.3	0.1	20.9	0.3	4.8	4.32
		YTD	69	0.0	0.7	0.6	0.1	20.8	0.2	5.0	4.30
807	8507, HM	Cur Wk	20	0.0	0.5	0.0	0.9	18.4	0.5	5.4	4.45
		YTD	49	0.0	1.3	0.1	0.4	18.6	0.7	5.2	4.51
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.3	1.0	0.0	22.1	1.9	5.6	4.40
841	58841, HM	Cur Wk	424	0.0	1.0	0.2	0.2	20.6	0.4	5.0	4.41
		YTD	5,087	0.0	1.2	0.7	0.3	21.1	0.6	5.3	4.39
901	9011, SVTM	Cur Wk	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
904	9048, SVTM	Cur Wk	1	0.0	1.5	1.0	0.5	19.5	0.5	5.3	4.36
		YTD	1	0.0	1.5	1.0	0.5	19.5	0.5	5.3	4.36
909	0199, BOS	Cur Wk	9	0.0	0.6	0.2	0.2	20.7	2.5	4.5	4.32
		YTD	9	0.0	0.6	0.2	0.2	20.7	2.5	4.5	4.32
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	693	0.0	0.7	0.7	0.3	21.1	0.2	4.8	4.29
		YTD	3,186	0.0	1.0	1.3	0.3	22.0	0.4	4.9	4.32

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	Cur Wk	117	0.0	1.2	0.4	0.4	22.6	2.8	4.9	4.26
		YTD	600	0.0	0.8	0.5	0.2	23.0	1.4	5.0	4.25
941	9041, SVTM	Cur Wk	108	0.0	1.2	0.1	0.1	21.0	0.2	4.7	4.32
		YTD	2,748	0.0	0.6	1.7	0.5	22.0	0.8	4.7	4.32
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	236	0.0	0.2	1.9	0.7	23.7	3.4	4.8	4.42
Cur Wk:			4,396	0.0	1.0	0.7	0.3	20.8	0.5	4.9	4.34
YTD			30,471	0.0	1.0	1.4	0.4	21.5	1.0	5.0	4.36
TOTAL STATEWIDE		Cur Wk	36,756	0.0	1.8	1.5	0.7	20.5	0.7	5.1	4.42
		YTD	258,543	0.0	1.1	1.7	0.6	20.7	0.9	5.2	4.40

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	62	0.0	3.5	0.8	0.7	20.5	0.7	5.0	4.43
		YTD	522	0.0	2.2	1.8	0.8	20.6	0.6	5.0	4.38
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	37	0.0	1.0	2.9	0.4	20.2	2.9	5.4	4.39
909	0199, BOS	Cur Wk	21	0.0	1.2	0.7	0.4	20.9	2.7	4.5	4.39
		YTD	37	0.0	1.4	0.8	0.6	21.1	3.5	4.6	4.36
124	0221, HMC	Cur Wk	7	0.0	0.6	1.9	0.3	21.8	1.6	5.4	4.39
		YTD	235	0.0	2.4	1.5	1.7	21.3	2.5	5.0	4.39
572	0275, SY	Cur Wk	4	0.0	1.4	0.9	0.4	20.3	2.9	5.4	4.42
		YTD	4	0.0	1.4	0.9	0.4	20.3	2.9	5.4	4.42
173	0371, HM	Cur Wk	71	0.0	0.5	0.1	0.1	18.7	0.3	5.8	4.38
		YTD	9902	0.0	0.5	1.1	0.4	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	179	0.0	1.1	0.2	0.2	20.1	0.9	5.1	4.51
		YTD	1854	0.0	1.0	1.2	0.5	20.2	1.4	5.4	4.52
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	532	0.0	0.8	3.6	1.0	20.6	3.3	4.8	4.47
101	101, BP	Cur Wk	10	0.1	1.4	1.0	0.3	20.1	0.1	4.6	4.45
		YTD	965	0.0	1.0	0.8	0.5	20.7	1.3	4.8	4.49
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	965	0.0	1.3	1.8	1.2	20.4	1.3	4.9	4.47
820	1082, SVTM	Cur Wk	1275	0.0	1.0	0.8	0.5	20.5	1.0	5.5	4.35
		YTD	3698	0.0	1.2	1.1	0.5	21.0	1.4	5.5	4.38
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
219	109, BP	Cur Wk	162	0.0	1.0	0.5	0.3	20.6	0.4	5.7	4.28
		YTD	1951	0.0	0.7	0.9	0.3	20.7	0.9	5.5	4.32
210	110, BP	Cur Wk	364	0.0	0.7	0.5	0.2	20.5	0.6	5.8	4.29
		YTD	1452	0.0	0.8	0.6	0.2	20.3	1.0	5.5	4.32
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
112	16112, UG	Cur Wk	232	0.0	4.2	1.1	0.5	19.6	1.0	5.1	4.59
		YTD	1704	0.0	1.5	0.7	0.4	19.8	0.8	5.1	4.47
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1564	0.0	0.7	4.8	1.2	19.5	0.4	4.5	4.54

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
662	1662, HZ	Cur Wk	172	0.0	2.2	1.7	0.4	21.4	1.5	4.6	4.53
		YTD	410	0.0	3.5	1.7	0.4	21.7	1.5	4.8	4.54
171	1715, LS	Cur Wk	134	0.0	0.4	0.5	0.0	19.3	0.4	4.6	4.43
		YTD	323	0.0	0.6	0.8	0.0	19.5	0.4	4.6	4.42
776	1776, HZ	Cur Wk	90	0.0	1.6	1.7	1.2	21.1	1.1	4.6	4.50
		YTD	1551	0.0	1.1	4.5	1.1	20.7	0.5	4.9	4.40
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
988	1988, LS	Cur Wk	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
		YTD	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	4378	0.0	1.2	1.6	0.7	19.9	0.4	5.0	4.46
		YTD	13578	0.0	0.7	1.8	0.6	20.3	0.5	5.0	4.43
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	944	0.0	1.2	2.9	1.5	19.0	0.6	4.7	4.45
		YTD	1354	0.0	1.2	2.8	1.5	19.2	0.7	4.7	4.47
610	2016, HZ	Cur Wk	4268	0.0	1.8	2.0	0.9	20.0	0.7	4.6	4.43
		YTD	22936	0.0	1.3	1.8	0.7	20.1	0.7	4.7	4.39
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
365	2365, HZ	Cur Wk	729	0.0	2.2	2.1	0.9	20.0	0.5	4.9	4.53
		YTD	801	0.0	2.2	2.1	0.9	20.0	0.5	4.9	4.53
473	2374, HZ	Cur Wk	7	0.0	2.4	0.3	0.1	21.1	0.0	5.0	4.32
		YTD	7	0.0	2.4	0.3	0.1	21.1	0.0	5.0	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1530	0.0	0.8	1.6	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	1	0.0	1.0	0.5	0.0	20.0	1.5	5.2	4.38
		YTD	487	0.0	1.3	1.0	0.7	21.6	1.3	5.1	4.47
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	23	0.0	0.6	0.3	0.1	21.5	0.2	5.2	4.39
		YTD	32	0.0	0.7	0.5	0.1	21.3	0.3	5.2	4.40
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
263	2639, HZ	Cur Wk	55	0.0	1.8	6.1	0.9	20.4	0.7	4.7	4.33

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	128	0.0	2.5	3.6	1.0	20.5	0.7	4.7	4.40
264	2640, HZ	Cur Wk	20	0.0	2.0	6.6	0.5	21.2	0.7	4.5	4.48
		YTD	20	0.0	2.0	6.6	0.5	21.2	0.7	4.5	4.48
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	101	0.0	0.3	0.1	0.2	19.5	1.8	4.8	4.43
		YTD	946	0.0	0.1	1.1	0.4	19.2	0.9	5.3	4.42
103	403, BQ	Cur Wk	27	0.0	0.2	0.0	0.4	20.1	6.9	4.9	4.36
		YTD	263	0.0	0.7	1.7	0.9	20.3	2.4	5.1	4.31
043	43, BP	Cur Wk	131	0.0	0.9	0.2	0.0	20.6	0.7	5.2	4.46
		YTD	190	0.0	0.7	0.2	0.1	20.9	0.7	5.2	4.45
452	4521, HM	Cur Wk	10	0.0	2.7	0.0	0.4	20.6	1.2	5.3	4.52
		YTD	2515	0.0	0.6	1.1	0.5	20.7	0.4	5.1	4.36
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
707	47073, HZ	Cur Wk	413	0.0	6.3	1.8	0.5	22.4	1.0	5.0	4.53
		YTD	2005	0.0	2.1	2.2	0.4	22.4	0.7	4.8	4.45
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	614	0.0	0.3	1.1	0.2	20.2	2.0	5.5	4.43
552	5522, HM	Cur Wk	866	0.0	1.3	0.4	0.2	19.9	0.5	5.6	4.36
		YTD	11032	0.0	0.6	1.1	0.4	19.8	0.6	5.5	4.36
560	5608, HZ	Cur Wk	176	0.0	1.2	0.3	1.2	20.3	1.1	4.4	4.51
		YTD	3891	0.0	0.6	1.5	0.3	20.0	0.6	4.7	4.38
841	58841, HM	Cur Wk	1740	0.0	0.9	0.4	0.5	20.5	0.3	5.1	4.42
		YTD	11691	0.0	1.1	1.2	0.8	21.0	0.5	5.3	4.41
316	621316, HMC	Cur Wk	1	0.0	1.0	0.5	0.0	19.0	0.0	5.7	4.47
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
326	621326, HMC	Cur Wk	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	10	0.0	3.2	1.1	1.2	21.9	5.1	5.1	4.58
		YTD	3559	0.0	2.1	4.3	1.1	22.4	2.6	4.9	4.48

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
434	6434, N	Cur Wk	762	0.0	4.4	1.1	1.4	21.8	1.2	4.6	4.55
		YTD	4285	0.0	2.8	3.0	1.5	22.5	2.2	4.9	4.50
074	6474, N	Cur Wk	16	0.0	0.4	2.0	1.1	21.0	0.6	5.5	4.54
		YTD	2827	0.0	1.1	4.1	1.1	21.7	0.9	5.4	4.49
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	384	0.0	1.3	0.8	0.3	19.7	0.3	4.7	4.53
		YTD	2007	0.0	1.1	0.7	0.3	20.2	0.5	4.6	4.57
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1475	0.0	0.4	1.0	0.2	19.5	0.4	5.2	4.40
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	245	0.0	1.1	3.0	1.3	20.8	1.0	5.2	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	95	0.0	1.1	3.6	0.7	20.6	0.6	4.8	4.43
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	9	0.0	0.8	1.2	0.7	20.4	0.3	4.8	4.52
		YTD	86	0.0	2.3	3.0	1.0	21.3	1.1	4.9	4.54
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
659	6509, N	Cur Wk	28	0.0	2.1	0.7	1.0	20.7	0.7	4.9	4.46
		YTD	74	0.0	2.0	1.1	0.9	21.0	0.7	5.1	4.44
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	887	0.0	0.7	3.0	0.7	19.4	0.5	4.9	4.42
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7590	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	300	0.0	1.9	0.8	0.2	20.0	0.9	5.4	4.46
		YTD	1374	0.0	1.2	1.0	0.3	19.9	1.2	5.2	4.44
755	7558, NB	Cur Wk	59	0.0	2.0	0.6	0.2	20.6	1.1	5.2	4.38
		YTD	171	0.0	0.8	1.0	0.2	20.7	0.5	5.2	4.35
178	7708, BOS	Cur Wk	134	0.0	1.0	6.1	0.7	18.5	2.6	6.0	4.44
		YTD	1554	0.0	2.3	3.7	0.7	19.4	1.6	5.5	4.45
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1343	0.0	0.7	2.8	0.8	19.7	0.4	5.0	4.33
036	8163, HM	Cur Wk	715	0.0	1.7	0.4	0.3	19.6	0.7	5.5	4.47
		YTD	6920	0.0	1.0	0.6	0.4	19.5	1.0	5.7	4.48
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.3	1.0	0.0	22.1	1.9	5.6	4.40
037	8237, HM	Cur Wk	4600	0.0	1.2	1.5	0.5	20.9	0.4	5.1	4.37

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	19440	0.0	0.9	1.7	0.5	21.5	0.6	5.2	4.36
068	8268, HM	Cur Wk	1732	0.0	1.5	0.8	0.3	19.3	0.8	5.4	4.45
		YTD	10813	0.0	0.8	0.9	0.3	19.7	1.0	5.4	4.43
248	8422, BOS	Cur Wk	145	0.0	2.2	1.7	1.4	20.6	1.2	4.9	4.44
		YTD	903	0.0	1.8	2.8	0.9	21.5	1.8	4.7	4.42
324	8423, BOS	Cur Wk	39	0.0	0.5	5.5	0.8	20.6	1.0	4.8	4.34
		YTD	203	0.0	1.5	4.7	1.2	21.3	1.5	4.7	4.36
807	8507, HM	Cur Wk	53	0.0	0.6	0.1	0.5	18.2	0.7	5.7	4.49
		YTD	188	0.0	1.1	0.4	0.2	18.5	0.8	5.5	4.53
468	8641, BOS	Cur Wk	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
469	8654, BOS	Cur Wk	3	0.0	4.6	2.2	0.5	19.8	2.0	5.3	4.44
		YTD	8	0.0	2.6	2.9	1.3	19.8	1.0	5.2	4.39
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
901	9011, SVTM	Cur Wk	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
913	9013, SVTM	Cur Wk	450	0.0	3.5	1.8	0.7	19.6	1.1	5.4	4.50
		YTD	2018	0.0	1.5	1.8	0.6	19.8	1.3	5.3	4.41
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	2374	0.0	1.5	2.0	0.7	21.3	0.4	4.8	4.34
		YTD	9047	0.0	1.7	2.2	0.7	21.8	0.5	4.9	4.35
919	9019, SVTM	Cur Wk	1224	0.0	2.2	2.5	1.1	21.7	1.9	5.4	4.30
		YTD	6135	0.0	1.4	2.0	1.0	22.1	1.7	5.5	4.29
921	9021, SVTM	Cur Wk	446	0.0	3.3	1.3	1.0	20.1	1.0	5.1	4.46
		YTD	3224	0.0	1.8	2.0	1.1	21.0	1.4	5.3	4.42
239	9023, SVTM	Cur Wk	1559	0.0	4.3	0.9	1.3	21.3	1.0	5.1	4.47
		YTD	6780	0.0	2.6	1.2	0.9	21.6	1.1	5.1	4.43
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	670	0.0	2.8	0.4	0.3	21.0	1.1	5.3	4.39
		YTD	4908	0.0	1.2	0.7	0.3	21.3	1.0	5.5	4.31
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14469	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2620	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	158	0.0	1.8	0.2	0.5	20.8	0.7	5.4	4.51
		YTD	8946	0.0	0.7	1.0	0.4	20.5	1.0	5.4	4.48
903	9036, SVTM	Cur Wk	126	0.0	1.5	0.2	0.4	20.7	2.1	5.1	4.49
		YTD	4446	0.0	0.7	1.2	0.4	21.3	1.4	5.3	4.45

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 10 Ending 09/05/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
730	9037, SVTM	Cur Wk	3026	0.0	2.4	2.1	1.2	21.4	0.6	5.1	4.40
		YTD	9094	0.0	2.0	2.2	0.8	21.9	0.7	5.1	4.38
409	9040, SVTM	Cur Wk	93	0.0	0.2	5.2	1.4	19.5	0.6	6.4	4.33
		YTD	638	0.0	1.5	2.6	1.3	21.4	1.8	5.7	4.45
941	9041, SVTM	Cur Wk	790	0.0	1.8	0.7	0.3	21.1	0.5	5.1	4.40
		YTD	8910	0.0	0.9	1.9	0.6	21.5	0.6	5.0	4.35
904	9048, SVTM	Cur Wk	19	0.0	1.2	0.7	0.1	19.4	0.4	5.4	4.38
		YTD	30	0.0	1.1	0.9	0.2	19.6	0.4	5.3	4.37
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
577	HEINZ TRIAL	Cur Wk	88	0.0	4.1	1.6	0.6	20.7	1.0	5.1	4.47
		YTD	258	0.0	2.2	2.0	0.4	21.0	1.1	5.1	4.43
555	MISC TRIAL	Cur Wk	13	0.0	2.2	0.2	0.0	21.3	0.8	4.3	4.51
		YTD	23	0.0	2.3	0.4	0.3	20.9	2.0	4.9	4.46
565	MIX	Cur Wk	24	0.0	2.2	0.7	0.3	20.6	0.5	5.3	4.41
		YTD	65	0.0	1.3	0.7	0.2	20.4	0.9	5.3	4.43
TOTAL STATEWIDE		Cur Wk	36,756	0.0	1.8	1.5	0.7	20.5	0.7	5.1	4.42
		YTD	258,543	0.0	1.1	1.6	0.6	20.7	0.9	5.2	4.40