

Statewide Tonnage and History (RP70P)

1203
09/14/2026 2:34 PM

Week 11 Ending 09/12/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
Week 08/09/2026 - 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0.04%
Week 08/16/2026 - 08/22/2026	35,191	904,124	0	5.5%	80	2228	0	0.25%
Week 08/23/2026 - 08/29/2026	35,159	905,313	0	5.6%	73	1978	0	0.22%
Week 08/30/2026 - 09/05/2026	36,756	944,361	0	5.4%	62	1691	0	0.18%
LAST WEEK YTD	258,543	6,698,796		4.7%	290	7,938		0%
CUR WEEK ENDING 09/12/2026	35,129	897,533	0	6.4%	11	309	0	0%
CUR YTD	293,672	7,596,329		4.9%	301	8,247		0%
YTD WEEK ENDING 09/13/2025	318,274	8,364,218		4.6%	445	12,103		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 11 Ending 09/12/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Butte	205	4,561	0	0	1,494	36,866	1	28
Colusa	3,177	81,583	1	26	16,697	422,397	1	26
Contra Costa	20	504	0	0	7,247	196,658	0	0
Fresno	4,568	116,848	1	29	103,474	2,709,083	190	5,191
Glenn	419	8,729	0	0	765	17,317	1	27
Kern	0	0	0	0	8,908	236,278	9	268
Kings	2,440	53,067	0	0	44,886	1,110,959	44	1,181
Madera	1,729	46,294	0	0	7,460	197,979	1	28
Merced	8,313	220,003	5	144	27,484	732,217	6	169
Sacramento	1,251	30,278	0	0	2,530	62,096	0	0
San Benito	36	945	0	0	146	3,882	0	0
San Joaquin	2,140	55,160	0	0	7,179	187,904	0	0
Santa Clara	0	0	0	0	161	4,199	0	0
Solano	2,180	55,656	0	0	9,369	242,216	0	0
Stanislaus	1,835	48,242	1	28	5,238	141,365	12	330
Sutter	1,977	49,043	0	0	10,054	251,924	0	0
Tehama	0	0	0	0	599	13,927	0	0
Tulare	0	0	0	0	4,671	118,018	0	0
Yolo	4,839	126,620	3	81	35,310	911,045	36	1,000
STATEWIDE TOTALS:								
LAST WEEK YTD					258,543	6,698,796	290	7,938
CURRENT WEEK	35,129	897,533	11	309	293,672	7,596,329	301	8,247

Average Load Grades by County - Board Certified Loads (RP90)

Week 11 Ending 09/12/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Butte	0.0	2.2	7.1	3.8	19.1	0.5	4.4	4.48	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41
Colusa	0.0	1.8	3.0	1.0	19.8	1.0	4.8	4.38	0.0	1.5	3.2	1.1	21.0	1.3	5.0	4.39
Contra Costa	0.0	1.6	0.2	0.1	19.5	0.4	5.5	4.38	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39
Fresno	0.0	2.8	2.2	0.5	20.3	0.6	5.1	4.46	0.0	1.0	1.5	0.5	20.4	0.8	5.4	4.41
Glenn	0.0	2.5	10.0	2.2	20.4	0.8	4.4	4.34	0.0	3.7	6.4	1.8	21.3	0.8	4.6	4.36
Kern	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	5.6	1.8	1.6	21.2	0.7	5.0	4.45	0.0	1.7	1.6	0.6	20.4	0.7	5.0	4.39
Madera	0.0	1.9	2.5	0.7	20.8	1.2	5.2	4.47	0.0	1.7	2.6	0.8	20.9	0.9	5.1	4.46
Merced	0.0	1.9	1.7	0.8	20.5	1.0	5.1	4.45	0.0	1.5	1.6	0.8	20.9	1.1	5.1	4.45
Sacramento	0.0	0.7	2.5	2.0	20.3	0.8	5.4	4.38	0.0	0.7	2.6	2.2	20.9	0.8	5.2	4.34
San Benito	0.0	0.8	0.2	0.3	19.7	2.1	4.8	4.45	0.0	0.3	0.2	0.5	20.2	3.0	4.9	4.32
San Joaquin	0.0	0.8	0.9	0.4	19.7	0.9	5.5	4.39	0.0	0.7	1.1	0.9	20.7	0.8	5.5	4.35
Santa Clara	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
Solano	0.0	0.8	0.7	0.4	20.2	0.4	5.4	4.37	0.0	0.8	0.7	0.4	20.7	0.5	5.3	4.38
Stanislaus	0.0	1.0	0.9	0.3	20.1	0.7	5.2	4.41	0.0	1.2	0.6	0.2	20.5	1.0	5.3	4.43
Sutter	0.0	1.6	3.7	1.1	20.5	0.9	4.8	4.36	0.0	1.6	3.1	0.9	21.3	1.1	4.9	4.39
Tehama	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
Tulare	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	0.9	0.9	0.4	20.4	0.5	5.0	4.33	0.0	1.0	1.4	0.4	21.4	1.0	5.0	4.36
Statewide Totals:																
Current Week	0.0	1.9	1.9	0.8	20.3	0.8	5.1	4.41	0.0	1.2	1.7	0.6	20.7	0.9	5.2	4.40
Last Week YTD									0.0	1.1	1.7	0.6	20.7	0.9	5.2	4.40

Week 11 Ending 09/12/2026

Last Week YTD						Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	0.00	0.00	0.00	0.03	205	0.00	0.00	0.00	0.00	1495	0.00	0.00	0.00	0.03
Colusa	13,520	0.00	0.00	0.00	0.03	3178	0.00	0.00	0.00	0.03	16698	0.00	0.00	0.00	0.03
Contra Costa	7,227	0.00	0.00	0.00	0.02	20	0.00	0.00	0.00	0.00	7247	0.00	0.00	0.00	0.02
Fresno	99,095	0.00	0.00	0.00	0.04	4569	0.00	0.00	0.00	0.04	103664	0.00	0.00	0.00	0.04
Glenn	347	0.04	0.00	0.00	0.16	419	0.00	0.00	0.00	0.03	766	0.02	0.00	0.00	0.11
Kern	8,917	0.01	0.00	0.00	0.06	0	0.00	0.00	0.00	0.00	8917	0.01	0.00	0.00	0.06
Kings	42,490	0.01	0.00	0.00	0.08	2440	0.01	0.00	0.00	0.08	44930	0.01	0.00	0.00	0.08
Madera	5,732	0.00	0.00	0.00	0.04	1729	0.00	0.00	0.00	0.02	7461	0.00	0.00	0.00	0.03
Merced	19,172	0.00	0.00	0.00	0.02	8318	0.00	0.00	0.00	0.03	27490	0.00	0.00	0.00	0.03
Sacramento	1,279	0.00	0.00	0.00	0.01	1251	0.00	0.00	0.00	0.01	2530	0.00	0.00	0.00	0.01
San Benito	110	0.00	0.00	0.00	0.00	36	0.00	0.00	0.00	0.00	146	0.00	0.00	0.00	0.00
San Joaquin	5,039	0.00	0.00	0.00	0.02	2140	0.00	0.00	0.00	0.03	7179	0.00	0.00	0.00	0.02
Santa Clara	161	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.00	161	0.00	0.00	0.00	0.00
Solano	7,189	0.00	0.00	0.00	0.03	2180	0.00	0.00	0.00	0.05	9369	0.00	0.00	0.00	0.04
Stanislaus	3,414	0.00	0.00	0.00	0.03	1836	0.00	0.00	0.00	0.04	5250	0.00	0.00	0.00	0.03
Sutter	8,077	0.00	0.00	0.00	0.03	1977	0.00	0.00	0.00	0.04	10054	0.00	0.00	0.00	0.03
Tehama	599	0.01	0.00	0.00	0.05	0	0.00	0.00	0.00	0.00	599	0.01	0.00	0.00	0.05
Tulare	4,671	0.00	0.00	0.00	0.04	0	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	30,504	0.00	0.00	0.00	0.03	4842	0.00	0.00	0.00	0.03	35346	0.00	0.00	0.00	0.03
STATEWIDE	258,833	0.00	0.00	0.00	0.04	35140	0.00	0.00	0.00	0.04	293973	0.00	0.00	0.00	0.04

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	1.64	1.00	1.50	1.18	205	2.17	2.00	2.00	1.06	1495	1.72	1.00	1.50	1.18
Colusa	13,520	1.46	1.00	1.00	1.80	3178	1.76	1.00	1.50	1.44	16698	1.52	1.00	1.00	1.74
Contra Costa	7,227	0.41	0.00	0.00	0.72	20	1.56	1.00	1.50	0.60	7247	0.42	0.00	0.00	0.72
Fresno	99,095	0.93	0.00	0.50	1.60	4569	2.77	0.00	1.50	3.44	103664	1.01	0.00	0.50	1.76
Glenn	347	5.29	1.00	5.50	3.52	419	2.48	2.00	2.50	1.18	766	3.74	2.00	2.50	2.89
Kern	8,917	0.55	0.00	0.50	0.69	0	0.00	0.00	0.00	0.00	8917	0.55	0.00	0.50	0.69
Kings	42,490	1.44	0.00	0.50	2.15	2440	5.62	2.50	5.00	3.47	44930	1.65	0.00	0.50	2.43
Madera	5,732	1.68	0.00	1.00	1.70	1729	1.90	0.50	1.50	1.74	7461	1.73	0.00	1.00	1.71
Merced	19,172	1.29	0.00	1.00	1.56	8318	1.93	0.50	1.00	2.04	27490	1.48	0.00	1.00	1.75
Sacramento	1,279	0.76	0.00	0.50	0.91	1251	0.67	0.00	0.50	0.99	2530	0.72	0.00	0.50	0.95
San Benito	110	0.19	0.00	0.00	0.27	36	0.77	1.00	1.00	0.37	146	0.33	0.00	0.25	0.39
San Joaquin	5,039	0.61	0.00	0.50	0.98	2140	0.82	0.00	0.50	1.03	7179	0.67	0.00	0.50	1.00
Santa Clara	161	0.20	0.00	0.00	0.33	0	0.00	0.00	0.00	0.00	161	0.20	0.00	0.00	0.33
Solano	7,189	0.78	0.00	0.50	0.98	2180	0.75	0.00	0.50	1.09	9369	0.77	0.00	0.50	1.01
Stanislaus	3,414	1.27	0.00	1.00	1.38	1836	0.95	0.00	0.50	1.62	5250	1.16	0.00	1.00	1.47
Sutter	8,077	1.62	1.00	1.50	1.36	1977	1.56	0.50	1.00	1.48	10054	1.61	1.00	1.50	1.38

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 11 Ending 09/12/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Mold, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Tehama	599	1.48	1.00	1.00	1.08	0	0.00	0.00	0.00	0.00	599	1.48	1.00	1.00	1.08
Tulare	4,671	1.03	0.00	1.00	1.08	0	0.00	0.00	0.00	0.00	4671	1.03	0.00	1.00	1.08
Yolo	30,504	0.99	0.00	0.50	1.18	4842	0.91	0.50	0.50	0.96	35346	0.98	0.00	0.50	1.15
STATEWIDE	258,833	1.09	0.00	0.50	1.63	35140	1.87	0.50	1.00	2.40	293973	1.18	0.00	0.50	1.75

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	3.17	1.00	2.75	2.46	205	7.05	7.50	7.50	2.37	1495	3.70	1.00	3.50	2.79
Colusa	13,520	3.26	1.00	2.50	2.50	3178	3.05	1.50	2.50	2.49	16698	3.22	1.00	2.50	2.50
Contra Costa	7,227	0.84	0.50	0.50	0.93	20	0.22	0.00	0.00	0.30	7247	0.84	0.50	0.50	0.93
Fresno	99,095	1.44	0.50	1.00	1.49	4569	2.22	2.00	2.00	2.04	103664	1.48	0.50	1.00	1.53
Glenn	347	1.99	2.00	2.00	1.04	419	10.01	11.00	10.50	3.08	766	6.41	2.00	5.50	4.66
Kern	8,917	1.49	0.50	1.00	1.66	0	0.00	0.00	0.00	0.00	8917	1.49	0.50	1.00	1.66
Kings	42,490	1.58	1.00	1.00	1.53	2440	1.77	1.00	1.50	1.40	44930	1.59	1.00	1.00	1.53
Madera	5,732	2.59	1.00	2.00	2.05	1729	2.48	1.00	2.00	1.71	7461	2.56	1.00	2.00	1.98
Merced	19,172	1.50	1.00	1.00	1.31	8318	1.68	1.00	1.50	1.41	27490	1.55	1.00	1.00	1.34
Sacramento	1,279	2.68	1.00	2.00	2.33	1251	2.52	2.50	2.50	1.70	2530	2.60	1.50	2.00	2.04
San Benito	110	0.25	0.00	0.00	0.29	36	0.24	0.00	0.00	0.28	146	0.25	0.00	0.00	0.29
San Joaquin	5,039	1.22	0.50	1.00	1.11	2140	0.87	0.00	0.50	0.96	7179	1.12	0.00	1.00	1.08
Santa Clara	161	0.21	0.00	0.00	0.29	0	0.00	0.00	0.00	0.00	161	0.21	0.00	0.00	0.29
Solano	7,189	0.66	0.00	0.50	1.19	2180	0.69	0.00	0.50	0.83	9369	0.67	0.00	0.50	1.11
Stanislaus	3,414	0.49	0.00	0.00	0.79	1836	0.88	0.00	0.50	1.12	5250	0.62	0.00	0.50	0.94
Sutter	8,077	2.94	0.50	2.50	2.51	1977	3.70	1.50	2.50	3.24	10054	3.09	1.00	2.50	2.69
Tehama	599	4.53	4.00	4.50	2.47	0	0.00	0.00	0.00	0.00	599	4.53	4.00	4.50	2.47
Tulare	4,671	4.27	2.00	3.50	2.88	0	0.00	0.00	0.00	0.00	4671	4.27	2.00	3.50	2.88
Yolo	30,504	1.42	0.00	0.50	1.91	4842	0.90	0.00	0.50	1.50	35346	1.35	0.00	0.50	1.87
STATEWIDE	258,833	1.66	0.50	1.00	1.81	35140	1.95	0.00	1.50	2.20	293973	1.69	0.50	1.00	1.87

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	0.80	0.00	0.50	0.95	205	0.51	0.00	0.50	0.70	1495	0.76	0.00	0.50	0.92
Colusa	13,520	1.41	0.00	1.00	1.73	3178	1.01	1.00	1.00	0.97	16698	1.33	0.00	1.00	1.62
Contra Costa	7,227	0.91	0.00	0.50	1.07	20	0.43	0.50	0.50	0.29	7247	0.90	0.00	0.50	1.07
Fresno	99,095	0.85	0.00	0.50	1.15	4569	0.57	0.00	0.50	0.86	103664	0.84	0.00	0.50	1.14
Glenn	347	0.84	0.50	0.50	0.87	419	0.82	0.00	0.50	0.95	766	0.83	0.00	0.50	0.91
Kern	8,917	0.92	0.00	0.50	0.96	0	0.00	0.00	0.00	0.00	8917	0.92	0.00	0.50	0.96
Kings	42,490	0.72	0.00	0.50	1.01	2440	0.69	0.00	0.50	0.80	44930	0.72	0.00	0.50	1.00
Madera	5,732	0.85	0.00	0.50	0.99	1729	1.17	0.00	1.00	1.37	7461	0.92	0.00	0.50	1.10
Merced	19,172	1.15	0.00	0.50	1.43	8318	0.97	0.00	0.50	1.18	27490	1.10	0.00	0.50	1.36

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Week 11 Ending 09/12/2026

	Last Week YTD					Current Week					Year To Date				
Grade: LU, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Sacramento	1,279	0.83	0.00	0.50	0.94	1251	0.82	0.00	0.50	0.96	2530	0.82	0.00	0.50	0.95
San Benito	110	3.25	1.00	2.50	2.54	36	2.13	2.00	2.00	0.95	146	2.98	1.00	2.50	2.29
San Joaquin	5,039	0.74	0.00	0.50	0.93	2140	0.87	0.00	0.50	1.12	7179	0.78	0.00	0.50	0.99
Santa Clara	161	1.39	0.50	1.50	1.00	0	0.00	0.00	0.00	0.00	161	1.39	0.50	1.50	1.00
Solano	7,189	0.49	0.00	0.00	0.87	2180	0.44	0.00	0.00	0.77	9369	0.48	0.00	0.00	0.85
Stanislaus	3,414	1.16	0.00	0.50	1.44	1836	0.71	0.00	0.50	0.93	5250	1.00	0.00	0.50	1.30
Sutter	8,077	1.14	0.00	0.50	1.41	1977	0.90	0.00	0.50	1.11	10054	1.09	0.00	0.50	1.36
Tehama	599	1.29	0.50	1.00	1.57	0	0.00	0.00	0.00	0.00	599	1.29	0.50	1.00	1.57
Tulare	4,671	0.70	0.00	0.50	0.93	0	0.00	0.00	0.00	0.00	4671	0.70	0.00	0.50	0.93
Yolo	30,504	1.03	0.00	0.50	1.64	4842	0.51	0.00	0.00	0.88	35346	0.96	0.00	0.50	1.57
STATEWIDE	258,833	0.91	0.00	0.50	1.26	35140	0.79	0.00	0.50	1.04	293973	0.89	0.00	0.50	1.23

Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	2.64	0.50	1.50	2.72	205	3.80	2.50	3.50	2.02	1495	2.80	0.50	2.00	2.66
Colusa	13,520	1.14	0.50	1.00	1.20	3178	1.00	0.50	0.50	1.07	16698	1.11	0.50	1.00	1.18
Contra Costa	7,227	0.30	0.00	0.00	0.64	20	0.12	0.00	0.00	0.28	7247	0.30	0.00	0.00	0.63
Fresno	99,095	0.48	0.00	0.50	0.84	4569	0.54	0.00	0.50	0.69	103664	0.48	0.00	0.50	0.84
Glenn	347	1.32	0.50	1.00	1.37	419	2.22	1.00	2.00	1.56	766	1.82	1.00	1.50	1.54
Kern	8,917	0.63	0.00	0.50	1.14	0	0.00	0.00	0.00	0.00	8917	0.63	0.00	0.50	1.14
Kings	42,490	0.58	0.00	0.50	1.03	2440	1.61	0.50	1.00	1.99	44930	0.63	0.00	0.50	1.13
Madera	5,732	0.77	0.00	0.50	1.13	1729	0.70	0.00	0.50	0.97	7461	0.75	0.00	0.50	1.10
Merced	19,172	0.74	0.00	0.50	1.04	8318	0.79	0.00	0.50	1.16	27490	0.75	0.00	0.50	1.08
Sacramento	1,279	2.34	0.00	1.00	3.08	1251	2.02	0.00	0.50	2.81	2530	2.19	0.00	1.00	2.96
San Benito	110	0.55	0.50	0.50	0.27	36	0.30	0.50	0.50	0.25	146	0.49	0.50	0.50	0.29
San Joaquin	5,039	1.06	0.00	0.00	2.46	2140	0.37	0.00	0.00	0.55	7179	0.86	0.00	0.00	2.11
Santa Clara	161	0.26	0.00	0.00	0.32	0	0.00	0.00	0.00	0.00	161	0.26	0.00	0.00	0.32
Solano	7,189	0.34	0.00	0.00	0.82	2180	0.42	0.00	0.00	0.87	9369	0.36	0.00	0.00	0.83
Stanislaus	3,414	0.21	0.00	0.00	0.43	1836	0.29	0.00	0.00	0.50	5250	0.24	0.00	0.00	0.46
Sutter	8,077	0.89	0.00	0.50	1.24	1977	1.08	0.00	0.50	1.32	10054	0.93	0.00	0.50	1.26
Tehama	599	1.69	1.00	1.00	1.86	0	0.00	0.00	0.00	0.00	599	1.69	1.00	1.00	1.86
Tulare	4,671	1.03	0.50	1.00	1.12	0	0.00	0.00	0.00	0.00	4671	1.03	0.50	1.00	1.12
Yolo	30,504	0.41	0.00	0.00	0.79	4842	0.41	0.00	0.00	0.77	35346	0.41	0.00	0.00	0.79
STATEWIDE	258,833	0.60	0.00	0.50	1.07	35140	0.79	0.00	0.50	1.28	293973	0.62	0.00	0.50	1.10

Grade: Hue															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	21.11	21.50	21.50	1.09	205	19.09	19.00	19.00	0.52	1495	20.83	21.50	21.00	1.25
Colusa	13,520	21.28	21.50	21.00	1.21	3178	19.85	19.50	20.00	0.80	16698	21.00	20.50	21.00	1.27

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Week 11 Ending 09/12/2026

Last Week YTD						Current Week					Year To Date				
Grade: Hue, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	7,227	20.00	19.50	20.00	0.98	20	19.49	19.50	19.50	0.44	7247	20.00	19.50	20.00	0.98
Fresno	99,095	20.41	20.00	20.00	1.29	4569	20.31	20.00	20.00	1.19	103664	20.41	20.00	20.00	1.28
Glenn	347	22.51	19.50	23.00	2.39	419	20.36	20.50	20.50	0.60	766	21.32	20.00	20.50	1.99
Kern	8,917	20.54	20.50	20.50	1.10	0	0.00	0.00	0.00	0.00	8917	20.54	20.50	20.50	1.10
Kings	42,490	20.36	20.00	20.00	1.17	2440	21.17	21.50	21.00	1.06	44930	20.40	20.00	20.00	1.18
Madera	5,732	20.92	20.00	21.00	1.42	1729	20.77	22.00	21.00	1.44	7461	20.88	20.00	21.00	1.42
Merced	19,172	21.04	20.50	21.00	1.22	8318	20.46	20.50	20.50	1.14	27490	20.87	20.50	20.50	1.23
Sacramento	1,279	21.37	21.00	21.00	1.11	1251	20.33	20.00	20.00	0.94	2530	20.86	20.00	20.50	1.15
San Benito	110	20.30	20.00	20.00	0.53	36	19.73	20.00	19.75	0.53	146	20.16	20.00	20.00	0.58
San Joaquin	5,039	21.05	20.00	21.00	1.49	2140	19.72	19.50	19.50	1.04	7179	20.66	20.00	20.50	1.50
Santa Clara	161	19.50	19.50	19.50	0.41	0	0.00	0.00	0.00	0.00	161	19.50	19.50	19.50	0.41
Solano	7,189	20.81	20.50	20.50	1.22	2180	20.21	20.00	20.00	0.90	9369	20.67	20.50	20.50	1.18
Stanislaus	3,414	20.66	20.50	20.50	1.34	1836	20.13	19.50	20.00	1.13	5250	20.48	20.00	20.50	1.29
Sutter	8,077	21.52	21.50	21.50	1.21	1977	20.51	20.00	20.50	1.21	10054	21.32	21.50	21.50	1.28
Tehama	599	22.11	21.50	22.00	1.02	0	0.00	0.00	0.00	0.00	599	22.11	21.50	22.00	1.02
Tulare	4,671	20.33	20.50	20.00	1.02	0	0.00	0.00	0.00	0.00	4671	20.33	20.50	20.00	1.02
Yolo	30,504	21.51	21.00	21.50	1.39	4842	20.37	20.00	20.50	0.97	35346	21.35	21.00	21.00	1.40
STATEWIDE	258,833	20.71	20.00	20.50	1.34	35140	20.34	20.00	20.00	1.13	293973	20.66	20.00	20.50	1.32

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	4.75	4.60	4.70	0.29	205	4.42	4.40	4.40	0.16	1495	4.70	4.50	4.70	0.29
Colusa	13,520	5.06	4.90	5.00	0.41	3178	4.79	4.90	4.80	0.40	16698	5.01	4.90	5.00	0.42
Contra Costa	7,227	5.20	5.10	5.20	0.35	20	5.52	5.50	5.50	0.27	7247	5.20	5.10	5.20	0.35
Fresno	99,095	5.36	5.30	5.40	0.46	4569	5.08	4.80	5.00	0.52	103664	5.35	5.30	5.30	0.47
Glenn	347	4.88	5.00	4.90	0.29	419	4.42	4.40	4.40	0.23	766	4.63	4.40	4.60	0.34
Kern	8,917	5.04	4.60	5.00	0.54	0	0.00	0.00	0.00	0.00	8917	5.04	4.60	5.00	0.54
Kings	42,490	4.97	4.90	4.90	0.45	2440	5.05	4.70	4.90	0.55	44930	4.98	4.90	4.90	0.45
Madera	5,732	5.11	4.90	5.10	0.43	1729	5.18	5.00	5.20	0.47	7461	5.12	5.00	5.10	0.44
Merced	19,172	5.11	4.90	5.00	0.56	8318	5.05	4.90	5.00	0.53	27490	5.09	4.90	5.00	0.55
Sacramento	1,279	5.15	5.00	5.10	0.39	1251	5.36	5.20	5.30	0.49	2530	5.25	5.20	5.20	0.45
San Benito	110	4.91	4.80	4.90	0.23	36	4.79	4.80	4.80	0.20	146	4.88	4.80	4.80	0.23
San Joaquin	5,039	5.45	5.40	5.40	0.44	2140	5.48	5.20	5.40	0.56	7179	5.46	5.20	5.40	0.48
Santa Clara	161	5.01	4.90	4.90	0.35	0	0.00	0.00	0.00	0.00	161	5.01	4.90	4.90	0.35
Solano	7,189	5.26	5.30	5.20	0.53	2180	5.37	5.30	5.30	0.48	9369	5.29	5.30	5.30	0.52
Stanislaus	3,414	5.36	5.40	5.30	0.47	1836	5.24	5.30	5.20	0.47	5250	5.32	5.30	5.30	0.48
Sutter	8,077	4.92	4.80	4.90	0.44	1977	4.79	4.50	4.70	0.48	10054	4.90	4.80	4.80	0.45
Tehama	599	4.83	4.80	4.80	0.28	0	0.00	0.00	0.00	0.00	599	4.83	4.80	4.80	0.28
Tulare	4,671	4.87	4.50	4.80	0.42	0	0.00	0.00	0.00	0.00	4671	4.87	4.50	4.80	0.42
Yolo	30,504	4.99	4.90	5.00	0.40	4842	4.99	4.90	4.90	0.41	35346	4.99	4.90	5.00	0.40

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 11 Ending 09/12/2026

STATEWIDE	258,833	5.17	5.00	5.10	0.49	35140	5.07	4.90	5.00	0.53	293973	5.16	5.00	5.10	0.50
-----------	---------	------	------	------	------	-------	------	------	------	------	--------	------	------	------	------

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,290	4.40	4.41	4.40	0.08	205	4.48	4.49	4.48	0.06	1495	4.41	4.43	4.41	0.08
Colusa	13,520	4.39	4.36	4.38	0.09	3178	4.38	4.37	4.38	0.07	16698	4.39	4.36	4.38	0.09
Contra Costa	7,227	4.39	4.41	4.39	0.08	20	4.38	4.35	4.37	0.05	7247	4.39	4.41	4.39	0.08
Fresno	99,095	4.41	4.40	4.40	0.10	4569	4.46	4.39	4.44	0.11	103664	4.41	4.40	4.41	0.10
Glenn	347	4.39	4.36	4.38	0.08	419	4.34	4.33	4.33	0.06	766	4.36	4.37	4.35	0.07
Kern	8,917	4.38	4.36	4.38	0.09	0	0.00	0.00	0.00	0.00	8917	4.38	4.36	4.38	0.09
Kings	42,490	4.39	4.40	4.39	0.09	2440	4.45	4.44	4.44	0.07	44930	4.39	4.40	4.39	0.09
Madera	5,732	4.46	4.46	4.46	0.09	1729	4.47	4.51	4.48	0.09	7461	4.46	4.49	4.46	0.09
Merced	19,172	4.45	4.44	4.45	0.10	8318	4.45	4.38	4.45	0.10	27490	4.45	4.44	4.45	0.10
Sacramento	1,279	4.31	4.31	4.30	0.09	1251	4.38	4.45	4.39	0.10	2530	4.34	4.31	4.33	0.10
San Benito	110	4.28	4.24	4.27	0.06	36	4.45	4.42	4.44	0.06	146	4.32	4.24	4.30	0.09
San Joaquin	5,039	4.34	4.37	4.34	0.09	2140	4.39	4.36	4.38	0.10	7179	4.35	4.36	4.36	0.09
Santa Clara	161	4.39	4.35	4.38	0.09	0	0.00	0.00	0.00	0.00	161	4.39	4.35	4.38	0.09
Solano	7,189	4.38	4.40	4.38	0.08	2180	4.37	4.36	4.37	0.09	9369	4.38	4.38	4.38	0.08
Stanislaus	3,414	4.43	4.44	4.43	0.09	1836	4.41	4.40	4.41	0.09	5250	4.43	4.41	4.42	0.09
Sutter	8,077	4.39	4.38	4.39	0.08	1977	4.36	4.32	4.36	0.08	10054	4.39	4.38	4.39	0.08
Tehama	599	4.33	4.33	4.32	0.06	0	0.00	0.00	0.00	0.00	599	4.33	4.33	4.32	0.06
Tulare	4,671	4.43	4.39	4.43	0.09	0	0.00	0.00	0.00	0.00	4671	4.43	4.39	4.43	0.09
Yolo	30,504	4.36	4.33	4.35	0.10	4842	4.33	4.32	4.33	0.08	35346	4.36	4.33	4.35	0.09
STATEWIDE	258,833	4.40	4.40	4.39	0.10	35140	4.41	4.39	4.40	0.10	293973	4.40	4.40	4.40	0.10

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 11 Ending 09/12/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.6	292,741	0.0	32.4	95,231	0.0	17.3	50,963	0.0	36.2	106,345	0.0	45.7	134,386
0.5	99.9	293,822	0.5	54.6	160,630	0.5	36.8	108,182	0.5	60.7	178,372	0.5	74.7	219,656
1.0	100.0	293,923	1.0	70.1	206,163	1.0	53.7	157,961	1.0	76.9	226,009	1.0	86.8	255,122
1.5	100.0	293,950	1.5	79.0	232,100	1.5	65.7	193,264	1.5	85.3	250,811	1.5	91.9	270,154
2.0	100.0	293,967	2.0	84.6	248,820	2.0	74.7	219,703	2.0	90.3	265,549	2.0	94.6	278,108
2.5	100.0	293,969	2.5	88.5	260,180	2.5	81.2	238,569	2.5	93.4	274,530	2.5	96.2	282,857
3.0	100.0	293,971	3.0	91.2	267,978	3.0	85.8	252,198	3.0	95.4	280,410	3.0	97.3	285,918
3.5	100.0	293,972	3.5	93.1	273,698	3.5	89.2	262,188	3.5	96.7	284,266	3.5	98.0	288,023
4.0	100.0	293,973	4.0	94.6	277,967	4.0	91.6	269,405	4.0	97.6	286,878	4.0	98.5	289,455
			4.5	95.7	281,223	4.5	93.5	274,740	4.5	98.2	288,757	4.5	98.8	290,458
			5.0	96.5	283,647	5.0	94.8	278,753	5.0	98.7	290,016	5.0	99.0	291,175
			5.5	97.2	285,613	5.5	95.9	281,883	5.5	99.0	291,022	5.5	99.2	291,727
			6.0	97.7	287,078	6.0	96.7	284,253	6.0	99.2	291,718	6.0	99.4	292,191
			6.5	98.1	288,369	6.5	97.4	286,215	6.5	99.4	292,227	6.5	99.5	292,505
			7.0	98.4	289,334	7.0	97.9	287,791	7.0	99.5	292,613	7.0	99.6	292,761
			7.5	98.7	290,149	7.5	98.3	289,024	7.5	99.6	292,911	7.5	99.7	292,949
			8.0	98.9	290,822	8.0	98.7	290,029	8.0	99.7	293,139	8.0	99.7	293,110
			8.5	99.1	291,394	8.5	99.0	290,887	8.5	99.8	293,307	8.5	99.8	293,240
			9.0	99.3	291,872	9.0	99.2	291,544	9.0	99.8	293,440	9.0	99.8	293,358
			9.5	99.4	292,241	9.5	99.3	292,057	9.5	99.9	293,551	9.5	99.8	293,448
			10.0	99.5	292,550	10.0	99.5	292,469	10.0	99.9	293,637	10.0	99.8	293,523
			10.5	99.6	292,769	10.5	99.6	292,822	10.5	99.9	293,707	10.5	99.9	293,583
			11.0	99.7	292,972	11.0	99.7	293,034	11.0	99.9	293,759	11.0	99.9	293,630
			11.5	99.7	293,164	11.5	99.7	293,230	11.5	99.9	293,791	11.5	99.9	293,674
			12.0	99.8	293,284	12.0	99.8	293,401	12.0	99.9	293,825	12.0	99.9	293,718
			12.5	99.8	293,396	12.5	99.8	293,520	12.5	100.0	293,855	12.5	99.9	293,756
			13.0	99.8	293,485	13.0	99.9	293,634	13.0	100.0	293,877	13.0	99.9	293,793
			13.5	99.9	293,560	13.5	99.9	293,710	13.5	100.0	293,893	13.5	99.9	293,820
			14.0	99.9	293,614	14.0	99.9	293,759	14.0	100.0	293,918	14.0	100.0	293,841
			14.5	99.9	293,671	14.5	99.9	293,804	14.5	100.0	293,927	14.5	100.0	293,860
			15.0	99.9	293,713	15.0	100.0	293,840	15.0	100.0	293,932	15.0	100.0	293,876
			15.5	99.9	293,744	15.5	100.0	293,865	15.5	100.0	293,940	15.5	100.0	293,889
			16.0	99.9	293,775	16.0	100.0	293,887	16.0	100.0	293,944	16.0	100.0	293,900
			16.5	99.9	293,802	16.5	100.0	293,906	16.5	100.0	293,946	16.5	100.0	293,911
			17.0	99.9	293,815	17.0	100.0	293,920	17.0	100.0	293,948	17.0	100.0	293,918
			17.5	100.0	293,839	17.5	100.0	293,924	17.5	100.0	293,954	17.5	100.0	293,928
			18.0	100.0	293,855	18.0	100.0	293,933	18.0	100.0	293,955	18.0	100.0	293,942
			18.5	100.0	293,868	18.5	100.0	293,942	18.5	100.0	293,957	18.5	100.0	293,949
			19.0	100.0	293,878	19.0	100.0	293,945	19.0	100.0	293,962	19.0	100.0	293,954
			19.5	100.0	293,893	19.5	100.0	293,947	19.5	100.0	293,963	19.5	100.0	293,957
			20.0	100.0	293,903	20.0	100.0	293,949	20.0	100.0	293,965	20.0	100.0	293,960
			20.5	100.0	293,910	20.5	100.0	293,950	20.5	100.0	293,965	20.5	100.0	293,964
			21.0	100.0	293,916	21.0	100.0	293,955	21.0	100.0	293,965	21.0	100.0	293,966
			21.5	100.0	293,920	21.5	100.0	293,958	21.5	100.0	293,966	21.5	100.0	293,966

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 11 Ending 09/12/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week				#Loads	Year To Date			
		GREEN Percent Less than or Equal To:					GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Butte	205	0	0	5	12	1,495	28	37	48	61
Colusa	3,178	20	44	65	79	16,698	21	41	60	73
Contra Costa	20	100	100	100	100	7,247	77	91	97	99
Fresno	4,569	31	64	83	91	103,664	56	78	89	94
Glenn	419	0	0	1	4	766	11	29	40	46
Kern	0	0	0	0	0	8,917	59	81	89	93
Kings	2,440	41	71	87	94	44,930	51	78	89	94
Madera	1,729	27	54	72	84	7,461	27	53	72	83
Merced	8,318	46	73	88	94	27,490	50	77	90	95
Sacramento	1,251	18	49	77	89	2,530	28	53	72	82
San Benito	36	100	100	100	100	146	100	100	100	100
San Joaquin	2,140	75	91	97	99	7,179	64	86	95	98
Santa Clara	0	0	0	0	0	161	100	100	100	100
Solano	2,180	79	93	98	99	9,369	84	93	97	98
Stanislaus	1,836	72	89	97	98	5,250	82	93	97	99
Sutter	1,977	24	47	59	66	10,054	30	48	61	72
Tehama	0	0	0	0	0	599	4	18	34	49
Tulare	0	0	0	0	0	4,671	8	25	42	57
Yolo	4,842	79	87	92	95	35,346	68	80	87	91
STATEWIDE TOTALS										
CURRENT WEEK	35,140	47.7	70.1	83.3	90.0	293,973	54	75	86	92
LAST WEEK YTD						258,833	55	75	86	92

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 11 Ending 09/12/2026

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week				#Loads	Year To Date			
		LU Percent Less than or Equal To:					LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Butte	205	100	100	100	100	1,495	99	100	100	100
Colusa	3,178	99	100	100	100	16,698	96	99	99	99
Contra Costa	20	100	100	100	100	7,247	99	99	100	100
Fresno	4,569	99	99	100	100	103,664	98	99	99	99
Glenn	419	99	100	100	100	766	99	100	100	100
Kern	0	0	0	0	0	8,917	99	99	100	100
Kings	2,440	99	100	100	100	44,930	99	99	99	99
Madera	1,729	97	99	99	100	7,461	99	99	99	100
Merced	8,318	98	99	99	100	27,490	98	99	99	99
Sacramento	1,251	99	100	100	100	2,530	99	100	100	100
San Benito	36	100	100	100	100	146	82	96	100	100
San Joaquin	2,140	99	99	99	100	7,179	99	99	99	100
Santa Clara	0	0	0	0	0	161	100	100	100	100
Solano	2,180	99	100	100	100	9,369	99	99	99	99
Stanislaus	1,836	99	99	100	100	5,250	98	99	99	99
Sutter	1,977	99	99	100	100	10,054	98	99	99	99
Tehama	0	0	0	0	0	599	96	99	100	100
Tulare	0	0	0	0	0	4,671	99	100	100	100
Yolo	4,842	99	99	100	100	35,346	97	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	35,140	99.2	99.9	100.0	100.0	293,973	99	100	100	100
LAST WEEK YTD						258,833	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 11 Ending 09/12/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	Current Week							Year To Date						
	MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:						
	#Loads	3%	4%	5%	6%	7%	8%	#Loads	3%	4%	5%	6%	7%	8%
Butte	205	84	96	99	99	100	100	1,495	89	96	99	99	100	100
Colusa	3,178	86	93	96	98	99	99	16,698	90	95	97	98	98	99
Contra Costa	20	100	100	100	100	100	100	7,247	98	99	99	99	99	99
Fresno	4,569	71	77	82	86	89	92	103,664	93	95	96	97	98	98
Glenn	419	77	92	98	99	99	100	766	58	69	75	79	85	90
Kern	0	0	0	0	0	0	0	8,917	99	99	99	99	100	100
Kings	2,440	30	41	52	62	70	78	44,930	81	86	90	93	95	96
Madera	1,729	80	89	94	97	99	99	7,461	83	90	95	97	99	99
Merced	8,318	83	89	92	95	96	97	27,490	88	93	95	97	98	99
Sacramento	1,251	96	98	99	99	99	100	2,530	97	98	99	99	99	100
San Benito	36	100	100	100	100	100	100	146	100	100	100	100	100	100
San Joaquin	2,140	96	98	99	99	99	99	7,179	98	99	99	99	99	99
Santa Clara	0	0	0	0	0	0	0	161	100	100	100	100	100	100
Solano	2,180	95	98	99	99	99	99	9,369	96	98	99	99	99	99
Stanislaus	1,836	95	98	99	99	99	99	5,250	93	96	98	99	99	99
Sutter	1,977	90	95	97	98	99	99	10,054	89	95	97	98	99	99
Tehama	0	0	0	0	0	0	0	599	93	97	99	99	100	100
Tulare	0	0	0	0	0	0	0	4,671	95	98	99	99	99	99
Yolo	4,842	96	98	99	99	99	100	35,346	95	97	98	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	35,140	83.1	88.4	91.7	94.1	95.7	96.9	293,973	91	95	96	98	98	99
LAST WEEK YTD								258,833	92	95	97	98	99	99

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 11 Ending 09/12/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Butte	205	0	3	18	48	1,495	24	35	53	68
Colusa	3,178	50	72	89	95	16,698	46	68	87	94
Contra Costa	20	95	100	100	100	7,247	87	94	98	99
Fresno	4,569	76	91	97	99	103,664	80	91	97	98
Glenn	419	10	30	59	79	766	23	44	70	86
Kern	0	0	0	0	0	8,917	75	88	95	97
Kings	2,440	39	57	77	86	44,930	74	86	94	97
Madera	1,729	68	83	94	97	7,461	68	82	92	96
Merced	8,318	67	82	92	96	27,490	67	82	93	96
Sacramento	1,251	51	61	72	79	2,530	44	57	70	78
San Benito	36	100	100	100	100	146	85	99	100	100
San Joaquin	2,140	82	93	98	99	7,179	78	87	92	93
Santa Clara	0	0	0	0	0	161	96	98	100	100
Solano	2,180	81	91	97	98	9,369	85	92	96	98
Stanislaus	1,836	87	95	98	99	5,250	90	96	99	99
Sutter	1,977	52	71	86	93	10,054	59	75	89	94
Tehama	0	0	0	0	0	599	31	52	77	87
Tulare	0	0	0	0	0	4,671	47	70	89	96
Yolo	4,842	83	92	97	98	35,346	82	91	97	98
STATEWIDE TOTALS										
CURRENT WEEK	35,140	67.9	81.8	91.6	95.6	293,973	75	87	95	97
LAST WEEK YTD						258,833	76	87	95	97

Average Defects Report (RP10)**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS**
Week 11 Ending 09/12/2026**Butte**

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
510	2015, HZ	Cur Wk	185	0.0	2.1	7.4	3.9	19.0	0.5	4.4	4.49
		YTD	322	0.0	2.3	7.1	4.0	19.0	0.5	4.4	4.49
610	2016, HZ	Cur Wk	20	0.0	2.4	3.8	2.9	19.8	0.3	4.3	4.38
		YTD	146	0.0	1.3	1.6	4.1	20.0	1.2	4.8	4.47
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	270	0.0	0.8	4.8	5.0	21.1	1.1	5.1	4.44
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	670	0.0	1.8	1.9	1.0	21.7	0.5	4.6	4.34
Cur Wk:			205	0.0	2.2	7.1	3.8	19.1	0.5	4.4	4.48
YTD			1,494	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	751	0.0	1.0	1.1	1.3	20.3	1.3	4.9	4.45
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,092	0.0	2.4	4.8	1.4	22.6	2.8	4.9	4.47
036	8163, HM	Cur Wk	64	0.0	4.0	0.4	0.4	20.6	0.7	5.3	4.49
		YTD	163	0.0	3.2	0.5	0.6	20.4	0.5	5.3	4.47
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,854	0.0	0.7	4.5	1.0	21.6	0.8	5.2	4.34
068	8268, HM	Cur Wk	32	0.0	3.6	1.0	0.2	19.3	0.5	5.1	4.44
		YTD	104	0.0	2.8	0.7	0.2	19.5	0.4	5.0	4.46
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.8	4.3	1.4	20.7	2.7	4.8	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
210	110, BP	Cur Wk	2	0.0	4.5	0.0	0.0	20.5	1.0	5.1	4.39
		YTD	2	0.0	4.5	0.0	0.0	20.5	1.0	5.1	4.39
219	109, BP	Cur Wk	20	0.0	4.6	0.4	0.1	20.5	0.3	5.2	4.40
		YTD	21	0.0	4.5	0.4	0.1	20.5	0.3	5.2	4.39
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	114	0.0	2.5	6.4	1.3	21.9	1.2	4.5	4.42
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.8	0.8	0.0	20.7	0.2	4.9	4.48
263	2639, HZ	Cur Wk	74	0.0	2.1	4.5	1.1	19.8	1.1	5.0	4.35
		YTD	92	0.0	2.1	4.4	1.0	19.8	1.0	5.0	4.35
264	2640, HZ	Cur Wk	41	0.0	2.7	3.5	0.7	21.3	2.0	4.5	4.36
		YTD	59	0.0	2.5	4.6	0.7	21.3	1.6	4.5	4.40
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	76	0.0	3.1	4.3	2.2	22.0	1.7	4.7	4.39
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.3	3.6	1.6	22.4	2.9	5.2	4.42
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
485	6485, N	Cur Wk	42	0.0	5.0	1.1	0.3	20.5	0.4	4.1	4.59
		YTD	130	0.0	3.6	1.2	0.6	20.6	0.5	4.1	4.58
510	2015, HZ	Cur Wk	328	0.0	1.7	2.3	0.8	19.0	0.8	4.7	4.44
		YTD	587	0.0	1.7	2.6	0.9	19.1	1.0	4.8	4.46
552	5522, HM	Cur Wk	20	0.0	4.6	0.9	0.2	20.2	0.2	5.2	4.41
		YTD	144	0.0	2.8	0.5	0.3	20.1	0.3	5.1	4.38
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.0	0.7	0.3	20.6	0.2	5.1	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.8	0.7	20.9	1.7	4.9	4.55
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	43	0.0	1.1	5.0	0.9	21.1	0.9	4.8	4.34
610	2016, HZ	Cur Wk	2,099	0.0	1.7	3.4	1.1	19.9	1.0	4.7	4.36
		YTD	3,395	0.0	1.3	2.9	1.2	20.0	1.2	4.7	4.36
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	2.4	1.7	1.1	21.9	0.7	4.9	4.38
662	1662, HZ	Cur Wk	187	0.0	2.0	2.5	0.9	21.2	1.7	4.6	4.41

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
730	9037, SVTM	YTD	187	0.0	2.0	2.5	0.9	21.2	1.7	4.6	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.9	4.0	1.3	22.0	0.7	4.9	4.34
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.2	1.8	0.2	0.0	20.5	0.2	5.0	4.35
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.2	2.2	0.3	0.0	20.0	0.2	5.1	4.38
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,550	0.0	2.0	3.3	1.0	21.4	0.7	5.1	4.35
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.6	1.4	0.0	21.9	0.6	5.0	4.24
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	2.0	2.3	0.9	22.0	2.3	4.9	4.43
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	812	0.0	1.2	2.5	1.2	21.3	0.7	5.0	4.33
996	1996, HZ	Cur Wk	268	0.0	0.6	2.3	1.2	19.4	0.9	5.4	4.41
		YTD	748	0.0	0.6	1.7	1.2	19.6	1.0	5.5	4.42
Cur Wk:			3,177	0.0	1.8	3.0	1.0	19.8	1.0	4.8	4.38
YTD			16,697	0.0	1.5	3.2	1.1	21.0	1.3	5.0	4.39

Contra Costa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	247	0.0	1.3	0.4	0.3	19.3	1.1	5.6	4.52
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	421	0.0	0.5	1.1	0.4	19.8	0.8	5.1	4.45
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,502	0.0	0.2	0.7	0.2	19.6	1.0	5.3	4.40
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Contra Costa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	1.3	0.5	20.1	1.1	5.3	4.28
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.4	1.2	0.6	20.1	0.7	5.4	4.30
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.3	0.6	0.4	20.4	0.7	5.2	4.41
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	265	0.0	0.5	1.4	0.3	20.4	2.7	5.1	4.42
552	5522, HM	Cur Wk	20	0.0	1.6	0.2	0.1	19.5	0.4	5.5	4.38
		YTD	1,019	0.0	0.5	0.6	0.3	19.5	0.4	5.3	4.35
740	74, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	976	0.0	1.0	1.1	0.3	19.9	1.4	5.2	4.43
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	0.5	0.8	0.4	22.5	1.2	5.1	4.26
Cur Wk:			20	0.0	1.6	0.2	0.1	19.5	0.4	5.5	4.38
YTD			7,247	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	1.3	0.6	0.3	21.5	0.5	5.1	4.37
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	20	0.0	7.8	2.0	0.4	20.4	3.2	5.5	4.55
		YTD	8,403	0.0	0.5	1.2	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4,549	0.0	0.9	0.7	0.5	19.5	1.1	5.8	4.47
037	8237, HM	Cur Wk	750	0.0	0.9	2.0	0.4	20.6	0.4	5.1	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	8,467	0.0	0.9	1.2	0.3	21.1	0.5	5.4	4.38
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	58	0.0	1.0	0.2	0.3	19.0	0.9	5.8	4.52
		YTD	1,216	0.0	1.2	1.3	0.5	20.0	1.4	5.6	4.55
068	8268, HM	Cur Wk	150	0.0	1.1	9.8	1.6	19.1	2.1	6.0	4.48
		YTD	3,947	0.0	0.8	1.6	0.4	19.5	1.2	5.5	4.44
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,184	0.0	0.7	4.8	1.4	21.2	0.8	5.5	4.43
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	695	0.0	1.0	0.9	0.4	20.5	1.2	4.9	4.48
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,704	0.0	1.5	0.7	0.4	19.8	0.8	5.1	4.47
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.0	1.6	0.8	19.5	0.4	4.7	4.55
171	1715, LS	Cur Wk	23	0.0	12.1	2.3	0.5	21.4	0.8	5.0	4.63
		YTD	23	0.0	12.1	2.3	0.5	21.4	0.8	5.0	4.63
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,712	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,051	0.0	2.9	4.1	0.7	19.4	1.6	5.4	4.45
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	381	0.0	0.9	0.5	0.1	19.9	0.7	5.6	4.38
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	65	0.0	1.9	0.5	0.6	19.3	0.5	5.9	4.34
		YTD	466	0.0	0.9	0.8	0.2	20.3	0.7	5.8	4.35
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,659	0.0	0.5	1.3	0.4	21.9	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	70	0.0	3.0	1.4	1.0	20.7	0.8	4.8	4.45
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	1.0	1.0	0.2	21.3	1.3	5.0	4.28
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
365	2365, HZ	Cur Wk	162	0.0	2.2	2.4	0.5	20.8	0.4	4.7	4.58
		YTD	361	0.0	2.3	2.0	0.5	20.6	0.4	4.9	4.56
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	37	0.0	0.2	4.1	1.1	19.4	0.4	6.6	4.34
		YTD	276	0.0	1.1	2.9	1.3	20.5	1.8	6.2	4.44
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6,040	0.0	0.7	1.2	0.5	20.4	0.9	5.4	4.49
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	983	0.0	2.9	3.0	1.4	21.9	1.7	5.1	4.49
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	347	0.0	0.3	1.8	0.4	21.1	0.3	5.1	4.39
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	0.8	1.0	0.5	21.8	2.3	5.4	4.55
477	4707, HZ	Cur Wk	183	0.0	2.8	2.9	0.7	22.0	0.3	4.8	4.48

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	183	0.0	2.8	2.9	0.7	22.0	0.3	4.8	4.48
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	178	0.0	3.3	0.8	0.3	19.2	0.8	5.0	4.56
		YTD	1,203	0.0	1.6	0.8	0.3	19.9	0.6	4.7	4.57
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,115	0.0	0.5	0.8	0.2	19.4	0.3	5.2	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
533	533	Cur Wk	43	0.0	9.5	2.9	0.4	21.1	0.9	4.7	4.55
		YTD	43	0.0	9.5	2.9	0.4	21.1	0.9	4.7	4.55
552	5522, HM	Cur Wk	4	0.0	3.8	2.0	0.0	19.1	0.9	5.7	4.36
		YTD	5,792	0.0	0.6	0.8	0.2	19.5	0.6	5.6	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,143	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	1	0.0	0.0	0.5	0.0	19.0	0.0	5.1	4.52
		YTD	40	0.0	1.0	0.7	0.2	20.3	1.1	5.4	4.45
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
572	0275, SY	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.4	0.9	0.4	20.3	2.9	5.4	4.42
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	73	0.0	5.8	1.2	0.4	20.5	1.3	5.4	4.50
610	2016, HZ	Cur Wk	613	0.0	4.9	2.4	0.4	19.8	0.6	4.7	4.51
		YTD	3,771	0.0	3.0	1.7	0.5	20.1	0.6	4.7	4.47
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	57	0.0	0.6	2.0	0.2	19.7	0.1	5.6	4.44
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.7	1.5	0.5	19.5	0.1	4.9	4.40
652	6502, N	Cur Wk	2	0.0	0.0	0.0	0.0	18.7	0.7	5.1	4.50
		YTD	2	0.0	0.0	0.0	0.0	18.7	0.7	5.1	4.50
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.6	0.5	20.5	0.7	5.6	4.49

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
662	1662, HZ	Cur Wk	125	0.0	6.8	2.1	0.6	22.2	1.2	4.8	4.65
		YTD	441	0.0	4.8	1.9	0.4	21.8	1.3	4.9	4.59
707	47073, HZ	Cur Wk	12	0.0	20.9	3.1	0.7	22.4	0.5	4.6	4.66
		YTD	440	0.0	7.3	1.9	0.4	23.6	2.1	4.8	4.59
730	9037, SVTM	Cur Wk	206	0.0	1.2	2.3	0.6	21.0	0.3	5.2	4.36
		YTD	2,817	0.0	1.2	2.0	0.4	21.9	0.5	5.1	4.36
755	7558, NB	Cur Wk	30	0.1	0.9	1.2	0.2	20.0	0.7	5.0	4.35
		YTD	49	0.1	2.1	1.3	0.2	20.0	1.5	5.4	4.40
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	1.1	0.6	0.1	18.5	0.9	5.6	4.53
820	1082, SVTM	Cur Wk	171	0.0	1.0	1.1	0.3	19.5	1.1	6.0	4.36
		YTD	1,898	0.0	1.3	1.2	0.4	20.7	1.4	5.7	4.38
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,341	0.0	0.8	2.2	0.9	20.7	0.5	5.5	4.44
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	486	0.0	0.8	2.8	0.8	19.4	0.4	5.0	4.41
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,573	0.0	0.6	1.3	0.3	21.4	1.2	5.1	4.44
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.2	0.8	0.0	18.9	0.5	5.6	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	163	0.0	7.7	2.0	0.2	21.6	0.4	5.0	4.53
		YTD	459	0.0	3.1	1.3	0.2	21.4	0.2	5.2	4.43
919	9019, SVTM	Cur Wk	122	0.0	1.9	1.5	0.5	21.7	1.2	5.4	4.33
		YTD	3,393	0.0	1.3	2.1	1.1	21.9	1.6	5.7	4.30
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,068	0.0	1.2	3.2	1.3	21.0	1.6	5.3	4.40
925	9025, SVTM	Cur Wk	36	0.0	7.1	0.4	0.2	20.8	1.0	5.3	4.38
		YTD	3,389	0.0	0.9	0.8	0.3	21.3	0.8	5.6	4.29
941	9041, SVTM	Cur Wk	209	0.0	2.7	1.2	0.3	20.8	0.3	5.0	4.43
		YTD	2,879	0.0	1.3	1.1	0.3	21.0	0.5	5.3	4.41
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
996	1996, HZ	Cur Wk	1,205	0.0	2.0	2.0	0.7	19.8	0.4	5.0	4.46
		YTD	7,055	0.0	1.2	1.9	0.5	20.0	0.3	5.0	4.44
Cur Wk:			4,568	0.0	2.8	2.2	0.5	20.3	0.6	5.1	4.46

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

YTD

103,474

0.0

1.0

1.5

0.5

20.4

0.8

5.4

4.41

Glenn

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
610	2016, HZ	Cur Wk	419	0.0	2.5	10.0	2.2	20.4	0.8	4.4	4.34
		YTD	537	0.0	2.3	8.1	1.9	20.2	0.8	4.5	4.34
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	205	0.1	7.6	2.4	1.7	24.2	0.9	5.1	4.39
Cur Wk:			419	0.0	2.5	10.0	2.2	20.4	0.8	4.4	4.34
YTD			765	0.0	3.7	6.4	1.8	21.3	0.8	4.6	4.36

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	0.8	1.0	0.2	24.0	1.9	4.4	4.56
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,021	0.0	0.2	1.4	0.5	20.9	0.5	4.7	4.35
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			8,908	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	445	0.0	2.4	1.9	0.9	20.5	0.6	5.0	4.38
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	886	0.0	0.7	0.7	0.4	19.6	0.7	5.6	4.50

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	498	0.0	2.5	1.6	1.1	20.0	0.7	5.2	4.43
		YTD	1,690	0.0	1.8	1.4	0.7	20.7	0.8	5.2	4.40
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
239	9023, SVTM	Cur Wk	231	0.0	9.0	1.5	3.4	22.2	1.2	4.8	4.49
		YTD	3,599	0.0	5.1	1.4	1.5	21.6	1.1	5.0	4.46
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
365	2365, HZ	Cur Wk	181	0.0	3.1	2.6	1.0	20.1	0.6	4.6	4.52
		YTD	783	0.0	2.4	2.3	1.0	19.9	0.5	4.8	4.52
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,018	0.0	0.5	1.1	0.5	20.6	0.3	5.1	4.35
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	1.7	1.5	1.3	21.4	1.1	4.9	4.45
477	4707, HZ	Cur Wk	42	0.0	3.1	2.6	0.5	22.1	0.4	4.6	4.55
		YTD	42	0.0	3.1	2.6	0.5	22.1	0.4	4.6	4.55
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.9	0.7	0.3	21.0	1.0	4.4	4.61
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	28	0.0	4.1	1.4	0.4	19.6	0.7	4.8	4.55
		YTD	11,794	0.0	1.3	1.8	0.6	19.7	0.6	4.7	4.38
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
707	47073, HZ	Cur Wk	39	0.0	6.1	2.0	0.7	21.7	0.9	4.9	4.60
		YTD	39	0.0	6.1	2.0	0.7	21.7	0.9	4.9	4.60
730	9037, SVTM	Cur Wk	1,270	0.0	6.1	1.7	1.9	21.6	0.7	5.2	4.42
		YTD	4,506	0.0	4.4	1.7	1.2	21.4	0.6	5.2	4.41
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	472	0.0	1.3	3.6	1.2	20.5	0.5	5.1	4.41
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	188	0.0	2.1	1.1	0.3	22.2	1.1	5.0	4.49
916	9016, SVTM	Cur Wk	151	0.0	10.1	1.8	0.3	21.1	0.2	5.0	4.52
		YTD	151	0.0	10.1	1.8	0.3	21.1	0.2	5.0	4.52

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	920	0.0	1.4	0.5	0.2	20.8	1.3	5.3	4.28
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	865	0.0	0.6	1.3	0.4	20.7	0.4	4.6	4.41
Cur Wk:			2,440	0.0	5.6	1.8	1.6	21.2	0.7	5.0	4.45
YTD			44,886	0.0	1.6	1.6	0.6	20.4	0.7	5.0	4.39

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	139	0.0	0.5	1.5	0.3	20.7	0.3	5.6	4.43
		YTD	373	0.0	0.6	3.4	0.5	21.0	0.3	5.2	4.39
068	8268, HM	Cur Wk	251	0.0	3.6	1.4	0.5	19.3	1.5	5.6	4.55
		YTD	642	0.0	3.6	1.6	0.6	19.1	1.4	5.6	4.53
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	835	0.0	1.6	4.4	1.4	22.6	0.8	5.1	4.51
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	108	0.0	2.3	2.9	0.6	19.5	2.4	5.9	4.55
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	1.6	1.5	0.8	21.9	1.9	4.7	4.45
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	2.5	5.8	2.1	21.6	1.0	5.1	4.41
434	6434, N	Cur Wk	56	0.0	3.0	0.7	0.5	21.1	2.2	5.8	4.58
		YTD	342	0.0	2.7	2.3	1.0	22.2	1.8	5.2	4.58
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	2.6	2.9	1.3	19.8	1.0	5.2	4.39
477	4707, HZ	Cur Wk	454	0.0	1.1	3.0	0.8	22.0	0.5	4.7	4.48
		YTD	454	0.0	1.1	3.0	0.8	22.0	0.5	4.7	4.48
510	2015, HZ	Cur Wk	86	0.0	2.2	2.0	0.4	19.5	1.9	5.2	4.60
		YTD	230	0.0	1.1	3.1	1.1	19.6	0.9	4.9	4.53
520	520	Cur Wk	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
		YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
610	2016, HZ	Cur Wk	214	0.0	0.5	3.0	0.6	18.9	0.7	5.0	4.48
		YTD	1,253	0.0	0.8	1.8	0.5	19.6	0.6	4.8	4.44
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
707	47073, HZ	YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
		Cur Wk	42	0.0	2.7	3.2	0.6	21.8	0.7	4.9	4.48
		YTD	966	0.0	1.2	2.7	0.4	21.9	0.4	5.0	4.42
776	1776, HZ	Cur Wk	45	0.0	1.7	3.1	1.1	20.4	0.7	4.9	4.53
		YTD	45	0.0	1.7	3.1	1.1	20.4	0.7	4.9	4.53
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	4.2	2.0	0.7	19.8	1.1	5.3	4.53
919	9019, SVTM	Cur Wk	320	0.0	3.0	2.7	0.9	22.2	2.4	5.4	4.34
		YTD	477	0.0	2.6	2.6	0.9	22.1	2.2	5.4	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	1.8	2.8	0.8	20.6	0.9	5.2	4.39
996	1996, HZ	Cur Wk	111	0.0	0.8	3.0	0.8	19.5	0.4	5.0	4.53
		YTD	616	0.0	0.7	1.5	0.4	20.1	0.4	5.4	4.43
Cur Wk:			1,729	0.0	1.9	2.5	0.7	20.8	1.2	5.2	4.47
YTD			7,460	0.0	1.7	2.6	0.8	20.9	0.9	5.1	4.46

Merced

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	1.5	1.0	0.8	21.0	1.0	5.3	4.35
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
036	8163, HM	Cur Wk	66	0.0	1.4	0.3	0.2	19.6	1.0	6.0	4.61
		YTD	217	0.0	1.4	0.3	0.2	19.7	0.8	5.8	4.57
037	8237, HM	Cur Wk	1,037	0.0	1.3	0.8	0.5	20.8	0.6	5.0	4.43
		YTD	1,519	0.0	1.3	0.8	0.4	20.9	0.5	5.1	4.40
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	23	0.0	1.3	0.1	0.3	20.6	0.6	5.8	4.62
		YTD	168	0.0	1.3	1.2	0.7	21.3	2.7	5.5	4.61
068	8268, HM	Cur Wk	418	0.0	3.6	1.7	0.6	19.2	2.0	5.4	4.54
		YTD	663	0.0	2.8	1.7	1.1	19.8	2.3	5.5	4.53
074	6474, N	Cur Wk	184	0.0	1.8	1.8	1.0	21.1	1.1	5.3	4.50
		YTD	913	0.0	1.4	2.5	0.6	21.4	1.1	5.5	4.54
101	101, BP	Cur Wk	17	0.0	2.9	0.6	0.4	21.9	5.9	4.4	4.62
		YTD	163	0.0	1.1	0.7	0.7	21.3	2.0	4.6	4.55

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
112	16112, UG	Cur Wk	417	0.0	1.7	0.4	0.3	20.4	0.6	4.6	4.43
		YTD	417	0.0	1.7	0.4	0.3	20.4	0.6	4.6	4.43
124	0221, HMC	Cur Wk	3	0.0	1.0	2.5	0.7	21.2	8.5	5.7	4.42
		YTD	3	0.0	1.0	2.5	0.7	21.2	8.5	5.7	4.42
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	227	0.0	1.3	0.9	0.8	21.2	3.6	5.7	4.53
178	7708, BOS	Cur Wk	222	0.0	3.1	0.8	0.6	19.9	1.7	5.0	4.55
		YTD	368	0.0	2.0	1.5	0.5	19.8	1.4	5.1	4.49
210	110, BP	Cur Wk	42	0.0	0.8	2.4	0.5	19.6	1.1	6.1	4.34
		YTD	64	0.0	0.9	1.7	0.5	19.7	1.0	6.2	4.38
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	0.3	0.7	20.7	0.8	5.4	4.32
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.6	1.2	0.9	22.7	1.0	5.1	4.51
248	8422, BOS	Cur Wk	204	0.0	2.2	2.3	1.7	20.9	1.4	4.6	4.42
		YTD	384	0.0	1.6	2.0	1.3	20.8	1.3	4.9	4.43
324	8423, BOS	Cur Wk	107	0.0	1.9	2.8	0.6	20.1	1.2	5.1	4.46
		YTD	107	0.0	1.9	2.8	0.6	20.1	1.2	5.1	4.46
409	9040, SVTM	Cur Wk	42	0.0	0.9	3.8	1.5	20.1	1.3	6.2	4.51
		YTD	143	0.0	1.1	2.1	1.6	21.9	2.2	5.8	4.56
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
434	6434, N	Cur Wk	519	0.0	4.9	2.3	1.4	21.8	1.2	4.9	4.57
		YTD	1,741	0.0	4.3	1.5	1.5	22.1	1.3	4.8	4.54
469	8654, BOS	Cur Wk	10	0.0	5.4	0.5	0.2	20.3	1.8	5.3	4.60
		YTD	10	0.0	5.4	0.5	0.2	20.3	1.8	5.3	4.60
485	6485, N	Cur Wk	53	0.0	1.1	0.2	0.3	19.8	0.6	5.0	4.63
		YTD	161	0.0	0.8	0.5	0.3	20.3	0.5	4.9	4.63
489	6489, N	Cur Wk	4	0.0	2.1	0.0	0.7	22.1	1.0	4.7	4.53
		YTD	4	0.0	2.1	0.0	0.7	22.1	1.0	4.7	4.53
510	2015, HZ	Cur Wk	189	0.0	0.5	1.7	0.5	19.7	0.6	4.4	4.59
		YTD	673	0.0	1.1	1.5	0.9	19.2	0.8	4.8	4.52
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	177	0.0	1.9	0.7	0.3	20.3	0.6	5.1	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	2.2	0.2	0.0	21.3	0.8	4.3	4.51
565	MIX	Cur Wk	3	0.0	0.3	0.0	0.2	20.9	0.3	6.0	4.69
		YTD	9	0.0	1.0	0.3	0.1	20.4	0.9	5.6	4.56
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	28	0.0	1.3	1.8	0.1	20.8	0.9	4.9	4.44
610	2016, HZ	Cur Wk	1,058	0.0	1.1	1.9	0.7	20.1	0.7	4.7	4.48
		YTD	3,483	0.0	1.1	1.7	0.6	20.4	0.8	4.6	4.46
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
662	1662, HZ	Cur Wk	82	0.0	1.6	1.9	0.2	21.4	0.8	4.8	4.51
		YTD	82	0.0	1.6	1.9	0.2	21.4	0.8	4.8	4.51
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.3	1.7	0.4	22.1	0.2	4.7	4.41
730	9037, SVTM	Cur Wk	472	0.0	0.9	1.4	0.4	20.9	0.5	5.1	4.35
		YTD	1,227	0.0	0.8	1.7	0.5	21.8	0.7	4.9	4.37
740	74, BP	Cur Wk	97	0.0	4.2	2.8	1.1	20.8	0.9	4.8	4.50
		YTD	368	0.0	2.5	1.5	0.5	20.3	0.8	5.1	4.49
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.6	1.7	1.2	21.1	1.1	4.6	4.50
820	1082, SVTM	Cur Wk	485	0.0	1.8	2.1	0.8	20.6	1.4	5.4	4.35
		YTD	1,683	0.0	1.3	1.6	0.8	21.0	1.5	5.4	4.38
841	58841, HM	Cur Wk	83	0.0	1.8	3.8	1.2	20.7	0.6	4.7	4.43
		YTD	457	0.0	1.4	2.0	1.2	21.1	1.3	5.2	4.49
903	9036, SVTM	Cur Wk	47	0.0	0.6	0.5	0.4	19.8	1.5	5.4	4.41
		YTD	388	0.0	0.7	0.7	0.8	21.3	3.3	6.0	4.47
913	9013, SVTM	Cur Wk	187	0.0	1.9	2.2	1.4	19.5	0.8	5.5	4.46
		YTD	203	0.0	1.8	2.1	1.4	19.5	0.9	5.6	4.45
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	162	0.0	0.8	1.1	0.1	22.6	0.3	5.0	4.37
919	9019, SVTM	Cur Wk	471	0.0	4.4	2.3	0.7	22.0	2.7	5.4	4.38
		YTD	1,205	0.0	3.2	2.6	1.0	21.8	2.4	5.4	4.35
921	9021, SVTM	Cur Wk	193	0.0	2.4	1.8	0.9	19.1	0.5	5.5	4.39
		YTD	1,506	0.0	2.4	1.1	1.1	20.6	1.1	5.4	4.43
925	9025, SVTM	Cur Wk	230	0.0	1.8	0.6	0.3	20.9	0.7	5.0	4.34
		YTD	671	0.0	2.1	0.5	0.3	21.5	1.2	5.1	4.39
941	9041, SVTM	Cur Wk	26	0.0	0.4	0.7	0.2	20.7	0.3	5.3	4.35
		YTD	513	0.0	0.5	2.6	0.3	21.5	0.5	5.2	4.35
996	1996, HZ	Cur Wk	1,322	0.0	0.8	2.0	1.2	19.9	0.4	5.0	4.46
		YTD	4,848	0.0	0.6	1.7	0.8	20.3	0.5	4.9	4.47
Cur Wk:			8,313	0.0	1.9	1.7	0.8	20.5	1.0	5.1	4.45
YTD			27,484	0.0	1.5	1.6	0.8	20.9	1.1	5.1	4.45

Sacramento

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
-----------	------	--	--------	----------	----------	-----------	---------	---------	--------	------------	--------

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Sacramento, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	60	0.0	0.7	4.1	1.0	20.7	0.6	5.8	4.35
		YTD	145	0.0	0.6	2.6	1.3	21.9	0.5	5.3	4.33
068	8268, HM	Cur Wk	81	0.0	1.4	2.9	4.6	20.2	1.9	5.4	4.40
		YTD	120	0.0	1.2	2.4	3.3	20.2	1.5	5.3	4.40
210	110, BP	Cur Wk	15	0.0	0.2	1.0	0.3	19.9	1.7	6.0	4.25
		YTD	27	0.0	0.5	0.9	0.2	20.2	1.2	5.7	4.25
324	8423, BOS	Cur Wk	105	0.0	0.8	4.1	1.3	20.6	1.2	4.8	4.32
		YTD	144	0.0	0.7	4.5	1.2	20.6	1.1	4.8	4.33
552	5522, HM	Cur Wk	177	0.0	0.4	1.8	0.3	19.6	0.7	6.1	4.24
		YTD	295	0.0	0.4	1.5	0.2	20.4	0.6	5.6	4.24
610	2016, HZ	Cur Wk	91	0.0	0.7	2.4	2.6	20.3	0.9	5.1	4.39
		YTD	234	0.0	0.8	4.4	3.3	20.7	0.9	5.3	4.32
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	251	0.0	0.5	0.6	4.5	21.1	0.3	5.0	4.39
919	9019, SVTM	Cur Wk	116	0.0	2.1	2.5	2.7	22.2	1.8	5.4	4.28
		YTD	414	0.0	1.7	2.9	1.9	22.1	1.8	5.5	4.25
996	1996, HZ	Cur Wk	606	0.0	0.3	2.3	2.2	20.1	0.4	5.2	4.45
		YTD	900	0.0	0.3	2.7	2.2	20.3	0.4	5.1	4.41
Cur Wk:			1,251	0.0	0.7	2.5	2.0	20.3	0.8	5.4	4.38
YTD			2,530	0.0	0.7	2.6	2.2	20.9	0.8	5.2	4.34

San Benito

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
103	403, BQ	Cur Wk	12	0.0	0.8	0.0	0.5	20.2	2.9	4.9	4.40
		YTD	122	0.0	0.3	0.2	0.5	20.3	3.2	4.9	4.30
400	400, BQ	Cur Wk	24	0.0	0.8	0.3	0.2	19.5	1.8	4.7	4.47
		YTD	24	0.0	0.8	0.3	0.2	19.5	1.8	4.7	4.47
Cur Wk:			36	0.0	0.8	0.2	0.3	19.7	2.1	4.8	4.45
YTD			146	0.0	0.3	0.2	0.5	20.2	3.0	4.9	4.32

San Joaquin

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
036	8163, HM	Cur Wk	1	0.0	1.5	2.5	0.0	18.0	0.0	6.3	4.39
		YTD	13	0.0	0.6	0.7	0.2	19.0	0.9	5.9	4.43
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	797	0.0	0.6	1.7	0.3	21.8	0.7	5.6	4.38
043	43, BP	Cur Wk	57	0.0	0.7	1.8	0.4	21.1	0.4	5.4	4.37
		YTD	247	0.0	0.7	0.5	0.1	20.9	0.6	5.3	4.43
064	0645, LS	Cur Wk	41	0.0	1.2	0.3	0.7	20.4	1.3	5.7	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
068	8268, HM	YTD	148	0.0	1.0	0.5	0.4	20.4	0.8	5.2	4.44
		Cur Wk	538	0.0	0.8	0.7	0.3	19.3	1.5	5.5	4.41
		YTD	983	0.0	0.7	0.7	0.3	19.4	1.3	5.6	4.41
101	101, BP	Cur Wk	46	0.0	2.5	0.8	0.5	20.8	0.5	4.9	4.55
		YTD	55	0.0	2.1	0.8	0.4	20.8	0.5	4.9	4.52
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.3	1.4	0.3	22.9	1.4	5.4	4.35
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	0.4	0.2	0.1	20.6	0.8	5.5	4.37
210	110, BP	Cur Wk	265	0.0	0.5	0.8	0.4	20.3	1.1	5.8	4.29
		YTD	411	0.0	0.5	0.8	0.3	20.3	0.9	5.7	4.28
219	109, BP	Cur Wk	160	0.0	0.7	0.8	0.3	20.2	0.7	5.7	4.32
		YTD	209	0.0	0.6	0.7	0.3	20.5	0.6	5.6	4.30
239	9023, SVTM	Cur Wk	48	0.0	0.1	0.2	0.2	19.9	0.7	5.1	4.38
		YTD	203	0.0	0.7	0.7	0.1	20.0	1.0	5.6	4.37
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	0.7	1.7	0.3	20.7	1.0	5.2	4.33
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	107	0.0	1.4	0.8	0.3	20.7	1.1	5.6	4.33
430	9034, SVTM	Cur Wk	159	0.0	1.0	0.2	0.2	20.2	0.6	5.6	4.49
		YTD	289	0.0	0.7	0.2	0.2	20.5	0.5	5.5	4.47
485	6485, N	Cur Wk	120	0.0	0.2	0.5	0.3	20.1	0.4	4.7	4.47
		YTD	133	0.0	0.2	0.5	0.3	20.1	0.4	4.7	4.47
552	5522, HM	Cur Wk	161	0.0	1.0	0.4	0.4	20.0	0.4	5.2	4.32
		YTD	312	0.0	0.9	0.5	0.3	20.5	0.4	5.1	4.33
565	MIX	Cur Wk	2	0.0	1.3	1.3	0.0	19.3	0.8	5.0	4.47
		YTD	2	0.0	1.3	1.3	0.0	19.3	0.8	5.0	4.47
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	0.6	1.9	0.5	20.9	0.7	5.6	4.27
740	74, BP	Cur Wk	151	0.0	1.3	1.1	0.4	19.4	0.8	5.7	4.40
		YTD	278	0.0	1.3	0.7	0.3	19.6	0.9	5.6	4.40
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	0.2	1.2	0.5	20.4	0.4	5.6	4.33
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	240	0.0	0.8	0.2	0.5	20.9	1.2	5.4	4.33
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.6	1.3	7.6	22.4	0.3	5.0	4.35
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.0	0.4	0.1	20.6	0.3	5.3	4.28
913	9013, SVTM	Cur Wk	91	0.0	2.5	0.5	0.2	19.6	0.8	5.0	4.46
		YTD	153	0.0	1.5	0.4	0.1	19.2	0.6	5.2	4.38

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	Cur Wk	4	0.0	0.6	0.5	1.5	22.0	0.6	5.5	4.26
		YTD	542	0.0	1.1	1.5	1.0	22.6	1.5	5.4	4.24
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	17	0.0	1.3	1.3	0.1	20.7	0.6	5.5	4.28
925	9025, SVTM	Cur Wk	5	0.0	0.1	0.1	0.1	19.2	0.2	5.4	4.29
		YTD	5	0.0	0.1	0.1	0.1	19.2	0.2	5.4	4.29
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.1	1.9	0.2	22.1	0.1	4.7	4.26
996	1996, HZ	Cur Wk	291	0.0	0.3	2.1	0.6	18.8	0.4	5.6	4.35
		YTD	1,073	0.0	0.2	2.2	0.6	19.7	0.3	5.7	4.33
Cur Wk:			2,140	0.0	0.8	0.9	0.4	19.7	0.9	5.5	4.39
YTD			7,179	0.0	0.7	1.1	0.9	20.7	0.8	5.5	4.35

Santa Clara

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
Cur Wk:		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
YTD		161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39	

Solano

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	1	0.0	0.0	0.5	0.5	19.5	0.0	5.4	4.33
		YTD	7	0.0	1.6	0.4	0.9	21.6	0.9	6.6	4.38
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.0	4.7	0.2	20.9	0.5	4.4	4.29
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
036	8163, HM	Cur Wk	172	0.0	1.8	0.5	0.4	19.9	0.8	5.5	4.50
		YTD	454	0.0	1.4	0.5	0.3	19.7	0.7	5.6	4.47
037	8237, HM	Cur Wk	109	0.0	0.5	1.1	0.3	20.8	0.1	5.5	4.36
		YTD	481	0.0	0.6	1.2	0.5	22.0	0.1	5.3	4.32
068	8268, HM	Cur Wk	26	0.0	0.2	1.3	0.6	20.4	4.4	6.2	4.37
		YTD	942	0.0	0.8	0.5	0.2	20.0	0.8	5.4	4.40
210	110, BP	Cur Wk	196	0.0	0.3	0.6	0.3	20.5	0.5	5.8	4.27
		YTD	321	0.0	0.2	0.5	0.4	20.7	0.5	6.0	4.27
211	121, BP	Cur Wk	1	0.0	0.0	0.5	0.0	19.5	0.0	5.1	4.38
		YTD	1	0.0	0.0	0.5	0.0	19.5	0.0	5.1	4.38
219	109, BP	Cur Wk	30	0.0	0.1	0.9	1.0	21.4	0.7	6.4	4.20

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	82	0.0	0.4	1.3	0.7	21.8	1.1	6.4	4.27
239	9023, SVTM	Cur Wk	87	0.0	0.6	0.3	0.0	21.4	0.2	4.9	4.38
		YTD	504	0.0	0.5	0.2	0.1	21.5	0.3	4.8	4.38
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.8	0.5	0.1	20.4	0.7	4.9	4.32
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	3.3	0.7	2.4	23.2	5.6	4.7	4.41
430	9034, SVTM	Cur Wk	42	0.0	0.4	0.0	0.3	21.2	1.1	5.7	4.40
		YTD	357	0.0	0.8	0.1	0.3	20.7	0.4	5.1	4.45
485	6485, N	Cur Wk	4	0.0	0.5	0.1	0.0	19.5	0.1	4.7	4.48
		YTD	92	0.0	0.2	0.2	0.2	19.9	0.2	4.7	4.50
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	0.2	1.1	2.1	20.2	0.4	4.3	4.39
552	5522, HM	Cur Wk	376	0.0	0.3	0.4	0.2	19.9	0.3	5.5	4.32
		YTD	1,152	0.0	0.4	0.4	0.2	20.3	0.6	5.5	4.33
560	5608, HZ	Cur Wk	147	0.0	0.3	1.5	1.8	20.0	0.8	4.6	4.40
		YTD	259	0.0	0.4	1.0	1.7	20.0	0.8	4.6	4.43
565	MIX	Cur Wk	1	0.0	0.5	0.0	0.0	19.5	1.5	5.2	4.27
		YTD	4	0.0	0.4	0.1	0.0	20.2	1.4	5.2	4.41
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	3.0	1.8	22.1	1.5	5.0	4.29
659	6509, N	Cur Wk	1	0.0	3.0	0.0	0.0	20.0	0.0	5.3	4.51
		YTD	1	0.0	3.0	0.0	0.0	20.0	0.0	5.3	4.51
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	4.2	1.2	3.2	23.6	2.5	4.5	4.35
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	52	0.0	0.2	1.5	0.1	21.0	0.2	4.9	4.36
841	58841, HM	Cur Wk	876	0.0	1.0	0.6	0.3	20.1	0.2	5.3	4.38
		YTD	3,436	0.0	1.0	0.5	0.2	20.7	0.3	5.3	4.40
916	9016, SVTM	Cur Wk	19	0.0	0.5	1.0	0.1	21.0	0.1	5.3	4.22
		YTD	89	0.0	1.1	0.7	0.4	22.6	0.8	5.4	4.36
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.5	0.5	0.5	21.5	0.5	4.6	4.42
941	9041, SVTM	Cur Wk	36	0.0	0.5	0.2	0.6	21.7	0.1	4.5	4.31
		YTD	325	0.0	0.4	1.1	0.3	21.5	0.2	4.8	4.34
988	1988, LS	Cur Wk	1	0.0	2.0	1.0	0.0	20.5	0.0	5.1	4.35
		YTD	1	0.0	2.0	1.0	0.0	20.5	0.0	5.1	4.35
996	1996, HZ	Cur Wk	55	0.0	2.0	2.4	1.0	19.6	2.3	6.1	4.47
		YTD	55	0.0	2.0	2.4	1.0	19.6	2.3	6.1	4.47

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Cur Wk:	2,180	0.0	0.8	0.7	0.4	20.2	0.4	5.4	4.37
YTD	9,369	0.0	0.8	0.7	0.4	20.7	0.5	5.3	4.38

Stanislaus											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	554	0.0	1.2	0.3	0.2	20.6	1.8	5.5	4.46
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
036	8163, HM	Cur Wk	165	0.0	1.5	0.3	0.3	19.7	0.6	5.7	4.47
		YTD	379	0.0	1.3	0.2	0.2	19.7	0.5	5.5	4.45
037	8237, HM	Cur Wk	280	0.0	0.9	1.4	0.5	20.6	0.6	5.2	4.36
		YTD	477	0.0	1.0	1.5	0.4	20.7	0.5	5.4	4.38
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	23	0.0	0.8	0.1	0.1	20.5	1.2	5.2	4.49
068	8268, HM	Cur Wk	191	0.0	1.0	0.8	0.1	18.6	0.9	5.4	4.41
		YTD	494	0.0	1.3	0.5	0.1	19.4	1.1	5.4	4.43
101	101, BP	Cur Wk	54	0.0	0.8	0.1	0.3	20.1	1.5	5.2	4.50
		YTD	54	0.0	0.8	0.1	0.3	20.1	1.5	5.2	4.50
171	1715, LS	Cur Wk	63	0.0	0.3	0.1	0.0	19.4	0.4	4.4	4.43
		YTD	222	0.0	0.5	0.3	0.0	19.4	0.5	4.6	4.43
173	0371, HM	Cur Wk	8	0.0	0.9	0.1	0.1	19.1	0.3	5.5	4.42
		YTD	143	0.0	0.9	0.1	0.1	20.1	0.4	5.2	4.34
210	110, BP	Cur Wk	24	0.0	1.5	5.0	0.3	20.5	1.5	5.2	4.27
		YTD	128	0.0	1.9	1.0	0.1	20.9	1.2	5.7	4.37
219	109, BP	Cur Wk	124	0.0	0.3	0.0	0.1	19.4	0.7	5.4	4.40
		YTD	206	0.0	0.5	0.2	0.1	20.3	0.5	5.6	4.37
239	9023, SVTM	Cur Wk	300	0.0	0.7	0.4	0.1	21.2	0.8	5.0	4.40
		YTD	351	0.0	0.7	0.4	0.1	21.1	0.8	5.0	4.40
452	4521, HM	Cur Wk	42	0.0	3.0	0.1	0.5	21.5	1.3	5.0	4.52
		YTD	192	0.0	2.1	0.1	0.3	21.5	1.4	5.4	4.48
485	6485, N	Cur Wk	80	0.0	0.4	0.1	0.1	19.9	0.3	4.7	4.50
		YTD	232	0.0	0.6	0.1	0.1	19.8	0.2	4.7	4.49
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.5	0.6	0.0	18.8	0.3	5.7	4.34
565	MIX	Cur Wk	3	0.0	1.7	1.2	0.0	18.8	1.5	5.2	4.40
		YTD	5	0.0	1.0	0.7	0.0	20.3	1.2	5.0	4.40
730	9037, SVTM	Cur Wk	37	0.0	0.8	0.3	0.5	21.1	1.2	5.0	4.44
		YTD	192	0.0	0.8	0.4	0.4	22.9	1.9	5.4	4.48
820	1082, SVTM	Cur Wk	232	0.0	1.0	1.6	0.5	20.2	1.0	5.8	4.33
		YTD	415	0.0	1.1	1.3	0.4	20.5	0.8	5.5	4.34

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
841	58841, HM	Cur Wk	70	0.0	0.2	1.6	0.0	19.7	0.1	5.0	4.38
		YTD	70	0.0	0.2	1.6	0.0	19.7	0.1	5.0	4.38
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	344	0.0	1.1	1.3	0.6	20.2	1.7	5.7	4.44
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.8	0.1	0.0	21.4	1.1	4.8	4.42
925	9025, SVTM	Cur Wk	9	0.0	0.4	0.3	0.0	20.2	0.6	5.4	4.36
		YTD	201	0.0	3.8	0.2	0.5	22.4	2.0	5.1	4.52
996	1996, HZ	Cur Wk	153	0.0	1.9	1.5	0.4	20.1	0.4	4.9	4.55
		YTD	231	0.0	1.3	1.2	0.3	20.4	0.7	5.0	4.49
Cur Wk:			1,835	0.0	1.0	0.9	0.3	20.1	0.7	5.2	4.41
YTD			5,238	0.0	1.2	0.6	0.2	20.5	1.0	5.3	4.43

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	55	0.0	2.8	4.8	1.2	22.3	3.5	4.9	4.54
037	8237, HM	Cur Wk	37	0.0	0.4	0.8	0.3	20.8	0.1	5.2	4.37
		YTD	1,235	0.0	1.2	3.4	0.9	21.7	0.7	5.0	4.37
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	315	0.0	1.9	1.1	0.1	19.4	1.9	5.6	4.50
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	106	0.0	3.3	2.7	1.2	21.6	1.4	4.4	4.47
263	2639, HZ	Cur Wk	6	0.0	1.9	1.8	2.2	19.4	0.6	4.9	4.23
		YTD	46	0.0	1.8	6.6	1.1	20.5	0.7	4.5	4.32
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	0.7	6.5	0.8	22.2	1.7	5.1	4.27
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	533	0.0	2.3	5.2	1.6	22.9	2.4	4.8	4.45
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
477	4707, HZ	Cur Wk	244	0.0	1.0	1.5	0.5	21.8	0.7	4.5	4.39
		YTD	244	0.0	1.0	1.5	0.5	21.8	0.7	4.5	4.39
510	2015, HZ	Cur Wk	105	0.0	0.8	3.3	2.3	18.7	0.7	4.7	4.42
		YTD	258	0.0	0.7	3.7	1.2	18.7	0.5	4.7	4.41
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
577	HEINZ TRIAL	YTD	159	0.0	1.4	0.8	0.0	20.8	0.4	5.7	4.39
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	52	0.0	0.6	1.4	0.6	20.7	0.9	5.2	4.42
610	2016, HZ	Cur Wk	1,262	0.0	1.6	4.8	1.3	20.2	1.0	4.8	4.36
		YTD	2,130	0.0	1.4	3.8	1.1	20.5	1.2	4.7	4.36
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	1.6	5.0	1.8	21.2	0.8	4.8	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.8	1.1	20.7	0.8	4.8	4.44
662	1662, HZ	Cur Wk	78	0.0	3.8	2.1	1.1	21.7	2.2	4.8	4.48
		YTD	87	0.0	3.8	2.2	1.1	21.7	2.2	4.9	4.48
707	47073, HZ	Cur Wk	29	0.0	2.3	1.8	0.6	21.3	1.1	4.7	4.42
		YTD	29	0.0	2.3	1.8	0.6	21.3	1.1	4.7	4.42
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	398	0.0	1.7	2.1	1.1	22.2	1.7	5.0	4.37
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	220	0.0	1.0	0.5	0.0	21.6	0.7	5.6	4.42
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	1.7	1.0	0.8	21.2	3.8	4.6	4.38
916	9016, SVTM	Cur Wk	198	0.0	1.9	1.0	0.2	21.7	0.2	5.3	4.29
		YTD	2,013	0.0	2.2	2.4	0.7	21.9	0.6	4.9	4.37
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,095	0.0	1.3	3.7	1.1	21.6	0.9	4.9	4.37
996	1996, HZ	Cur Wk	18	0.0	0.6	1.9	0.7	19.0	0.4	4.5	4.40
		YTD	303	0.0	1.3	1.4	0.8	20.4	0.7	4.5	4.44
Cur Wk:			1,977	0.0	1.6	3.7	1.1	20.5	0.9	4.8	4.36
YTD			10,054	0.0	1.6	3.1	0.9	21.3	1.1	4.9	4.39

Tehama

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.7	6.0	1.4	22.7	0.8	4.8	4.31
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Tehama, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.2	3.8	1.4	22.2	0.9	4.7	4.33
Cur Wk:		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
YTD		599	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33	

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	1	0.0	2.5	1.0	0.5	18.5	0.0	5.4	4.30
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	2.5	4.9	0.8	22.8	3.6	4.7	4.53
036	8163, HM	Cur Wk	19	0.0	2.0	0.2	0.4	19.9	1.3	5.0	4.47
		YTD	196	0.0	2.0	0.5	0.4	19.6	1.2	5.4	4.47
037	8237, HM	Cur Wk	1,591	0.0	0.7	0.3	0.3	20.6	0.2	5.1	4.33
		YTD	6,770	0.0	0.9	0.9	0.3	21.6	0.4	5.0	4.33
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
068	8268, HM	Cur Wk	356	0.0	0.7	0.2	0.3	19.8	0.9	5.2	4.39
		YTD	2,195	0.0	0.7	0.5	0.2	20.0	0.7	5.1	4.39
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	1.0	0.2	0.4	21.1	1.5	4.5	4.54
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	494	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49
210	110, BP	Cur Wk	30	0.0	2.1	0.2	0.2	19.9	1.7	5.1	4.47
		YTD	453	0.0	0.9	0.4	0.1	20.2	1.2	5.2	4.28
219	109, BP	Cur Wk	122	0.0	3.5	0.2	0.2	20.3	0.6	5.4	4.38
		YTD	750	0.0	1.2	0.5	0.2	20.6	0.9	5.2	4.30
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	250	0.0	1.5	3.5	0.6	21.5	2.3	4.5	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
251	2515, HZ	Cur Wk	3	0.0	0.8	0.2	0.2	18.0	0.5	5.4	4.36
		YTD	3	0.0	0.8	0.2	0.2	18.0	0.5	5.4	4.36
256	2516, HZ	Cur Wk	4	0.0	0.6	0.2	0.3	20.1	0.5	5.8	4.33
		YTD	24	0.0	0.5	0.2	0.1	21.4	0.3	5.3	4.36
264	2640, HZ	Cur Wk	70	0.0	1.0	2.3	2.8	21.3	0.8	4.7	4.30
		YTD	70	0.0	1.0	2.3	2.8	21.3	0.8	4.7	4.30
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	4.8	0.5	21.1	1.4	4.6	4.33
409	9040, SVTM	Cur Wk	11	0.0	1.9	0.0	0.3	21.0	1.5	4.8	4.42
		YTD	72	0.0	0.9	0.9	0.3	22.9	2.4	5.2	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	800	0.0	0.7	0.3	0.1	21.0	0.6	5.1	4.43
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	895	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
473	2374, HZ	Cur Wk	3	0.0	0.5	0.2	0.3	20.7	0.0	4.9	4.32
		YTD	10	0.0	1.8	0.3	0.1	21.0	0.0	5.0	4.32
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	141	0.0	1.3	0.3	0.1	21.5	0.5	5.0	4.42
485	6485, N	Cur Wk	44	0.0	0.2	0.0	0.2	19.4	0.1	4.5	4.49
		YTD	135	0.0	0.6	0.6	0.2	20.5	0.3	4.2	4.51
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
510	2015, HZ	Cur Wk	261	0.0	0.6	3.2	0.9	19.5	0.3	4.6	4.36
		YTD	270	0.0	0.6	3.1	0.9	19.6	0.3	4.6	4.36
552	5522, HM	Cur Wk	91	0.0	1.0	0.1	0.2	21.2	0.7	5.3	4.39
		YTD	360	0.0	0.9	0.1	0.1	20.3	1.1	5.7	4.38
560	5608, HZ	Cur Wk	158	0.0	1.0	1.3	0.5	19.4	2.0	4.9	4.44
		YTD	387	0.0	1.6	1.3	0.8	20.2	1.6	4.6	4.46
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	0.0	0.0	19.5	0.0	5.1	4.38
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	0.7	1.2	0.6	20.5	0.4	4.8	4.50
577	HEINZ TRIAL	Cur Wk	14	0.0	2.0	2.0	0.2	20.3	0.3	4.6	4.38
		YTD	14	0.0	2.0	2.0	0.2	20.3	0.3	4.6	4.38
610	2016, HZ	Cur Wk	722	0.0	0.7	2.3	0.7	20.1	0.6	4.8	4.30
		YTD	1,559	0.0	0.6	2.6	0.6	20.7	0.6	4.6	4.31
649	6498, N	Cur Wk	3	0.0	1.0	0.7	0.3	18.7	0.3	5.6	4.42

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
662	1662, HZ	YTD	13	0.0	1.4	1.4	0.4	21.2	1.8	5.3	4.53
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
730	9037, SVTM	YTD	85	0.0	1.4	1.2	0.5	21.8	2.3	4.5	4.46
		Cur Wk	173	0.0	0.5	0.3	0.2	21.3	0.2	4.6	4.32
740	74, BP	YTD	1,138	0.0	1.0	3.6	0.6	22.2	0.7	4.8	4.33
		Cur Wk	12	0.0	0.0	1.2	0.2	20.1	0.2	7.5	4.17
755	7558, NB	YTD	12	0.0	0.0	1.2	0.2	20.1	0.2	7.5	4.17
		Cur Wk	8	0.0	0.6	0.1	0.4	19.7	0.0	5.5	4.32
807	8507, HM	YTD	77	0.0	0.7	0.5	0.1	20.7	0.2	5.1	4.30
		Cur Wk	1	0.0	0.5	0.0	0.5	18.5	0.5	4.9	4.45
820	1082, SVTM	YTD	50	0.0	1.3	0.1	0.4	18.6	0.7	5.2	4.50
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
823	8232, SV	YTD	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
		Cur Wk	1	0.0	0.5	0.0	0.5	20.0	0.0	4.9	4.29
841	58841, HM	YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
		Cur Wk	203	0.0	1.0	0.3	0.4	20.0	1.2	5.5	4.38
901	9011, SVTM	YTD	5,290	0.0	1.2	0.7	0.3	21.0	0.6	5.3	4.39
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
904	9048, SVTM	YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
		Cur Wk	17	0.0	0.9	0.1	0.0	19.8	0.3	5.1	4.36
909	0199, BOS	YTD	18	0.0	1.0	0.1	0.1	19.8	0.3	5.1	4.36
		Cur Wk	3	0.0	0.1	0.1	0.3	20.3	1.2	4.6	4.32
914	9014, SVTM	YTD	12	0.0	0.5	0.2	0.2	20.6	2.2	4.6	4.32
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
916	9016, SVTM	YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
		Cur Wk	590	0.0	1.0	0.8	0.2	20.7	0.2	4.9	4.28
919	9019, SVTM	YTD	3,776	0.0	1.0	1.2	0.3	21.8	0.4	4.9	4.31
		Cur Wk	63	0.0	2.1	0.6	0.4	21.5	3.3	5.2	4.26
941	9041, SVTM	YTD	663	0.0	1.0	0.5	0.2	22.8	1.6	5.0	4.25
		Cur Wk	202	0.0	1.3	0.2	0.1	19.9	0.1	5.1	4.27
988	1988, LS	YTD	2,950	0.0	0.7	1.6	0.5	21.9	0.7	4.7	4.31
		Cur Wk	2	0.0	0.8	0.0	0.3	19.5	0.5	5.8	4.23
996	1996, HZ	YTD	2	0.0	0.8	0.0	0.3	19.5	0.5	5.8	4.23
		Cur Wk	62	0.0	1.5	1.6	0.6	20.9	1.0	4.8	4.42
		YTD	298	0.0	0.5	1.8	0.7	23.1	2.9	4.8	4.42
Cur Wk:			4,839	0.0	0.9	0.9	0.4	20.4	0.5	5.0	4.33
YTD			35,310	0.0	1.0	1.4	0.4	21.4	1.0	5.0	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

TOTAL STATEWIDE	Cur Wk	35,129	0.0	1.9	1.9	0.8	20.3	0.8	5.1	4.41
	YTD	293,672	0.0	1.2	1.7	0.6	20.7	0.9	5.2	4.40

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	1	0.0	0.0	0.5	0.5	19.5	0.0	5.4	4.33
		YTD	523	0.0	2.2	1.8	0.8	20.6	0.6	5.0	4.38
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	37	0.0	1.0	2.9	0.4	20.2	2.9	5.4	4.39
909	0199, BOS	Cur Wk	3	0.0	0.1	0.1	0.3	20.3	1.2	4.6	4.32
		YTD	40	0.0	1.3	0.7	0.6	21.0	3.3	4.6	4.36
124	0221, HMC	Cur Wk	3	0.0	1.0	2.5	0.7	21.2	8.5	5.7	4.42
		YTD	238	0.0	2.4	1.6	1.7	21.3	2.6	5.0	4.39
572	0275, SY	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.4	0.9	0.4	20.3	2.9	5.4	4.42
173	0371, HM	Cur Wk	8	0.0	0.9	0.1	0.1	19.1	0.3	5.5	4.42
		YTD	9910	0.0	0.5	1.1	0.4	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	122	0.0	1.1	0.2	0.4	19.8	0.9	5.8	4.52
		YTD	1976	0.0	1.0	1.2	0.5	20.1	1.3	5.4	4.52
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	532	0.0	0.8	3.6	1.0	20.6	3.3	4.8	4.47
101	101, BP	Cur Wk	117	0.0	1.7	0.4	0.4	20.6	1.8	5.0	4.54
		YTD	1082	0.0	1.1	0.8	0.5	20.7	1.4	4.8	4.50
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	965	0.0	1.3	1.8	1.2	20.4	1.3	4.9	4.47
820	1082, SVTM	Cur Wk	888	0.0	1.4	1.8	0.6	20.3	1.2	5.6	4.35
		YTD	4586	0.0	1.2	1.2	0.5	20.9	1.3	5.5	4.37
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
219	109, BP	Cur Wk	521	0.0	1.5	0.4	0.3	20.0	0.6	5.6	4.35
		YTD	2472	0.0	0.9	0.8	0.3	20.5	0.9	5.5	4.33
210	110, BP	Cur Wk	574	0.0	0.6	1.0	0.4	20.3	1.0	5.7	4.30
		YTD	2026	0.0	0.8	0.7	0.3	20.3	1.0	5.6	4.31
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
211	121, BP	Cur Wk	1	0.0	0.0	0.5	0.0	19.5	0.0	5.1	4.38
		YTD	6	0.0	0.5	0.3	0.2	20.8	0.9	5.5	4.39
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
112	16112, UG	Cur Wk	417	0.0	1.7	0.4	0.3	20.4	0.6	4.6	4.43
		YTD	2121	0.0	1.5	0.7	0.3	20.0	0.7	5.0	4.46
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1564	0.0	0.7	4.8	1.2	19.5	0.4	4.5	4.54

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
662	1662, HZ	Cur Wk	472	0.0	3.5	2.2	0.7	21.6	1.5	4.7	4.50
		YTD	882	0.0	3.5	2.0	0.6	21.6	1.5	4.8	4.52
171	1715, LS	Cur Wk	86	0.0	3.5	0.7	0.2	20.0	0.5	4.6	4.48
		YTD	409	0.0	1.3	0.8	0.0	19.6	0.4	4.6	4.44
776	1776, HZ	Cur Wk	45	0.0	1.7	3.1	1.1	20.4	0.7	5.0	4.53
		YTD	1596	0.0	1.1	4.5	1.1	20.7	0.5	4.9	4.41
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
988	1988, LS	Cur Wk	3	0.0	1.2	0.3	0.2	19.8	0.3	5.5	4.27
		YTD	7	0.0	0.6	0.7	0.1	20.3	0.6	5.5	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	4091	0.0	1.1	2.1	1.1	19.8	0.5	5.1	4.45
		YTD	17669	0.0	0.8	1.8	0.7	20.2	0.5	5.0	4.44
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	1154	0.0	1.3	3.3	1.4	19.2	0.7	4.7	4.46
		YTD	2508	0.0	1.3	3.0	1.4	19.2	0.7	4.7	4.47
610	2016, HZ	Cur Wk	6526	0.0	1.8	3.6	1.0	20.0	0.9	4.7	4.39
		YTD	29462	0.0	1.4	2.2	0.7	20.1	0.7	4.7	4.39
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
365	2365, HZ	Cur Wk	343	0.0	2.6	2.5	0.7	20.4	0.5	4.6	4.55
		YTD	1144	0.0	2.3	2.2	0.8	20.1	0.5	4.8	4.53
473	2374, HZ	Cur Wk	3	0.0	0.5	0.2	0.3	20.7	0.0	4.9	4.32
		YTD	10	0.0	1.8	0.3	0.1	21.0	0.0	5.0	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1530	0.0	0.8	1.6	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	487	0.0	1.3	1.0	0.7	21.6	1.3	5.1	4.47
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
251	2515, HZ	Cur Wk	3	0.0	0.8	0.2	0.2	18.0	0.5	5.4	4.36
		YTD	7	0.0	0.6	1.3	0.4	19.4	0.8	5.2	4.40
256	2516, HZ	Cur Wk	4	0.0	0.6	0.2	0.3	20.1	0.5	5.8	4.33
		YTD	36	0.0	0.7	0.5	0.1	21.1	0.3	5.3	4.40
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
263	2639, HZ	Cur Wk	80	0.0	2.1	4.3	1.1	19.8	1.1	5.0	4.35

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	208	0.0	2.4	3.9	1.0	20.2	0.9	4.8	4.38
264	2640, HZ	Cur Wk	111	0.0	1.6	2.8	2.0	21.3	1.2	4.6	4.32
		YTD	131	0.0	1.6	3.3	1.8	21.3	1.2	4.6	4.35
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	24	0.0	0.8	0.3	0.2	19.5	1.8	4.8	4.47
		YTD	970	0.0	0.1	1.1	0.4	19.2	0.9	5.3	4.42
103	403, BQ	Cur Wk	12	0.0	0.8	0.0	0.5	20.2	2.9	4.9	4.40
		YTD	275	0.0	0.7	1.7	0.9	20.3	2.4	5.1	4.31
043	43, BP	Cur Wk	57	0.0	0.7	1.8	0.4	21.1	0.4	5.4	4.37
		YTD	247	0.0	0.7	0.5	0.1	20.9	0.6	5.3	4.43
452	4521, HM	Cur Wk	42	0.0	3.0	0.1	0.5	21.5	1.3	5.0	4.52
		YTD	2557	0.0	0.6	1.1	0.5	20.8	0.4	5.1	4.36
461	461	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
477	4707, HZ	Cur Wk	923	0.0	1.5	2.6	0.7	21.9	0.5	4.7	4.46
		YTD	923	0.0	1.5	2.6	0.7	21.9	0.5	4.7	4.46
707	47073, HZ	Cur Wk	122	0.0	5.6	2.5	0.6	21.7	0.8	4.8	4.53
		YTD	2127	0.0	2.3	2.2	0.4	22.3	0.7	4.8	4.46
520	520	Cur Wk	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
		YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
533	533	Cur Wk	43	0.0	9.5	2.9	0.4	21.1	0.9	4.7	4.55
		YTD	43	0.0	9.5	2.9	0.4	21.1	0.9	4.7	4.55
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	614	0.0	0.3	1.1	0.2	20.2	2.0	5.5	4.43
552	5522, HM	Cur Wk	849	0.0	0.7	0.6	0.3	20.0	0.4	5.6	4.31
		YTD	11881	0.0	0.6	1.0	0.4	19.8	0.6	5.5	4.36
560	5608, HZ	Cur Wk	305	0.0	0.7	1.4	1.1	19.7	1.4	4.8	4.42
		YTD	4196	0.0	0.6	1.5	0.4	20.0	0.6	4.7	4.38
841	58841, HM	Cur Wk	1232	0.0	1.0	0.8	0.3	20.1	0.4	5.3	4.38
		YTD	12923	0.0	1.1	1.2	0.8	20.9	0.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3559	0.0	2.1	4.3	1.1	22.4	2.6	4.9	4.48
434	6434, N	Cur Wk	575	0.0	4.7	2.2	1.3	21.7	1.3	5.0	4.57
		YTD	4860	0.0	3.0	2.9	1.4	22.4	2.1	5.0	4.51
074	6474, N	Cur Wk	184	0.0	1.8	1.8	1.0	21.1	1.1	5.3	4.50
		YTD	3011	0.0	1.2	4.0	1.1	21.6	0.9	5.4	4.49
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	521	0.0	1.8	0.5	0.3	19.7	0.5	4.8	4.54
		YTD	2528	0.0	1.2	0.7	0.3	20.1	0.5	4.6	4.56
489	6489, N	Cur Wk	4	0.0	2.1	0.0	0.7	22.1	1.0	4.8	4.53
		YTD	1479	0.0	0.4	1.0	0.2	19.5	0.4	5.2	4.40
649	6498, N	Cur Wk	3	0.0	1.0	0.7	0.3	18.7	0.3	5.6	4.42
		YTD	248	0.0	1.1	2.9	1.3	20.8	1.0	5.2	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	95	0.0	1.1	3.6	0.7	20.6	0.6	4.8	4.43
652	6502, N	Cur Wk	2	0.0	0.0	0.0	0.0	18.7	0.7	5.2	4.50
		YTD	2	0.0	0.0	0.0	0.0	18.7	0.7	5.2	4.50
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	86	0.0	2.3	3.0	1.0	21.3	1.1	4.9	4.54
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
659	6509, N	Cur Wk	1	0.0	3.0	0.0	0.0	20.0	0.0	5.3	4.51
		YTD	75	0.0	2.0	1.0	0.9	21.0	0.7	5.1	4.44
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	887	0.0	0.7	3.0	0.7	19.4	0.5	4.9	4.42
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7590	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	260	0.0	2.3	1.7	0.6	19.9	0.8	5.5	4.42
		YTD	1634	0.0	1.4	1.1	0.4	19.9	1.2	5.3	4.44
755	7558, NB	Cur Wk	38	0.1	0.9	1.0	0.2	19.9	0.6	5.1	4.34
		YTD	209	0.0	0.9	1.0	0.2	20.5	0.5	5.2	4.35
178	7708, BOS	Cur Wk	222	0.0	3.1	0.8	0.6	19.9	1.7	5.0	4.55

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	1776	0.0	2.4	3.3	0.6	19.4	1.6	5.4	4.46
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1343	0.0	0.7	2.8	0.8	19.7	0.4	5.0	4.33
036	8163, HM	Cur Wk	487	0.0	2.0	0.4	0.3	19.9	0.8	5.6	4.50
		YTD	7407	0.0	1.0	0.6	0.4	19.5	1.0	5.7	4.48
823	8232, SV	Cur Wk	1	0.0	0.5	0.0	0.5	20.0	0.0	4.9	4.29
		YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
037	8237, HM	Cur Wk	4500	0.0	1.1	1.0	0.5	20.6	0.4	5.1	4.38
		YTD	23940	0.0	1.0	1.6	0.5	21.3	0.5	5.2	4.36
068	8268, HM	Cur Wk	2043	0.0	1.9	1.7	0.7	19.3	1.6	5.5	4.46
		YTD	12856	0.0	1.0	1.0	0.4	19.6	1.1	5.4	4.43
248	8422, BOS	Cur Wk	204	0.0	2.2	2.3	1.7	20.9	1.4	4.6	4.42
		YTD	1107	0.0	1.9	2.7	1.1	21.4	1.7	4.7	4.42
324	8423, BOS	Cur Wk	212	0.0	1.4	3.4	1.0	20.3	1.2	4.9	4.39
		YTD	415	0.0	1.4	4.1	1.1	20.8	1.3	4.8	4.37
807	8507, HM	Cur Wk	1	0.0	0.5	0.0	0.5	18.5	0.5	4.9	4.45
		YTD	189	0.0	1.1	0.4	0.2	18.5	0.8	5.5	4.53
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
469	8654, BOS	Cur Wk	10	0.0	5.4	0.5	0.2	20.3	1.8	5.3	4.60
		YTD	18	0.0	4.2	1.5	0.7	20.1	1.5	5.2	4.51
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
901	9011, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
913	9013, SVTM	Cur Wk	278	0.0	2.1	1.7	1.0	19.5	0.8	5.3	4.46
		YTD	2296	0.0	1.6	1.8	0.7	19.8	1.3	5.3	4.42
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	1121	0.0	3.4	1.2	0.2	21.1	0.2	5.0	4.35
		YTD	10168	0.0	1.9	2.1	0.6	21.8	0.5	5.0	4.35
919	9019, SVTM	Cur Wk	1096	0.0	3.3	2.3	0.9	22.0	2.4	5.4	4.35
		YTD	7231	0.0	1.7	2.1	1.0	22.1	1.8	5.5	4.30
921	9021, SVTM	Cur Wk	193	0.0	2.4	1.8	0.9	19.1	0.5	5.5	4.39
		YTD	3417	0.0	1.9	2.0	1.1	20.9	1.4	5.3	4.41
239	9023, SVTM	Cur Wk	666	0.0	3.3	0.7	1.2	21.4	0.8	4.9	4.42
		YTD	7446	0.0	2.7	1.2	0.9	21.6	1.1	5.1	4.43
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	280	0.0	2.4	0.6	0.3	20.8	0.7	5.1	4.35
		YTD	5188	0.0	1.3	0.7	0.3	21.3	1.0	5.4	4.31
027	9027, SVTM	Cur Wk	20	0.0	7.8	2.0	0.4	20.4	3.2	5.5	4.55
		YTD	14489	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.38

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 11 Ending 09/12/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2620	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	201	0.0	0.9	0.2	0.2	20.4	0.7	5.6	4.47
		YTD	9147	0.0	0.7	1.0	0.4	20.5	1.0	5.4	4.48
903	9036, SVTM	Cur Wk	47	0.0	0.6	0.5	0.4	19.8	1.5	5.4	4.41
		YTD	4493	0.0	0.7	1.2	0.4	21.3	1.4	5.3	4.45
730	9037, SVTM	Cur Wk	2158	0.0	3.8	1.6	1.2	21.3	0.6	5.1	4.39
		YTD	11252	0.0	2.3	2.1	0.9	21.8	0.7	5.1	4.38
409	9040, SVTM	Cur Wk	90	0.0	0.7	3.5	1.2	19.9	1.0	6.2	4.43
		YTD	728	0.0	1.4	2.7	1.3	21.3	1.7	5.7	4.45
941	9041, SVTM	Cur Wk	473	0.0	1.8	0.7	0.2	20.5	0.2	5.0	4.35
		YTD	9383	0.0	1.0	1.9	0.6	21.4	0.6	5.0	4.35
904	9048, SVTM	Cur Wk	17	0.0	0.9	0.1	0.0	19.8	0.3	5.1	4.36
		YTD	47	0.0	1.1	0.6	0.2	19.7	0.4	5.2	4.37
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
577	HEINZ TRIAL	Cur Wk	14	0.0	2.0	2.0	0.2	20.3	0.3	4.6	4.38
		YTD	272	0.0	2.2	2.0	0.4	20.9	1.0	5.1	4.43
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	23	0.0	2.3	0.4	0.3	20.9	2.0	4.9	4.46
565	MIX	Cur Wk	10	0.0	0.9	0.6	0.0	19.6	0.9	5.4	4.51
		YTD	75	0.0	1.3	0.7	0.2	20.3	0.9	5.3	4.44
TOTAL STATEWIDE		Cur Wk	35,128	0.0	1.9	1.9	0.8	20.3	0.8	5.1	4.41
		YTD	293,671	0.0	1.2	1.7	0.6	20.7	0.9	5.2	4.40