

Statewide Tonnage and History (RP70P)

1203
09/22/2026 4:01 PM

Week 12 Ending 09/19/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
Week 08/09/2026 - 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0.04%
Week 08/16/2026 - 08/22/2026	35,191	904,124	0	5.5%	80	2228	0	0.25%
Week 08/23/2026 - 08/29/2026	35,159	905,313	0	5.6%	73	1978	0	0.22%
Week 08/30/2026 - 09/05/2026	36,756	944,361	0	5.4%	62	1691	0	0.18%
Week 09/06/2026 - 09/12/2026	35,129	897,533	0	6.4%	11	309	0	0.03%
LAST WEEK YTD	293,672	7,596,329		4.9%	301	8,247		0%
CUR WEEK ENDING 09/19/2026	32,424	827,623	0	6.8%	4	109	0	0%
CUR YTD	326,096	8,423,952		5.1%	305	8,356		0%
YTD WEEK ENDING 09/20/2025	352,508	9,253,766		4.7%	479	12,995		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 12 Ending 09/19/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Butte	0	0	0	0	1,494	36,866	1	28
Colusa	2,292	56,317	0	0	18,989	478,714	1	26
Contra Costa	0	0	0	0	7,247	196,658	0	0
Fresno	2,695	68,418	0	0	106,169	2,777,501	190	5,191
Glenn	564	13,158	0	0	1,329	30,475	1	27
Kern	0	0	0	0	8,908	236,278	9	268
Kings	459	11,764	0	0	45,345	1,122,723	44	1,181
Madera	1,014	25,672	0	0	8,474	223,651	1	28
Merced	8,072	207,994	0	0	35,556	940,211	6	169
Sacramento	1,151	28,135	0	0	3,681	90,230	0	0
San Benito	0	0	0	0	146	3,882	0	0
San Joaquin	3,936	102,274	0	0	11,115	290,178	0	0
Santa Clara	0	0	0	0	161	4,199	0	0
Solano	2,074	52,889	2	56	11,443	295,105	2	56
Stanislaus	2,233	58,532	0	0	7,471	199,897	12	330
Sutter	3,095	77,517	0	0	13,149	329,440	0	0
Tehama	0	0	0	0	599	13,927	0	0
Tulare	0	0	0	0	4,671	118,018	0	0
Yolo	4,839	124,952	2	53	40,149	1,035,997	38	1,053
STATEWIDE TOTALS:								
LAST WEEK YTD					293,672	7,596,329	301	8,247
CURRENT WEEK	32,424	827,623	4	109	326,096	8,423,952	305	8,356

Average Load Grades by County - Board Certified Loads (RP90)

Week 12 Ending 09/19/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Butte	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41
Colusa	0.0	2.7	4.1	0.9	20.1	0.9	4.6	4.45	0.0	1.7	3.3	1.1	20.9	1.3	5.0	4.39
Contra Costa	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39
Fresno	0.0	3.2	2.4	0.5	20.7	0.5	5.0	4.51	0.0	1.1	1.5	0.5	20.4	0.8	5.3	4.42
Glenn	0.0	1.9	6.6	1.8	20.1	1.0	4.9	4.44	0.0	2.9	6.5	1.8	20.8	0.9	4.8	4.39
Kern	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	5.8	2.2	0.8	21.0	0.5	4.7	4.61	0.0	1.7	1.6	0.6	20.4	0.7	5.0	4.40
Madera	0.0	1.6	2.9	0.8	20.2	0.8	4.9	4.53	0.0	1.7	2.6	0.8	20.8	0.9	5.1	4.47
Merced	0.0	1.9	2.5	1.3	20.7	1.0	5.2	4.45	0.0	1.6	1.8	0.9	20.8	1.1	5.1	4.45
Sacramento	0.0	0.8	2.5	2.3	21.1	1.0	5.4	4.36	0.0	0.7	2.6	2.2	20.9	0.9	5.3	4.35
San Benito	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.3	0.2	0.5	20.2	3.0	4.9	4.32
San Joaquin	0.0	1.1	0.7	0.4	20.3	0.9	5.2	4.43	0.0	0.8	1.0	0.7	20.5	0.8	5.4	4.38
Santa Clara	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
Solano	0.0	1.1	0.5	0.3	20.8	0.4	5.4	4.39	0.0	0.8	0.6	0.3	20.7	0.5	5.3	4.38
Stanislaus	0.0	0.9	1.0	0.3	20.3	0.6	5.0	4.43	0.0	1.1	0.7	0.3	20.4	0.9	5.2	4.43
Sutter	0.0	2.2	3.5	0.9	20.4	1.1	4.7	4.39	0.0	1.8	3.2	0.9	21.1	1.1	4.8	4.39
Tehama	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
Tulare	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	1.1	1.4	0.4	20.4	0.6	5.0	4.38	0.0	1.0	1.4	0.4	21.2	0.9	5.0	4.36
Statewide Totals:																
Current Week	0.0	1.8	2.2	0.8	20.5	0.8	5.0	4.43	0.0	1.2	1.7	0.6	20.6	0.9	5.1	4.40
Last Week YTD									0.0	1.2	1.7	0.6	20.7	0.9	5.2	4.40

Grade Distribution By County (RP110)

Week 12 Ending 09/19/2026

Last Week YTD						Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	0.00	0.00	0.00	0.03	0	0.00	0.00	0.00	0.00	1495	0.00	0.00	0.00	0.03
Colusa	16,698	0.00	0.00	0.00	0.03	2292	0.00	0.00	0.00	0.03	18990	0.00	0.00	0.00	0.03
Contra Costa	7,247	0.00	0.00	0.00	0.02	0	0.00	0.00	0.00	0.00	7247	0.00	0.00	0.00	0.02
Fresno	103,664	0.00	0.00	0.00	0.04	2695	0.00	0.00	0.00	0.04	106359	0.00	0.00	0.00	0.04
Glenn	766	0.02	0.00	0.00	0.11	564	0.00	0.00	0.00	0.04	1330	0.01	0.00	0.00	0.09
Kern	8,917	0.01	0.00	0.00	0.06	0	0.00	0.00	0.00	0.00	8917	0.01	0.00	0.00	0.06
Kings	44,930	0.01	0.00	0.00	0.08	459	0.00	0.00	0.00	0.03	45389	0.01	0.00	0.00	0.08
Madera	7,461	0.00	0.00	0.00	0.03	1014	0.00	0.00	0.00	0.05	8475	0.00	0.00	0.00	0.04
Merced	27,490	0.00	0.00	0.00	0.03	8072	0.00	0.00	0.00	0.03	35562	0.00	0.00	0.00	0.03
Sacramento	2,530	0.00	0.00	0.00	0.01	1151	0.00	0.00	0.00	0.00	3681	0.00	0.00	0.00	0.01
San Benito	146	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.00	146	0.00	0.00	0.00	0.00
San Joaquin	7,179	0.00	0.00	0.00	0.02	3936	0.00	0.00	0.00	0.03	11115	0.00	0.00	0.00	0.03
Santa Clara	161	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.00	161	0.00	0.00	0.00	0.00
Solano	9,369	0.00	0.00	0.00	0.04	2076	0.00	0.00	0.00	0.04	11445	0.00	0.00	0.00	0.04
Stanislaus	5,250	0.00	0.00	0.00	0.03	2233	0.00	0.00	0.00	0.04	7483	0.00	0.00	0.00	0.04
Sutter	10,054	0.00	0.00	0.00	0.03	3095	0.00	0.00	0.00	0.03	13149	0.00	0.00	0.00	0.03
Tehama	599	0.01	0.00	0.00	0.05	0	0.00	0.00	0.00	0.00	599	0.01	0.00	0.00	0.05
Tulare	4,671	0.00	0.00	0.00	0.04	0	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	35,346	0.00	0.00	0.00	0.03	4841	0.00	0.00	0.00	0.04	40187	0.00	0.00	0.00	0.03
STATEWIDE	293,973	0.00	0.00	0.00	0.04	32428	0.00	0.00	0.00	0.03	326401	0.00	0.00	0.00	0.04

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	1.72	1.00	1.50	1.18	0	0.00	0.00	0.00	0.00	1495	1.72	1.00	1.50	1.18
Colusa	16,698	1.52	1.00	1.00	1.74	2292	2.74	1.50	2.50	1.98	18990	1.66	1.00	1.00	1.81
Contra Costa	7,247	0.42	0.00	0.00	0.72	0	0.00	0.00	0.00	0.00	7247	0.42	0.00	0.00	0.72
Fresno	103,664	1.01	0.00	0.50	1.76	2695	3.19	0.50	2.00	3.41	106359	1.07	0.00	0.50	1.85
Glenn	766	3.74	2.00	2.50	2.89	564	1.88	1.00	1.50	1.12	1330	2.95	2.00	2.00	2.49
Kern	8,917	0.55	0.00	0.50	0.69	0	0.00	0.00	0.00	0.00	8917	0.55	0.00	0.50	0.69
Kings	44,930	1.65	0.00	0.50	2.43	459	5.81	4.50	5.50	2.49	45389	1.70	0.00	0.50	2.46
Madera	7,461	1.73	0.00	1.00	1.71	1014	1.65	1.00	1.00	1.45	8475	1.72	0.50	1.00	1.68
Merced	27,490	1.48	0.00	1.00	1.75	8072	1.86	1.00	1.50	1.79	35562	1.57	0.50	1.00	1.76
Sacramento	2,530	0.72	0.00	0.50	0.95	1151	0.79	0.00	0.50	0.89	3681	0.74	0.00	0.50	0.93
San Benito	146	0.33	0.00	0.25	0.39	0	0.00	0.00	0.00	0.00	146	0.33	0.00	0.25	0.39
San Joaquin	7,179	0.67	0.00	0.50	1.00	3936	1.15	0.00	0.50	1.66	11115	0.84	0.00	0.50	1.29
Santa Clara	161	0.20	0.00	0.00	0.33	0	0.00	0.00	0.00	0.00	161	0.20	0.00	0.00	0.33
Solano	9,369	0.77	0.00	0.50	1.01	2076	1.11	0.00	0.50	1.33	11445	0.83	0.00	0.50	1.08
Stanislaus	5,250	1.16	0.00	1.00	1.47	2233	0.88	0.00	0.50	1.45	7483	1.08	0.00	0.50	1.47
Sutter	10,054	1.61	1.00	1.50	1.38	3095	2.21	1.00	1.50	1.94	13149	1.75	1.00	1.50	1.55

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 12 Ending 09/19/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Mold, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Tehama	599	1.48	1.00	1.00	1.08	0	0.00	0.00	0.00	0.00	599	1.48	1.00	1.00	1.08
Tulare	4,671	1.03	0.00	1.00	1.08	0	0.00	0.00	0.00	0.00	4671	1.03	0.00	1.00	1.08
Yolo	35,346	0.98	0.00	0.50	1.15	4841	1.14	0.50	0.50	1.27	40187	1.00	0.00	0.50	1.17
STATEWIDE	293,973	1.18	0.00	0.50	1.75	32428	1.78	0.00	1.00	2.04	326401	1.24	0.00	0.50	1.79

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	3.70	1.00	3.50	2.79	0	0.00	0.00	0.00	0.00	1495	3.70	1.00	3.50	2.79
Colusa	16,698	3.22	1.00	2.50	2.50	2292	4.07	2.50	3.50	2.36	18990	3.32	1.00	3.00	2.50
Contra Costa	7,247	0.84	0.50	0.50	0.93	0	0.00	0.00	0.00	0.00	7247	0.84	0.50	0.50	0.93
Fresno	103,664	1.48	0.50	1.00	1.53	2695	2.38	1.00	2.00	1.74	106359	1.50	0.50	1.00	1.54
Glenn	766	6.41	2.00	5.50	4.66	564	6.55	6.50	6.50	2.89	1330	6.47	2.00	6.00	4.01
Kern	8,917	1.49	0.50	1.00	1.66	0	0.00	0.00	0.00	0.00	8917	1.49	0.50	1.00	1.66
Kings	44,930	1.59	1.00	1.00	1.53	459	2.18	2.00	2.00	0.99	45389	1.60	1.00	1.00	1.52
Madera	7,461	2.56	1.00	2.00	1.98	1014	2.90	1.00	2.50	1.85	8475	2.60	1.00	2.00	1.96
Merced	27,490	1.55	1.00	1.00	1.34	8072	2.53	1.00	2.00	2.38	35562	1.77	1.00	1.50	1.69
Sacramento	2,530	2.60	1.50	2.00	2.04	1151	2.54	1.50	2.50	1.62	3681	2.58	1.50	2.00	1.92
San Benito	146	0.25	0.00	0.00	0.29	0	0.00	0.00	0.00	0.00	146	0.25	0.00	0.00	0.29
San Joaquin	7,179	1.12	0.00	1.00	1.08	3936	0.70	0.00	0.50	0.93	11115	0.97	0.00	0.50	1.05
Santa Clara	161	0.21	0.00	0.00	0.29	0	0.00	0.00	0.00	0.00	161	0.21	0.00	0.00	0.29
Solano	9,369	0.67	0.00	0.50	1.11	2076	0.48	0.00	0.50	0.68	11445	0.63	0.00	0.50	1.05
Stanislaus	5,250	0.62	0.00	0.50	0.94	2233	1.04	0.50	1.00	1.08	7483	0.74	0.00	0.50	1.00
Sutter	10,054	3.09	1.00	2.50	2.69	3095	3.52	1.00	2.50	2.98	13149	3.20	1.00	2.50	2.76
Tehama	599	4.53	4.00	4.50	2.47	0	0.00	0.00	0.00	0.00	599	4.53	4.00	4.50	2.47
Tulare	4,671	4.27	2.00	3.50	2.88	0	0.00	0.00	0.00	0.00	4671	4.27	2.00	3.50	2.88
Yolo	35,346	1.35	0.00	0.50	1.87	4841	1.38	0.00	0.50	2.04	40187	1.35	0.00	0.50	1.89
STATEWIDE	293,973	1.69	0.50	1.00	1.87	32428	2.19	0.50	1.50	2.35	326401	1.74	0.50	1.00	1.93

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	0.76	0.00	0.50	0.92	0	0.00	0.00	0.00	0.00	1495	0.76	0.00	0.50	0.92
Colusa	16,698	1.33	0.00	1.00	1.62	2292	0.95	0.00	0.50	0.97	18990	1.28	0.00	1.00	1.56
Contra Costa	7,247	0.90	0.00	0.50	1.07	0	0.00	0.00	0.00	0.00	7247	0.90	0.00	0.50	1.07
Fresno	103,664	0.84	0.00	0.50	1.14	2695	0.48	0.00	0.50	0.55	106359	0.83	0.00	0.50	1.13
Glenn	766	0.83	0.00	0.50	0.91	564	1.00	0.50	1.00	0.92	1330	0.90	0.00	0.50	0.92
Kern	8,917	0.92	0.00	0.50	0.96	0	0.00	0.00	0.00	0.00	8917	0.92	0.00	0.50	0.96
Kings	44,930	0.72	0.00	0.50	1.00	459	0.51	0.00	0.50	0.55	45389	0.72	0.00	0.50	1.00
Madera	7,461	0.92	0.00	0.50	1.10	1014	0.76	0.00	0.50	0.88	8475	0.90	0.00	0.50	1.08
Merced	27,490	1.10	0.00	0.50	1.36	8072	0.97	0.00	0.50	1.14	35562	1.07	0.00	0.50	1.31

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 12 Ending 09/19/2026

Last Week YTD

Current Week

Year To Date

Grade: LU, Continued

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Sacramento	2,530	0.82	0.00	0.50	0.95	1151	0.97	0.00	0.50	1.01	3681	0.87	0.00	0.50	0.97
San Benito	146	2.98	1.00	2.50	2.29	0	0.00	0.00	0.00	0.00	146	2.98	1.00	2.50	2.29
San Joaquin	7,179	0.78	0.00	0.50	0.99	3936	0.89	0.00	0.50	1.10	11115	0.82	0.00	0.50	1.03
Santa Clara	161	1.39	0.50	1.50	1.00	0	0.00	0.00	0.00	0.00	161	1.39	0.50	1.50	1.00
Solano	9,369	0.48	0.00	0.00	0.85	2076	0.35	0.00	0.00	0.55	11445	0.46	0.00	0.00	0.80
Stanislaus	5,250	1.00	0.00	0.50	1.30	2233	0.57	0.00	0.50	0.78	7483	0.87	0.00	0.50	1.19
Sutter	10,054	1.09	0.00	0.50	1.36	3095	1.09	0.00	1.00	1.21	13149	1.09	0.00	0.50	1.33
Tehama	599	1.29	0.50	1.00	1.57	0	0.00	0.00	0.00	0.00	599	1.29	0.50	1.00	1.57
Tulare	4,671	0.70	0.00	0.50	0.93	0	0.00	0.00	0.00	0.00	4671	0.70	0.00	0.50	0.93
Yolo	35,346	0.96	0.00	0.50	1.57	4841	0.60	0.00	0.50	0.85	40187	0.91	0.00	0.50	1.50
STATEWIDE	293,973	0.89	0.00	0.50	1.23	32428	0.80	0.00	0.50	1.00	326401	0.88	0.00	0.50	1.21

Grade: MOT

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	2.80	0.50	2.00	2.66	0	0.00	0.00	0.00	0.00	1495	2.80	0.50	2.00	2.66
Colusa	16,698	1.11	0.50	1.00	1.18	2292	0.90	0.50	0.50	0.96	18990	1.09	0.50	1.00	1.15
Contra Costa	7,247	0.30	0.00	0.00	0.63	0	0.00	0.00	0.00	0.00	7247	0.30	0.00	0.00	0.63
Fresno	103,664	0.48	0.00	0.50	0.84	2695	0.55	0.00	0.50	0.67	106359	0.48	0.00	0.50	0.83
Glenn	766	1.82	1.00	1.50	1.54	564	1.76	1.00	1.00	1.64	1330	1.79	1.00	1.50	1.58
Kern	8,917	0.63	0.00	0.50	1.14	0	0.00	0.00	0.00	0.00	8917	0.63	0.00	0.50	1.14
Kings	44,930	0.63	0.00	0.50	1.13	459	0.81	0.50	0.50	0.73	45389	0.63	0.00	0.50	1.13
Madera	7,461	0.75	0.00	0.50	1.10	1014	0.80	0.50	0.50	0.90	8475	0.76	0.50	0.50	1.08
Merced	27,490	0.75	0.00	0.50	1.08	8072	1.27	0.50	0.50	1.85	35562	0.87	0.00	0.50	1.31
Sacramento	2,530	2.19	0.00	1.00	2.96	1151	2.30	0.00	1.50	2.95	3681	2.22	0.00	1.00	2.95
San Benito	146	0.49	0.50	0.50	0.29	0	0.00	0.00	0.00	0.00	146	0.49	0.50	0.50	0.29
San Joaquin	7,179	0.86	0.00	0.00	2.11	3936	0.44	0.00	0.00	0.78	11115	0.71	0.00	0.00	1.77
Santa Clara	161	0.26	0.00	0.00	0.32	0	0.00	0.00	0.00	0.00	161	0.26	0.00	0.00	0.32
Solano	9,369	0.36	0.00	0.00	0.83	2076	0.26	0.00	0.00	0.52	11445	0.34	0.00	0.00	0.79
Stanislaus	5,250	0.24	0.00	0.00	0.46	2233	0.28	0.00	0.00	0.42	7483	0.25	0.00	0.00	0.45
Sutter	10,054	0.93	0.00	0.50	1.26	3095	0.88	0.00	0.50	1.22	13149	0.92	0.00	0.50	1.25
Tehama	599	1.69	1.00	1.00	1.86	0	0.00	0.00	0.00	0.00	599	1.69	1.00	1.00	1.86
Tulare	4,671	1.03	0.50	1.00	1.12	0	0.00	0.00	0.00	0.00	4671	1.03	0.50	1.00	1.12
Yolo	35,346	0.41	0.00	0.00	0.79	4841	0.44	0.00	0.00	0.77	40187	0.41	0.00	0.00	0.78
STATEWIDE	293,973	0.62	0.00	0.50	1.10	32428	0.82	0.00	0.50	1.38	326401	0.64	0.00	0.50	1.13

Grade: Hue

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	20.83	21.50	21.00	1.25	0	0.00	0.00	0.00	0.00	1495	20.83	21.50	21.00	1.25
Colusa	16,698	21.00	20.50	21.00	1.27	2292	20.13	20.00	20.00	0.86	18990	20.90	20.00	21.00	1.26

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 12 Ending 09/19/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Hue, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	7,247	20.00	19.50	20.00	0.98	0	0.00	0.00	0.00	0.00	7247	20.00	19.50	20.00	0.98
Fresno	103,664	20.41	20.00	20.00	1.28	2695	20.67	20.00	20.50	1.29	106359	20.42	20.00	20.00	1.28
Glenn	766	21.32	20.00	20.50	1.99	564	20.07	20.00	20.00	0.67	1330	20.79	20.00	20.50	1.69
Kern	8,917	20.54	20.50	20.50	1.10	0	0.00	0.00	0.00	0.00	8917	20.54	20.50	20.50	1.10
Kings	44,930	20.40	20.00	20.00	1.18	459	21.01	19.50	20.50	1.50	45389	20.41	20.00	20.00	1.18
Madera	7,461	20.88	20.00	21.00	1.42	1014	20.25	20.00	20.00	1.05	8475	20.81	20.00	20.50	1.40
Merced	27,490	20.87	20.50	20.50	1.23	8072	20.75	20.50	20.50	1.20	35562	20.84	20.50	20.50	1.22
Sacramento	2,530	20.86	20.00	20.50	1.15	1151	21.05	21.00	21.00	1.02	3681	20.92	20.50	21.00	1.12
San Benito	146	20.16	20.00	20.00	0.58	0	0.00	0.00	0.00	0.00	146	20.16	20.00	20.00	0.58
San Joaquin	7,179	20.66	20.00	20.50	1.50	3936	20.28	20.00	20.00	1.25	11115	20.53	20.00	20.00	1.42
Santa Clara	161	19.50	19.50	19.50	0.41	0	0.00	0.00	0.00	0.00	161	19.50	19.50	19.50	0.41
Solano	9,369	20.67	20.50	20.50	1.18	2076	20.78	21.00	21.00	0.94	11445	20.69	20.50	20.50	1.14
Stanislaus	5,250	20.48	20.00	20.50	1.29	2233	20.35	19.50	20.00	1.26	7483	20.44	20.00	20.50	1.28
Sutter	10,054	21.32	21.50	21.50	1.28	3095	20.36	20.00	20.00	1.07	13149	21.09	21.50	21.00	1.30
Tehama	599	22.11	21.50	22.00	1.02	0	0.00	0.00	0.00	0.00	599	22.11	21.50	22.00	1.02
Tulare	4,671	20.33	20.50	20.00	1.02	0	0.00	0.00	0.00	0.00	4671	20.33	20.50	20.00	1.02
Yolo	35,346	21.35	21.00	21.00	1.40	4841	20.42	20.00	20.50	1.00	40187	21.24	21.00	21.00	1.39
STATEWIDE	293,973	20.66	20.00	20.50	1.32	32428	20.52	20.00	20.50	1.16	326401	20.65	20.00	20.50	1.31

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	4.70	4.50	4.70	0.29	0	0.00	0.00	0.00	0.00	1495	4.70	4.50	4.70	0.29
Colusa	16,698	5.01	4.90	5.00	0.42	2292	4.58	4.30	4.60	0.34	18990	4.96	4.90	4.90	0.44
Contra Costa	7,247	5.20	5.10	5.20	0.35	0	0.00	0.00	0.00	0.00	7247	5.20	5.10	5.20	0.35
Fresno	103,664	5.35	5.30	5.30	0.47	2695	4.97	4.90	4.90	0.61	106359	5.34	5.30	5.30	0.48
Glenn	766	4.63	4.40	4.60	0.34	564	4.92	4.90	4.90	0.28	1330	4.75	4.70	4.80	0.35
Kern	8,917	5.04	4.60	5.00	0.54	0	0.00	0.00	0.00	0.00	8917	5.04	4.60	5.00	0.54
Kings	44,930	4.98	4.90	4.90	0.45	459	4.71	4.50	4.60	0.44	45389	4.97	4.90	4.90	0.45
Madera	7,461	5.12	5.00	5.10	0.44	1014	4.93	4.60	4.90	0.43	8475	5.10	4.90	5.10	0.44
Merced	27,490	5.09	4.90	5.00	0.55	8072	5.18	5.20	5.20	0.53	35562	5.11	4.90	5.00	0.55
Sacramento	2,530	5.25	5.20	5.20	0.45	1151	5.39	5.40	5.40	0.37	3681	5.29	5.30	5.30	0.43
San Benito	146	4.88	4.80	4.80	0.23	0	0.00	0.00	0.00	0.00	146	4.88	4.80	4.80	0.23
San Joaquin	7,179	5.46	5.20	5.40	0.48	3936	5.23	5.20	5.20	0.51	11115	5.38	5.20	5.30	0.50
Santa Clara	161	5.01	4.90	4.90	0.35	0	0.00	0.00	0.00	0.00	161	5.01	4.90	4.90	0.35
Solano	9,369	5.29	5.30	5.30	0.52	2076	5.41	5.20	5.30	0.54	11445	5.31	5.30	5.30	0.53
Stanislaus	5,250	5.32	5.30	5.30	0.48	2233	5.03	4.80	5.00	0.39	7483	5.23	5.20	5.20	0.47
Sutter	10,054	4.90	4.80	4.80	0.45	3095	4.66	4.30	4.60	0.51	13149	4.84	4.70	4.80	0.47
Tehama	599	4.83	4.80	4.80	0.28	0	0.00	0.00	0.00	0.00	599	4.83	4.80	4.80	0.28
Tulare	4,671	4.87	4.50	4.80	0.42	0	0.00	0.00	0.00	0.00	4671	4.87	4.50	4.80	0.42
Yolo	35,346	4.99	4.90	5.00	0.40	4841	4.97	4.90	4.90	0.51	40187	4.99	4.90	5.00	0.42

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 12 Ending 09/19/2026

STATEWIDE	293,973	5.16	5.00	5.10	0.50	32428	5.04	5.00	5.00	0.55	326401	5.15	5.00	5.10	0.50
-----------	---------	------	------	------	------	-------	------	------	------	------	--------	------	------	------	------

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	4.41	4.43	4.41	0.08	0	0.00	0.00	0.00	0.00	1495	4.41	4.43	4.41	0.08
Colusa	16,698	4.39	4.36	4.38	0.09	2292	4.45	4.47	4.45	0.07	18990	4.39	4.36	4.39	0.09
Contra Costa	7,247	4.39	4.41	4.39	0.08	0	0.00	0.00	0.00	0.00	7247	4.39	4.41	4.39	0.08
Fresno	103,664	4.41	4.40	4.41	0.10	2695	4.51	4.56	4.53	0.10	106359	4.42	4.40	4.41	0.10
Glenn	766	4.36	4.37	4.35	0.07	564	4.44	4.37	4.44	0.07	1330	4.39	4.37	4.38	0.08
Kern	8,917	4.38	4.36	4.38	0.09	0	0.00	0.00	0.00	0.00	8917	4.38	4.36	4.38	0.09
Kings	44,930	4.39	4.40	4.39	0.09	459	4.61	4.57	4.61	0.06	45389	4.40	4.40	4.39	0.09
Madera	7,461	4.46	4.49	4.46	0.09	1014	4.53	4.54	4.53	0.08	8475	4.47	4.49	4.47	0.10
Merced	27,490	4.45	4.44	4.45	0.10	8072	4.45	4.40	4.44	0.11	35562	4.45	4.44	4.45	0.10
Sacramento	2,530	4.34	4.31	4.33	0.10	1151	4.36	4.37	4.36	0.10	3681	4.35	4.31	4.34	0.10
San Benito	146	4.32	4.24	4.30	0.09	0	0.00	0.00	0.00	0.00	146	4.32	4.24	4.30	0.09
San Joaquin	7,179	4.35	4.36	4.36	0.09	3936	4.43	4.42	4.42	0.12	11115	4.38	4.36	4.37	0.11
Santa Clara	161	4.39	4.35	4.38	0.09	0	0.00	0.00	0.00	0.00	161	4.39	4.35	4.38	0.09
Solano	9,369	4.38	4.38	4.38	0.08	2076	4.39	4.33	4.37	0.09	11445	4.38	4.38	4.38	0.09
Stanislaus	5,250	4.43	4.41	4.42	0.09	2233	4.43	4.43	4.43	0.11	7483	4.43	4.41	4.42	0.10
Sutter	10,054	4.39	4.38	4.39	0.08	3095	4.39	4.41	4.40	0.08	13149	4.39	4.38	4.39	0.08
Tehama	599	4.33	4.33	4.32	0.06	0	0.00	0.00	0.00	0.00	599	4.33	4.33	4.32	0.06
Tulare	4,671	4.43	4.39	4.43	0.09	0	0.00	0.00	0.00	0.00	4671	4.43	4.39	4.43	0.09
Yolo	35,346	4.36	4.33	4.35	0.09	4841	4.38	4.35	4.37	0.09	40187	4.36	4.33	4.35	0.09
STATEWIDE	293,973	4.40	4.40	4.40	0.10	32428	4.43	4.42	4.43	0.11	326401	4.40	4.40	4.40	0.10

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 12 Ending 09/19/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.6	325,044	0.0	31.1	101,586	0.0	17.2	56,090	0.0	36.2	118,214	0.0	45.1	147,054
0.5	100.0	326,243	0.5	53.1	173,228	0.5	36.4	118,718	0.5	60.8	198,434	0.5	74.0	241,658
1.0	100.0	326,350	1.0	68.6	223,934	1.0	53.1	173,284	1.0	77.1	251,542	1.0	86.3	281,705
1.5	100.0	326,378	1.5	77.6	253,327	1.5	64.9	211,862	1.5	85.6	279,241	1.5	91.5	298,776
2.0	100.0	326,395	2.0	83.5	272,515	2.0	73.8	241,046	2.0	90.6	295,621	2.0	94.3	307,902
2.5	100.0	326,397	2.5	87.5	285,756	2.5	80.3	262,024	2.5	93.6	305,449	2.5	96.0	313,401
3.0	100.0	326,399	3.0	90.4	294,972	3.0	85.0	277,296	3.0	95.5	311,873	3.0	97.1	316,903
3.5	100.0	326,400	3.5	92.5	301,839	3.5	88.4	288,637	3.5	96.8	316,047	3.5	97.8	319,359
4.0	100.0	326,401	4.0	94.0	306,942	4.0	91.0	296,871	4.0	97.7	318,859	4.0	98.3	320,999
			4.5	95.3	310,937	4.5	92.9	303,077	4.5	98.3	320,902	4.5	98.7	322,161
			5.0	96.2	313,940	5.0	94.3	307,847	5.0	98.7	322,251	5.0	99.0	323,016
			5.5	97.0	316,450	5.5	95.5	311,611	5.5	99.1	323,315	5.5	99.2	323,680
			6.0	97.5	318,289	6.0	96.3	314,454	6.0	99.3	324,047	6.0	99.3	324,221
			6.5	98.0	319,835	6.5	97.1	316,838	6.5	99.4	324,581	6.5	99.5	324,606
			7.0	98.3	320,982	7.0	97.7	318,760	7.0	99.6	324,998	7.0	99.5	324,911
			7.5	98.6	321,950	7.5	98.1	320,261	7.5	99.7	325,310	7.5	99.6	325,146
			8.0	98.9	322,749	8.0	98.5	321,476	8.0	99.7	325,548	8.0	99.7	325,336
			8.5	99.1	323,432	8.5	98.8	322,511	8.5	99.8	325,724	8.5	99.7	325,496
			9.0	99.3	323,994	9.0	99.1	323,324	9.0	99.8	325,861	9.0	99.8	325,648
			9.5	99.4	324,411	9.5	99.3	323,972	9.5	99.9	325,975	9.5	99.8	325,758
			10.0	99.5	324,770	10.0	99.4	324,488	10.0	99.9	326,062	10.0	99.8	325,847
			10.5	99.6	325,022	10.5	99.5	324,916	10.5	99.9	326,133	10.5	99.9	325,928
			11.0	99.6	325,254	11.0	99.6	325,198	11.0	99.9	326,186	11.0	99.9	325,988
			11.5	99.7	325,474	11.5	99.7	325,460	11.5	99.9	326,219	11.5	99.9	326,043
			12.0	99.8	325,609	12.0	99.8	325,679	12.0	100.0	326,253	12.0	99.9	326,094
			12.5	99.8	325,738	12.5	99.8	325,837	12.5	100.0	326,283	12.5	99.9	326,140
			13.0	99.8	325,843	13.0	99.9	325,976	13.0	100.0	326,305	13.0	99.9	326,182
			13.5	99.9	325,927	13.5	99.9	326,084	13.5	100.0	326,321	13.5	99.9	326,213
			14.0	99.9	325,989	14.0	99.9	326,146	14.0	100.0	326,346	14.0	100.0	326,244
			14.5	99.9	326,056	14.5	99.9	326,199	14.5	100.0	326,355	14.5	100.0	326,266
			15.0	99.9	326,104	15.0	100.0	326,244	15.0	100.0	326,360	15.0	100.0	326,286
			15.5	99.9	326,139	15.5	100.0	326,277	15.5	100.0	326,368	15.5	100.0	326,300
			16.0	99.9	326,174	16.0	100.0	326,305	16.0	100.0	326,372	16.0	100.0	326,314
			16.5	99.9	326,208	16.5	100.0	326,325	16.5	100.0	326,374	16.5	100.0	326,326
			17.0	99.9	326,225	17.0	100.0	326,341	17.0	100.0	326,376	17.0	100.0	326,335
			17.5	100.0	326,253	17.5	100.0	326,347	17.5	100.0	326,382	17.5	100.0	326,348
			18.0	100.0	326,271	18.0	100.0	326,359	18.0	100.0	326,383	18.0	100.0	326,362
			18.5	100.0	326,288	18.5	100.0	326,370	18.5	100.0	326,385	18.5	100.0	326,370
			19.0	100.0	326,298	19.0	100.0	326,373	19.0	100.0	326,390	19.0	100.0	326,375
			19.5	100.0	326,313	19.5	100.0	326,375	19.5	100.0	326,391	19.5	100.0	326,381
			20.0	100.0	326,324	20.0	100.0	326,377	20.0	100.0	326,393	20.0	100.0	326,385
			20.5	100.0	326,334	20.5	100.0	326,378	20.5	100.0	326,393	20.5	100.0	326,389
			21.0	100.0	326,341	21.0	100.0	326,383	21.0	100.0	326,393	21.0	100.0	326,391
			21.5	100.0	326,345	21.5	100.0	326,386	21.5	100.0	326,394	21.5	100.0	326,391

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 12 Ending 09/19/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week				#Loads	Year To Date			
		GREEN Percent Less than or Equal To:					GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Butte	0	0	0	0	0	1,495	28	37	48	61
Colusa	2,292	8	24	43	59	18,990	20	39	58	71
Contra Costa	0	0	0	0	0	7,247	77	91	97	99
Fresno	2,695	31	57	74	85	106,359	55	78	89	94
Glenn	564	2	8	13	19	1,330	7	20	28	35
Kern	0	0	0	0	0	8,917	59	81	89	93
Kings	459	18	57	85	98	45,389	50	77	89	94
Madera	1,014	22	47	63	77	8,475	27	52	71	83
Merced	8,072	37	60	74	81	35,562	47	73	86	92
Sacramento	1,151	22	48	72	87	3,681	26	51	72	84
San Benito	0	0	0	0	0	146	100	100	100	100
San Joaquin	3,936	82	93	97	98	11,115	70	88	95	98
Santa Clara	0	0	0	0	0	161	100	100	100	100
Solano	2,076	89	96	99	99	11,445	85	94	97	98
Stanislaus	2,233	72	88	94	97	7,483	79	91	97	98
Sutter	3,095	23	43	59	70	13,149	28	47	61	72
Tehama	0	0	0	0	0	599	4	18	34	49
Tulare	0	0	0	0	0	4,671	8	25	42	57
Yolo	4,841	66	81	89	93	40,187	68	80	87	91
STATEWIDE TOTALS										
CURRENT WEEK	32,428	47.3	65.8	77.4	84.7	326,401	53	74	85	91
LAST WEEK YTD						293,973	54	75	86	92

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 12 Ending 09/19/2026

ANALYSIS BY COUNTY FOR GRADE: LU

County	Current Week					Year To Date				
	#Loads	LU Percent Less than or Equal To:				#Loads	LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Butte	0	0	0	0	0	1,495	99	100	100	100
Colusa	2,292	99	100	100	100	18,990	97	99	99	99
Contra Costa	0	0	0	0	0	7,247	99	99	100	100
Fresno	2,695	100	100	100	100	106,359	98	99	99	99
Glenn	564	99	100	100	100	1,330	99	100	100	100
Kern	0	0	0	0	0	8,917	99	99	100	100
Kings	459	100	100	100	100	45,389	99	99	99	99
Madera	1,014	99	100	100	100	8,475	99	99	99	100
Merced	8,072	98	99	99	100	35,562	98	99	99	99
Sacramento	1,151	99	100	100	100	3,681	99	100	100	100
San Benito	0	0	0	0	0	146	82	96	100	100
San Joaquin	3,936	99	99	100	100	11,115	99	99	99	100
Santa Clara	0	0	0	0	0	161	100	100	100	100
Solano	2,076	99	100	100	100	11,445	99	99	99	99
Stanislaus	2,233	99	99	100	100	7,483	98	99	99	99
Sutter	3,095	98	99	100	100	13,149	98	99	99	99
Tehama	0	0	0	0	0	599	96	99	100	100
Tulare	0	0	0	0	0	4,671	99	100	100	100
Yolo	4,841	99	100	100	100	40,187	97	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	32,428	99.4	99.9	100.0	100.0	326,401	99	100	100	100
LAST WEEK YTD						293,973	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 12 Ending 09/19/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD

County	Current Week							Year To Date						
	MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:						
	#Loads	3%	4%	5%	6%	7%	8%	#Loads	3%	4%	5%	6%	7%	8%
Butte	0	0	0	0	0	0	0	1,495	89	96	99	99	100	100
Colusa	2,292	66	78	88	94	97	98	18,990	87	93	96	97	98	99
Contra Costa	0	0	0	0	0	0	0	7,247	98	99	99	99	99	99
Fresno	2,695	63	71	78	85	88	91	106,359	92	95	96	97	98	98
Glenn	564	87	96	99	99	99	99	1,330	71	80	85	88	91	94
Kern	0	0	0	0	0	0	0	8,917	99	99	99	99	100	100
Kings	459	15	29	44	61	74	84	45,389	80	86	90	93	95	96
Madera	1,014	88	94	96	98	99	99	8,475	83	91	95	97	99	99
Merced	8,072	83	89	93	96	98	99	35,562	87	92	95	97	98	99
Sacramento	1,151	98	99	99	99	99	100	3,681	97	98	99	99	99	100
San Benito	0	0	0	0	0	0	0	146	100	100	100	100	100	100
San Joaquin	3,936	90	93	96	97	98	99	11,115	95	97	98	99	99	99
Santa Clara	0	0	0	0	0	0	0	161	100	100	100	100	100	100
Solano	2,076	92	96	98	99	99	99	11,445	96	98	99	99	99	99
Stanislaus	2,233	96	98	99	99	99	99	7,483	93	97	98	99	99	99
Sutter	3,095	75	85	92	96	98	98	13,149	85	92	96	98	99	99
Tehama	0	0	0	0	0	0	0	599	93	97	99	99	100	100
Tulare	0	0	0	0	0	0	0	4,671	95	98	99	99	99	99
Yolo	4,841	92	96	98	99	99	99	40,187	94	97	98	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	32,428	83.2	89.4	93.4	96.2	97.6	98.5	326,401	90	94	96	98	98	99
LAST WEEK YTD								293,973	91	95	96	98	98	99

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 12 Ending 09/19/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Butte	0	0	0	0	0	1,495	24	35	53	68
Colusa	2,292	52	76	92	96	18,990	47	69	88	94
Contra Costa	0	0	0	0	0	7,247	87	94	98	99
Fresno	2,695	75	88	96	99	106,359	80	91	97	98
Glenn	564	30	50	71	84	1,330	26	47	70	85
Kern	0	0	0	0	0	8,917	75	88	95	97
Kings	459	57	85	97	99	45,389	74	86	94	97
Madera	1,014	65	85	94	97	8,475	67	83	93	96
Merced	8,072	55	71	84	90	35,562	64	79	91	95
Sacramento	1,151	35	48	66	79	3,681	41	54	68	78
San Benito	0	0	0	0	0	146	85	99	100	100
San Joaquin	3,936	80	91	97	98	11,115	79	88	94	95
Santa Clara	0	0	0	0	0	161	96	98	100	100
Solano	2,076	89	95	99	99	11,445	86	92	97	98
Stanislaus	2,233	90	97	99	99	7,483	90	96	99	99
Sutter	3,095	58	77	92	96	13,149	58	76	90	95
Tehama	0	0	0	0	0	599	31	52	77	87
Tulare	0	0	0	0	0	4,671	47	70	89	96
Yolo	4,841	80	91	97	98	40,187	82	91	97	98
STATEWIDE TOTALS										
CURRENT WEEK	32,428	67.8	82.0	91.9	95.6	326,401	74	86	94	97
LAST WEEK YTD						293,973	75	87	95	97

Average Defects Report (RP10)**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS**
Week 12 Ending 09/19/2026**Butte**

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	322	0.0	2.3	7.1	4.0	19.0	0.5	4.4	4.49
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	1.3	1.6	4.1	20.0	1.2	4.8	4.47
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	270	0.0	0.8	4.8	5.0	21.1	1.1	5.1	4.44
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	670	0.0	1.8	1.9	1.0	21.7	0.5	4.6	4.34
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			1,494	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	751	0.0	1.0	1.1	1.3	20.3	1.3	4.9	4.45
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,092	0.0	2.4	4.8	1.4	22.6	2.8	4.9	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	3.2	0.5	0.6	20.4	0.5	5.3	4.47
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,854	0.0	0.7	4.5	1.0	21.6	0.8	5.2	4.34
068	8268, HM	Cur Wk	5	0.0	5.0	0.6	0.1	19.3	0.5	5.1	4.43
		YTD	109	0.0	2.9	0.7	0.2	19.4	0.4	5.0	4.46
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.8	4.3	1.4	20.7	2.7	4.8	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	4.5	0.0	0.0	20.5	1.0	5.1	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	4.5	0.4	0.1	20.5	0.3	5.2	4.39
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	114	0.0	2.5	6.4	1.3	21.9	1.2	4.5	4.42
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.8	0.8	0.0	20.7	0.2	4.9	4.48
263	2639, HZ	Cur Wk	8	0.0	0.6	1.0	4.0	20.5	1.2	4.7	4.33
		YTD	100	0.0	2.0	4.1	1.2	19.8	1.0	5.0	4.35
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	2.5	4.6	0.7	21.3	1.6	4.5	4.40
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	76	0.0	3.1	4.3	2.2	22.0	1.7	4.7	4.39
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.3	3.6	1.6	22.4	2.9	5.2	4.42
477	4707, HZ	Cur Wk	158	0.0	4.1	1.7	0.7	22.0	0.7	4.8	4.50
		YTD	158	0.0	4.1	1.7	0.7	22.0	0.7	4.8	4.50
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
485	6485, N	Cur Wk	15	0.0	6.0	1.3	0.1	20.6	0.9	4.1	4.62
		YTD	145	0.0	3.8	1.2	0.5	20.6	0.5	4.1	4.58
510	2015, HZ	Cur Wk	451	0.0	2.2	6.2	0.8	19.6	0.5	4.3	4.49
		YTD	1,038	0.0	1.9	4.1	0.9	19.3	0.8	4.6	4.47
552	5522, HM	Cur Wk	12	0.1	5.7	0.8	0.3	20.0	0.4	5.4	4.38
		YTD	156	0.0	3.0	0.5	0.3	20.1	0.3	5.2	4.38
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.0	0.7	0.3	20.6	0.2	5.1	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.8	0.7	20.9	1.7	4.9	4.55
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	43	0.0	1.1	5.0	0.9	21.1	0.9	4.8	4.34
610	2016, HZ	Cur Wk	1,207	0.0	2.6	3.9	1.0	19.9	1.2	4.6	4.42
		YTD	4,602	0.0	1.7	3.2	1.1	20.0	1.2	4.7	4.37
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
662	1662, HZ	YTD	26	0.0	2.4	1.7	1.1	21.9	0.7	4.9	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	2.0	2.5	0.9	21.2	1.7	4.6	4.41
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.9	4.0	1.3	22.0	0.7	4.9	4.34
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
755	7558, NB	YTD	3	0.2	1.8	0.2	0.0	20.5	0.2	5.0	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
856	6508, N	YTD	3	0.2	2.2	0.3	0.0	20.0	0.2	5.1	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,550	0.0	2.0	3.3	1.0	21.4	0.7	5.1	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
913	9013, SVTM	YTD	4	0.0	1.6	1.4	0.0	21.9	0.6	5.0	4.24
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	2.0	2.3	0.9	22.0	2.3	4.9	4.43
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	812	0.0	1.2	2.5	1.2	21.3	0.7	5.0	4.33
		Cur Wk	436	0.0	2.9	3.5	0.9	20.5	0.7	4.9	4.49
941	9041, SVTM	YTD	1,184	0.0	1.4	2.3	1.1	19.9	0.9	5.2	4.44
		Cur Wk:	2,292	0.0	2.7	4.1	0.9	20.1	0.9	4.6	4.45
		YTD	18,989	0.0	1.7	3.3	1.1	20.9	1.3	5.0	4.39

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
028	6428, N	YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	247	0.0	1.3	0.4	0.3	19.3	1.1	5.6	4.52
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	421	0.0	0.5	1.1	0.4	19.8	0.8	5.1	4.45
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
068	8268, HM	YTD	1,502	0.0	0.2	0.7	0.2	19.6	1.0	5.3	4.40

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Contra Costa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	1.3	0.5	20.1	1.1	5.3	4.28
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.4	1.2	0.6	20.1	0.7	5.4	4.30
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.3	0.6	0.4	20.4	0.7	5.2	4.41
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	265	0.0	0.5	1.4	0.3	20.4	2.7	5.1	4.42
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,019	0.0	0.5	0.6	0.3	19.5	0.4	5.3	4.35
740	74, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	976	0.0	1.0	1.1	0.3	19.9	1.4	5.2	4.43
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	0.5	0.8	0.4	22.5	1.2	5.1	4.26
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			7,247	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	1.3	0.6	0.3	21.5	0.5	5.1	4.37
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8,403	0.0	0.5	1.2	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	4,549	0.0	0.9	0.7	0.5	19.5	1.1	5.8	4.47
037	8237, HM	Cur Wk	427	0.0	0.6	2.0	0.3	20.3	0.3	5.7	4.40
		YTD	8,894	0.0	0.9	1.3	0.3	21.1	0.5	5.4	4.38
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	19	0.0	0.9	0.3	0.2	19.0	0.9	5.8	4.55
		YTD	1,235	0.0	1.2	1.3	0.5	20.0	1.4	5.6	4.55
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,947	0.0	0.8	1.6	0.4	19.5	1.2	5.5	4.44
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,184	0.0	0.7	4.8	1.4	21.2	0.8	5.5	4.43
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	695	0.0	1.0	0.9	0.4	20.5	1.2	4.9	4.48
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,704	0.0	1.5	0.7	0.4	19.8	0.8	5.1	4.47
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.0	1.6	0.8	19.5	0.4	4.7	4.55
171	1715, LS	Cur Wk	8	0.0	9.3	2.9	0.2	21.3	0.7	4.8	4.58
		YTD	31	0.0	11.4	2.4	0.4	21.3	0.8	4.9	4.62
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,712	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,051	0.0	2.9	4.1	0.7	19.4	1.6	5.4	4.45
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	381	0.0	0.9	0.5	0.1	19.9	0.7	5.6	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	466	0.0	0.9	0.8	0.2	20.3	0.7	5.8	4.35
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,659	0.0	0.5	1.3	0.4	21.9	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
263	2639, HZ	Cur Wk	3	0.0	0.6	2.2	0.5	20.7	0.8	4.8	4.27
		YTD	73	0.0	2.9	1.5	1.0	20.7	0.8	4.8	4.44
264	2640, HZ	Cur Wk	3	0.0	0.3	2.5	0.2	20.5	0.0	4.6	4.34
		YTD	5	0.0	0.6	1.9	0.2	20.8	0.5	4.7	4.32
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
365	2365, HZ	Cur Wk	126	0.0	2.3	4.7	0.7	20.6	0.3	4.5	4.64
		YTD	487	0.0	2.3	2.7	0.6	20.6	0.4	4.8	4.58
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	276	0.0	1.1	2.9	1.3	20.5	1.8	6.2	4.44
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6,040	0.0	0.7	1.2	0.5	20.4	0.9	5.4	4.49
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	983	0.0	2.9	3.0	1.4	21.9	1.7	5.1	4.49
441	114, BP	Cur Wk	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
		YTD	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	347	0.0	0.3	1.8	0.4	21.1	0.3	5.1	4.39
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	0.8	1.0	0.5	21.8	2.3	5.4	4.55
477	4707, HZ	Cur Wk	132	0.0	1.9	2.0	0.4	22.2	0.4	4.7	4.53
		YTD	315	0.0	2.4	2.5	0.6	22.1	0.3	4.8	4.50
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	88	0.0	0.3	0.3	0.1	18.9	0.1	5.1	4.55
		YTD	1,291	0.0	1.5	0.8	0.3	19.8	0.5	4.7	4.57
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,115	0.0	0.5	0.8	0.2	19.4	0.3	5.2	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
533	533	Cur Wk	3	0.0	2.0	4.3	0.3	20.2	0.8	4.9	4.41
		YTD	46	0.0	8.9	3.0	0.4	21.1	0.9	4.7	4.54
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,792	0.0	0.6	0.8	0.2	19.5	0.6	5.6	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,143	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	7	0.0	1.0	3.2	0.4	20.7	0.9	4.8	4.37
		YTD	47	0.0	1.0	1.1	0.3	20.3	1.0	5.3	4.43
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
572	0275, SY	Cur Wk	3	0.0	1.7	4.2	0.4	21.5	1.8	4.8	4.34
		YTD	7	0.0	1.5	2.3	0.4	20.8	2.4	5.1	4.39
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	73	0.0	5.8	1.2	0.4	20.5	1.3	5.4	4.50
610	2016, HZ	Cur Wk	848	0.0	4.1	2.9	0.8	20.1	0.6	4.6	4.55
		YTD	4,619	0.0	3.2	1.9	0.5	20.1	0.6	4.7	4.48
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	57	0.0	0.6	2.0	0.2	19.7	0.1	5.6	4.44
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.7	1.5	0.5	19.5	0.1	4.9	4.40
652	6502, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.0	18.7	0.7	5.1	4.50

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.6	0.5	20.5	0.7	5.6	4.49
662	1662, HZ	Cur Wk	111	0.0	7.0	1.1	0.4	21.8	0.8	5.0	4.60
		YTD	552	0.0	5.2	1.8	0.4	21.8	1.2	4.9	4.59
707	47073, HZ	Cur Wk	19	0.0	3.0	5.4	0.7	25.1	0.3	4.2	4.58
		YTD	459	0.0	7.1	2.0	0.4	23.6	2.0	4.8	4.59
730	9037, SVTM	Cur Wk	145	0.0	0.5	3.1	0.3	21.1	0.4	4.8	4.36
		YTD	2,962	0.0	1.2	2.1	0.4	21.9	0.5	5.1	4.36
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	49	0.1	2.1	1.3	0.2	20.0	1.5	5.4	4.40
765	1765, LS	Cur Wk	41	0.0	9.7	1.7	0.0	23.3	0.6	5.0	4.58
		YTD	41	0.0	9.7	1.7	0.0	23.3	0.6	5.0	4.58
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	1.1	0.6	0.1	18.5	0.9	5.6	4.53
820	1082, SVTM	Cur Wk	157	0.0	0.7	0.6	0.2	20.0	0.8	5.9	4.37
		YTD	2,055	0.0	1.2	1.1	0.4	20.6	1.3	5.7	4.38
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,341	0.0	0.8	2.2	0.9	20.7	0.5	5.5	4.44
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	486	0.0	0.8	2.8	0.8	19.4	0.4	5.0	4.41
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,573	0.0	0.6	1.3	0.3	21.4	1.2	5.1	4.44
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.2	0.8	0.0	18.9	0.5	5.6	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	269	0.0	5.9	2.9	0.6	22.2	0.3	4.9	4.56
		YTD	728	0.0	4.2	1.9	0.3	21.7	0.3	5.1	4.48
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,393	0.0	1.3	2.1	1.1	21.9	1.6	5.7	4.30
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,068	0.0	1.2	3.2	1.3	21.0	1.6	5.3	4.40
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,389	0.0	0.9	0.8	0.3	21.3	0.8	5.6	4.29
941	9041, SVTM	Cur Wk	33	0.0	1.3	2.2	0.0	20.9	0.2	5.1	4.47

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
988	1988, LS	YTD	2,912	0.0	1.3	1.1	0.3	21.0	0.5	5.3	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
996	1996, HZ	Cur Wk	251	0.0	4.2	1.5	0.6	20.5	0.5	4.9	4.61
		YTD	7,306	0.0	1.3	1.9	0.5	20.0	0.3	5.0	4.45
		Cur Wk:		2,695	0.0	3.2	2.4	0.5	20.7	0.5	5.0
YTD		106,169	0.0	1.1	1.5	0.5	20.4	0.8	5.3	4.42	

Glenn

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
610	2016, HZ	Cur Wk	275	0.0	1.9	7.0	1.6	20.0	1.2	4.8	4.39
		YTD	812	0.0	2.1	7.8	1.8	20.1	0.9	4.6	4.35
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	205	0.1	7.6	2.4	1.7	24.2	0.9	5.1	4.39
996	1996, HZ	Cur Wk	289	0.0	1.9	6.1	1.9	20.2	0.8	5.1	4.49
		YTD	289	0.0	1.9	6.1	1.9	20.2	0.8	5.1	4.49
Cur Wk:			564	0.0	1.9	6.6	1.8	20.1	1.0	4.9	4.44
YTD			1,329	0.0	2.9	6.5	1.8	20.8	0.9	4.8	4.39

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
036	8163, HM	YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
173	0371, HM	YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	0.8	1.0	0.2	24.0	1.9	4.4	4.56
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,021	0.0	0.2	1.4	0.5	20.9	0.5	4.7	4.35
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

YTD	8,908	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
-----	-------	-----	-----	-----	-----	------	-----	-----	------

Kings											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	445	0.0	2.4	1.9	0.9	20.5	0.6	5.0	4.38
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	886	0.0	0.7	0.7	0.4	19.6	0.7	5.6	4.50
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,690	0.0	1.8	1.4	0.7	20.7	0.8	5.2	4.40
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,599	0.0	5.1	1.4	1.5	21.6	1.1	5.0	4.46
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
263	2639, HZ	Cur Wk	28	0.0	3.8	1.5	0.4	20.0	0.3	5.2	4.55
		YTD	28	0.0	3.8	1.5	0.4	20.0	0.3	5.2	4.55
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
365	2365, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	783	0.0	2.4	2.3	1.0	19.9	0.5	4.8	4.52
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,018	0.0	0.5	1.1	0.5	20.6	0.3	5.1	4.35
461	6461, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	1.7	1.5	1.3	21.4	1.1	4.9	4.45
477	4707, HZ	Cur Wk	200	0.0	5.4	2.6	1.0	22.5	0.4	4.5	4.63
		YTD	242	0.0	5.0	2.6	0.9	22.5	0.4	4.5	4.62
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.9	0.7	0.3	21.0	1.0	4.4	4.61
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	208	0.0	6.2	1.9	0.6	19.7	0.7	4.8	4.58
		YTD	12,002	0.0	1.4	1.8	0.6	19.7	0.6	4.7	4.38
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	39	0.0	6.1	2.0	0.7	21.7	0.9	4.9	4.60

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4,506	0.0	4.4	1.7	1.2	21.4	0.6	5.2	4.41
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	472	0.0	1.3	3.6	1.2	20.5	0.5	5.1	4.41
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	188	0.0	2.1	1.1	0.3	22.2	1.1	5.0	4.49
916	9016, SVTM	Cur Wk	14	0.0	11.9	2.9	1.0	21.2	0.1	5.1	4.58
		YTD	165	0.0	10.2	1.9	0.4	21.1	0.2	5.0	4.52
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	920	0.0	1.4	0.5	0.2	20.8	1.3	5.3	4.28
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	9	0.0	3.6	1.3	0.6	20.0	0.3	5.1	4.67
		YTD	874	0.0	0.6	1.3	0.4	20.7	0.4	4.6	4.41
Cur Wk:			459	0.0	5.8	2.2	0.8	21.0	0.5	4.7	4.61
YTD			45,345	0.0	1.7	1.6	0.6	20.4	0.7	5.0	4.40

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	22	0.0	0.6	5.1	2.0	21.6	0.6	4.8	4.43
		YTD	395	0.0	0.6	3.4	0.5	21.1	0.4	5.2	4.39
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	642	0.0	3.6	1.6	0.6	19.1	1.4	5.6	4.53
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	835	0.0	1.6	4.4	1.4	22.6	0.8	5.1	4.51
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	108	0.0	2.3	2.9	0.6	19.5	2.4	5.9	4.55
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	1.6	1.5	0.8	21.9	1.9	4.7	4.45
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	2.5	5.8	2.1	21.6	1.0	5.1	4.41
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	342	0.0	2.7	2.3	1.0	22.2	1.8	5.2	4.58
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
477	4707, HZ	YTD	8	0.0	2.6	2.9	1.3	19.8	1.0	5.2	4.39
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	454	0.0	1.1	3.0	0.8	22.0	0.5	4.7	4.48
510	2015, HZ	Cur Wk	27	0.0	1.6	1.2	0.3	19.7	1.3	5.3	4.67
		YTD	257	0.0	1.2	2.9	1.1	19.6	1.0	5.0	4.54
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
520	0052, BOS	YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
		Cur Wk	5	0.0	1.5	0.9	0.2	20.9	1.7	4.5	4.50
		YTD	5	0.0	1.5	0.9	0.2	20.9	1.7	4.5	4.50
610	2016, HZ	Cur Wk	169	0.0	0.5	3.8	0.7	18.9	1.0	5.0	4.54
		YTD	1,422	0.0	0.8	2.0	0.5	19.6	0.7	4.9	4.45
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
649	6498, N	YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	966	0.0	1.2	2.7	0.4	21.9	0.4	5.0	4.42
776	1776, HZ	Cur Wk	261	0.0	2.2	3.9	1.0	20.8	0.5	4.8	4.53
		YTD	306	0.0	2.2	3.8	1.0	20.7	0.5	4.8	4.53
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
904	9048, SVTM	YTD	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	4.2	2.0	0.7	19.8	1.1	5.3	4.53
913	9013, SVTM	Cur Wk	81	0.0	3.8	4.6	1.5	21.9	2.1	5.3	4.37
		YTD	558	0.0	2.8	2.9	1.0	22.1	2.2	5.4	4.33
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
921	9021, SVTM	YTD	262	0.0	1.8	2.8	0.8	20.6	0.9	5.2	4.39
		Cur Wk	449	0.0	1.3	1.6	0.6	20.1	0.5	4.9	4.55
		YTD	1,065	0.0	0.9	1.5	0.5	20.1	0.5	5.2	4.48
Cur Wk:			1,014	0.0	1.6	2.9	0.8	20.2	0.8	4.9	4.53
YTD			8,474	0.0	1.7	2.6	0.8	20.8	0.9	5.1	4.47

Merced

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	1.5	1.0	0.8	21.0	1.0	5.3	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
027	9027, SVTM	YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
028	6428, N	Cur Wk	50	0.0	1.3	0.4	0.1	19.9	0.4	5.8	4.52
		YTD	267	0.0	1.4	0.3	0.2	19.7	0.8	5.8	4.56

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	1,451	0.0	1.6	2.2	0.7	21.3	0.7	5.2	4.45
		YTD	2,970	0.0	1.4	1.5	0.6	21.1	0.6	5.1	4.43
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.3	1.2	0.7	21.3	2.7	5.5	4.61
068	8268, HM	Cur Wk	180	0.0	3.4	3.6	0.8	19.2	2.3	5.8	4.55
		YTD	843	0.0	2.9	2.1	1.0	19.6	2.3	5.5	4.54
074	6474, N	Cur Wk	313	0.0	3.5	1.6	1.9	21.3	1.2	5.4	4.58
		YTD	1,226	0.0	1.9	2.3	0.9	21.3	1.1	5.4	4.55
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	1.1	0.7	0.7	21.3	2.0	4.6	4.55
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	417	0.0	1.7	0.4	0.3	20.4	0.6	4.6	4.43
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.0	2.5	0.7	21.2	8.5	5.7	4.42
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	227	0.0	1.3	0.9	0.8	21.2	3.6	5.7	4.53
178	7708, BOS	Cur Wk	183	0.0	3.4	1.8	2.5	19.5	2.7	5.6	4.55
		YTD	551	0.0	2.5	1.6	1.2	19.7	1.9	5.3	4.51
210	110, BP	Cur Wk	135	0.0	1.1	2.0	1.1	19.9	1.0	5.8	4.35
		YTD	199	0.0	1.0	1.9	0.9	19.8	1.0	5.9	4.36
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	0.3	0.7	20.7	0.8	5.4	4.32
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.6	1.2	0.9	22.7	1.0	5.1	4.51
248	8422, BOS	Cur Wk	369	0.0	2.1	3.5	1.4	21.1	1.2	4.5	4.47
		YTD	753	0.0	1.9	2.7	1.3	20.9	1.2	4.7	4.45
324	8423, BOS	Cur Wk	368	0.0	2.7	3.0	1.0	20.9	1.5	4.8	4.50
		YTD	475	0.0	2.5	3.0	0.9	20.7	1.4	4.9	4.49
409	9040, SVTM	Cur Wk	40	0.0	0.7	6.2	2.5	19.6	1.2	6.2	4.46
		YTD	183	0.0	1.0	3.0	1.8	21.4	2.0	5.8	4.54
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
434	6434, N	Cur Wk	39	0.0	2.7	1.0	1.3	21.3	1.2	5.1	4.58
		YTD	1,780	0.0	4.2	1.5	1.5	22.1	1.3	4.8	4.54
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	5.4	0.5	0.2	20.3	1.8	5.3	4.60
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	161	0.0	0.8	0.5	0.3	20.3	0.5	4.9	4.63
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	2.1	0.0	0.7	22.1	1.0	4.7	4.53
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	673	0.0	1.1	1.5	0.9	19.2	0.8	4.8	4.52
552	5522, HM	Cur Wk	57	0.0	0.8	0.8	0.1	19.5	0.2	5.5	4.40
		YTD	234	0.0	1.7	0.7	0.3	20.1	0.5	5.2	4.39
555	MISC TRIAL	Cur Wk	4	0.0	1.0	1.2	0.3	20.6	1.3	5.4	4.44
		YTD	17	0.0	1.9	0.5	0.1	21.2	0.9	4.6	4.49
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.0	0.3	0.1	20.4	0.9	5.6	4.56
577	HEINZ TRIAL	Cur Wk	29	0.0	4.8	1.7	0.2	21.1	0.6	4.6	4.58
		YTD	57	0.0	3.0	1.7	0.1	21.0	0.7	4.8	4.51
610	2016, HZ	Cur Wk	793	0.0	1.9	3.1	1.8	20.0	0.8	4.7	4.51
		YTD	4,276	0.0	1.2	2.0	0.9	20.3	0.8	4.6	4.47
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
659	6509, N	Cur Wk	1	0.0	11.0	2.0	4.5	20.5	2.0	6.6	4.64
		YTD	1	0.0	11.0	2.0	4.5	20.5	2.0	6.6	4.64
662	1662, HZ	Cur Wk	113	0.0	1.8	2.1	0.1	21.6	0.5	4.8	4.55
		YTD	195	0.0	1.7	2.0	0.2	21.5	0.6	4.8	4.54
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.3	1.7	0.4	22.1	0.2	4.7	4.41
730	9037, SVTM	Cur Wk	1,325	0.0	1.0	2.0	0.7	21.1	0.5	5.1	4.35
		YTD	2,552	0.0	0.9	1.9	0.6	21.4	0.6	5.0	4.36
740	74, BP	Cur Wk	5	0.0	3.1	2.6	1.3	20.6	0.9	5.1	4.56
		YTD	373	0.0	2.5	1.5	0.6	20.3	0.8	5.1	4.49
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.6	1.7	1.2	21.1	1.1	4.6	4.50
820	1082, SVTM	Cur Wk	268	0.0	1.7	2.9	1.3	20.8	1.1	5.5	4.33
		YTD	1,951	0.0	1.4	1.7	0.8	21.0	1.5	5.4	4.37
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	457	0.0	1.4	2.0	1.2	21.1	1.3	5.2	4.49
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.7	0.7	0.8	21.3	3.3	6.0	4.47
904	9048, SVTM	Cur Wk	11	0.0	1.0	4.9	2.4	19.0	0.5	6.3	4.41
		YTD	11	0.0	1.0	4.9	2.4	19.0	0.5	6.3	4.41
913	9013, SVTM	Cur Wk	29	0.0	6.5	2.5	2.8	20.3	1.3	5.9	4.55
		YTD	232	0.0	2.4	2.2	1.6	19.6	0.9	5.6	4.47
916	9016, SVTM	Cur Wk	45	0.0	0.7	4.7	2.6	22.0	0.2	6.1	4.34
		YTD	207	0.0	0.8	1.9	0.6	22.5	0.3	5.2	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	Cur Wk	527	0.0	3.2	4.9	2.6	21.8	2.3	5.4	4.38
		YTD	1,732	0.0	3.2	3.3	1.5	21.8	2.4	5.4	4.36
921	9021, SVTM	Cur Wk	203	0.0	3.7	4.0	0.7	20.2	1.5	5.5	4.53
		YTD	1,709	0.0	2.5	1.5	1.1	20.6	1.2	5.4	4.44
925	9025, SVTM	Cur Wk	316	0.0	1.1	1.4	0.2	20.3	0.6	5.4	4.36
		YTD	987	0.0	1.8	0.8	0.3	21.1	1.0	5.2	4.38
941	9041, SVTM	Cur Wk	258	0.0	0.8	0.7	1.5	20.8	0.4	5.3	4.40
		YTD	771	0.0	0.6	2.0	0.7	21.2	0.5	5.2	4.37
996	1996, HZ	Cur Wk	960	0.0	1.2	2.0	1.9	20.0	0.6	5.3	4.53
		YTD	5,808	0.0	0.7	1.8	1.0	20.3	0.5	5.0	4.48
Cur Wk:			8,072	0.0	1.9	2.5	1.3	20.7	1.0	5.2	4.45
YTD			35,556	0.0	1.6	1.8	0.9	20.8	1.1	5.1	4.45

Sacramento

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	331	0.0	0.9	4.0	3.5	21.2	0.6	5.4	4.38
		YTD	476	0.0	0.8	3.6	2.8	21.4	0.6	5.4	4.37
068	8268, HM	Cur Wk	125	0.0	0.6	1.0	1.2	20.0	1.1	5.7	4.29
		YTD	245	0.0	0.9	1.7	2.2	20.1	1.3	5.5	4.34
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.5	0.9	0.2	20.2	1.2	5.7	4.25
219	109, BP	Cur Wk	43	0.0	0.4	0.6	0.2	20.1	0.6	6.1	4.23
		YTD	43	0.0	0.4	0.6	0.2	20.1	0.6	6.1	4.23
324	8423, BOS	Cur Wk	74	0.0	1.4	3.2	2.8	20.8	1.8	4.8	4.41
		YTD	218	0.0	1.0	4.0	1.8	20.7	1.4	4.8	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	295	0.0	0.4	1.5	0.2	20.4	0.6	5.6	4.24
566	6506, N	Cur Wk	14	0.0	1.0	3.0	1.1	20.9	0.9	4.9	4.51
		YTD	14	0.0	1.0	3.0	1.1	20.9	0.9	4.9	4.51
610	2016, HZ	Cur Wk	21	0.0	0.9	1.3	2.2	20.7	0.8	4.7	4.45
		YTD	255	0.0	0.8	4.1	3.2	20.7	0.9	5.3	4.33
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	251	0.0	0.5	0.6	4.5	21.1	0.3	5.0	4.39
909	0199, BOS	Cur Wk	1	0.0	0.5	1.5	1.0	22.0	1.0	5.5	4.27
		YTD	1	0.0	0.5	1.5	1.0	22.0	1.0	5.5	4.27
919	9019, SVTM	Cur Wk	362	0.0	1.0	1.8	2.2	21.9	1.4	5.5	4.30
		YTD	776	0.0	1.4	2.4	2.0	22.0	1.6	5.5	4.27
996	1996, HZ	Cur Wk	180	0.0	0.2	2.8	1.4	20.1	0.3	5.1	4.47
		YTD	1,080	0.0	0.3	2.7	2.1	20.3	0.4	5.1	4.42
Cur Wk:			1,151	0.0	0.8	2.5	2.3	21.1	1.0	5.4	4.36

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

YTD	3,681	0.0	0.7	2.6	2.2	20.9	0.9	5.3	4.35
-----	-------	-----	-----	-----	-----	------	-----	-----	------

San Benito											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	122	0.0	0.3	0.2	0.5	20.3	3.2	4.9	4.30
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	0.8	0.3	0.2	19.5	1.8	4.7	4.47
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			146	0.0	0.3	0.2	0.5	20.2	3.0	4.9	4.32

San Joaquin											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
036	8163, HM	Cur Wk	60	0.0	0.7	0.5	0.3	19.4	0.6	5.7	4.49
		YTD	72	0.0	0.7	0.5	0.3	19.3	0.7	5.8	4.48
037	8237, HM	Cur Wk	54	0.0	0.8	2.8	0.7	21.7	0.8	5.4	4.39
		YTD	851	0.0	0.6	1.7	0.3	21.8	0.7	5.6	4.38
043	43, BP	Cur Wk	147	0.0	2.0	0.4	0.4	20.2	1.3	6.2	4.59
		YTD	394	0.0	1.2	0.5	0.3	20.7	0.9	5.6	4.49
064	0645, LS	Cur Wk	14	0.0	2.0	0.5	0.6	20.1	1.6	5.7	4.62
		YTD	162	0.0	1.1	0.5	0.4	20.4	0.9	5.3	4.45
068	8268, HM	Cur Wk	604	0.0	0.5	0.6	0.3	19.3	1.0	5.3	4.42
		YTD	1,588	0.0	0.6	0.7	0.3	19.4	1.2	5.5	4.41
101	101, BP	Cur Wk	32	0.0	1.1	1.2	0.2	20.2	0.7	5.1	4.39
		YTD	87	0.0	1.7	1.0	0.4	20.5	0.6	5.0	4.47
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.3	1.4	0.3	22.9	1.4	5.4	4.35
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	0.4	0.2	0.1	20.6	0.8	5.5	4.37
210	110, BP	Cur Wk	169	0.0	0.5	0.7	0.3	20.4	0.8	5.4	4.37
		YTD	580	0.0	0.5	0.8	0.3	20.4	0.9	5.6	4.31
219	109, BP	Cur Wk	148	0.0	0.8	0.8	0.3	20.1	0.6	5.6	4.32
		YTD	357	0.0	0.7	0.7	0.3	20.3	0.6	5.6	4.31
239	9023, SVTM	Cur Wk	158	0.0	0.1	0.2	0.3	20.1	0.9	5.0	4.42
		YTD	361	0.0	0.4	0.5	0.2	20.1	1.0	5.4	4.39
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	0.7	1.7	0.3	20.7	1.0	5.2	4.33
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	107	0.0	1.4	0.8	0.3	20.7	1.1	5.6	4.33
430	9034, SVTM	Cur Wk	203	0.0	1.2	0.2	0.3	20.1	0.2	5.5	4.48
		YTD	492	0.0	0.9	0.2	0.2	20.3	0.4	5.5	4.47
434	6434, N	Cur Wk	233	0.0	3.3	0.2	1.2	22.5	2.0	4.7	4.55

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

San Joaquin, Continued											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
485	6485, N	YTD	233	0.0	3.3	0.2	1.2	22.5	2.0	4.7	4.55
		Cur Wk	377	0.0	0.7	0.3	0.3	20.3	0.5	4.6	4.55
		YTD	510	0.0	0.6	0.4	0.3	20.2	0.5	4.6	4.53
552	5522, HM	Cur Wk	141	0.0	0.5	1.1	0.4	19.5	0.9	5.7	4.34
		YTD	453	0.0	0.8	0.7	0.4	20.2	0.6	5.3	4.33
565	MIX	Cur Wk	1	0.0	0.0	0.5	0.5	18.5	0.0	5.1	4.40
		YTD	3	0.0	0.8	1.0	0.2	19.0	0.5	5.0	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	0.6	1.9	0.5	20.9	0.7	5.6	4.27
740	74, BP	Cur Wk	273	0.0	0.9	1.3	0.4	19.8	0.8	5.4	4.40
		YTD	551	0.0	1.1	1.0	0.4	19.7	0.8	5.5	4.40
755	7558, NB	Cur Wk	7	0.0	0.0	1.3	0.9	21.6	0.4	4.9	4.24
		YTD	35	0.0	0.1	1.2	0.6	20.6	0.4	5.5	4.32
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	240	0.0	0.8	0.2	0.5	20.9	1.2	5.4	4.33
841	58841, HM	Cur Wk	118	0.0	0.1	0.5	0.2	19.4	0.3	5.3	4.43
		YTD	574	0.0	0.5	1.1	6.1	21.8	0.3	5.1	4.36
903	9036, SVTM	Cur Wk	53	0.0	0.3	0.4	0.1	19.5	0.9	5.2	4.49
		YTD	53	0.0	0.3	0.4	0.1	19.5	0.9	5.2	4.49
904	9048, SVTM	Cur Wk	16	0.0	0.2	0.2	0.1	21.5	0.5	5.3	4.48
		YTD	20	0.0	0.1	0.3	0.1	21.3	0.4	5.3	4.44
909	0199, BOS	Cur Wk	2	0.0	2.2	0.0	3.2	21.5	2.0	4.4	4.44
		YTD	2	0.0	2.2	0.0	3.2	21.5	2.0	4.4	4.44
913	9013, SVTM	Cur Wk	266	0.0	4.5	0.7	0.6	20.1	1.3	4.8	4.54
		YTD	419	0.0	3.5	0.6	0.4	19.8	1.1	4.9	4.49
919	9019, SVTM	Cur Wk	273	0.0	1.4	0.9	0.8	22.7	1.7	5.4	4.28
		YTD	815	0.0	1.2	1.3	0.9	22.6	1.6	5.4	4.25
921	9021, SVTM	Cur Wk	51	0.0	0.1	0.1	0.0	19.7	0.9	5.2	4.29
		YTD	68	0.0	0.4	0.4	0.0	19.9	0.8	5.2	4.29
925	9025, SVTM	Cur Wk	116	0.0	0.1	0.2	0.0	19.3	0.1	5.3	4.29
		YTD	121	0.0	0.1	0.2	0.0	19.3	0.1	5.3	4.29
941	9041, SVTM	Cur Wk	191	0.0	0.2	0.7	0.1	20.2	0.2	5.2	4.30
		YTD	369	0.0	0.2	1.2	0.1	21.1	0.1	4.9	4.28
996	1996, HZ	Cur Wk	229	0.0	0.3	1.9	0.7	19.9	0.3	5.4	4.37
		YTD	1,302	0.0	0.2	2.1	0.6	19.7	0.3	5.6	4.33
Cur Wk:			3,936	0.0	1.1	0.7	0.4	20.3	0.9	5.2	4.43
YTD			11,115	0.0	0.8	1.0	0.7	20.5	0.8	5.4	4.38

Santa Clara											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Santa Clara, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39

Solano

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	1.6	0.4	0.9	21.6	0.9	6.6	4.38
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.0	4.7	0.2	20.9	0.5	4.4	4.29
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
036	8163, HM	Cur Wk	224	0.0	1.6	0.7	0.5	19.9	0.8	5.6	4.52
		YTD	678	0.0	1.5	0.6	0.4	19.8	0.8	5.6	4.48
037	8237, HM	Cur Wk	523	0.0	1.2	0.5	0.2	21.0	0.1	5.3	4.38
		YTD	1,004	0.0	0.9	0.8	0.4	21.5	0.1	5.3	4.35
068	8268, HM	Cur Wk	24	0.0	0.8	1.6	0.8	20.3	0.6	6.6	4.28
		YTD	966	0.0	0.8	0.5	0.2	20.0	0.8	5.4	4.39
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.2	0.5	0.4	20.7	0.5	6.0	4.27
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	19.5	0.0	5.1	4.38
219	109, BP	Cur Wk	51	0.0	0.2	0.5	0.2	21.7	0.7	6.1	4.32
		YTD	133	0.0	0.3	1.0	0.5	21.8	0.9	6.3	4.29
239	9023, SVTM	Cur Wk	298	0.0	0.5	0.3	0.1	21.3	0.3	5.1	4.38
		YTD	802	0.0	0.5	0.2	0.1	21.4	0.3	4.9	4.38
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.8	0.5	0.1	20.4	0.7	4.9	4.32
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	3.3	0.7	2.4	23.2	5.6	4.7	4.41
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	357	0.0	0.8	0.1	0.3	20.7	0.4	5.1	4.45
485	6485, N	Cur Wk	65	0.0	2.2	0.0	0.3	19.8	0.3	4.8	4.62
		YTD	157	0.0	1.0	0.2	0.2	19.8	0.3	4.8	4.55
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	0.2	1.1	2.1	20.2	0.4	4.3	4.39
552	5522, HM	Cur Wk	311	0.0	0.2	0.8	0.3	20.2	0.3	6.0	4.33
		YTD	1,463	0.0	0.3	0.5	0.2	20.3	0.5	5.6	4.33
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
565	MIX	YTD	259	0.0	0.4	1.0	1.7	20.0	0.8	4.6	4.43
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	0.1	0.0	20.2	1.4	5.2	4.41
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	3.0	1.8	22.1	1.5	5.0	4.29
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.0	20.0	0.0	5.3	4.51
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	4.2	1.2	3.2	23.6	2.5	4.5	4.35
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	52	0.0	0.2	1.5	0.1	21.0	0.2	4.9	4.36
841	58841, HM	Cur Wk	256	0.0	1.2	0.4	0.5	21.1	0.7	5.2	4.38
		YTD	3,692	0.0	1.1	0.5	0.3	20.7	0.3	5.3	4.40
916	9016, SVTM	Cur Wk	183	0.0	1.4	0.5	0.1	20.9	0.2	5.2	4.32
		YTD	272	0.0	1.3	0.6	0.2	21.5	0.4	5.3	4.33
919	9019, SVTM	Cur Wk	1	0.0	6.0	0.0	0.0	21.5	0.5	4.9	4.36
		YTD	1	0.0	6.0	0.0	0.0	21.5	0.5	4.9	4.36
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.5	0.5	0.5	21.5	0.5	4.6	4.42
941	9041, SVTM	Cur Wk	138	0.0	2.4	0.2	0.2	21.0	0.2	5.1	4.35
		YTD	463	0.0	1.0	0.8	0.3	21.4	0.2	4.9	4.34
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	1.0	0.0	20.5	0.0	5.1	4.35
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	55	0.0	2.0	2.4	1.0	19.6	2.3	6.1	4.47
Cur Wk:			2,074	0.0	1.1	0.5	0.3	20.8	0.4	5.4	4.39
YTD			11,443	0.0	0.8	0.6	0.3	20.7	0.5	5.3	4.38

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	554	0.0	1.2	0.3	0.2	20.6	1.8	5.5	4.46
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
036	8163, HM	Cur Wk	24	0.0	1.8	0.5	0.8	19.6	0.7	5.5	4.50
		YTD	403	0.0	1.3	0.2	0.2	19.7	0.5	5.5	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	422	0.0	0.7	1.2	0.2	21.0	0.4	5.2	4.36
		YTD	899	0.0	0.9	1.4	0.3	20.8	0.4	5.3	4.37
064	0645, LS	Cur Wk	17	0.0	1.9	0.0	0.1	20.4	0.8	5.3	4.54
		YTD	40	0.0	1.3	0.1	0.1	20.5	1.0	5.2	4.51
068	8268, HM	Cur Wk	99	0.0	1.2	1.3	0.2	19.2	1.3	5.1	4.45
		YTD	593	0.0	1.3	0.6	0.1	19.3	1.1	5.4	4.43
101	101, BP	Cur Wk	77	0.0	1.2	1.0	0.6	20.9	1.6	4.7	4.45
		YTD	131	0.0	1.0	0.6	0.5	20.6	1.6	4.9	4.47
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	222	0.0	0.5	0.3	0.0	19.4	0.5	4.6	4.43
173	0371, HM	Cur Wk	36	0.0	1.1	0.0	0.1	19.3	0.9	5.4	4.47
		YTD	179	0.0	1.0	0.1	0.1	19.9	0.5	5.2	4.36
210	110, BP	Cur Wk	35	0.0	0.9	2.4	0.2	20.4	0.6	5.2	4.29
		YTD	163	0.0	1.7	1.3	0.1	20.8	1.1	5.6	4.35
219	109, BP	Cur Wk	98	0.0	0.6	0.3	0.3	20.0	0.7	5.1	4.27
		YTD	304	0.0	0.6	0.2	0.1	20.2	0.6	5.4	4.34
239	9023, SVTM	Cur Wk	286	0.0	1.1	0.7	0.1	21.5	0.7	4.8	4.42
		YTD	637	0.0	0.9	0.5	0.1	21.3	0.7	4.9	4.41
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	2.1	0.1	0.3	21.5	1.4	5.4	4.48
485	6485, N	Cur Wk	209	0.0	0.8	0.3	0.3	20.1	0.6	4.5	4.58
		YTD	441	0.0	0.7	0.2	0.2	20.0	0.4	4.6	4.53
489	6489, N	Cur Wk	3	0.0	0.3	1.0	0.2	22.0	0.8	4.6	4.51
		YTD	3	0.0	0.3	1.0	0.2	22.0	0.8	4.6	4.51
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.5	0.6	0.0	18.8	0.3	5.7	4.34
565	MIX	Cur Wk	1	0.0	1.0	1.0	1.0	19.5	0.5	5.1	4.47
		YTD	6	0.0	1.0	0.7	0.2	20.2	1.1	5.0	4.41
610	2016, HZ	Cur Wk	47	0.0	0.1	0.6	0.3	20.6	0.6	4.8	4.31
		YTD	47	0.0	0.1	0.6	0.3	20.6	0.6	4.8	4.31
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.8	0.4	0.4	22.9	1.9	5.4	4.48
740	74, BP	Cur Wk	77	0.0	2.4	1.1	0.2	19.4	1.1	5.6	4.51
		YTD	77	0.0	2.4	1.1	0.2	19.4	1.1	5.6	4.51
820	1082, SVTM	Cur Wk	15	0.0	1.3	0.0	0.9	21.4	1.4	5.3	4.46
		YTD	430	0.0	1.1	1.3	0.4	20.5	0.8	5.5	4.35
841	58841, HM	Cur Wk	48	0.0	0.4	1.9	0.0	20.5	0.2	4.9	4.40
		YTD	118	0.0	0.3	1.7	0.0	20.1	0.1	4.9	4.38
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	344	0.0	1.1	1.3	0.6	20.2	1.7	5.7	4.44
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
925	9025, SVTM	YTD	172	0.0	0.8	0.1	0.0	21.4	1.1	4.8	4.42
		Cur Wk	56	0.0	0.3	0.7	0.3	19.5	0.3	5.2	4.38
		YTD	257	0.0	3.1	0.3	0.4	21.8	1.7	5.2	4.49
996	1996, HZ	Cur Wk	683	0.0	0.7	1.4	0.4	19.9	0.3	5.0	4.46
		YTD	914	0.0	0.9	1.4	0.4	20.0	0.4	5.0	4.47
Cur Wk:			2,233	0.0	0.9	1.0	0.3	20.3	0.6	5.0	4.43
YTD			7,471	0.0	1.1	0.7	0.3	20.4	0.9	5.2	4.43

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	55	0.0	2.8	4.8	1.2	22.3	3.5	4.9	4.54
037	8237, HM	Cur Wk	55	0.0	0.7	2.9	0.1	22.4	0.2	5.5	4.34
		YTD	1,290	0.0	1.2	3.4	0.9	21.7	0.7	5.0	4.37
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	315	0.0	1.9	1.1	0.1	19.4	1.9	5.6	4.50
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	106	0.0	3.3	2.7	1.2	21.6	1.4	4.4	4.47
263	2639, HZ	Cur Wk	3	0.0	0.7	4.2	1.0	21.0	0.7	4.7	4.27
		YTD	49	0.0	1.7	6.5	1.1	20.6	0.7	4.5	4.32
264	2640, HZ	Cur Wk	26	0.0	1.1	2.7	1.1	23.1	3.6	4.6	4.44
		YTD	26	0.0	1.1	2.7	1.1	23.1	3.6	4.6	4.44
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	0.7	6.5	0.8	22.2	1.7	5.1	4.27
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	533	0.0	2.3	5.2	1.6	22.9	2.4	4.8	4.45
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
477	4707, HZ	Cur Wk	22	0.0	1.2	1.1	0.3	21.9	1.1	4.4	4.44
		YTD	266	0.0	1.0	1.5	0.4	21.8	0.8	4.5	4.40
510	2015, HZ	Cur Wk	315	0.0	1.5	7.0	1.0	19.5	0.9	4.3	4.42
		YTD	573	0.0	1.2	5.5	1.1	19.1	0.7	4.5	4.42
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	1.4	0.8	0.0	20.8	0.4	5.7	4.39
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	52	0.0	0.6	1.4	0.6	20.7	0.9	5.2	4.42

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
610	2016, HZ	Cur Wk	2,418	0.0	2.4	3.3	0.9	20.2	1.2	4.6	4.39
		YTD	4,548	0.0	1.9	3.5	1.0	20.4	1.2	4.7	4.38
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	1.6	5.0	1.8	21.2	0.8	4.8	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.8	1.1	20.7	0.8	4.8	4.44
662	1662, HZ	Cur Wk	38	0.0	2.7	3.4	3.0	22.6	1.9	5.0	4.47
		YTD	125	0.0	3.4	2.6	1.7	21.9	2.1	4.9	4.47
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	2.3	1.8	0.6	21.3	1.1	4.7	4.42
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	398	0.0	1.7	2.1	1.1	22.2	1.7	5.0	4.37
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	220	0.0	1.0	0.5	0.0	21.6	0.7	5.6	4.42
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	1.7	1.0	0.8	21.2	3.8	4.6	4.38
916	9016, SVTM	Cur Wk	194	0.0	2.1	1.3	0.1	22.1	0.4	5.7	4.30
		YTD	2,207	0.0	2.2	2.3	0.7	21.9	0.6	4.9	4.36
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,095	0.0	1.3	3.7	1.1	21.6	0.9	4.9	4.37
996	1996, HZ	Cur Wk	24	0.0	0.3	4.5	1.1	20.4	0.6	6.1	4.38
		YTD	327	0.0	1.2	1.6	0.8	20.4	0.7	4.7	4.44
Cur Wk:			3,095	0.0	2.2	3.5	0.9	20.4	1.1	4.7	4.39
YTD			13,149	0.0	1.8	3.2	0.9	21.1	1.1	4.8	4.39

Tehama

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.7	6.0	1.4	22.7	0.8	4.8	4.31
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.2	3.8	1.4	22.2	0.9	4.7	4.33
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

YTD	599	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
-----	-----	-----	-----	-----	-----	------	-----	-----	------

Tulare											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Yolo											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	1.0	0.5	18.5	0.0	5.4	4.30
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	2.5	4.9	0.8	22.8	3.6	4.7	4.53
036	8163, HM	Cur Wk	6	0.0	3.0	0.2	0.5	20.1	2.0	4.9	4.49
		YTD	202	0.0	2.0	0.5	0.4	19.6	1.3	5.4	4.48
037	8237, HM	Cur Wk	1,283	0.0	0.8	0.6	0.3	20.9	0.1	5.1	4.37
		YTD	8,052	0.0	0.9	0.9	0.3	21.5	0.4	5.0	4.34
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
064	0645, LS	Cur Wk	17	0.0	0.2	0.0	0.3	20.8	1.1	5.2	4.26
		YTD	17	0.0	0.2	0.0	0.3	20.8	1.1	5.2	4.26
068	8268, HM	Cur Wk	452	0.0	0.6	0.6	0.3	19.2	0.8	5.5	4.42
		YTD	2,647	0.0	0.7	0.5	0.2	19.8	0.7	5.2	4.39
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	1.0	0.2	0.4	21.1	1.5	4.5	4.54
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	494	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49
210	110, BP	Cur Wk	76	0.0	1.3	0.1	0.3	20.7	1.7	5.3	4.43
		YTD	529	0.0	0.9	0.4	0.2	20.3	1.3	5.2	4.30
219	109, BP	Cur Wk	42	0.0	0.9	0.0	0.3	20.0	0.9	5.1	4.38
		YTD	792	0.0	1.2	0.5	0.2	20.6	0.9	5.2	4.31
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	250	0.0	1.5	3.5	0.6	21.5	2.3	4.5	4.36
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	0.8	0.2	0.2	18.0	0.5	5.4	4.36
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	0.5	0.2	0.1	21.4	0.3	5.3	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
263	2639, HZ	Cur Wk	13	0.0	1.3	0.1	1.3	21.3	0.5	4.8	4.40
		YTD	13	0.0	1.3	0.1	1.3	21.3	0.5	4.8	4.40
264	2640, HZ	Cur Wk	10	0.0	0.5	4.1	0.1	21.6	0.7	4.7	4.33
		YTD	80	0.0	0.9	2.6	2.4	21.4	0.8	4.7	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	4.8	0.5	21.1	1.4	4.6	4.33
409	9040, SVTM	Cur Wk	35	0.0	2.2	0.0	0.2	20.9	1.1	4.8	4.45
		YTD	107	0.0	1.3	0.6	0.2	22.3	2.0	5.1	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	800	0.0	0.7	0.3	0.1	21.0	0.6	5.1	4.43
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	895	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
473	2374, HZ	Cur Wk	1	0.0	1.0	0.0	1.5	20.5	0.0	5.3	4.35
		YTD	11	0.0	1.7	0.2	0.3	21.0	0.0	5.0	4.32
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	141	0.0	1.3	0.3	0.1	21.5	0.5	5.0	4.42
485	6485, N	Cur Wk	172	0.0	1.1	0.2	0.2	20.0	0.2	4.4	4.58
		YTD	307	0.0	0.9	0.3	0.2	20.2	0.3	4.3	4.55
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
510	2015, HZ	Cur Wk	79	0.0	0.3	3.9	1.5	19.2	0.2	4.4	4.34
		YTD	349	0.0	0.6	3.3	1.0	19.5	0.3	4.6	4.36
552	5522, HM	Cur Wk	79	0.0	1.8	0.2	0.3	20.3	0.8	5.4	4.48
		YTD	439	0.0	1.1	0.1	0.2	20.3	1.1	5.6	4.40
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	387	0.0	1.6	1.3	0.8	20.2	1.6	4.6	4.46
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	0.0	0.0	19.5	0.0	5.1	4.38
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	0.7	1.2	0.6	20.5	0.4	4.8	4.50
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	2.0	2.0	0.2	20.3	0.3	4.6	4.38
610	2016, HZ	Cur Wk	1,090	0.0	1.8	3.2	0.8	20.3	0.9	4.6	4.37
		YTD	2,649	0.0	1.1	2.9	0.7	20.5	0.7	4.6	4.33
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	1.4	0.4	21.2	1.8	5.3	4.53
662	1662, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
730	9037, SVTM	YTD	85	0.0	1.4	1.2	0.5	21.8	2.3	4.5	4.46
		Cur Wk	240	0.0	0.6	1.7	0.3	21.0	0.3	4.8	4.32
		YTD	1,378	0.0	0.9	3.2	0.5	22.0	0.6	4.8	4.33
740	74, BP	Cur Wk	14	0.0	0.1	0.7	0.3	19.6	0.1	7.1	4.24
		YTD	26	0.0	0.1	1.0	0.3	19.9	0.2	7.3	4.21
755	7558, NB	Cur Wk	33	0.0	0.6	0.1	0.2	19.4	0.1	5.1	4.35
		YTD	110	0.0	0.7	0.4	0.2	20.3	0.2	5.1	4.32
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	50	0.0	1.3	0.1	0.4	18.6	0.7	5.2	4.50
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
841	58841, HM	Cur Wk	181	0.0	0.8	0.2	0.2	19.4	0.8	5.7	4.40
		YTD	5,472	0.0	1.2	0.7	0.3	21.0	0.6	5.3	4.39
901	9011, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
904	9048, SVTM	Cur Wk	13	0.0	1.4	0.0	0.1	20.0	0.6	4.7	4.40
		YTD	31	0.0	1.2	0.1	0.1	19.9	0.4	4.9	4.38
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.5	0.2	0.2	20.6	2.2	4.6	4.32
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	381	0.0	0.8	0.5	0.1	20.3	0.1	5.2	4.27
		YTD	4,157	0.0	1.0	1.2	0.3	21.6	0.4	4.9	4.31
919	9019, SVTM	Cur Wk	114	0.0	0.7	0.4	0.2	22.4	1.6	4.9	4.30
		YTD	777	0.0	0.9	0.5	0.2	22.8	1.6	5.0	4.26
941	9041, SVTM	Cur Wk	1	0.0	0.5	0.5	0.0	20.5	0.0	4.8	4.32
		YTD	2,951	0.0	0.7	1.6	0.5	21.9	0.7	4.7	4.31
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.0	0.3	19.5	0.5	5.8	4.23
996	1996, HZ	Cur Wk	507	0.0	1.6	1.8	0.6	20.6	1.0	4.7	4.41
		YTD	805	0.0	1.2	1.8	0.6	21.5	1.7	4.8	4.42
Cur Wk:			4,839	0.0	1.1	1.4	0.4	20.4	0.6	5.0	4.38
YTD			40,149	0.0	1.0	1.4	0.4	21.2	0.9	5.0	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

TOTAL STATEWIDE	Cur Wk	32,424	0.0	1.8	2.2	0.8	20.5	0.8	5.0	4.43
	YTD	326,096	0.0	1.2	1.7	0.6	20.6	0.9	5.1	4.40

Average Defects by Variety Report (RP20)1203
09/22/2026 4:22 PM**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 12 Ending 09/19/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	523	0.0	2.2	1.8	0.8	20.6	0.6	5.0	4.38
520	0052, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	37	0.0	1.0	2.9	0.4	20.2	2.9	5.4	4.39
909	0199, BOS	Cur Wk	3	0.0	1.7	0.5	2.6	21.6	1.7	4.8	4.39
		YTD	43	0.0	1.4	0.7	0.7	21.1	3.2	4.6	4.36
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	2.4	1.6	1.7	21.3	2.6	5.0	4.39
572	0275, SY	Cur Wk	3	0.0	1.7	4.2	0.4	21.5	1.8	4.8	4.34
		YTD	7	0.0	1.5	2.3	0.4	20.8	2.4	5.1	4.39
173	0371, HM	Cur Wk	36	0.0	1.1	0.0	0.1	19.3	0.9	5.4	4.47
		YTD	9946	0.0	0.5	1.1	0.4	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	67	0.0	1.2	0.2	0.3	20.1	1.1	5.5	4.49
		YTD	2043	0.0	1.0	1.1	0.5	20.1	1.3	5.4	4.52
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	532	0.0	0.8	3.6	1.0	20.6	3.3	4.8	4.47
101	101, BP	Cur Wk	109	0.0	1.2	1.0	0.5	20.7	1.4	4.8	4.43
		YTD	1191	0.0	1.1	0.8	0.5	20.7	1.4	4.8	4.49
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	965	0.0	1.3	1.8	1.2	20.4	1.3	4.9	4.47
820	1082, SVTM	Cur Wk	440	0.0	1.4	2.1	0.9	20.5	1.0	5.6	4.35
		YTD	5026	0.0	1.2	1.3	0.6	20.8	1.3	5.5	4.37
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
219	109, BP	Cur Wk	382	0.0	0.6	0.5	0.2	20.3	0.7	5.5	4.30
		YTD	2854	0.0	0.8	0.8	0.3	20.5	0.8	5.5	4.32
210	110, BP	Cur Wk	415	0.0	0.9	1.2	0.6	20.3	1.0	5.5	4.37
		YTD	2441	0.0	0.8	0.8	0.3	20.3	1.0	5.6	4.32
441	114, BP	Cur Wk	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
		YTD	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	0.5	0.3	0.2	20.8	0.9	5.5	4.39
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	2121	0.0	1.5	0.7	0.3	20.0	0.7	5.0	4.46
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1564	0.0	0.7	4.8	1.2	19.5	0.4	4.5	4.54
662	1662, HZ	Cur Wk	262	0.0	4.1	1.8	0.6	21.8	0.8	4.9	4.56
		YTD	1144	0.0	3.6	2.0	0.6	21.7	1.4	4.8	4.53
171	1715, LS	Cur Wk	8	0.0	9.3	2.9	0.2	21.3	0.7	4.8	4.58
		YTD	417	0.0	1.4	0.8	0.1	19.6	0.4	4.6	4.44
765	1765, LS	Cur Wk	41	0.0	9.7	1.7	0.0	23.3	0.6	5.1	4.58
		YTD	41	0.0	9.7	1.7	0.0	23.3	0.6	5.1	4.58
776	1776, HZ	Cur Wk	261	0.0	2.2	3.9	1.0	20.8	0.5	4.8	4.53
		YTD	1857	0.0	1.3	4.4	1.1	20.7	0.5	4.9	4.42
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.6	0.7	0.1	20.3	0.6	5.5	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	4017	0.0	1.5	2.3	1.1	20.2	0.6	5.1	4.49
		YTD	21686	0.0	0.9	1.9	0.8	20.2	0.5	5.0	4.45
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	872	0.0	1.8	6.1	0.9	19.5	0.7	4.3	4.46
		YTD	3380	0.0	1.4	3.8	1.3	19.3	0.7	4.6	4.46
610	2016, HZ	Cur Wk	7076	0.0	2.5	3.4	1.0	20.1	1.0	4.6	4.43
		YTD	36538	0.0	1.6	2.5	0.8	20.1	0.8	4.7	4.40
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
365	2365, HZ	Cur Wk	126	0.0	2.3	4.7	0.7	20.6	0.3	4.5	4.64
		YTD	1270	0.0	2.3	2.5	0.8	20.2	0.5	4.8	4.55
473	2374, HZ	Cur Wk	1	0.0	1.0	0.0	1.5	20.5	0.0	5.3	4.35
		YTD	11	0.0	1.7	0.2	0.3	21.0	0.0	5.0	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1530	0.0	0.8	1.6	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	487	0.0	1.3	1.0	0.7	21.6	1.3	5.1	4.47
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.6	1.3	0.4	19.4	0.8	5.2	4.40

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	36	0.0	0.7	0.5	0.1	21.1	0.3	5.3	4.40
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
263	2639, HZ	Cur Wk	55	0.0	2.4	1.2	1.1	20.5	0.5	5.0	4.45
		YTD	263	0.0	2.4	3.3	1.1	20.3	0.8	4.9	4.39
264	2640, HZ	Cur Wk	39	0.0	0.9	3.0	0.7	22.5	2.6	4.6	4.40
		YTD	170	0.0	1.5	3.3	1.6	21.6	1.5	4.6	4.36
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	970	0.0	0.1	1.1	0.4	19.2	0.9	5.3	4.42
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.7	0.9	20.3	2.4	5.1	4.31
043	43, BP	Cur Wk	147	0.0	2.0	0.4	0.4	20.2	1.3	6.2	4.59
		YTD	394	0.0	1.2	0.5	0.3	20.7	0.9	5.6	4.49
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2557	0.0	0.6	1.1	0.5	20.8	0.4	5.1	4.36
477	4707, HZ	Cur Wk	512	0.0	3.9	2.1	0.8	22.3	0.5	4.6	4.56
		YTD	1435	0.0	2.4	2.4	0.7	22.1	0.5	4.7	4.50
707	47073, HZ	Cur Wk	19	0.0	3.0	5.4	0.7	25.1	0.3	4.2	4.58
		YTD	2146	0.0	2.3	2.2	0.4	22.3	0.7	4.8	4.46
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
533	533	Cur Wk	3	0.0	2.0	4.3	0.3	20.2	0.8	4.9	4.41
		YTD	46	0.0	8.9	3.0	0.4	21.1	0.9	4.7	4.54
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	614	0.0	0.3	1.1	0.2	20.2	2.0	5.5	4.43
552	5522, HM	Cur Wk	600	0.0	0.6	0.8	0.3	20.0	0.5	5.8	4.36
		YTD	12481	0.0	0.6	1.0	0.3	19.8	0.6	5.5	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4196	0.0	0.6	1.5	0.4	20.0	0.6	4.7	4.38
841	58841, HM	Cur Wk	603	0.0	0.8	0.5	0.3	20.2	0.6	5.4	4.40
		YTD	13527	0.0	1.0	1.1	0.8	20.9	0.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3559	0.0	2.1	4.3	1.1	22.4	2.6	4.9	4.48
434	6434, N	Cur Wk	272	0.0	3.2	0.3	1.3	22.3	1.9	4.7	4.55
		YTD	5132	0.0	3.1	2.7	1.4	22.4	2.1	4.9	4.51
461	6461, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
074	6474, N	Cur Wk	313	0.0	3.5	1.6	1.9	21.3	1.2	5.4	4.58
		YTD	3324	0.0	1.4	3.8	1.2	21.6	0.9	5.4	4.50
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	926	0.0	1.0	0.3	0.3	20.0	0.4	4.6	4.57
		YTD	3454	0.0	1.2	0.6	0.3	20.1	0.5	4.6	4.56
489	6489, N	Cur Wk	3	0.0	0.3	1.0	0.2	22.0	0.8	4.6	4.51
		YTD	1482	0.0	0.4	1.0	0.2	19.5	0.4	5.2	4.40
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	248	0.0	1.1	2.9	1.3	20.8	1.0	5.2	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	95	0.0	1.1	3.6	0.7	20.6	0.6	4.8	4.43
652	6502, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.0	18.7	0.7	5.2	4.50
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	14	0.0	1.0	3.0	1.1	20.9	0.9	4.9	4.51
		YTD	100	0.0	2.1	3.0	1.0	21.3	1.1	4.9	4.54
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
659	6509, N	Cur Wk	1	0.0	11.0	2.0	4.5	20.5	2.0	6.6	4.64
		YTD	76	0.0	2.2	1.1	1.0	21.0	0.7	5.2	4.44
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	887	0.0	0.7	3.0	0.7	19.4	0.5	4.9	4.42
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7590	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	369	0.0	1.2	1.2	0.4	19.7	0.8	5.5	4.42
		YTD	2003	0.0	1.3	1.1	0.4	19.9	1.1	5.3	4.43

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
755	7558, NB	Cur Wk	40	0.0	0.5	0.3	0.3	19.8	0.2	5.1	4.33
		YTD	249	0.0	0.8	0.9	0.2	20.4	0.5	5.2	4.34
178	7708, BOS	Cur Wk	183	0.0	3.4	1.8	2.5	19.5	2.7	5.6	4.55
		YTD	1959	0.0	2.5	3.2	0.8	19.4	1.7	5.4	4.47
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1343	0.0	0.7	2.8	0.8	19.7	0.4	5.0	4.33
036	8163, HM	Cur Wk	364	0.0	1.5	0.6	0.4	19.8	0.7	5.6	4.52
		YTD	7770	0.0	1.1	0.6	0.4	19.6	1.0	5.7	4.48
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
037	8237, HM	Cur Wk	4568	0.0	1.1	1.6	0.7	21.1	0.4	5.2	4.40
		YTD	28508	0.0	1.0	1.6	0.5	21.3	0.5	5.2	4.37
068	8268, HM	Cur Wk	1489	0.0	1.0	1.1	0.4	19.3	1.1	5.5	4.43
		YTD	14346	0.0	1.0	1.0	0.4	19.6	1.1	5.4	4.43
248	8422, BOS	Cur Wk	369	0.0	2.1	3.5	1.4	21.1	1.2	4.5	4.47
		YTD	1476	0.0	1.9	2.9	1.1	21.3	1.6	4.6	4.43
324	8423, BOS	Cur Wk	442	0.0	2.5	3.1	1.3	20.9	1.5	4.8	4.49
		YTD	857	0.0	2.0	3.5	1.2	20.8	1.4	4.8	4.43
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	1.1	0.4	0.2	18.5	0.8	5.5	4.53
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	4.2	1.5	0.7	20.1	1.5	5.2	4.51
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
901	9011, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
913	9013, SVTM	Cur Wk	295	0.0	4.7	0.9	0.8	20.1	1.3	4.9	4.54
		YTD	2591	0.0	2.0	1.7	0.7	19.8	1.3	5.3	4.43
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	1086	0.0	2.6	1.5	0.4	21.3	0.2	5.3	4.37
		YTD	11254	0.0	2.0	2.0	0.6	21.7	0.5	5.0	4.35
919	9019, SVTM	Cur Wk	1358	0.0	2.1	3.0	1.9	22.1	1.9	5.4	4.33
		YTD	8589	0.0	1.8	2.2	1.1	22.1	1.8	5.5	4.30
921	9021, SVTM	Cur Wk	254	0.0	3.0	3.3	0.6	20.1	1.4	5.4	4.49
		YTD	3671	0.0	1.9	2.1	1.1	20.9	1.4	5.3	4.42
239	9023, SVTM	Cur Wk	742	0.0	0.6	0.4	0.2	21.1	0.6	5.0	4.40
		YTD	8188	0.0	2.5	1.1	0.8	21.6	1.0	5.1	4.43
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	488	0.0	0.8	1.0	0.2	20.0	0.5	5.4	4.35

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 12 Ending 09/19/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	YTD	5676	0.0	1.2	0.7	0.3	21.2	0.9	5.4	4.31
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
320	9032, SVTM	YTD	14489	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
330	9033, SVTM	YTD	2620	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
430	9034, SVTM	YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
		Cur Wk	203	0.0	1.2	0.2	0.3	20.1	0.2	5.5	4.48
903	9036, SVTM	YTD	9350	0.0	0.7	1.0	0.4	20.5	0.9	5.4	4.48
		Cur Wk	53	0.0	0.3	0.4	0.1	19.5	0.9	5.2	4.49
730	9037, SVTM	YTD	4546	0.0	0.7	1.2	0.4	21.3	1.4	5.3	4.45
		Cur Wk	1710	0.0	0.9	2.1	0.6	21.1	0.5	5.1	4.34
409	9040, SVTM	YTD	12962	0.0	2.1	2.1	0.8	21.7	0.7	5.1	4.37
		Cur Wk	75	0.0	1.4	3.4	1.4	20.2	1.2	5.5	4.46
941	9041, SVTM	YTD	803	0.0	1.4	2.8	1.3	21.2	1.7	5.7	4.45
		Cur Wk	621	0.0	1.0	0.6	0.7	20.7	0.2	5.2	4.36
904	9048, SVTM	YTD	10004	0.0	1.0	1.8	0.6	21.4	0.6	5.0	4.35
		Cur Wk	40	0.0	0.8	1.5	0.8	20.3	0.5	5.4	4.44
491	9419, BOS	YTD	87	0.0	1.0	1.0	0.4	20.0	0.4	5.3	4.40
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
577	HEINZ TRIAL	YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
		Cur Wk	29	0.0	4.8	1.7	0.2	21.1	0.6	4.6	4.58
555	MISC TRIAL	YTD	301	0.0	2.5	2.0	0.4	20.9	1.0	5.1	4.44
		Cur Wk	4	0.0	1.0	1.2	0.3	20.6	1.3	5.4	4.44
565	MIX	YTD	27	0.0	2.1	0.5	0.3	20.8	1.9	5.0	4.46
		Cur Wk	14	0.0	1.1	2.0	0.4	20.6	1.1	4.7	4.42
		YTD	89	0.0	1.2	0.9	0.2	20.3	1.0	5.2	4.44
TOTAL STATEWIDE		Cur Wk	32,424	0.0	1.8	2.2	0.8	20.5	0.8	5.0	4.43
		YTD	326,096	0.0	1.2	1.7	0.6	20.7	0.9	5.1	4.40