

Statewide Tonnage and History (RP70P)

Week 13 Ending 09/26/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
Week 08/09/2026 - 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0.04%
Week 08/16/2026 - 08/22/2026	35,191	904,124	0	5.5%	80	2228	0	0.25%
Week 08/23/2026 - 08/29/2026	35,159	905,313	0	5.6%	73	1978	0	0.22%
Week 08/30/2026 - 09/05/2026	36,756	944,361	0	5.4%	62	1691	0	0.18%
Week 09/06/2026 - 09/12/2026	35,129	897,533	0	6.4%	11	309	0	0.03%
Week 09/13/2026 - 09/19/2026	32,424	827,625	2	6.8%	4	109	0	0.01%
LAST WEEK YTD	326,096	8,423,954		5.1%	305	8,356		0%
CUR WEEK ENDING 09/26/2026	30,703	786,825	0	6.2%	12	336	0	0%
CUR YTD	356,799	9,210,779		5.2%	317	8,692		0%
YTD WEEK ENDING 09/27/2025	386,256	10,131,781		4.8%	509	13,778		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 13 Ending 09/26/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Butte	0	0	0	0	1,494	36,866	1	28
Colusa	1,344	33,224	0	0	20,333	511,938	1	26
Contra Costa	0	0	0	0	7,247	196,658	0	0
Fresno	2,737	70,415	0	0	108,906	2,847,915	190	5,191
Glenn	943	23,593	0	0	2,272	54,069	1	27
Kern	0	0	0	0	8,908	236,278	9	268
Kings	167	4,260	0	0	45,512	1,126,983	44	1,181
Madera	460	11,831	0	0	8,934	235,481	1	28
Merced	5,899	152,590	11	308	41,455	1,092,801	17	477
Sacramento	1,117	26,738	0	0	4,798	116,970	0	0
San Benito	0	0	0	0	146	3,882	0	0
San Joaquin	4,872	126,773	0	0	15,987	416,951	0	0
Santa Clara	311	7,518	0	0	472	11,716	0	0
Solano	1,821	46,346	0	0	13,264	341,451	2	56
Stanislaus	3,212	84,964	1	27	10,683	284,862	13	357
Sutter	2,370	58,476	0	0	15,520	387,940	0	0
Tehama	0	0	0	0	599	13,927	0	0
Tulare	0	0	0	0	4,671	118,018	0	0
Yolo	5,450	140,097	0	0	45,598	1,176,071	38	1,053
STATEWIDE TOTALS:								
LAST WEEK YTD					326,096	8,423,953	305	8,356
CURRENT WEEK	30,703	786,825	12	336	356,799	9,210,779	317	8,692

Average Load Grades by County - Board Certified Loads (RP90)

Week 13 Ending 09/26/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Butte	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41
Colusa	0.0	2.9	3.8	1.1	20.6	1.1	4.7	4.46	0.0	1.7	3.3	1.1	20.9	1.3	4.9	4.40
Contra Costa	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39
Fresno	0.0	3.2	2.3	0.7	20.3	0.6	4.9	4.51	0.0	1.1	1.5	0.5	20.4	0.8	5.3	4.42
Glenn	0.0	1.9	4.6	1.0	19.5	1.0	5.0	4.42	0.0	2.5	5.7	1.5	20.3	0.9	4.8	4.41
Kern	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	3.9	2.4	1.0	20.6	0.5	5.1	4.62	0.0	1.7	1.6	0.6	20.4	0.7	5.0	4.40
Madera	0.0	1.1	1.1	0.5	20.3	0.6	5.0	4.52	0.0	1.7	2.5	0.7	20.8	0.9	5.1	4.47
Merced	0.0	1.4	2.4	1.0	20.5	0.5	5.1	4.40	0.0	1.5	1.9	0.9	20.8	1.0	5.1	4.45
Sacramento	0.0	1.0	3.3	2.1	21.1	0.7	5.2	4.35	0.0	0.8	2.7	2.2	21.0	0.8	5.3	4.35
San Benito	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.3	0.2	0.5	20.2	3.0	4.9	4.32
San Joaquin	0.0	1.2	1.0	0.7	20.6	0.9	5.2	4.42	0.0	1.0	1.0	0.7	20.5	0.8	5.3	4.39
Santa Clara	0.0	0.3	4.4	3.2	20.8	0.2	4.7	4.35	0.0	0.3	3.0	2.3	20.4	0.6	4.8	4.37
Solano	0.0	0.6	0.6	0.3	20.3	0.4	5.4	4.39	0.0	0.8	0.6	0.3	20.6	0.4	5.3	4.38
Stanislaus	0.0	1.2	1.0	0.4	20.8	0.8	5.1	4.39	0.0	1.1	0.8	0.3	20.6	0.9	5.2	4.42
Sutter	0.0	2.4	3.6	0.9	20.6	0.9	4.8	4.37	0.0	1.9	3.3	0.9	21.0	1.1	4.8	4.39
Tehama	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
Tulare	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	0.6	1.8	0.7	20.3	0.4	4.9	4.34	0.0	1.0	1.4	0.4	21.1	0.9	5.0	4.36
Statewide Totals:																
Current Week	0.0	1.5	2.1	0.8	20.5	0.7	5.0	4.40	0.0	1.3	1.8	0.7	20.6	0.9	5.1	4.40
Last Week YTD									0.0	1.2	1.7	0.6	20.6	0.9	5.1	4.40

Grade Distribution By County (RP110)

Week 13 Ending 09/26/2026

Last Week YTD						Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	0.00	0.00	0.00	0.03	0	0.00	0.00	0.00	0.00	1495	0.00	0.00	0.00	0.03
Colusa	18,990	0.00	0.00	0.00	0.03	1344	0.00	0.00	0.00	0.00	20334	0.00	0.00	0.00	0.03
Contra Costa	7,247	0.00	0.00	0.00	0.02	0	0.00	0.00	0.00	0.00	7247	0.00	0.00	0.00	0.02
Fresno	106,359	0.00	0.00	0.00	0.04	2737	0.00	0.00	0.00	0.02	109096	0.00	0.00	0.00	0.04
Glenn	1,330	0.01	0.00	0.00	0.09	943	0.00	0.00	0.00	0.00	2273	0.01	0.00	0.00	0.07
Kern	8,917	0.01	0.00	0.00	0.06	0	0.00	0.00	0.00	0.00	8917	0.01	0.00	0.00	0.06
Kings	45,389	0.01	0.00	0.00	0.08	167	0.00	0.00	0.00	0.04	45556	0.01	0.00	0.00	0.08
Madera	8,475	0.00	0.00	0.00	0.04	460	0.00	0.00	0.00	0.00	8935	0.00	0.00	0.00	0.03
Merced	35,562	0.00	0.00	0.00	0.03	5910	0.00	0.00	0.00	0.03	41472	0.00	0.00	0.00	0.03
Sacramento	3,681	0.00	0.00	0.00	0.01	1117	0.00	0.00	0.00	0.02	4798	0.00	0.00	0.00	0.01
San Benito	146	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.00	146	0.00	0.00	0.00	0.00
San Joaquin	11,115	0.00	0.00	0.00	0.03	4872	0.00	0.00	0.00	0.03	15987	0.00	0.00	0.00	0.03
Santa Clara	161	0.00	0.00	0.00	0.00	311	0.00	0.00	0.00	0.00	472	0.00	0.00	0.00	0.00
Solano	11,445	0.00	0.00	0.00	0.04	1821	0.00	0.00	0.00	0.04	13266	0.00	0.00	0.00	0.04
Stanislaus	7,483	0.00	0.00	0.00	0.04	3213	0.00	0.00	0.00	0.02	10696	0.00	0.00	0.00	0.03
Sutter	13,150	0.00	0.00	0.00	0.03	2370	0.00	0.00	0.00	0.05	15520	0.00	0.00	0.00	0.03
Tehama	599	0.01	0.00	0.00	0.05	0	0.00	0.00	0.00	0.00	599	0.01	0.00	0.00	0.05
Tulare	4,671	0.00	0.00	0.00	0.04	0	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	40,186	0.00	0.00	0.00	0.03	5450	0.00	0.00	0.00	0.03	45636	0.00	0.00	0.00	0.03
STATEWIDE	326,401	0.00	0.00	0.00	0.04	30715	0.00	0.00	0.00	0.03	357116	0.00	0.00	0.00	0.04

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	1.72	1.00	1.50	1.18	0	0.00	0.00	0.00	0.00	1495	1.72	1.00	1.50	1.18
Colusa	18,990	1.66	1.00	1.00	1.81	1344	2.93	1.00	2.50	1.92	20334	1.75	1.00	1.50	1.85
Contra Costa	7,247	0.42	0.00	0.00	0.72	0	0.00	0.00	0.00	0.00	7247	0.42	0.00	0.00	0.72
Fresno	106,359	1.07	0.00	0.50	1.85	2737	3.23	0.50	2.00	4.00	109096	1.12	0.00	0.50	1.97
Glenn	1,330	2.95	2.00	2.00	2.49	943	1.93	2.00	2.00	1.16	2273	2.52	2.00	2.00	2.11
Kern	8,917	0.55	0.00	0.50	0.69	0	0.00	0.00	0.00	0.00	8917	0.55	0.00	0.50	0.69
Kings	45,389	1.70	0.00	0.50	2.46	167	3.95	3.00	3.50	1.95	45556	1.71	0.00	0.50	2.47
Madera	8,475	1.72	0.50	1.00	1.68	460	1.11	0.50	1.00	0.90	8935	1.69	0.50	1.00	1.66
Merced	35,562	1.57	0.50	1.00	1.76	5910	1.37	0.50	1.00	1.47	41472	1.54	0.50	1.00	1.72
Sacramento	3,681	0.74	0.00	0.50	0.93	1117	1.00	0.50	0.50	1.09	4798	0.80	0.00	0.50	0.98
San Benito	146	0.33	0.00	0.25	0.39	0	0.00	0.00	0.00	0.00	146	0.33	0.00	0.25	0.39
San Joaquin	11,115	0.84	0.00	0.50	1.29	4872	1.21	0.00	0.50	1.90	15987	0.95	0.00	0.50	1.51
Santa Clara	161	0.20	0.00	0.00	0.33	311	0.31	0.00	0.00	0.43	472	0.27	0.00	0.00	0.40
Solano	11,445	0.83	0.00	0.50	1.08	1821	0.58	0.00	0.50	0.93	13266	0.80	0.00	0.50	1.06
Stanislaus	7,483	1.08	0.00	0.50	1.47	3213	1.17	0.00	0.50	1.45	10696	1.10	0.00	0.50	1.47
Sutter	13,150	1.75	1.00	1.50	1.55	2370	2.43	0.50	1.50	2.36	15520	1.86	1.00	1.50	1.72

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 13 Ending 09/26/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Mold, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Tehama	599	1.48	1.00	1.00	1.08	0	0.00	0.00	0.00	0.00	599	1.48	1.00	1.00	1.08
Tulare	4,671	1.03	0.00	1.00	1.08	0	0.00	0.00	0.00	0.00	4671	1.03	0.00	1.00	1.08
Yolo	40,186	1.00	0.00	0.50	1.17	5450	0.63	0.00	0.50	0.88	45636	0.96	0.00	0.50	1.14
STATEWIDE	326,401	1.24	0.00	0.50	1.79	30715	1.48	0.00	1.00	2.06	357116	1.26	0.00	0.50	1.82

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	3.70	1.00	3.50	2.79	0	0.00	0.00	0.00	0.00	1495	3.70	1.00	3.50	2.79
Colusa	18,990	3.32	1.00	3.00	2.50	1344	3.76	1.00	3.00	2.78	20334	3.35	1.00	3.00	2.52
Contra Costa	7,247	0.84	0.50	0.50	0.93	0	0.00	0.00	0.00	0.00	7247	0.84	0.50	0.50	0.93
Fresno	106,359	1.50	0.50	1.00	1.54	2737	2.29	1.00	2.00	1.85	109096	1.52	0.50	1.00	1.55
Glenn	1,330	6.47	2.00	6.00	4.01	943	4.60	2.50	3.50	3.01	2273	5.69	2.50	5.00	3.74
Kern	8,917	1.49	0.50	1.00	1.66	0	0.00	0.00	0.00	0.00	8917	1.49	0.50	1.00	1.66
Kings	45,389	1.60	1.00	1.00	1.52	167	2.38	2.00	2.00	0.95	45556	1.60	1.00	1.00	1.52
Madera	8,475	2.60	1.00	2.00	1.96	460	1.13	1.00	1.00	0.61	8935	2.53	1.00	2.00	1.94
Merced	35,562	1.77	1.00	1.50	1.69	5910	2.35	1.00	1.50	1.95	41472	1.85	1.00	1.50	1.74
Sacramento	3,681	2.58	1.50	2.00	1.92	1117	3.26	3.00	3.00	2.00	4798	2.74	1.50	2.50	1.96
San Benito	146	0.25	0.00	0.00	0.29	0	0.00	0.00	0.00	0.00	146	0.25	0.00	0.00	0.29
San Joaquin	11,115	0.97	0.00	0.50	1.05	4872	1.04	0.00	0.50	1.45	15987	0.99	0.00	0.50	1.18
Santa Clara	161	0.21	0.00	0.00	0.29	311	4.41	4.00	4.00	2.15	472	3.02	0.00	2.50	2.64
Solano	11,445	0.63	0.00	0.50	1.05	1821	0.60	0.00	0.50	0.75	13266	0.63	0.00	0.50	1.01
Stanislaus	7,483	0.74	0.00	0.50	1.00	3213	0.95	0.50	1.00	0.88	10696	0.81	0.00	0.50	0.97
Sutter	13,150	3.19	1.00	2.50	2.76	2370	3.56	1.00	3.00	2.77	15520	3.25	1.00	2.50	2.77
Tehama	599	4.53	4.00	4.50	2.47	0	0.00	0.00	0.00	0.00	599	4.53	4.00	4.50	2.47
Tulare	4,671	4.27	2.00	3.50	2.88	0	0.00	0.00	0.00	0.00	4671	4.27	2.00	3.50	2.88
Yolo	40,186	1.35	0.00	0.50	1.89	5450	1.75	0.00	1.00	2.11	45636	1.40	0.00	0.50	1.92
STATEWIDE	326,401	1.74	0.50	1.00	1.93	30715	2.05	0.00	1.50	2.18	357116	1.77	0.50	1.00	1.95

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	0.76	0.00	0.50	0.92	0	0.00	0.00	0.00	0.00	1495	0.76	0.00	0.50	0.92
Colusa	18,990	1.28	0.00	1.00	1.56	1344	1.07	0.50	1.00	1.03	20334	1.27	0.00	1.00	1.54
Contra Costa	7,247	0.90	0.00	0.50	1.07	0	0.00	0.00	0.00	0.00	7247	0.90	0.00	0.50	1.07
Fresno	106,359	0.83	0.00	0.50	1.13	2737	0.57	0.00	0.50	0.70	109096	0.83	0.00	0.50	1.12
Glenn	1,330	0.90	0.00	0.50	0.92	943	1.00	0.00	1.00	0.92	2273	0.94	0.00	1.00	0.92
Kern	8,917	0.92	0.00	0.50	0.96	0	0.00	0.00	0.00	0.00	8917	0.92	0.00	0.50	0.96
Kings	45,389	0.72	0.00	0.50	1.00	167	0.54	0.00	0.50	0.59	45556	0.72	0.00	0.50	1.00
Madera	8,475	0.90	0.00	0.50	1.08	460	0.55	0.50	0.50	0.60	8935	0.89	0.00	0.50	1.06
Merced	35,562	1.07	0.00	0.50	1.31	5910	0.51	0.00	0.50	0.69	41472	0.99	0.00	0.50	1.26

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 13 Ending 09/26/2026

	Last Week YTD					Current Week					Year To Date				
Grade: LU, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Sacramento	3,681	0.87	0.00	0.50	0.97	1117	0.75	0.00	0.50	0.85	4798	0.84	0.00	0.50	0.95
San Benito	146	2.98	1.00	2.50	2.29	0	0.00	0.00	0.00	0.00	146	2.98	1.00	2.50	2.29
San Joaquin	11,115	0.82	0.00	0.50	1.03	4872	0.92	0.00	0.50	1.14	15987	0.85	0.00	0.50	1.07
Santa Clara	161	1.39	0.50	1.50	1.00	311	0.19	0.00	0.00	0.41	472	0.59	0.00	0.00	0.88
Solano	11,445	0.46	0.00	0.00	0.80	1821	0.35	0.00	0.00	0.71	13266	0.44	0.00	0.00	0.79
Stanislaus	7,483	0.87	0.00	0.50	1.19	3213	0.82	0.00	0.50	1.17	10696	0.86	0.00	0.50	1.18
Sutter	13,150	1.09	0.00	0.50	1.33	2370	0.85	0.00	0.50	0.94	15520	1.05	0.00	0.50	1.28
Tehama	599	1.29	0.50	1.00	1.57	0	0.00	0.00	0.00	0.00	599	1.29	0.50	1.00	1.57
Tulare	4,671	0.70	0.00	0.50	0.93	0	0.00	0.00	0.00	0.00	4671	0.70	0.00	0.50	0.93
Yolo	40,186	0.91	0.00	0.50	1.50	5450	0.40	0.00	0.00	0.57	45636	0.85	0.00	0.50	1.43
STATEWIDE	326,401	0.88	0.00	0.50	1.21	30715	0.66	0.00	0.50	0.89	357116	0.86	0.00	0.50	1.19

Grade: MOT															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	2.80	0.50	2.00	2.66	0	0.00	0.00	0.00	0.00	1495	2.80	0.50	2.00	2.66
Colusa	18,990	1.09	0.50	1.00	1.15	1344	1.11	0.50	1.00	1.21	20334	1.09	0.50	1.00	1.16
Contra Costa	7,247	0.30	0.00	0.00	0.63	0	0.00	0.00	0.00	0.00	7247	0.30	0.00	0.00	0.63
Fresno	106,359	0.48	0.00	0.50	0.83	2737	0.70	0.50	0.50	0.75	109096	0.49	0.00	0.50	0.83
Glenn	1,330	1.79	1.00	1.50	1.58	943	1.04	0.50	1.00	1.04	2273	1.48	0.50	1.00	1.43
Kern	8,917	0.63	0.00	0.50	1.14	0	0.00	0.00	0.00	0.00	8917	0.63	0.00	0.50	1.14
Kings	45,389	0.63	0.00	0.50	1.13	167	0.96	1.00	1.00	0.64	45556	0.63	0.00	0.50	1.13
Madera	8,475	0.76	0.50	0.50	1.08	460	0.48	0.50	0.50	0.46	8935	0.74	0.50	0.50	1.05
Merced	35,562	0.87	0.00	0.50	1.31	5910	0.99	0.50	0.50	1.32	41472	0.89	0.00	0.50	1.31
Sacramento	3,681	2.22	0.00	1.00	2.95	1117	2.12	0.50	1.50	2.37	4798	2.20	0.00	1.00	2.83
San Benito	146	0.49	0.50	0.50	0.29	0	0.00	0.00	0.00	0.00	146	0.49	0.50	0.50	0.29
San Joaquin	11,115	0.71	0.00	0.00	1.77	4872	0.71	0.00	0.00	1.26	15987	0.71	0.00	0.00	1.63
Santa Clara	161	0.26	0.00	0.00	0.32	311	3.23	1.00	2.50	2.49	472	2.25	0.00	1.50	2.46
Solano	11,445	0.34	0.00	0.00	0.79	1821	0.30	0.00	0.00	0.59	13266	0.33	0.00	0.00	0.76
Stanislaus	7,483	0.25	0.00	0.00	0.45	3213	0.44	0.00	0.00	0.70	10696	0.31	0.00	0.00	0.54
Sutter	13,150	0.92	0.00	0.50	1.25	2370	0.85	0.50	0.50	1.18	15520	0.91	0.00	0.50	1.24
Tehama	599	1.69	1.00	1.00	1.86	0	0.00	0.00	0.00	0.00	599	1.69	1.00	1.00	1.86
Tulare	4,671	1.03	0.50	1.00	1.12	0	0.00	0.00	0.00	0.00	4671	1.03	0.50	1.00	1.12
Yolo	40,186	0.41	0.00	0.00	0.78	5450	0.66	0.00	0.50	1.05	45636	0.44	0.00	0.00	0.82
STATEWIDE	326,401	0.64	0.00	0.50	1.13	30715	0.82	0.00	0.50	1.25	357116	0.66	0.00	0.50	1.14

Grade: Hue															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	20.83	21.50	21.00	1.25	0	0.00	0.00	0.00	0.00	1495	20.83	21.50	21.00	1.25
Colusa	18,990	20.90	20.00	21.00	1.26	1344	20.59	20.00	20.50	1.05	20334	20.88	20.00	20.50	1.25

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Week 13 Ending 09/26/2026

Last Week YTD						Current Week					Year To Date				
Grade: Hue, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	7,247	20.00	19.50	20.00	0.98	0	0.00	0.00	0.00	0.00	7247	20.00	19.50	20.00	0.98
Fresno	106,359	20.42	20.00	20.00	1.28	2737	20.31	20.00	20.00	0.95	109096	20.41	20.00	20.00	1.28
Glenn	1,330	20.79	20.00	20.50	1.69	943	19.55	19.50	19.50	0.59	2273	20.27	19.50	20.00	1.49
Kern	8,917	20.54	20.50	20.50	1.10	0	0.00	0.00	0.00	0.00	8917	20.54	20.50	20.50	1.10
Kings	45,389	20.41	20.00	20.00	1.18	167	20.56	20.00	20.00	1.30	45556	20.41	20.00	20.00	1.18
Madera	8,475	20.81	20.00	20.50	1.40	460	20.34	20.50	20.50	0.98	8935	20.79	20.00	20.50	1.39
Merced	35,562	20.84	20.50	20.50	1.22	5910	20.48	20.00	20.50	1.18	41472	20.79	20.50	20.50	1.22
Sacramento	3,681	20.92	20.50	21.00	1.12	1117	21.06	21.00	21.00	0.92	4798	20.96	20.50	21.00	1.08
San Benito	146	20.16	20.00	20.00	0.58	0	0.00	0.00	0.00	0.00	146	20.16	20.00	20.00	0.58
San Joaquin	11,115	20.53	20.00	20.00	1.42	4872	20.56	20.00	20.50	1.21	15987	20.54	20.00	20.00	1.36
Santa Clara	161	19.50	19.50	19.50	0.41	311	20.81	20.50	20.50	0.73	472	20.38	20.50	20.50	0.89
Solano	11,445	20.69	20.50	20.50	1.14	1821	20.30	20.50	20.50	0.82	13266	20.64	20.50	20.50	1.11
Stanislaus	7,483	20.44	20.00	20.50	1.28	3213	20.82	21.00	21.00	1.12	10696	20.55	20.00	20.50	1.24
Sutter	13,150	21.09	21.50	21.00	1.30	2370	20.63	20.00	20.50	1.22	15520	21.02	20.50	21.00	1.30
Tehama	599	22.11	21.50	22.00	1.02	0	0.00	0.00	0.00	0.00	599	22.11	21.50	22.00	1.02
Tulare	4,671	20.33	20.50	20.00	1.02	0	0.00	0.00	0.00	0.00	4671	20.33	20.50	20.00	1.02
Yolo	40,186	21.24	21.00	21.00	1.39	5450	20.35	20.00	20.50	0.96	45636	21.13	21.00	21.00	1.38
STATEWIDE	326,401	20.65	20.00	20.50	1.31	30715	20.49	20.00	20.50	1.10	357116	20.63	20.00	20.50	1.29

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	4.70	4.50	4.70	0.29	0	0.00	0.00	0.00	0.00	1495	4.70	4.50	4.70	0.29
Colusa	18,990	4.96	4.90	4.90	0.44	1344	4.67	4.50	4.60	0.36	20334	4.94	4.90	4.90	0.44
Contra Costa	7,247	5.20	5.10	5.20	0.35	0	0.00	0.00	0.00	0.00	7247	5.20	5.10	5.20	0.35
Fresno	106,359	5.34	5.30	5.30	0.48	2737	4.94	4.90	4.90	0.47	109096	5.33	5.30	5.30	0.48
Glenn	1,330	4.75	4.70	4.80	0.35	943	4.98	4.90	5.00	0.27	2273	4.85	4.90	4.90	0.34
Kern	8,917	5.04	4.60	5.00	0.54	0	0.00	0.00	0.00	0.00	8917	5.04	4.60	5.00	0.54
Kings	45,389	4.97	4.90	4.90	0.45	167	5.05	4.90	5.00	0.47	45556	4.97	4.90	4.90	0.45
Madera	8,475	5.10	4.90	5.10	0.44	460	4.97	4.70	4.90	0.42	8935	5.10	4.90	5.10	0.44
Merced	35,562	5.11	4.90	5.00	0.55	5910	5.08	5.10	5.00	0.49	41472	5.11	4.90	5.00	0.54
Sacramento	3,681	5.29	5.30	5.30	0.43	1117	5.19	5.60	5.20	0.45	4798	5.27	5.30	5.30	0.44
San Benito	146	4.88	4.80	4.80	0.23	0	0.00	0.00	0.00	0.00	146	4.88	4.80	4.80	0.23
San Joaquin	11,115	5.38	5.20	5.30	0.50	4872	5.24	5.20	5.20	0.47	15987	5.34	5.20	5.30	0.50
Santa Clara	161	5.01	4.90	4.90	0.35	311	4.67	4.60	4.60	0.23	472	4.78	4.70	4.70	0.32
Solano	11,445	5.31	5.30	5.30	0.53	1821	5.38	5.40	5.40	0.46	13266	5.32	5.30	5.30	0.52
Stanislaus	7,483	5.23	5.20	5.20	0.47	3213	5.08	5.20	5.00	0.48	10696	5.19	5.20	5.20	0.48
Sutter	13,150	4.84	4.70	4.80	0.47	2370	4.83	4.30	4.80	0.56	15520	4.84	4.70	4.80	0.49
Tehama	599	4.83	4.80	4.80	0.28	0	0.00	0.00	0.00	0.00	599	4.83	4.80	4.80	0.28
Tulare	4,671	4.87	4.50	4.80	0.42	0	0.00	0.00	0.00	0.00	4671	4.87	4.50	4.80	0.42
Yolo	40,186	4.99	4.90	5.00	0.42	5450	4.88	4.90	4.90	0.42	45636	4.97	4.90	4.90	0.42

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 13 Ending 09/26/2026

STATEWIDE	326,401	5.15	5.00	5.10	0.50	30715	5.03	4.90	5.00	0.49	357116	5.14	5.00	5.10	0.50
-----------	---------	------	------	------	------	-------	------	------	------	------	--------	------	------	------	------

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	4.41	4.43	4.41	0.08	0	0.00	0.00	0.00	0.00	1495	4.41	4.43	4.41	0.08
Colusa	18,990	4.39	4.36	4.39	0.09	1344	4.46	4.50	4.46	0.08	20334	4.40	4.36	4.39	0.09
Contra Costa	7,247	4.39	4.41	4.39	0.08	0	0.00	0.00	0.00	0.00	7247	4.39	4.41	4.39	0.08
Fresno	106,359	4.42	4.40	4.41	0.10	2737	4.51	4.49	4.50	0.10	109096	4.42	4.40	4.41	0.10
Glenn	1,330	4.39	4.37	4.38	0.08	943	4.42	4.43	4.43	0.05	2273	4.41	4.42	4.41	0.07
Kern	8,917	4.38	4.36	4.38	0.09	0	0.00	0.00	0.00	0.00	8917	4.38	4.36	4.38	0.09
Kings	45,389	4.40	4.40	4.39	0.09	167	4.62	4.62	4.62	0.07	45556	4.40	4.40	4.39	0.09
Madera	8,475	4.47	4.49	4.47	0.10	460	4.52	4.46	4.50	0.10	8935	4.47	4.49	4.47	0.10
Merced	35,562	4.45	4.44	4.45	0.10	5910	4.40	4.37	4.39	0.10	41472	4.45	4.40	4.44	0.10
Sacramento	3,681	4.35	4.31	4.34	0.10	1117	4.35	4.40	4.35	0.07	4798	4.35	4.31	4.35	0.09
San Benito	146	4.32	4.24	4.30	0.09	0	0.00	0.00	0.00	0.00	146	4.32	4.24	4.30	0.09
San Joaquin	11,115	4.38	4.36	4.37	0.11	4872	4.42	4.37	4.41	0.12	15987	4.39	4.37	4.39	0.11
Santa Clara	161	4.39	4.35	4.38	0.09	311	4.35	4.36	4.36	0.06	472	4.37	4.35	4.37	0.07
Solano	11,445	4.38	4.38	4.38	0.09	1821	4.39	4.39	4.38	0.09	13266	4.38	4.39	4.38	0.09
Stanislaus	7,483	4.43	4.41	4.42	0.10	3213	4.39	4.37	4.38	0.10	10696	4.42	4.41	4.41	0.10
Sutter	13,150	4.39	4.38	4.39	0.08	2370	4.37	4.38	4.38	0.08	15520	4.39	4.38	4.39	0.08
Tehama	599	4.33	4.33	4.32	0.06	0	0.00	0.00	0.00	0.00	599	4.33	4.33	4.32	0.06
Tulare	4,671	4.43	4.39	4.43	0.09	0	0.00	0.00	0.00	0.00	4671	4.43	4.39	4.43	0.09
Yolo	40,186	4.36	4.33	4.35	0.09	5450	4.34	4.33	4.33	0.08	45636	4.36	4.33	4.35	0.09
STATEWIDE	326,401	4.40	4.40	4.40	0.10	30715	4.40	4.37	4.39	0.11	357116	4.40	4.40	4.40	0.10

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 13 Ending 09/26/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.6	355,662	0.0	30.7	109,522	0.0	17.1	61,240	0.0	36.8	131,325	0.0	44.5	158,840
0.5	100.0	356,953	0.5	52.7	188,214	0.5	36.1	128,906	0.5	61.5	219,533	0.5	73.4	261,947
1.0	100.0	357,065	1.0	68.3	243,787	1.0	52.7	188,320	1.0	77.6	277,271	1.0	85.8	306,388
1.5	100.0	357,093	1.5	77.3	275,919	1.5	64.5	230,265	1.5	86.0	307,068	1.5	91.2	325,585
2.0	100.0	357,110	2.0	83.2	297,033	2.0	73.4	261,954	2.0	90.9	324,640	2.0	94.1	335,950
2.5	100.0	357,112	2.5	87.3	311,662	2.5	79.7	284,762	2.5	93.8	335,130	2.5	95.8	342,244
3.0	100.0	357,114	3.0	90.2	321,977	3.0	84.4	301,584	3.0	95.7	341,923	3.0	97.0	346,273
3.5	100.0	357,115	3.5	92.3	329,661	3.5	87.9	314,073	3.5	97.0	346,337	3.5	97.7	349,064
4.0	100.0	357,116	4.0	93.9	335,395	4.0	90.5	323,210	4.0	97.8	349,306	4.0	98.3	350,954
			4.5	95.2	339,860	4.5	92.5	330,211	4.5	98.4	351,442	4.5	98.7	352,304
			5.0	96.1	343,218	5.0	94.0	335,589	5.0	98.8	352,864	5.0	98.9	353,299
			5.5	96.9	345,986	5.5	95.2	339,898	5.5	99.1	353,956	5.5	99.1	354,062
			6.0	97.5	348,046	6.0	96.1	343,254	6.0	99.3	354,712	6.0	99.3	354,671
			6.5	97.9	349,750	6.5	96.9	346,047	6.5	99.5	355,266	6.5	99.4	355,119
			7.0	98.3	351,030	7.0	97.5	348,343	7.0	99.6	355,689	7.0	99.5	355,461
			7.5	98.6	352,103	7.5	98.0	350,126	7.5	99.7	356,015	7.5	99.6	355,730
			8.0	98.8	352,987	8.0	98.4	351,553	8.0	99.8	356,256	8.0	99.7	355,947
			8.5	99.1	353,733	8.5	98.8	352,760	8.5	99.8	356,433	8.5	99.7	356,130
			9.0	99.2	354,357	9.0	99.0	353,715	9.0	99.8	356,572	9.0	99.8	356,291
			9.5	99.4	354,826	9.5	99.3	354,446	9.5	99.9	356,686	9.5	99.8	356,414
			10.0	99.5	355,231	10.0	99.4	355,023	10.0	99.9	356,775	10.0	99.8	356,516
			10.5	99.6	355,518	10.5	99.5	355,503	10.5	99.9	356,846	10.5	99.9	356,606
			11.0	99.6	355,779	11.0	99.6	355,815	11.0	99.9	356,900	11.0	99.9	356,673
			11.5	99.7	356,027	11.5	99.7	356,109	11.5	99.9	356,933	11.5	99.9	356,733
			12.0	99.7	356,178	12.0	99.8	356,342	12.0	100.0	356,967	12.0	99.9	356,790
			12.5	99.8	356,329	12.5	99.8	356,511	12.5	100.0	356,998	12.5	99.9	356,839
			13.0	99.8	356,444	13.0	99.9	356,658	13.0	100.0	357,020	13.0	99.9	356,882
			13.5	99.8	356,542	13.5	99.9	356,776	13.5	100.0	357,036	13.5	99.9	356,917
			14.0	99.9	356,611	14.0	99.9	356,843	14.0	100.0	357,061	14.0	100.0	356,949
			14.5	99.9	356,692	14.5	99.9	356,898	14.5	100.0	357,070	14.5	100.0	356,973
			15.0	99.9	356,745	15.0	100.0	356,946	15.0	100.0	357,075	15.0	100.0	356,994
			15.5	99.9	356,789	15.5	100.0	356,980	15.5	100.0	357,083	15.5	100.0	357,009
			16.0	99.9	356,833	16.0	100.0	357,011	16.0	100.0	357,087	16.0	100.0	357,024
			16.5	99.9	356,874	16.5	100.0	357,034	16.5	100.0	357,089	16.5	100.0	357,036
			17.0	99.9	356,892	17.0	100.0	357,051	17.0	100.0	357,091	17.0	100.0	357,045
			17.5	99.9	356,926	17.5	100.0	357,058	17.5	100.0	357,097	17.5	100.0	357,058
			18.0	100.0	356,946	18.0	100.0	357,074	18.0	100.0	357,098	18.0	100.0	357,075
			18.5	100.0	356,967	18.5	100.0	357,085	18.5	100.0	357,100	18.5	100.0	357,084
			19.0	100.0	356,980	19.0	100.0	357,088	19.0	100.0	357,105	19.0	100.0	357,089
			19.5	100.0	356,998	19.5	100.0	357,090	19.5	100.0	357,106	19.5	100.0	357,095
			20.0	100.0	357,012	20.0	100.0	357,092	20.0	100.0	357,108	20.0	100.0	357,099
			20.5	100.0	357,026	20.5	100.0	357,093	20.5	100.0	357,108	20.5	100.0	357,103
			21.0	100.0	357,035	21.0	100.0	357,098	21.0	100.0	357,108	21.0	100.0	357,105
			21.5	100.0	357,040	21.5	100.0	357,101	21.5	100.0	357,109	21.5	100.0	357,105

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 13 Ending 09/26/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week				#Loads	Year To Date			
		GREEN Percent Less than or Equal To:					GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Butte	0	0	0	0	0	1,495	28	37	48	61
Colusa	1,344	19	37	50	63	20,334	20	39	57	71
Contra Costa	0	0	0	0	0	7,247	77	91	97	99
Fresno	2,737	31	64	81	87	109,096	55	77	89	94
Glenn	943	4	22	43	57	2,273	6	21	34	44
Kern	0	0	0	0	0	8,917	59	81	89	93
Kings	167	9	51	82	95	45,556	50	77	89	94
Madera	460	62	95	99	100	8,935	29	54	72	83
Merced	5,910	34	61	76	84	41,472	45	72	85	91
Sacramento	1,117	17	32	53	70	4,798	24	47	67	81
San Benito	0	0	0	0	0	146	100	100	100	100
San Joaquin	4,872	73	87	93	95	15,987	71	88	95	97
Santa Clara	311	4	18	36	52	472	37	46	58	68
Solano	1,821	85	96	98	99	13,266	85	94	97	98
Stanislaus	3,213	73	92	97	99	10,696	77	92	97	98
Sutter	2,370	26	40	55	66	15,520	28	46	60	71
Tehama	0	0	0	0	0	599	4	18	34	49
Tulare	0	0	0	0	0	4,671	8	25	42	57
Yolo	5,450	58	70	79	86	45,636	66	79	86	91
STATEWIDE TOTALS										
CURRENT WEEK	30,715	49.0	68.1	79.1	85.8	357,116	53	73	84	91
LAST WEEK YTD						326,401	53	74	85	91

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 13 Ending 09/26/2026

ANALYSIS BY COUNTY FOR GRADE: LU

County	Current Week					Year To Date				
	#Loads	LU Percent Less than or Equal To:				#Loads	LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Butte	0	0	0	0	0	1,495	99	100	100	100
Colusa	1,344	99	100	100	100	20,334	97	99	99	99
Contra Costa	0	0	0	0	0	7,247	99	99	100	100
Fresno	2,737	99	100	100	100	109,096	98	99	99	99
Glenn	943	100	100	100	100	2,273	99	100	100	100
Kern	0	0	0	0	0	8,917	99	99	100	100
Kings	167	100	100	100	100	45,556	99	99	99	99
Madera	460	100	100	100	100	8,935	99	99	99	100
Merced	5,910	99	100	100	100	41,472	98	99	99	99
Sacramento	1,117	100	100	100	100	4,798	99	100	100	100
San Benito	0	0	0	0	0	146	82	96	100	100
San Joaquin	4,872	98	99	100	100	15,987	99	99	99	100
Santa Clara	311	100	100	100	100	472	100	100	100	100
Solano	1,821	99	100	100	100	13,266	99	99	99	99
Stanislaus	3,213	98	99	99	100	10,696	98	99	99	99
Sutter	2,370	99	99	100	100	15,520	98	99	99	99
Tehama	0	0	0	0	0	599	96	99	100	100
Tulare	0	0	0	0	0	4,671	99	100	100	100
Yolo	5,450	99	100	100	100	45,636	97	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	30,715	99.7	100.0	100.0	100.0	357,116	99	100	100	100
LAST WEEK YTD						326,401	99	100	100	100

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 13 Ending 09/26/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD														
County	#Loads	Current Week MOLD Percent Less than or Equal To:						#Loads	Year To Date MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Butte	0	0	0	0	0	0	0	1,495	89	96	99	99	100	100
Colusa	1,344	59	76	86	94	97	99	20,334	85	92	95	97	98	99
Contra Costa	0	0	0	0	0	0	0	7,247	98	99	99	99	99	99
Fresno	2,737	68	77	83	86	89	91	109,096	91	94	96	97	97	98
Glenn	943	87	95	99	99	99	100	2,273	77	87	91	92	95	96
Kern	0	0	0	0	0	0	0	8,917	99	99	99	99	100	100
Kings	167	44	65	77	87	92	96	45,556	80	86	90	93	95	96
Madera	460	97	99	99	99	100	100	8,935	84	91	95	97	99	99
Merced	5,910	91	95	97	98	99	99	41,472	87	92	95	97	98	99
Sacramento	1,117	96	98	99	99	99	99	4,798	97	98	99	99	99	99
San Benito	0	0	0	0	0	0	0	146	100	100	100	100	100	100
San Joaquin	4,872	91	93	94	96	97	98	15,987	94	96	97	98	98	99
Santa Clara	311	100	100	100	100	100	100	472	100	100	100	100	100	100
Solano	1,821	97	98	99	99	99	99	13,266	96	98	99	99	99	99
Stanislaus	3,213	91	95	98	99	99	99	10,696	93	96	98	99	99	99
Sutter	2,370	71	81	88	92	94	96	15,520	83	91	95	97	98	99
Tehama	0	0	0	0	0	0	0	599	93	97	99	99	100	100
Tulare	0	0	0	0	0	0	0	4,671	95	98	99	99	99	99
Yolo	5,450	98	99	99	99	99	99	45,636	95	97	98	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	30,715	87.9	92.6	95.3	96.9	97.8	98.4	357,116	90	94	96	97	98	99
LAST WEEK YTD								326,401	90	94	96	98	98	99

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 13 Ending 09/26/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Butte	0	0	0	0	0	1,495	24	35	53	68
Colusa	1,344	49	70	86	92	20,334	47	69	87	94
Contra Costa	0	0	0	0	0	7,247	87	94	98	99
Fresno	2,737	65	86	96	98	109,096	80	91	97	98
Glenn	943	48	70	90	96	2,273	35	56	79	89
Kern	0	0	0	0	0	8,917	75	88	95	97
Kings	167	40	71	95	99	45,556	74	86	94	97
Madera	460	85	97	99	99	8,935	68	83	93	96
Merced	5,910	58	74	88	94	41,472	64	79	90	95
Sacramento	1,117	29	44	66	80	4,798	39	52	68	79
San Benito	0	0	0	0	0	146	85	99	100	100
San Joaquin	4,872	73	83	90	95	15,987	77	87	93	95
Santa Clara	311	7	21	44	62	472	37	48	63	75
Solano	1,821	86	94	98	99	13,266	86	93	97	98
Stanislaus	3,213	81	92	97	98	10,696	87	95	98	99
Sutter	2,370	62	79	91	96	15,520	59	76	90	95
Tehama	0	0	0	0	0	599	31	52	77	87
Tulare	0	0	0	0	0	4,671	47	70	89	96
Yolo	5,450	70	83	93	97	45,636	81	90	96	98
STATEWIDE TOTALS										
CURRENT WEEK	30,715	66.1	80.4	91.3	95.6	357,116	73	86	94	97
LAST WEEK YTD						326,401	74	86	94	97

Average Defects Report (RP10)**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS**
Week 13 Ending 09/26/2026**Butte**

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	322	0.0	2.3	7.1	4.0	19.0	0.5	4.4	4.49
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	1.3	1.6	4.1	20.0	1.2	4.8	4.47
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	270	0.0	0.8	4.8	5.0	21.1	1.1	5.1	4.44
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	670	0.0	1.8	1.9	1.0	21.7	0.5	4.6	4.34
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			1,494	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	751	0.0	1.0	1.1	1.3	20.3	1.3	4.9	4.45
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,092	0.0	2.4	4.8	1.4	22.6	2.8	4.9	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	3.2	0.5	0.6	20.4	0.5	5.3	4.47
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,854	0.0	0.7	4.5	1.0	21.6	0.8	5.2	4.34
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	109	0.0	2.9	0.7	0.2	19.4	0.4	5.0	4.46
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.8	4.3	1.4	20.7	2.7	4.8	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	4.5	0.0	0.0	20.5	1.0	5.1	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	4.5	0.4	0.1	20.5	0.3	5.2	4.39
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	114	0.0	2.5	6.4	1.3	21.9	1.2	4.5	4.42
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.8	0.8	0.0	20.7	0.2	4.9	4.48
263	2639, HZ	Cur Wk	14	0.0	1.4	1.0	0.5	20.1	0.9	5.1	4.39
		YTD	114	0.0	1.9	3.8	1.1	19.9	1.0	5.0	4.35
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	2.5	4.6	0.7	21.3	1.6	4.5	4.40
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	76	0.0	3.1	4.3	2.2	22.0	1.7	4.7	4.39
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.3	3.6	1.6	22.4	2.9	5.2	4.42
477	4707, HZ	Cur Wk	277	0.0	4.2	1.7	0.9	22.1	0.9	5.0	4.52
		YTD	435	0.0	4.2	1.7	0.9	22.1	0.8	4.9	4.51
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	145	0.0	3.8	1.2	0.5	20.6	0.5	4.1	4.58
510	2015, HZ	Cur Wk	60	0.0	3.0	4.8	1.2	19.3	0.5	4.5	4.46
		YTD	1,098	0.0	2.0	4.2	0.9	19.3	0.8	4.5	4.47
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	156	0.0	3.0	0.5	0.3	20.1	0.3	5.2	4.38
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.0	0.7	0.3	20.6	0.2	5.1	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.8	0.7	20.9	1.7	4.9	4.55
577	HEINZ TRIAL	Cur Wk	1	0.0	1.0	1.5	0.0	20.0	3.5	5.1	4.50
		YTD	44	0.0	1.1	5.0	0.9	21.0	0.9	4.8	4.34
610	2016, HZ	Cur Wk	661	0.0	2.7	3.3	1.0	20.1	1.4	4.5	4.43
		YTD	5,263	0.0	1.8	3.2	1.1	20.0	1.2	4.7	4.38
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
662	1662, HZ	YTD	26	0.0	2.4	1.7	1.1	21.9	0.7	4.9	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	2.0	2.5	0.9	21.2	1.7	4.6	4.41
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.9	4.0	1.3	22.0	0.7	4.9	4.34
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.2	1.8	0.2	0.0	20.5	0.2	5.0	4.35
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.2	2.2	0.3	0.0	20.0	0.2	5.1	4.38
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,550	0.0	2.0	3.3	1.0	21.4	0.7	5.1	4.35
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.6	1.4	0.0	21.9	0.6	5.0	4.24
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	2.0	2.3	0.9	22.0	2.3	4.9	4.43
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	812	0.0	1.2	2.5	1.2	21.3	0.7	5.0	4.33
996	1996, HZ	Cur Wk	331	0.0	2.5	6.3	1.4	20.5	0.6	4.7	4.46
		YTD	1,515	0.0	1.6	3.2	1.1	20.0	0.8	5.1	4.45
Cur Wk:			1,344	0.0	2.9	3.8	1.1	20.6	1.1	4.7	4.46
YTD			20,333	0.0	1.7	3.3	1.1	20.9	1.3	4.9	4.40

Contra Costa			Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk				0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD				215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
028	6428, N	Cur Wk				0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD				115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
036	8163, HM	Cur Wk				0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD				247	0.0	1.3	0.4	0.3	19.3	1.1	5.6	4.52
064	0645, LS	Cur Wk				0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD				421	0.0	0.5	1.1	0.4	19.8	0.8	5.1	4.45
068	8268, HM	Cur Wk				0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD				1,502	0.0	0.2	0.7	0.2	19.6	1.0	5.3	4.40

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Contra Costa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	1.3	0.5	20.1	1.1	5.3	4.28
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.4	1.2	0.6	20.1	0.7	5.4	4.30
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.3	0.6	0.4	20.4	0.7	5.2	4.41
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	265	0.0	0.5	1.4	0.3	20.4	2.7	5.1	4.42
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,019	0.0	0.5	0.6	0.3	19.5	0.4	5.3	4.35
740	74, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	976	0.0	1.0	1.1	0.3	19.9	1.4	5.2	4.43
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	0.5	0.8	0.4	22.5	1.2	5.1	4.26
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			7,247	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	1.3	0.6	0.3	21.5	0.5	5.1	4.37
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8,403	0.0	0.5	1.2	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	4,549	0.0	0.9	0.7	0.5	19.5	1.1	5.8	4.47
037	8237, HM	Cur Wk	195	0.0	0.6	2.5	1.0	20.4	0.4	5.7	4.38
		YTD	9,089	0.0	0.9	1.3	0.4	21.1	0.5	5.4	4.38
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,235	0.0	1.2	1.3	0.5	20.0	1.4	5.6	4.55
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,947	0.0	0.8	1.6	0.4	19.5	1.2	5.5	4.44
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,184	0.0	0.7	4.8	1.4	21.2	0.8	5.5	4.43
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	695	0.0	1.0	0.9	0.4	20.5	1.2	4.9	4.48
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,704	0.0	1.5	0.7	0.4	19.8	0.8	5.1	4.47
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.0	1.6	0.8	19.5	0.4	4.7	4.55
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	11.4	2.4	0.4	21.3	0.8	4.9	4.62
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,712	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,051	0.0	2.9	4.1	0.7	19.4	1.6	5.4	4.45
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	381	0.0	0.9	0.5	0.1	19.9	0.7	5.6	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	466	0.0	0.9	0.8	0.2	20.3	0.7	5.8	4.35
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,659	0.0	0.5	1.3	0.4	21.9	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	73	0.0	2.9	1.5	1.0	20.7	0.8	4.8	4.44
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	1.9	0.2	20.8	0.5	4.7	4.32
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
365	2365, HZ	Cur Wk	245	0.0	2.9	5.6	0.8	20.6	0.3	4.5	4.61
		YTD	732	0.0	2.5	3.7	0.6	20.6	0.3	4.7	4.59
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	276	0.0	1.1	2.9	1.3	20.5	1.8	6.2	4.44
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6,040	0.0	0.7	1.2	0.5	20.4	0.9	5.4	4.49
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	983	0.0	2.9	3.0	1.4	21.9	1.7	5.1	4.49
441	114, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	347	0.0	0.3	1.8	0.4	21.1	0.3	5.1	4.39
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	0.8	1.0	0.5	21.8	2.3	5.4	4.55
477	4707, HZ	Cur Wk	135	0.0	1.7	1.6	0.4	21.8	0.3	4.8	4.54
		YTD	450	0.0	2.2	2.2	0.5	22.0	0.3	4.8	4.51
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	60	0.0	1.7	2.2	0.4	20.0	1.0	4.9	4.53
		YTD	1,351	0.0	1.5	0.9	0.3	19.8	0.5	4.7	4.57
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,115	0.0	0.5	0.8	0.2	19.4	0.3	5.2	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
510	2015, HZ	Cur Wk	81	0.0	0.8	5.8	0.4	19.2	0.2	4.6	4.49
		YTD	81	0.0	0.8	5.8	0.4	19.2	0.2	4.6	4.49
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
533	2533, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	46	0.0	8.9	3.0	0.4	21.1	0.9	4.7	4.54
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,792	0.0	0.6	0.8	0.2	19.5	0.6	5.6	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,143	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	47	0.0	1.0	1.1	0.3	20.3	1.0	5.3	4.43
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
572	0275, SY	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	1.5	2.3	0.4	20.8	2.4	5.1	4.39
577	HEINZ TRIAL	Cur Wk	54	0.0	13.3	2.8	0.6	21.2	0.7	4.9	4.48
		YTD	127	0.0	9.0	1.9	0.5	20.8	1.0	5.2	4.50
610	2016, HZ	Cur Wk	1,172	0.0	3.2	1.7	0.7	19.9	0.7	4.9	4.49
		YTD	5,791	0.0	3.2	1.9	0.6	20.0	0.6	4.7	4.48
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	57	0.0	0.6	2.0	0.2	19.7	0.1	5.6	4.44
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.7	1.5	0.5	19.5	0.1	4.9	4.40

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
652	6502, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.0	18.7	0.7	5.1	4.50
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.6	0.5	20.5	0.7	5.6	4.49
662	1662, HZ	Cur Wk	7	0.0	11.5	1.6	0.9	21.0	0.6	4.7	4.61
		YTD	559	0.0	5.3	1.8	0.4	21.8	1.2	4.9	4.59
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	459	0.0	7.1	2.0	0.4	23.6	2.0	4.8	4.59
730	9037, SVTM	Cur Wk	56	0.0	17.0	3.5	0.7	22.2	0.5	4.7	4.48
		YTD	3,018	0.0	1.5	2.1	0.4	21.9	0.5	5.1	4.37
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	49	0.1	2.1	1.3	0.2	20.0	1.5	5.4	4.40
765	1765, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	9.7	1.7	0.0	23.3	0.6	5.0	4.58
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	1.1	0.6	0.1	18.5	0.9	5.6	4.53
820	1082, SVTM	Cur Wk	55	0.0	1.4	1.3	1.0	20.1	1.8	6.0	4.40
		YTD	2,110	0.0	1.2	1.1	0.4	20.6	1.4	5.7	4.38
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,341	0.0	0.8	2.2	0.9	20.7	0.5	5.5	4.44
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	486	0.0	0.8	2.8	0.8	19.4	0.4	5.0	4.41
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,573	0.0	0.6	1.3	0.3	21.4	1.2	5.1	4.44
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.2	0.8	0.0	18.9	0.5	5.6	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	85	0.0	5.1	1.8	0.7	22.2	0.2	5.2	4.51
		YTD	813	0.0	4.2	1.9	0.4	21.8	0.2	5.1	4.48
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,393	0.0	1.3	2.1	1.1	21.9	1.6	5.7	4.30
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,068	0.0	1.2	3.2	1.3	21.0	1.6	5.3	4.40
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
941	9041, SVTM	YTD	3,389	0.0	0.9	0.8	0.3	21.3	0.8	5.6	4.29
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,912	0.0	1.3	1.1	0.3	21.0	0.5	5.3	4.41
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
		Cur Wk	592	0.0	2.7	1.6	0.7	20.3	0.5	5.0	4.55
996	1996, HZ	YTD	7,898	0.0	1.4	1.9	0.5	20.0	0.3	5.0	4.45
		Cur Wk:	2,737	0.0	3.2	2.3	0.7	20.3	0.6	4.9	4.51
		YTD	108,906	0.0	1.1	1.5	0.5	20.4	0.8	5.3	4.42

Glenn

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
510	2015, HZ	Cur Wk	137	0.0	2.5	6.9	1.2	19.1	0.9	5.2	4.46
		YTD	137	0.0	2.5	6.9	1.2	19.1	0.9	5.2	4.46
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
566	6506, N	YTD	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
		Cur Wk	20	0.0	3.7	2.8	1.2	20.5	0.8	5.3	4.47
		YTD	20	0.0	3.7	2.8	1.2	20.5	0.8	5.3	4.47
610	2016, HZ	Cur Wk	786	0.0	1.8	4.2	1.0	19.6	1.0	4.9	4.42
		YTD	1,598	0.0	2.0	6.0	1.4	19.9	1.0	4.7	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
916	9016, SVTM	YTD	205	0.1	7.6	2.4	1.7	24.2	0.9	5.1	4.39
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	289	0.0	1.9	6.1	1.9	20.2	0.8	5.1	4.49
996	1996, HZ	Cur Wk:	943	0.0	1.9	4.6	1.0	19.5	1.0	5.0	4.42
		YTD	2,272	0.0	2.5	5.7	1.5	20.3	0.9	4.8	4.41

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
036	8163, HM	YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
103	403, BQ	YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	0.8	1.0	0.2	24.0	1.9	4.4	4.56
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,021	0.0	0.2	1.4	0.5	20.9	0.5	4.7	4.35
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
919	9019, SVTM	YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			8,908	0.0	0.5	1.5	0.6	20.5	0.9	5.0	4.38

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	445	0.0	2.4	1.9	0.9	20.5	0.6	5.0	4.38
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	886	0.0	0.7	0.7	0.4	19.6	0.7	5.6	4.50
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,690	0.0	1.8	1.4	0.7	20.7	0.8	5.2	4.40
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,599	0.0	5.1	1.4	1.5	21.6	1.1	5.0	4.46
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	3.8	1.5	0.4	20.0	0.3	5.2	4.55
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
365	2365, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	783	0.0	2.4	2.3	1.0	19.9	0.5	4.8	4.52
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,018	0.0	0.5	1.1	0.5	20.6	0.3	5.1	4.35
461	6461, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	1.7	1.5	1.3	21.4	1.1	4.9	4.45
477	4707, HZ	Cur Wk	29	0.0	6.3	2.6	1.0	22.9	0.4	4.5	4.64
		YTD	271	0.0	5.1	2.6	0.9	22.5	0.4	4.5	4.62
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.9	0.7	0.3	21.0	1.0	4.4	4.61
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
610	2016, HZ	Cur Wk	70	0.0	3.1	1.8	0.7	19.9	0.8	5.4	4.57

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
641	6416, N	YTD	12,072	0.0	1.4	1.8	0.6	19.7	0.6	4.7	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
648	6480, N	YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
650	6500, N	YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
707	47073, HZ	YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
730	9037, SVTM	YTD	39	0.0	6.1	2.0	0.7	21.7	0.9	4.9	4.60
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
763	17763, HZ	YTD	4,506	0.0	4.4	1.7	1.2	21.4	0.6	5.2	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
776	1776, HZ	YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
903	9036, SVTM	YTD	472	0.0	1.3	3.6	1.2	20.5	0.5	5.1	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
916	9016, SVTM	YTD	188	0.0	2.1	1.1	0.3	22.2	1.1	5.0	4.49
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
919	9019, SVTM	YTD	165	0.0	10.2	1.9	0.4	21.1	0.2	5.0	4.52
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
921	9021, SVTM	YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
925	9025, SVTM	YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
941	9041, SVTM	YTD	920	0.0	1.4	0.5	0.2	20.8	1.3	5.3	4.28
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
996	1996, HZ	YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
		Cur Wk	68	0.0	3.8	2.9	1.1	20.2	0.3	4.9	4.67
		YTD	942	0.0	0.9	1.4	0.4	20.7	0.4	4.6	4.43
Cur Wk:			167	0.0	3.9	2.4	1.0	20.6	0.5	5.1	4.62
YTD			45,512	0.0	1.7	1.6	0.6	20.4	0.7	5.0	4.40

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	395	0.0	0.6	3.4	0.5	21.1	0.4	5.2	4.39
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	642	0.0	3.6	1.6	0.6	19.1	1.4	5.6	4.53
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	835	0.0	1.6	4.4	1.4	22.6	0.8	5.1	4.51

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	108	0.0	2.3	2.9	0.6	19.5	2.4	5.9	4.55
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	1.6	1.5	0.8	21.9	1.9	4.7	4.45
365	2365, HZ	Cur Wk	65	0.0	2.1	1.4	0.5	21.8	0.7	4.8	4.70
		YTD	65	0.0	2.1	1.4	0.5	21.8	0.7	4.8	4.70
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	2.5	5.8	2.1	21.6	1.0	5.1	4.41
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	342	0.0	2.7	2.3	1.0	22.2	1.8	5.2	4.58
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	2.6	2.9	1.3	19.8	1.0	5.2	4.39
477	4707, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	454	0.0	1.1	3.0	0.8	22.0	0.5	4.7	4.48
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	257	0.0	1.2	2.9	1.1	19.6	1.0	5.0	4.54
520	0052, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	1.5	0.9	0.2	20.9	1.7	4.5	4.50
610	2016, HZ	Cur Wk	79	0.0	0.9	1.3	0.6	19.3	0.8	5.2	4.49
		YTD	1,501	0.0	0.8	2.0	0.5	19.6	0.7	4.9	4.46
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	966	0.0	1.2	2.7	0.4	21.9	0.4	5.0	4.42
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	2.2	3.8	1.0	20.7	0.5	4.8	4.53
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	4.2	2.0	0.7	19.8	1.1	5.3	4.53
916	9016, SVTM	Cur Wk	30	0.0	1.1	0.9	0.2	20.5	0.2	5.5	4.46
		YTD	30	0.0	1.1	0.9	0.2	20.5	0.2	5.5	4.46
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	558	0.0	2.8	2.9	1.0	22.1	2.2	5.4	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	1.8	2.8	0.8	20.6	0.9	5.2	4.39
996	1996, HZ	Cur Wk	286	0.0	0.9	1.0	0.5	20.3	0.5	4.9	4.49
		YTD	1,351	0.0	0.9	1.4	0.5	20.1	0.5	5.1	4.48
Cur Wk:			460	0.0	1.1	1.1	0.5	20.3	0.6	5.0	4.52

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

YTD	8,934	0.0	1.7	2.5	0.7	20.8	0.9	5.1	4.47
-----	-------	-----	-----	-----	-----	------	-----	-----	------

Merced											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	1.5	1.0	0.8	21.0	1.0	5.3	4.35
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	267	0.0	1.4	0.3	0.2	19.7	0.8	5.8	4.56
037	8237, HM	Cur Wk	1,104	0.0	1.5	2.9	0.8	21.0	0.6	5.1	4.41
		YTD	4,074	0.0	1.4	1.9	0.6	21.1	0.6	5.1	4.42
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.3	1.2	0.7	21.3	2.7	5.5	4.61
068	8268, HM	Cur Wk	16	0.0	2.4	1.9	1.7	20.8	1.0	5.2	4.43
		YTD	859	0.0	2.9	2.1	1.0	19.7	2.3	5.5	4.54
074	6474, N	Cur Wk	13	0.0	1.9	1.2	2.2	21.4	1.0	5.8	4.53
		YTD	1,239	0.0	1.9	2.3	1.0	21.3	1.1	5.5	4.55
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	1.1	0.7	0.7	21.3	2.0	4.6	4.55
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	417	0.0	1.7	0.4	0.3	20.4	0.6	4.6	4.43
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.0	2.5	0.7	21.2	8.5	5.7	4.42
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	227	0.0	1.3	0.9	0.8	21.2	3.6	5.7	4.53
178	7708, BOS	Cur Wk	23	0.0	3.2	1.5	1.6	19.5	2.2	5.5	4.51
		YTD	574	0.0	2.5	1.6	1.2	19.7	1.9	5.3	4.51
210	110, BP	Cur Wk	79	0.0	1.1	2.3	0.5	19.9	0.8	5.9	4.36
		YTD	278	0.0	1.0	2.0	0.8	19.9	1.0	5.9	4.36
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	0.3	0.7	20.7	0.8	5.4	4.32
239	9023, SVTM	Cur Wk	40	0.0	2.4	0.8	0.9	22.3	0.4	4.9	4.42
		YTD	170	0.0	1.0	1.1	0.9	22.6	0.9	5.1	4.49
248	8422, BOS	Cur Wk	44	0.0	0.9	6.8	0.9	21.4	0.5	4.4	4.42
		YTD	797	0.0	1.8	3.0	1.3	20.9	1.2	4.7	4.45
324	8423, BOS	Cur Wk	39	0.0	1.8	0.5	2.9	20.8	2.3	4.7	4.53

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	514	0.0	2.5	2.8	1.1	20.7	1.5	4.9	4.50
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	1.0	3.0	1.8	21.4	2.0	5.8	4.54
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,780	0.0	4.2	1.5	1.5	22.1	1.3	4.8	4.54
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	5.4	0.5	0.2	20.3	1.8	5.3	4.60
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	161	0.0	0.8	0.5	0.3	20.3	0.5	4.9	4.63
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	2.1	0.0	0.7	22.1	1.0	4.7	4.53
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	673	0.0	1.1	1.5	0.9	19.2	0.8	4.8	4.52
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	234	0.0	1.7	0.7	0.3	20.1	0.5	5.2	4.39
555	MISC TRIAL	Cur Wk	7	0.0	0.6	1.0	0.2	19.2	0.1	5.1	4.31
		YTD	24	0.0	1.5	0.6	0.1	20.6	0.7	4.7	4.44
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.0	0.3	0.1	20.4	0.9	5.6	4.56
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	57	0.0	3.0	1.7	0.1	21.0	0.7	4.8	4.51
610	2016, HZ	Cur Wk	1,046	0.0	2.2	2.8	1.6	19.6	0.7	4.7	4.45
		YTD	5,322	0.0	1.4	2.1	1.0	20.2	0.8	4.6	4.47
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
650	6500, N	Cur Wk	3	0.0	0.5	1.3	0.2	19.3	0.2	4.8	4.41
		YTD	3	0.0	0.5	1.3	0.2	19.3	0.2	4.8	4.41
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	11.0	2.0	4.5	20.5	2.0	6.6	4.64
662	1662, HZ	Cur Wk	63	0.0	1.3	2.1	0.3	21.2	0.5	5.1	4.49
		YTD	258	0.0	1.6	2.0	0.2	21.5	0.6	4.9	4.52
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.3	1.7	0.4	22.1	0.2	4.7	4.41
730	9037, SVTM	Cur Wk	1,698	0.0	0.8	1.8	0.6	21.0	0.4	5.1	4.34
		YTD	4,250	0.0	0.9	1.8	0.6	21.3	0.5	5.1	4.35
740	74, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	373	0.0	2.5	1.5	0.6	20.3	0.8	5.1	4.49
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.6	1.7	1.2	21.1	1.1	4.6	4.50

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Merced, Continued											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
820	1082, SVTM	Cur Wk	102	0.0	1.7	1.6	0.8	20.7	0.8	5.3	4.34
		YTD	2,053	0.0	1.4	1.7	0.8	20.9	1.4	5.4	4.37
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	457	0.0	1.4	2.0	1.2	21.1	1.3	5.2	4.49
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.7	0.7	0.8	21.3	3.3	6.0	4.47
904	9048, SVTM	Cur Wk	3	0.0	0.5	2.5	0.3	19.7	0.3	5.4	4.33
		YTD	14	0.0	0.9	4.4	1.9	19.2	0.5	6.1	4.39
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	2.4	2.2	1.6	19.6	0.9	5.6	4.47
916	9016, SVTM	Cur Wk	43	0.0	0.9	1.7	0.5	20.8	0.3	5.1	4.35
		YTD	250	0.0	0.8	1.8	0.6	22.2	0.3	5.2	4.36
919	9019, SVTM	Cur Wk	79	0.0	2.9	5.5	3.2	22.3	1.4	5.1	4.33
		YTD	1,811	0.0	3.2	3.4	1.5	21.9	2.3	5.4	4.35
921	9021, SVTM	Cur Wk	2	0.0	4.7	0.5	0.0	19.9	1.6	5.7	4.60
		YTD	1,711	0.0	2.5	1.5	1.1	20.6	1.2	5.4	4.44
925	9025, SVTM	Cur Wk	220	0.0	2.0	3.4	0.8	19.9	0.3	5.5	4.28
		YTD	1,207	0.0	1.8	1.3	0.4	20.9	0.9	5.3	4.36
941	9041, SVTM	Cur Wk	149	0.0	0.6	1.3	0.6	20.5	0.2	5.3	4.36
		YTD	920	0.0	0.6	1.9	0.7	21.1	0.4	5.2	4.36
996	1996, HZ	Cur Wk	1,126	0.0	1.0	2.1	1.1	19.8	0.3	5.2	4.47
		YTD	6,934	0.0	0.8	1.8	1.0	20.2	0.5	5.0	4.48
Cur Wk:			5,899	0.0	1.4	2.4	1.0	20.5	0.5	5.1	4.40
YTD			41,455	0.0	1.5	1.9	0.9	20.8	1.0	5.1	4.45

Sacramento											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	367	0.0	0.9	3.7	2.3	21.4	0.6	5.3	4.38
		YTD	842	0.0	0.9	3.6	2.6	21.4	0.6	5.3	4.37
068	8268, HM	Cur Wk	61	0.0	1.2	0.2	0.1	21.7	1.1	5.1	4.33
		YTD	306	0.0	1.0	1.4	1.8	20.4	1.3	5.4	4.34
074	6474, N	Cur Wk	155	0.0	0.8	2.4	3.7	21.2	0.3	5.6	4.37
		YTD	155	0.0	0.8	2.4	3.7	21.2	0.3	5.6	4.37
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.5	0.9	0.2	20.2	1.2	5.7	4.25
219	109, BP	Cur Wk	35	0.0	0.1	0.3	0.1	22.3	0.2	5.9	4.24
		YTD	78	0.0	0.3	0.5	0.1	21.1	0.4	6.0	4.23
324	8423, BOS	Cur Wk	309	0.0	1.5	3.6	1.9	20.7	1.2	4.9	4.35
		YTD	527	0.0	1.2	3.8	1.8	20.7	1.3	4.8	4.35
552	5522, HM	Cur Wk	18	0.0	0.9	0.2	0.1	21.9	1.1	5.0	4.32

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Sacramento, Continued			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
566	6506, N	YTD	313	0.0	0.4	1.5	0.2	20.5	0.6	5.6	4.25
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
610	2016, HZ	YTD	14	0.0	1.0	3.0	1.1	20.9	0.9	4.9	4.51
		Cur Wk	132	0.0	0.6	5.1	1.8	20.0	0.5	5.0	4.30
841	58841, HM	YTD	387	0.0	0.7	4.4	2.8	20.4	0.8	5.2	4.32
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
909	0199, BOS	YTD	251	0.0	0.5	0.6	4.5	21.1	0.3	5.0	4.39
		Cur Wk	16	0.0	0.8	1.6	5.7	20.7	1.1	5.4	4.32
916	9016, SVTM	YTD	17	0.0	0.8	1.6	5.4	20.8	1.1	5.4	4.32
		Cur Wk	3	0.0	0.2	1.8	1.2	21.0	0.2	5.0	4.27
919	9019, SVTM	YTD	3	0.0	0.2	1.8	1.2	21.0	0.2	5.0	4.27
		Cur Wk	21	0.0	1.0	2.1	2.4	22.1	1.6	5.5	4.28
996	1996, HZ	YTD	797	0.0	1.4	2.4	2.0	22.0	1.6	5.5	4.27
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,081	0.0	0.3	2.7	2.1	20.3	0.4	5.1	4.42
Cur Wk:			1,117	0.0	1.0	3.3	2.1	21.1	0.7	5.2	4.35
YTD			4,798	0.0	0.8	2.7	2.2	21.0	0.8	5.3	4.35

San Benito			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	122	0.0	0.3	0.2	0.5	20.3	3.2	4.9	4.30
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	0.8	0.3	0.2	19.5	1.8	4.7	4.47
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			146	0.0	0.3	0.2	0.5	20.2	3.0	4.9	4.32

San Joaquin			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
036	8163, HM	Cur Wk	97	0.0	0.9	0.5	0.2	19.8	1.0	5.8	4.52
		YTD	169	0.0	0.8	0.5	0.3	19.6	0.8	5.8	4.50
037	8237, HM	Cur Wk	497	0.0	1.0	2.1	1.4	21.8	0.7	5.2	4.37
		YTD	1,348	0.0	0.7	1.9	0.7	21.8	0.7	5.5	4.38
043	43, BP	Cur Wk	88	0.0	0.4	0.2	0.3	20.0	0.3	5.4	4.46
		YTD	482	0.0	1.1	0.4	0.3	20.6	0.8	5.6	4.49
064	0645, LS	Cur Wk	63	0.0	0.7	0.3	0.2	20.4	0.6	5.3	4.54
		YTD	225	0.0	1.0	0.5	0.3	20.4	0.8	5.3	4.48
068	8268, HM	Cur Wk	532	0.0	0.7	1.1	0.3	19.6	1.2	5.4	4.43
		YTD	2,120	0.0	0.6	0.8	0.3	19.4	1.2	5.5	4.42

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
074	6474, N	Cur Wk	259	0.0	2.5	1.4	0.8	21.9	1.0	5.0	4.50
		YTD	259	0.0	2.5	1.4	0.8	21.9	1.0	5.0	4.50
101	101, BP	Cur Wk	44	0.0	0.4	0.7	0.1	20.1	0.6	5.0	4.48
		YTD	131	0.0	1.3	0.9	0.3	20.4	0.6	5.0	4.48
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.3	1.4	0.3	22.9	1.4	5.4	4.35
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	0.4	0.2	0.1	20.6	0.8	5.5	4.37
178	7708, BOS	Cur Wk	70	0.0	2.3	1.3	1.2	19.6	2.3	5.3	4.45
		YTD	70	0.0	2.3	1.3	1.2	19.6	2.3	5.3	4.45
210	110, BP	Cur Wk	208	0.0	0.6	0.5	0.3	20.3	0.6	5.5	4.35
		YTD	788	0.0	0.6	0.7	0.3	20.3	0.8	5.6	4.32
219	109, BP	Cur Wk	207	0.0	0.3	0.7	0.4	20.2	0.6	5.4	4.28
		YTD	564	0.0	0.5	0.7	0.3	20.3	0.6	5.5	4.30
239	9023, SVTM	Cur Wk	237	0.0	0.3	0.2	0.0	20.6	0.9	5.1	4.38
		YTD	598	0.0	0.4	0.4	0.1	20.3	0.9	5.3	4.39
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	0.7	1.7	0.3	20.7	1.0	5.2	4.33
324	8423, BOS	Cur Wk	48	0.0	5.6	0.4	1.2	21.6	3.2	4.8	4.57
		YTD	48	0.0	5.6	0.4	1.2	21.6	3.2	4.8	4.57
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	107	0.0	1.4	0.8	0.3	20.7	1.1	5.6	4.33
430	9034, SVTM	Cur Wk	3	0.0	0.7	0.0	0.3	19.8	0.2	5.5	4.48
		YTD	495	0.0	0.9	0.2	0.2	20.3	0.4	5.5	4.47
434	6434, N	Cur Wk	105	0.0	7.5	0.3	1.1	22.1	1.9	4.5	4.62
		YTD	338	0.0	4.7	0.2	1.2	22.3	2.0	4.6	4.57
485	6485, N	Cur Wk	638	0.0	0.9	0.3	0.2	20.0	0.4	4.7	4.55
		YTD	1,148	0.0	0.7	0.3	0.3	20.1	0.4	4.7	4.54
552	5522, HM	Cur Wk	211	0.0	0.5	0.4	0.2	19.6	0.4	5.8	4.39
		YTD	664	0.0	0.7	0.6	0.3	20.0	0.5	5.4	4.35
565	MIX	Cur Wk	6	0.0	0.8	0.8	0.3	20.0	0.4	5.4	4.43
		YTD	9	0.0	0.8	0.9	0.3	19.7	0.5	5.3	4.44
649	6498, N	Cur Wk	29	0.0	4.4	0.2	1.1	21.8	1.2	4.6	4.63
		YTD	29	0.0	4.4	0.2	1.1	21.8	1.2	4.6	4.63
659	6509, N	Cur Wk	13	0.0	7.2	0.5	0.8	21.6	3.0	6.1	4.68
		YTD	13	0.0	7.2	0.5	0.8	21.6	3.0	6.1	4.68
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	0.6	1.9	0.5	20.9	0.7	5.6	4.27
740	74, BP	Cur Wk	232	0.0	0.5	0.6	0.2	19.9	1.2	5.3	4.40
		YTD	783	0.0	0.9	0.9	0.3	19.8	0.9	5.5	4.40
755	7558, NB	Cur Wk	19	0.0	0.1	2.1	1.6	21.3	0.1	5.1	4.30

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
820	1082, SVTM	YTD	54	0.0	0.1	1.5	0.9	20.9	0.3	5.3	4.31
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	240	0.0	0.8	0.2	0.5	20.9	1.2	5.4	4.33
841	58841, HM	Cur Wk	68	0.0	0.2	0.6	0.1	19.8	0.8	5.6	4.40
		YTD	642	0.0	0.5	1.1	5.5	21.6	0.4	5.2	4.37
		Cur Wk	202	0.0	0.2	0.7	0.1	19.7	0.9	5.4	4.42
903	9036, SVTM	YTD	255	0.0	0.2	0.6	0.1	19.7	0.9	5.3	4.44
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.1	0.3	0.1	21.3	0.4	5.3	4.44
904	9048, SVTM	Cur Wk	5	0.0	3.3	0.0	1.9	22.1	2.0	4.4	4.50
		YTD	7	0.0	3.0	0.0	2.3	21.9	2.0	4.4	4.48
		Cur Wk	325	0.0	1.8	1.1	1.7	20.3	1.0	5.5	4.43
913	9013, SVTM	YTD	744	0.0	2.8	0.8	1.0	20.0	1.1	5.2	4.46
		Cur Wk	337	0.0	0.3	3.5	2.0	21.1	0.2	5.3	4.33
		YTD	337	0.0	0.3	3.5	2.0	21.1	0.2	5.3	4.33
916	9016, SVTM	Cur Wk	176	0.0	3.5	0.8	1.1	22.8	2.7	5.5	4.36
		YTD	991	0.0	1.6	1.2	1.0	22.7	1.8	5.4	4.27
		Cur Wk	921	0.0	0.0	0.0	0.0	19.3	0.8	5.3	4.32
919	9021, SVTM	YTD	71	0.0	0.4	0.4	0.0	19.9	0.8	5.2	4.29
		Cur Wk	107	0.0	0.5	1.3	0.6	19.7	0.8	5.3	4.27
		YTD	228	0.0	0.3	0.7	0.3	19.5	0.5	5.3	4.28
925	9025, SVTM	Cur Wk	42	0.0	0.3	0.6	0.0	20.1	0.3	5.4	4.29
		YTD	411	0.0	0.2	1.1	0.1	21.0	0.2	5.0	4.28
		Cur Wk	941	0.0	1.0	2.0	0.5	21.0	3.5	5.3	4.34
941	9041, SVTM	YTD	1,303	0.0	0.2	2.1	0.6	19.7	0.3	5.6	4.33
		Cur Wk:	4,872	0.0	1.2	1.0	0.7	20.6	0.9	5.2	4.42
		YTD	15,987	0.0	1.0	1.0	0.7	20.5	0.8	5.3	4.39

Santa Clara

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	33	0.0	0.1	6.2	3.6	20.9	0.1	5.1	4.32
		YTD	33	0.0	0.1	6.2	3.6	20.9	0.1	5.1	4.32
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
400	400, BQ	YTD	161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
		Cur Wk	163	0.0	0.4	5.4	3.9	21.0	0.2	4.7	4.38
		YTD	163	0.0	0.4	5.4	3.9	21.0	0.2	4.7	4.38
730	9037, SVTM	Cur Wk	115	0.0	0.2	2.5	2.2	20.5	0.1	4.6	4.33
		YTD	115	0.0	0.2	2.5	2.2	20.5	0.1	4.6	4.33
		Cur Wk:	311	0.0	0.3	4.4	3.2	20.8	0.2	4.7	4.35

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS											
Week 13 Ending 09/26/2026											
YTD			472	0.0	0.3	3.0	2.3	20.4	0.6	4.8	4.37
Solano											
Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	1.6	0.4	0.9	21.6	0.9	6.6	4.38
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.0	4.7	0.2	20.9	0.5	4.4	4.29
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31
036	8163, HM	Cur Wk	108	0.0	0.7	0.7	0.4	19.7	0.5	5.5	4.46
		YTD	786	0.0	1.4	0.6	0.4	19.7	0.7	5.6	4.48
037	8237, HM	Cur Wk	534	0.0	0.2	0.6	0.2	20.7	0.2	5.6	4.36
		YTD	1,538	0.0	0.7	0.7	0.3	21.2	0.2	5.4	4.35
068	8268, HM	Cur Wk	160	0.0	0.4	0.9	0.2	19.4	0.8	5.7	4.41
		YTD	1,126	0.0	0.7	0.6	0.2	19.9	0.8	5.5	4.40
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.2	0.5	0.4	20.7	0.5	6.0	4.27
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	19.5	0.0	5.1	4.38
219	109, BP	Cur Wk	38	0.0	0.5	0.2	0.2	20.1	0.3	5.2	4.26
		YTD	171	0.0	0.4	0.8	0.5	21.4	0.8	6.0	4.28
239	9023, SVTM	Cur Wk	28	0.0	0.8	0.3	0.1	20.9	0.4	4.9	4.42
		YTD	830	0.0	0.5	0.2	0.1	21.4	0.3	4.9	4.38
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.8	0.5	0.1	20.4	0.7	4.9	4.32
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	3.3	0.7	2.4	23.2	5.6	4.7	4.41
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	357	0.0	0.8	0.1	0.3	20.7	0.4	5.1	4.45
485	6485, N	Cur Wk	78	0.0	1.9	0.0	0.2	20.1	0.9	4.9	4.64
		YTD	235	0.0	1.3	0.1	0.2	19.9	0.5	4.8	4.58
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	0.2	1.1	2.1	20.2	0.4	4.3	4.39
552	5522, HM	Cur Wk	86	0.0	0.4	0.2	0.2	19.2	0.1	5.6	4.36
		YTD	1,549	0.0	0.3	0.5	0.2	20.2	0.5	5.6	4.33
560	5608, HZ	Cur Wk	15	0.0	0.6	1.4	2.8	19.8	1.3	4.7	4.49
		YTD	274	0.0	0.4	1.0	1.8	20.0	0.8	4.6	4.44
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	0.1	0.0	20.2	1.4	5.2	4.41
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	34	0.0	2.0	0.4	0.7	20.1	0.1	4.4	4.35

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
659	6509, N	YTD	173	0.0	0.7	2.5	1.6	21.7	1.2	4.9	4.30
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.0	20.0	0.0	5.3	4.51
730	9037, SVTM	Cur Wk	35	0.0	4.2	0.3	1.3	21.3	0.3	4.7	4.40
		YTD	38	0.0	4.2	0.4	1.5	21.5	0.5	4.7	4.39
755	7558, NB	Cur Wk	8	0.0	0.5	0.6	0.2	20.2	0.2	5.5	4.33
		YTD	60	0.0	0.2	1.4	0.1	20.9	0.2	5.0	4.36
841	58841, HM	Cur Wk	437	0.0	0.5	0.7	0.3	20.4	0.3	5.2	4.41
		YTD	4,129	0.0	1.0	0.5	0.3	20.7	0.3	5.3	4.40
916	9016, SVTM	Cur Wk	149	0.0	0.5	0.3	0.0	20.5	0.1	5.4	4.32
		YTD	421	0.0	1.0	0.5	0.1	21.1	0.3	5.3	4.33
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	6.0	0.0	0.0	21.5	0.5	4.9	4.36
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.5	0.5	0.5	21.5	0.5	4.6	4.42
941	9041, SVTM	Cur Wk	51	0.0	0.6	0.1	0.8	21.3	0.1	4.9	4.37
		YTD	514	0.0	1.0	0.7	0.3	21.4	0.2	4.9	4.34
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	1.0	0.0	20.5	0.0	5.1	4.35
996	1996, HZ	Cur Wk	60	0.0	0.4	2.3	0.8	20.2	1.5	5.5	4.36
		YTD	115	0.0	1.1	2.3	0.9	19.9	1.9	5.8	4.41
Cur Wk:			1,821	0.0	0.6	0.6	0.3	20.3	0.4	5.4	4.39
YTD			13,264	0.0	0.8	0.6	0.3	20.6	0.4	5.3	4.38

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	554	0.0	1.2	0.3	0.2	20.6	1.8	5.5	4.46
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	403	0.0	1.3	0.2	0.2	19.7	0.5	5.5	4.45
037	8237, HM	Cur Wk	483	0.0	0.7	1.3	0.3	21.1	0.5	5.3	4.39
		YTD	1,382	0.0	0.8	1.3	0.3	20.9	0.4	5.3	4.38
064	0645, LS	Cur Wk	89	0.0	1.5	0.1	0.3	20.6	1.5	5.1	4.57
		YTD	129	0.0	1.4	0.1	0.3	20.5	1.3	5.1	4.55
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	593	0.0	1.3	0.6	0.1	19.3	1.1	5.4	4.43

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
101	101, BP	Cur Wk	56	0.0	1.7	0.4	0.5	21.0	2.1	4.6	4.51
		YTD	187	0.0	1.2	0.5	0.5	20.7	1.7	4.8	4.48
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	222	0.0	0.5	0.3	0.0	19.4	0.5	4.6	4.43
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	179	0.0	1.0	0.1	0.1	19.9	0.5	5.2	4.36
210	110, BP	Cur Wk	43	0.0	1.5	0.1	0.2	21.2	1.5	5.0	4.45
		YTD	206	0.0	1.7	1.0	0.1	20.9	1.2	5.5	4.37
219	109, BP	Cur Wk	74	0.0	1.5	0.3	0.3	20.1	0.4	5.5	4.29
		YTD	378	0.0	0.7	0.3	0.2	20.2	0.5	5.5	4.33
239	9023, SVTM	Cur Wk	117	0.0	1.1	0.7	0.3	21.6	0.9	5.0	4.41
		YTD	754	0.0	0.9	0.6	0.1	21.3	0.8	4.9	4.41
434	6434, N	Cur Wk	25	0.0	3.3	2.2	1.5	21.3	1.1	4.7	4.52
		YTD	25	0.0	3.3	2.2	1.5	21.3	1.1	4.7	4.52
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	2.1	0.1	0.3	21.5	1.4	5.4	4.48
485	6485, N	Cur Wk	53	0.0	1.3	0.6	0.7	20.3	0.7	4.4	4.56
		YTD	494	0.0	0.8	0.2	0.2	20.0	0.4	4.6	4.54
489	6489, N	Cur Wk	10	0.0	0.5	0.2	0.2	21.3	0.2	4.7	4.52
		YTD	13	0.0	0.5	0.4	0.2	21.4	0.3	4.7	4.52
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.5	0.6	0.0	18.8	0.3	5.7	4.34
565	MIX	Cur Wk	3	0.0	1.6	0.2	0.6	20.5	1.8	5.1	4.56
		YTD	9	0.0	1.2	0.6	0.3	20.3	1.3	5.0	4.46
610	2016, HZ	Cur Wk	473	0.0	0.5	0.8	0.3	20.5	0.5	4.7	4.34
		YTD	520	0.0	0.4	0.8	0.3	20.5	0.5	4.7	4.34
730	9037, SVTM	Cur Wk	239	0.0	1.0	0.9	0.3	21.0	0.3	5.2	4.36
		YTD	431	0.0	0.9	0.7	0.3	21.9	1.1	5.3	4.42
740	74, BP	Cur Wk	65	0.0	3.1	0.5	0.1	19.7	1.0	5.6	4.53
		YTD	142	0.0	2.7	0.8	0.1	19.6	1.0	5.6	4.52
820	1082, SVTM	Cur Wk	134	0.0	1.4	0.9	0.7	21.0	1.8	5.4	4.33
		YTD	564	0.0	1.1	1.2	0.5	20.6	1.0	5.5	4.34
841	58841, HM	Cur Wk	285	0.0	0.7	1.7	0.2	20.8	0.3	5.2	4.42
		YTD	403	0.0	0.6	1.7	0.2	20.6	0.3	5.1	4.41
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	344	0.0	1.1	1.3	0.6	20.2	1.7	5.7	4.44
904	9048, SVTM	Cur Wk	23	0.0	0.4	0.3	0.2	19.5	0.4	6.1	4.43
		YTD	23	0.0	0.4	0.3	0.2	19.5	0.4	6.1	4.43
919	9019, SVTM	Cur Wk	275	0.0	3.5	1.4	1.1	22.0	2.7	5.3	4.32
		YTD	275	0.0	3.5	1.4	1.1	22.0	2.7	5.3	4.32
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Week 13 Ending 09/26/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
925	9025, SVTM	YTD	172	0.0	0.8	0.1	0.0	21.4	1.1	4.8	4.42
		Cur Wk	175	0.0	0.4	0.4	0.2	21.4	1.2	5.1	4.28
		YTD	432	0.0	2.0	0.3	0.3	21.7	1.5	5.1	4.40
941	9041, SVTM	Cur Wk	111	0.0	3.1	1.5	0.8	21.1	0.3	4.8	4.42
		YTD	111	0.0	3.1	1.5	0.8	21.1	0.3	4.8	4.42
996	1996, HZ	Cur Wk	479	0.0	0.4	0.7	0.5	19.8	0.3	5.0	4.41
		YTD	1,393	0.0	0.7	1.1	0.4	20.0	0.4	5.0	4.45
Cur Wk:			3,212	0.0	1.2	1.0	0.4	20.8	0.8	5.1	4.39
YTD			10,683	0.0	1.1	0.8	0.3	20.6	0.9	5.2	4.42

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	3	0.0	2.7	0.5	0.0	21.3	1.7	5.0	4.35
		YTD	3	0.0	2.7	0.5	0.0	21.3	1.7	5.0	4.35
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	55	0.0	2.8	4.8	1.2	22.3	3.5	4.9	4.54
037	8237, HM	Cur Wk	254	0.0	1.2	0.7	0.2	22.5	0.4	5.2	4.32
		YTD	1,544	0.0	1.2	3.0	0.8	21.8	0.7	5.1	4.36
068	8268, HM	Cur Wk	12	0.0	6.6	4.4	0.5	19.9	1.0	4.9	4.58
		YTD	327	0.0	2.1	1.3	0.1	19.4	1.9	5.5	4.50
210	110, BP	Cur Wk	20	0.0	8.9	1.5	0.5	22.1	0.2	5.2	4.54
		YTD	20	0.0	8.9	1.5	0.5	22.1	0.2	5.2	4.54
219	109, BP	Cur Wk	16	0.0	8.6	1.1	0.5	21.7	0.5	5.2	4.52
		YTD	16	0.0	8.6	1.1	0.5	21.7	0.5	5.2	4.52
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	106	0.0	3.3	2.7	1.2	21.6	1.4	4.4	4.47
256	2516, HZ	Cur Wk	2	0.0	3.7	0.0	0.0	21.0	2.2	5.3	4.42
		YTD	2	0.0	3.7	0.0	0.0	21.0	2.2	5.3	4.42
263	2639, HZ	Cur Wk	28	0.0	0.6	3.0	0.5	20.3	0.7	5.0	4.33
		YTD	77	0.0	1.3	5.2	0.9	20.5	0.7	4.7	4.33
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	1.1	2.7	1.1	23.1	3.6	4.6	4.44
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	0.7	6.5	0.8	22.2	1.7	5.1	4.27
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	533	0.0	2.3	5.2	1.6	22.9	2.4	4.8	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
477	4707, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	266	0.0	1.0	1.5	0.4	21.8	0.8	4.5	4.40
485	6485, N	Cur Wk	5	0.0	9.7	3.6	0.4	21.9	0.3	4.3	4.68
		YTD	5	0.0	9.7	3.6	0.4	21.9	0.3	4.3	4.68
510	2015, HZ	Cur Wk	145	0.0	1.6	2.6	1.0	19.3	0.9	4.4	4.40
		YTD	718	0.0	1.2	5.0	1.1	19.2	0.7	4.5	4.41
552	5522, HM	Cur Wk	57	0.0	8.2	3.7	0.7	21.1	0.3	5.3	4.47
		YTD	216	0.0	3.3	1.6	0.2	20.9	0.3	5.6	4.41
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	52	0.0	0.6	1.4	0.6	20.7	0.9	5.2	4.42
610	2016, HZ	Cur Wk	1,560	0.0	2.4	4.2	1.0	20.3	1.0	4.6	4.38
		YTD	6,108	0.0	2.0	3.7	1.0	20.3	1.1	4.7	4.38
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	1.6	5.0	1.8	21.2	0.8	4.8	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.8	1.1	20.7	0.8	4.8	4.44
662	1662, HZ	Cur Wk	7	0.0	1.1	4.9	0.4	21.1	1.9	5.7	4.38
		YTD	132	0.0	3.3	2.7	1.6	21.9	2.1	4.9	4.47
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	2.3	1.8	0.6	21.3	1.1	4.7	4.42
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	398	0.0	1.7	2.1	1.1	22.2	1.7	5.0	4.37
755	7558, NB	Cur Wk	17	0.1	1.0	0.7	0.4	23.5	0.3	4.7	4.28
		YTD	17	0.1	1.0	0.7	0.4	23.5	0.3	4.7	4.28
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	220	0.0	1.0	0.5	0.0	21.6	0.7	5.6	4.42
904	9048, SVTM	Cur Wk	2	0.0	2.3	0.7	0.0	19.2	0.3	5.3	4.36
		YTD	2	0.0	2.3	0.7	0.0	19.2	0.3	5.3	4.36
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	1.7	1.0	0.8	21.2	3.8	4.6	4.38
916	9016, SVTM	Cur Wk	100	0.0	2.6	1.1	0.2	22.1	0.4	5.7	4.27
		YTD	2,308	0.0	2.2	2.2	0.7	21.9	0.6	5.0	4.36
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,095	0.0	1.3	3.7	1.1	21.6	0.9	4.9	4.37
996	1996, HZ	Cur Wk	142	0.0	1.8	4.9	1.1	21.2	1.1	5.8	4.38

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	469	0.0	1.4	2.6	0.9	20.6	0.9	5.0	4.42
Cur Wk:			2,370	0.0	2.4	3.6	0.9	20.6	0.9	4.8	4.37
YTD			15,520	0.0	1.9	3.3	0.9	21.0	1.1	4.8	4.39

Tehama

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.7	6.0	1.4	22.7	0.8	4.8	4.31
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.2	3.8	1.4	22.2	0.9	4.7	4.33
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			599	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Tulare, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	1.0	0.5	18.5	0.0	5.4	4.30
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	2.5	4.9	0.8	22.8	3.6	4.7	4.53
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	2.0	0.5	0.4	19.6	1.3	5.4	4.48
037	8237, HM	Cur Wk	1,449	0.0	0.6	0.4	0.1	20.8	0.2	5.1	4.34
		YTD	9,502	0.0	0.9	0.8	0.3	21.4	0.3	5.0	4.34
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
064	0645, LS	Cur Wk	64	0.0	0.3	0.1	0.5	20.7	0.8	5.1	4.27
		YTD	81	0.0	0.3	0.0	0.4	20.7	0.9	5.2	4.27
068	8268, HM	Cur Wk	68	0.0	1.9	0.0	0.0	19.7	0.5	4.9	4.44
		YTD	2,715	0.0	0.7	0.5	0.2	19.8	0.7	5.2	4.40
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	1.0	0.2	0.4	21.1	1.5	4.5	4.54
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	494	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	529	0.0	0.9	0.4	0.2	20.3	1.3	5.2	4.30
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	792	0.0	1.2	0.5	0.2	20.6	0.9	5.2	4.31
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	250	0.0	1.5	3.5	0.6	21.5	2.3	4.5	4.36
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	0.8	0.2	0.2	18.0	0.5	5.4	4.36
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	0.5	0.2	0.1	21.4	0.3	5.3	4.36
263	2639, HZ	Cur Wk	96	0.0	0.3	2.0	0.5	20.8	0.5	4.6	4.32
		YTD	109	0.0	0.5	1.8	0.6	20.9	0.5	4.6	4.33
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	0.9	2.6	2.4	21.4	0.8	4.7	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38
314	37314, UG	Cur Wk	1	0.0	1.0	0.5	0.0	21.0	0.0	4.6	4.28
		YTD	1	0.0	1.0	0.5	0.0	21.0	0.0	4.6	4.28
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	74	0.0	0.5	1.8	1.5	19.6	0.9	5.4	4.39
		YTD	162	0.0	0.5	3.4	1.0	20.4	1.2	5.0	4.35
409	9040, SVTM	Cur Wk	33	0.0	1.0	0.8	0.2	20.8	0.5	5.3	4.42
		YTD	140	0.0	1.2	0.7	0.2	21.9	1.6	5.1	4.46
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	800	0.0	0.7	0.3	0.1	21.0	0.6	5.1	4.43
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	895	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
473	2374, HZ	Cur Wk	3	0.0	0.2	0.5	0.0	20.7	0.0	5.0	4.28
		YTD	14	0.0	1.4	0.3	0.2	20.9	0.0	5.0	4.31
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	141	0.0	1.3	0.3	0.1	21.5	0.5	5.0	4.42

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
485	6485, N	Cur Wk	222	0.0	1.7	0.2	0.1	20.5	0.3	4.2	4.55
		YTD	529	0.0	1.2	0.3	0.2	20.3	0.3	4.3	4.55
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
510	2015, HZ	Cur Wk	783	0.0	0.3	2.9	1.5	19.3	0.4	4.7	4.36
		YTD	1,132	0.0	0.4	3.0	1.3	19.4	0.4	4.6	4.36
552	5522, HM	Cur Wk	140	0.0	2.2	0.1	0.2	19.8	0.5	5.2	4.46
		YTD	579	0.0	1.3	0.1	0.2	20.2	0.9	5.5	4.41
560	5608, HZ	Cur Wk	22	0.0	0.4	0.5	1.2	19.8	1.9	4.6	4.44
		YTD	409	0.0	1.5	1.3	0.8	20.2	1.6	4.6	4.46
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	0.0	0.0	19.5	0.0	5.1	4.38
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	0.7	1.2	0.6	20.5	0.4	4.8	4.50
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	2.0	2.0	0.2	20.3	0.3	4.6	4.38
610	2016, HZ	Cur Wk	1,675	0.0	0.5	3.4	1.0	20.2	0.5	4.8	4.31
		YTD	4,324	0.0	0.9	3.1	0.8	20.4	0.6	4.7	4.32
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	1.4	0.4	21.2	1.8	5.3	4.53
662	1662, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	85	0.0	1.4	1.2	0.5	21.8	2.3	4.5	4.46
730	9037, SVTM	Cur Wk	272	0.0	0.4	0.7	0.3	21.2	0.6	5.0	4.31
		YTD	1,650	0.0	0.9	2.8	0.5	21.9	0.6	4.8	4.32
740	74, BP	Cur Wk	42	0.0	1.0	1.2	0.1	19.4	0.4	5.4	4.40
		YTD	68	0.0	0.6	1.1	0.2	19.6	0.3	6.1	4.33
755	7558, NB	Cur Wk	28	0.0	0.5	0.4	0.2	20.7	0.1	5.3	4.37
		YTD	138	0.0	0.6	0.4	0.2	20.4	0.2	5.1	4.33
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	50	0.0	1.3	0.1	0.4	18.6	0.7	5.2	4.50
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
841	58841, HM	Cur Wk	135	0.0	0.5	0.3	0.1	20.4	0.2	5.6	4.40
		YTD	5,606	0.0	1.2	0.7	0.3	21.0	0.6	5.3	4.39
901	9011, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	1.2	0.1	0.1	19.9	0.4	4.9	4.38
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
914	9014, SVTM	YTD	12	0.0	0.5	0.2	0.2	20.6	2.2	4.6	4.32	
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38	
916	9016, SVTM	Cur Wk	149	0.0	0.8	0.3	0.2	21.0	0.3	5.0	4.29	
		YTD	4,305	0.0	1.0	1.1	0.3	21.6	0.3	4.9	4.31	
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
919	9019, SVTM	YTD	777	0.0	0.9	0.5	0.2	22.8	1.6	5.0	4.26	
		Cur Wk	125	0.0	1.3	0.1	0.1	20.8	0.5	4.8	4.33	
		YTD	3,076	0.0	0.7	1.6	0.5	21.8	0.7	4.7	4.31	
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	2	0.0	0.8	0.0	0.3	19.5	0.5	5.8	4.23	
		Cur Wk	69	0.0	0.7	0.3	1.2	21.6	0.6	4.5	4.38	
996	1996, HZ	YTD	874	0.0	1.2	1.7	0.7	21.5	1.6	4.7	4.41	
		Cur Wk:		5,450	0.0	0.6	1.8	0.7	20.3	0.4	4.9	4.34
		YTD		45,598	0.0	1.0	1.4	0.4	21.1	0.9	5.0	4.36
TOTAL STATEWIDE		Cur Wk	30,703	0.0	1.5	2.1	0.8	20.5	0.7	5.0	4.40	
		YTD	356,799	0.0	1.3	1.8	0.7	20.6	0.9	5.1	4.40	

Average Defects by Variety Report (RP20)**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 13 Ending 09/26/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	3	0.0	2.7	0.5	0.0	21.3	1.7	5.0	4.35
		YTD	526	0.0	2.2	1.8	0.8	20.6	0.6	5.0	4.38
520	0052, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	37	0.0	1.0	2.9	0.4	20.2	2.9	5.4	4.39
909	0199, BOS	Cur Wk	21	0.0	1.5	1.2	4.7	21.1	1.4	5.1	4.37
		YTD	64	0.0	1.4	0.9	2.0	21.1	2.7	4.7	4.36
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	2.4	1.6	1.7	21.3	2.6	5.0	4.39
572	0275, SY	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	1.5	2.3	0.4	20.8	2.4	5.1	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9946	0.0	0.5	1.1	0.4	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	216	0.0	0.9	0.1	0.3	20.5	1.0	5.2	4.47
		YTD	2259	0.0	1.0	1.0	0.5	20.2	1.3	5.4	4.52
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	532	0.0	0.8	3.6	1.0	20.6	3.3	4.8	4.47
101	101, BP	Cur Wk	100	0.0	1.2	0.5	0.3	20.6	1.4	4.8	4.50
		YTD	1291	0.0	1.1	0.8	0.4	20.7	1.4	4.8	4.49
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	965	0.0	1.3	1.8	1.2	20.4	1.3	4.9	4.47
820	1082, SVTM	Cur Wk	291	0.0	1.5	1.3	0.8	20.7	1.4	5.5	4.35
		YTD	5317	0.0	1.3	1.3	0.6	20.8	1.3	5.5	4.37
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
219	109, BP	Cur Wk	370	0.0	0.9	0.5	0.3	20.4	0.5	5.5	4.29
		YTD	3224	0.0	0.9	0.7	0.3	20.5	0.8	5.5	4.32
210	110, BP	Cur Wk	350	0.0	1.4	0.9	0.4	20.4	0.7	5.5	4.38
		YTD	2791	0.0	0.8	0.8	0.3	20.3	1.0	5.6	4.33
441	114, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	0.5	0.3	0.2	20.8	0.9	5.5	4.39
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2121	0.0	1.5	0.7	0.3	20.0	0.7	5.0	4.46
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1564	0.0	0.7	4.8	1.2	19.5	0.4	4.5	4.54
662	1662, HZ	Cur Wk	77	0.0	2.3	2.3	0.3	21.2	0.6	5.1	4.49
		YTD	1221	0.0	3.5	2.0	0.6	21.6	1.3	4.8	4.53
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	417	0.0	1.4	0.8	0.1	19.6	0.4	4.6	4.44
765	1765, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	9.7	1.7	0.0	23.3	0.6	5.1	4.58
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1857	0.0	1.3	4.4	1.1	20.7	0.5	4.9	4.42
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.6	0.7	0.1	20.3	0.6	5.5	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	3154	0.0	1.5	2.3	0.9	20.1	0.5	5.1	4.47
		YTD	24841	0.0	1.0	2.0	0.8	20.2	0.5	5.0	4.45
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	1206	0.0	0.9	3.6	1.3	19.3	0.5	4.7	4.39
		YTD	4586	0.0	1.3	3.8	1.3	19.3	0.6	4.6	4.45
610	2016, HZ	Cur Wk	7688	0.0	1.9	3.1	1.0	20.0	0.8	4.8	4.40
		YTD	44226	0.0	1.7	2.6	0.8	20.1	0.8	4.7	4.40
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
365	2365, HZ	Cur Wk	310	0.0	2.8	4.8	0.7	20.8	0.4	4.6	4.63
		YTD	1580	0.0	2.4	2.9	0.8	20.3	0.4	4.8	4.56
473	2374, HZ	Cur Wk	3	0.0	0.2	0.5	0.0	20.7	0.0	5.0	4.28
		YTD	14	0.0	1.4	0.3	0.2	20.9	0.0	5.0	4.31
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1530	0.0	0.8	1.6	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	487	0.0	1.3	1.0	0.7	21.6	1.3	5.1	4.47
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	7	0.0	0.6	1.3	0.4	19.4	0.8	5.2	4.40
256	2516, HZ	Cur Wk	2	0.0	3.7	0.0	0.0	21.0	2.2	5.3	4.42
		YTD	38	0.0	0.8	0.5	0.1	21.1	0.4	5.3	4.40
533	2533, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	46	0.0	8.9	3.0	0.4	21.1	0.9	4.7	4.54
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
263	2639, HZ	Cur Wk	138	0.0	0.5	2.1	0.5	20.6	0.6	4.7	4.33
		YTD	401	0.0	1.7	2.9	0.9	20.4	0.7	4.8	4.37
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	170	0.0	1.5	3.3	1.6	21.6	1.5	4.6	4.36
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
314	37314, UG	Cur Wk	1	0.0	1.0	0.5	0.0	21.0	0.0	4.6	4.28
		YTD	1	0.0	1.0	0.5	0.0	21.0	0.0	4.6	4.28
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	970	0.0	0.1	1.1	0.4	19.2	0.9	5.3	4.42
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.7	0.9	20.3	2.4	5.1	4.31
043	43, BP	Cur Wk	88	0.0	0.4	0.2	0.3	20.0	0.3	5.4	4.46
		YTD	482	0.0	1.1	0.4	0.3	20.6	0.8	5.6	4.49
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2557	0.0	0.6	1.1	0.5	20.8	0.4	5.1	4.36
477	4707, HZ	Cur Wk	441	0.0	3.6	1.8	0.8	22.0	0.7	4.9	4.53
		YTD	1876	0.0	2.7	2.3	0.7	22.1	0.5	4.7	4.50
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2146	0.0	2.3	2.2	0.4	22.3	0.7	4.8	4.46
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	614	0.0	0.3	1.1	0.2	20.2	2.0	5.5	4.43
552	5522, HM	Cur Wk	512	0.0	1.9	0.7	0.3	19.8	0.4	5.5	4.41
		YTD	12993	0.0	0.7	1.0	0.3	19.8	0.6	5.5	4.36
560	5608, HZ	Cur Wk	37	0.0	0.5	0.9	1.9	19.8	1.6	4.6	4.46
		YTD	4233	0.0	0.6	1.5	0.4	20.0	0.6	4.7	4.38
841	58841, HM	Cur Wk	925	0.0	0.5	0.9	0.2	20.5	0.3	5.3	4.41
		YTD	14451	0.0	1.0	1.1	0.7	20.9	0.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3559	0.0	2.1	4.3	1.1	22.4	2.6	4.9	4.48
434	6434, N	Cur Wk	130	0.0	6.8	0.6	1.2	22.0	1.8	4.5	4.61
		YTD	5262	0.0	3.2	2.7	1.4	22.4	2.0	4.9	4.51
461	6461, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
074	6474, N	Cur Wk	427	0.0	1.9	1.7	1.8	21.7	0.8	5.2	4.46
		YTD	3751	0.0	1.4	3.5	1.3	21.6	0.9	5.4	4.49
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	1056	0.0	1.2	0.4	0.2	20.1	0.5	4.6	4.56
		YTD	4510	0.0	1.2	0.5	0.3	20.1	0.5	4.6	4.56
489	6489, N	Cur Wk	10	0.0	0.5	0.2	0.2	21.3	0.2	4.7	4.52
		YTD	1492	0.0	0.4	0.9	0.2	19.5	0.4	5.2	4.40
649	6498, N	Cur Wk	29	0.0	4.4	0.2	1.1	21.8	1.2	4.6	4.63
		YTD	277	0.0	1.4	2.6	1.2	20.9	1.0	5.1	4.50
650	6500, N	Cur Wk	3	0.0	0.5	1.3	0.2	19.3	0.2	4.8	4.41
		YTD	98	0.0	1.1	3.6	0.7	20.5	0.6	4.8	4.43
652	6502, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.0	18.7	0.7	5.2	4.50
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	2.1	3.0	1.0	21.3	1.1	4.9	4.54
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
659	6509, N	Cur Wk	13	0.0	7.2	0.5	0.8	21.6	3.0	6.1	4.68
		YTD	89	0.0	3.0	1.0	0.9	21.1	1.1	5.3	4.48
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	887	0.0	0.7	3.0	0.7	19.4	0.5	4.9	4.42
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	7590	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	339	0.0	1.0	0.6	0.1	19.8	1.1	5.4	4.43
		YTD	2342	0.0	1.3	1.1	0.3	19.9	1.1	5.3	4.43
755	7558, NB	Cur Wk	72	0.0	0.5	0.9	0.6	21.5	0.2	5.1	4.32
		YTD	321	0.0	0.7	0.9	0.3	20.7	0.4	5.2	4.34
178	7708, BOS	Cur Wk	93	0.0	2.5	1.4	1.3	19.6	2.3	5.4	4.47
		YTD	2052	0.0	2.5	3.1	0.8	19.4	1.7	5.4	4.47
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1343	0.0	0.7	2.8	0.8	19.7	0.4	5.0	4.33
036	8163, HM	Cur Wk	205	0.0	0.8	0.6	0.4	19.7	0.7	5.6	4.49
		YTD	7975	0.0	1.0	0.6	0.4	19.6	1.0	5.7	4.48
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
037	8237, HM	Cur Wk	4916	0.0	0.9	1.6	0.7	21.1	0.4	5.2	4.37
		YTD	33424	0.0	1.0	1.6	0.5	21.3	0.5	5.2	4.37
068	8268, HM	Cur Wk	849	0.0	0.9	1.0	0.3	19.8	1.0	5.4	4.42
		YTD	15195	0.0	1.0	1.0	0.4	19.6	1.1	5.4	4.43
248	8422, BOS	Cur Wk	44	0.0	0.9	6.8	0.9	21.4	0.5	4.4	4.42
		YTD	1520	0.0	1.9	3.0	1.1	21.3	1.6	4.6	4.43
324	8423, BOS	Cur Wk	470	0.0	1.8	2.7	1.8	20.7	1.5	4.9	4.40
		YTD	1327	0.0	1.9	3.2	1.4	20.8	1.4	4.9	4.42
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	1.1	0.4	0.2	18.5	0.8	5.5	4.53
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	4.2	1.5	0.7	20.1	1.5	5.2	4.51
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
901	9011, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
913	9013, SVTM	Cur Wk	325	0.0	1.8	1.1	1.7	20.3	1.0	5.5	4.43
		YTD	2916	0.0	2.0	1.6	0.8	19.9	1.2	5.3	4.43
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	896	0.0	1.2	1.8	0.9	21.2	0.2	5.3	4.34
		YTD	12150	0.0	1.9	2.0	0.6	21.7	0.5	5.0	4.35
919	9019, SVTM	Cur Wk	551	0.0	3.3	1.8	1.5	22.3	2.5	5.4	4.33
		YTD	9140	0.0	1.9	2.2	1.1	22.1	1.9	5.5	4.30
921	9021, SVTM	Cur Wk	5	0.0	1.6	0.2	0.0	19.5	1.1	5.4	4.42
		YTD	3676	0.0	1.9	2.1	1.1	20.9	1.4	5.3	4.42
239	9023, SVTM	Cur Wk	422	0.0	0.7	0.4	0.2	21.1	0.8	5.0	4.40
		YTD	8610	0.0	2.4	1.1	0.8	21.5	1.0	5.1	4.43

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 13 Ending 09/26/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	502	0.0	1.2	1.9	0.5	20.4	0.7	5.3	4.27
		YTD	6178	0.0	1.2	0.8	0.3	21.1	0.9	5.4	4.31
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14489	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2620	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	3	0.0	0.7	0.0	0.3	19.8	0.2	5.5	4.48
		YTD	9353	0.0	0.7	1.0	0.4	20.5	0.9	5.4	4.48
903	9036, SVTM	Cur Wk	202	0.0	0.2	0.7	0.1	19.7	0.9	5.4	4.42
		YTD	4748	0.0	0.7	1.2	0.4	21.2	1.4	5.3	4.45
730	9037, SVTM	Cur Wk	2463	0.0	1.2	1.8	0.8	21.1	0.4	5.1	4.34
		YTD	15425	0.0	2.0	2.1	0.8	21.6	0.6	5.1	4.37
409	9040, SVTM	Cur Wk	33	0.0	1.0	0.8	0.2	20.8	0.5	5.3	4.42
		YTD	836	0.0	1.4	2.7	1.2	21.1	1.6	5.7	4.45
941	9041, SVTM	Cur Wk	593	0.0	1.1	1.2	0.8	20.7	0.3	5.0	4.35
		YTD	10597	0.0	1.0	1.8	0.6	21.3	0.6	5.0	4.35
904	9048, SVTM	Cur Wk	28	0.0	0.5	0.6	0.2	19.5	0.4	5.9	4.42
		YTD	115	0.0	0.8	0.9	0.4	19.8	0.4	5.5	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
577	HEINZ TRIAL	Cur Wk	75	0.0	10.6	2.8	0.7	21.0	0.7	5.0	4.48
		YTD	376	0.0	4.1	2.1	0.5	21.0	0.9	5.1	4.45
555	MISC TRIAL	Cur Wk	7	0.0	0.6	1.0	0.2	19.2	0.1	5.1	4.31
		YTD	34	0.0	1.8	0.6	0.2	20.5	1.6	5.0	4.43
565	MIX	Cur Wk	9	0.0	1.1	0.6	0.4	20.2	0.9	5.3	4.47
		YTD	98	0.0	1.2	0.9	0.2	20.3	0.9	5.2	4.44
TOTAL STATEWIDE		Cur Wk	30,703	0.0	1.5	2.0	0.8	20.5	0.7	5.0	4.40
		YTD	356,799	0.0	1.3	1.8	0.6	20.6	0.9	5.1	4.41