

Statewide Tonnage and History (RP70P)

1203
10/06/2026 10:15 AM

Week 14 Ending 10/03/2026

Period	Certified. Paid-For Loads				Processor Rejected Loads			
	#Loads	Tonnage	PPA*	Avg Load Dockage	#Loads	Tonnage	PPA*	Rejected Tonnage
Week 06/28/2026 - 07/04/2026	1,740	47,185	0	3.3%	4	98	0	0.21%
Week 07/05/2026 - 07/11/2026	9,017	242,091	0	2.9%	6	151	0	0.06%
Week 07/12/2026 - 07/18/2026	20,829	551,344	0	3.0%	3	82	0	0.01%
Week 07/19/2026 - 07/25/2026	28,015	731,708	(9)	3.3%	14	387	0	0.05%
Week 07/26/2026 - 08/01/2026	29,474	763,914	0	4.3%	25	683	0	0.09%
Week 08/02/2026 - 08/08/2026	28,775	742,118	0	5.1%	10	279	0	0.04%
Week 08/09/2026 - 08/15/2026	33,587	866,638	0	5.2%	13	361	0	0.04%
Week 08/16/2026 - 08/22/2026	35,191	904,124	0	5.5%	80	2228	0	0.25%
Week 08/23/2026 - 08/29/2026	35,159	905,313	0	5.6%	73	1978	0	0.22%
Week 08/30/2026 - 09/05/2026	36,756	944,361	0	5.4%	62	1691	0	0.18%
Week 09/06/2026 - 09/12/2026	35,129	897,533	0	6.4%	11	309	0	0.03%
Week 09/13/2026 - 09/19/2026	32,424	827,625	2	6.8%	4	109	0	0.01%
Week 09/20/2026 - 09/26/2026	30,703	786,825	0	6.2%	12	336	0	0.04%
LAST WEEK YTD	356,799	9,210,779		5.2%	317	8,692		0%
CUR WEEK ENDING 10/03/2026	24,248	619,470	0	6.2%	7	194	0	0%
CUR YTD	381,047	9,830,249		5.3%	324	8,886		0%
YTD WEEK ENDING 10/04/2025	416,351	10,905,882		5.0%	565	15,252		0%

*PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Tonnage By County (RP60)

TONNAGE BY COUNTY
Week 14 Ending 10/03/2026

County	Current Week Delivered (Paid for)		Current Week Processor Rejected		Year To Date Delivered (Paid for)		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
Butte	0	0	0	0	1,494	36,866	1	28
Colusa	537	12,219	1	27	20,870	524,157	2	53
Contra Costa	0	0	0	0	7,247	196,658	0	0
Fresno	1,773	45,612	0	0	110,679	2,893,527	190	5,191
Glenn	738	18,972	0	0	3,010	73,041	1	27
Kern	22	519	0	0	8,930	236,797	9	268
Kings	0	0	0	0	45,512	1,126,983	44	1,181
Madera	731	19,368	0	0	9,665	254,850	1	28
Merced	3,647	93,800	0	0	45,102	1,186,601	17	477
Sacramento	1,458	34,893	1	30	6,256	151,863	1	30
San Benito	158	4,107	0	0	304	7,989	0	0
San Joaquin	4,657	119,745	1	30	20,644	536,695	1	30
Santa Clara	232	5,917	0	0	704	17,634	0	0
Solano	1,523	39,367	0	0	14,787	380,818	2	56
Stanislaus	3,007	78,254	1	26	13,690	363,116	14	384
Sutter	1,763	43,259	0	0	17,283	431,199	0	0
Tehama	0	0	0	0	599	13,927	0	0
Tulare	0	0	0	0	4,671	118,018	0	0
Yolo	4,002	103,437	3	80	49,600	1,279,508	41	1,133
STATEWIDE TOTALS:								
LAST WEEK YTD					356,799	9,210,779	317	8,692
CURRENT WEEK	24,248	619,470	7	194	381,047	9,830,248	324	8,885

Average Load Grades by County - Board Certified Loads (RP90)

Week 14 Ending 10/03/2026

Current Week									Year To Date							
County	Worm	Mold	Green	Mot	Hue	LU	Solids	PH	Worm	Mold	Green	Mot	Hue	LU	Solids	PH
Butte	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41
Colusa	0.0	3.8	6.8	1.1	21.4	1.4	4.6	4.49	0.0	1.8	3.4	1.1	20.9	1.3	4.9	4.40
Contra Costa	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39
Fresno	0.0	2.9	2.2	0.9	20.3	0.5	5.0	4.46	0.0	1.2	1.5	0.5	20.4	0.8	5.3	4.42
Glenn	0.0	3.0	2.8	1.5	20.5	0.7	5.2	4.42	0.0	2.6	5.0	1.5	20.3	0.9	4.9	4.41
Kern	0.0	5.9	2.3	0.2	20.5	0.5	5.1	4.42	0.0	0.6	1.5	0.6	20.5	0.9	5.0	4.38
Kings	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.7	1.6	0.6	20.4	0.7	5.0	4.40
Madera	0.0	2.3	1.7	0.5	20.6	1.0	5.1	4.46	0.0	1.7	2.5	0.7	20.8	0.9	5.1	4.47
Merced	0.0	1.5	2.5	0.7	20.5	0.5	5.0	4.38	0.0	1.5	1.9	0.9	20.8	1.0	5.1	4.44
Sacramento	0.0	0.8	3.6	2.6	20.9	1.1	5.4	4.36	0.0	0.8	3.0	2.3	21.0	0.9	5.3	4.35
San Benito	0.0	0.9	3.4	1.7	19.8	0.2	5.1	4.39	0.0	0.7	1.9	1.2	19.9	1.5	5.0	4.36
San Joaquin	0.0	1.1	1.3	0.7	20.7	0.8	5.3	4.42	0.0	1.0	1.1	0.7	20.6	0.8	5.3	4.40
Santa Clara	0.0	0.5	3.0	2.5	20.6	0.2	4.6	4.38	0.0	0.3	3.0	2.3	20.4	0.5	4.7	4.37
Solano	0.0	0.6	0.5	0.3	20.4	0.5	5.3	4.38	0.0	0.8	0.6	0.3	20.6	0.4	5.3	4.38
Stanislaus	0.0	0.8	1.8	0.7	20.7	0.4	5.1	4.38	0.0	1.0	1.0	0.4	20.6	0.8	5.2	4.41
Sutter	0.0	2.3	3.3	0.8	21.0	0.9	5.2	4.38	0.0	1.9	3.3	0.9	21.0	1.0	4.9	4.39
Tehama	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33
Tulare	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43
Yolo	0.0	0.9	1.4	0.8	20.6	0.5	5.1	4.34	0.0	1.0	1.4	0.5	21.1	0.8	5.0	4.36
Statewide Totals:																
Current Week	0.0	1.4	2.1	0.9	20.6	0.6	5.1	4.39	0.0	1.3	1.8	0.7	20.6	0.8	5.1	4.40
Last Week YTD									0.0	1.3	1.8	0.7	20.6	0.9	5.1	4.40

Grade Distribution By County (RP110)

Week 14 Ending 10/03/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Worm															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	0.00	0.00	0.00	0.03	0	0.00	0.00	0.00	0.00	1495	0.00	0.00	0.00	0.03
Colusa	20,334	0.00	0.00	0.00	0.03	538	0.00	0.00	0.00	0.04	20872	0.00	0.00	0.00	0.03
Contra Costa	7,247	0.00	0.00	0.00	0.02	0	0.00	0.00	0.00	0.00	7247	0.00	0.00	0.00	0.02
Fresno	109,096	0.00	0.00	0.00	0.04	1773	0.00	0.00	0.00	0.06	110869	0.00	0.00	0.00	0.04
Glenn	2,273	0.01	0.00	0.00	0.07	738	0.00	0.00	0.00	0.00	3011	0.01	0.00	0.00	0.06
Kern	8,917	0.01	0.00	0.00	0.06	22	0.00	0.00	0.00	0.00	8939	0.01	0.00	0.00	0.06
Kings	45,556	0.01	0.00	0.00	0.08	0	0.00	0.00	0.00	0.00	45556	0.01	0.00	0.00	0.08
Madera	8,935	0.00	0.00	0.00	0.03	731	0.01	0.00	0.00	0.07	9666	0.00	0.00	0.00	0.04
Merced	41,472	0.00	0.00	0.00	0.03	3647	0.00	0.00	0.00	0.02	45119	0.00	0.00	0.00	0.03
Sacramento	4,798	0.00	0.00	0.00	0.01	1459	0.00	0.00	0.00	0.04	6257	0.00	0.00	0.00	0.02
San Benito	146	0.00	0.00	0.00	0.00	158	0.00	0.00	0.00	0.00	304	0.00	0.00	0.00	0.00
San Joaquin	15,987	0.00	0.00	0.00	0.03	4658	0.00	0.00	0.00	0.04	20645	0.00	0.00	0.00	0.03
Santa Clara	472	0.00	0.00	0.00	0.00	232	0.00	0.00	0.00	0.00	704	0.00	0.00	0.00	0.00
Solano	13,266	0.00	0.00	0.00	0.04	1523	0.00	0.00	0.00	0.04	14789	0.00	0.00	0.00	0.04
Stanislaus	10,696	0.00	0.00	0.00	0.03	3008	0.00	0.00	0.00	0.02	13704	0.00	0.00	0.00	0.03
Sutter	15,520	0.00	0.00	0.00	0.03	1763	0.01	0.00	0.00	0.07	17283	0.00	0.00	0.00	0.04
Tehama	599	0.01	0.00	0.00	0.05	0	0.00	0.00	0.00	0.00	599	0.01	0.00	0.00	0.05
Tulare	4,671	0.00	0.00	0.00	0.04	0	0.00	0.00	0.00	0.00	4671	0.00	0.00	0.00	0.04
Yolo	45,636	0.00	0.00	0.00	0.03	4005	0.00	0.00	0.00	0.04	49641	0.00	0.00	0.00	0.03
STATEWIDE	357,116	0.00	0.00	0.00	0.04	24255	0.00	0.00	0.00	0.04	381371	0.00	0.00	0.00	0.04

Grade: Mold															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	1.72	1.00	1.50	1.18	0	0.00	0.00	0.00	0.00	1495	1.72	1.00	1.50	1.18
Colusa	20,334	1.75	1.00	1.50	1.85	538	3.76	2.00	3.50	2.31	20872	1.80	1.00	1.50	1.89
Contra Costa	7,247	0.42	0.00	0.00	0.72	0	0.00	0.00	0.00	0.00	7247	0.42	0.00	0.00	0.72
Fresno	109,096	1.12	0.00	0.50	1.97	1773	2.89	0.50	1.50	3.69	110869	1.15	0.00	0.50	2.02
Glenn	2,273	2.52	2.00	2.00	2.11	738	2.97	2.50	2.50	1.82	3011	2.63	2.00	2.00	2.05
Kern	8,917	0.55	0.00	0.50	0.69	22	5.88	7.00	6.00	1.96	8939	0.56	0.00	0.50	0.75
Kings	45,556	1.71	0.00	0.50	2.47	0	0.00	0.00	0.00	0.00	45556	1.71	0.00	0.50	2.47
Madera	8,935	1.69	0.50	1.00	1.66	731	2.30	1.00	2.00	1.84	9666	1.74	0.50	1.00	1.68
Merced	41,472	1.54	0.50	1.00	1.72	3647	1.50	0.50	1.00	1.53	45119	1.54	0.50	1.00	1.71
Sacramento	4,798	0.80	0.00	0.50	0.98	1459	0.81	0.00	0.50	0.98	6257	0.80	0.00	0.50	0.98
San Benito	146	0.33	0.00	0.25	0.39	158	0.95	0.00	0.50	1.14	304	0.66	0.00	0.50	0.91
San Joaquin	15,987	0.95	0.00	0.50	1.51	4658	1.06	0.00	0.50	1.51	20645	0.98	0.00	0.50	1.51
Santa Clara	472	0.27	0.00	0.00	0.40	232	0.48	0.00	0.50	0.53	704	0.34	0.00	0.00	0.46
Solano	13,266	0.80	0.00	0.50	1.06	1523	0.60	0.00	0.50	0.75	14789	0.78	0.00	0.50	1.04
Stanislaus	10,696	1.10	0.00	0.50	1.47	3008	0.80	0.00	0.50	1.13	13704	1.04	0.00	0.50	1.40
Sutter	15,520	1.86	1.00	1.50	1.72	1763	2.28	1.00	1.50	2.46	17283	1.90	1.00	1.50	1.81

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 14 Ending 10/03/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Mold, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Tehama	599	1.48	1.00	1.00	1.08	0	0.00	0.00	0.00	0.00	599	1.48	1.00	1.00	1.08
Tulare	4,671	1.03	0.00	1.00	1.08	0	0.00	0.00	0.00	0.00	4671	1.03	0.00	1.00	1.08
Yolo	45,636	0.96	0.00	0.50	1.14	4005	0.93	0.00	0.50	1.10	49641	0.96	0.00	0.50	1.14
STATEWIDE	357,116	1.26	0.00	0.50	1.82	24255	1.41	0.00	1.00	1.91	381371	1.27	0.00	0.50	1.82

Grade: Green															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	3.70	1.00	3.50	2.79	0	0.00	0.00	0.00	0.00	1495	3.70	1.00	3.50	2.79
Colusa	20,334	3.35	1.00	3.00	2.52	538	6.83	2.50	6.50	4.22	20872	3.44	1.00	3.00	2.64
Contra Costa	7,247	0.84	0.50	0.50	0.93	0	0.00	0.00	0.00	0.00	7247	0.84	0.50	0.50	0.93
Fresno	109,096	1.52	0.50	1.00	1.55	1773	2.18	1.00	1.50	1.80	110869	1.53	0.50	1.00	1.56
Glenn	2,273	5.69	2.50	5.00	3.74	738	2.84	2.00	2.50	1.82	3011	4.99	2.00	4.00	3.59
Kern	8,917	1.49	0.50	1.00	1.66	22	2.35	1.00	2.25	1.25	8939	1.49	0.50	1.00	1.66
Kings	45,556	1.60	1.00	1.00	1.52	0	0.00	0.00	0.00	0.00	45556	1.60	1.00	1.00	1.52
Madera	8,935	2.53	1.00	2.00	1.94	731	1.69	1.00	1.50	0.91	9666	2.46	1.00	2.00	1.90
Merced	41,472	1.85	1.00	1.50	1.74	3647	2.49	1.00	2.00	2.15	45119	1.91	1.00	1.50	1.78
Sacramento	4,798	2.74	1.50	2.50	1.96	1459	3.64	1.50	3.00	2.39	6257	2.95	1.50	2.50	2.10
San Benito	146	0.25	0.00	0.00	0.29	158	3.41	3.50	3.50	1.25	304	1.92	0.00	1.00	1.83
San Joaquin	15,987	0.99	0.00	0.50	1.18	4658	1.27	0.50	1.00	1.57	20645	1.05	0.00	0.50	1.29
Santa Clara	472	3.02	0.00	2.50	2.64	232	3.03	1.00	2.50	1.88	704	3.02	0.00	2.50	2.42
Solano	13,266	0.63	0.00	0.50	1.01	1523	0.48	0.00	0.50	0.65	14789	0.61	0.00	0.50	0.98
Stanislaus	10,696	0.81	0.00	0.50	0.97	3008	1.79	0.50	1.00	1.99	13704	1.02	0.00	0.50	1.33
Sutter	15,520	3.25	1.00	2.50	2.77	1763	3.28	1.00	2.50	2.54	17283	3.25	1.00	2.50	2.75
Tehama	599	4.53	4.00	4.50	2.47	0	0.00	0.00	0.00	0.00	599	4.53	4.00	4.50	2.47
Tulare	4,671	4.27	2.00	3.50	2.88	0	0.00	0.00	0.00	0.00	4671	4.27	2.00	3.50	2.88
Yolo	45,636	1.40	0.00	0.50	1.92	4005	1.37	0.00	0.50	1.98	49641	1.40	0.00	0.50	1.93
STATEWIDE	357,116	1.77	0.50	1.00	1.95	24255	2.06	0.50	1.50	2.27	381371	1.79	0.50	1.00	1.97

Grade: LU															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	0.76	0.00	0.50	0.92	0	0.00	0.00	0.00	0.00	1495	0.76	0.00	0.50	0.92
Colusa	20,334	1.27	0.00	1.00	1.54	538	1.42	0.50	1.00	1.26	20872	1.27	0.00	1.00	1.53
Contra Costa	7,247	0.90	0.00	0.50	1.07	0	0.00	0.00	0.00	0.00	7247	0.90	0.00	0.50	1.07
Fresno	109,096	0.83	0.00	0.50	1.12	1773	0.51	0.00	0.50	0.62	110869	0.82	0.00	0.50	1.12
Glenn	2,273	0.94	0.00	1.00	0.92	738	0.65	0.00	0.50	0.74	3011	0.87	0.00	0.50	0.89
Kern	8,917	0.92	0.00	0.50	0.96	22	0.54	0.00	0.50	0.51	8939	0.92	0.00	0.50	0.96
Kings	45,556	0.72	0.00	0.50	1.00	0	0.00	0.00	0.00	0.00	45556	0.72	0.00	0.50	1.00
Madera	8,935	0.89	0.00	0.50	1.06	731	1.03	0.50	0.50	1.16	9666	0.90	0.00	0.50	1.07
Merced	41,472	0.99	0.00	0.50	1.26	3647	0.49	0.00	0.50	0.60	45119	0.95	0.00	0.50	1.22

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 14 Ending 10/03/2026

Last Week YTD

Current Week

Year To Date

Grade: LU, Continued

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Sacramento	4,798	0.84	0.00	0.50	0.95	1459	1.07	0.00	0.50	1.33	6257	0.89	0.00	0.50	1.05
San Benito	146	2.98	1.00	2.50	2.29	158	0.24	0.00	0.00	0.44	304	1.53	0.00	0.50	2.10
San Joaquin	15,987	0.85	0.00	0.50	1.07	4658	0.78	0.00	0.50	1.01	20645	0.83	0.00	0.50	1.06
Santa Clara	472	0.59	0.00	0.00	0.88	232	0.19	0.00	0.00	0.34	704	0.45	0.00	0.00	0.77
Solano	13,266	0.44	0.00	0.00	0.79	1523	0.51	0.00	0.00	1.07	14789	0.45	0.00	0.00	0.82
Stanislaus	10,696	0.86	0.00	0.50	1.18	3008	0.38	0.00	0.00	0.63	13704	0.75	0.00	0.50	1.10
Sutter	15,520	1.05	0.00	0.50	1.28	1763	0.86	0.00	0.50	0.99	17283	1.03	0.00	0.50	1.25
Tehama	599	1.29	0.50	1.00	1.57	0	0.00	0.00	0.00	0.00	599	1.29	0.50	1.00	1.57
Tulare	4,671	0.70	0.00	0.50	0.93	0	0.00	0.00	0.00	0.00	4671	0.70	0.00	0.50	0.93
Yolo	45,636	0.85	0.00	0.50	1.43	4005	0.46	0.00	0.00	0.68	49641	0.82	0.00	0.50	1.39
STATEWIDE	357,116	0.86	0.00	0.50	1.19	24255	0.63	0.00	0.50	0.90	381371	0.85	0.00	0.50	1.18

Grade: MOT

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	2.80	0.50	2.00	2.66	0	0.00	0.00	0.00	0.00	1495	2.80	0.50	2.00	2.66
Colusa	20,334	1.09	0.50	1.00	1.16	538	1.06	0.50	0.50	1.44	20872	1.09	0.50	1.00	1.17
Contra Costa	7,247	0.30	0.00	0.00	0.63	0	0.00	0.00	0.00	0.00	7247	0.30	0.00	0.00	0.63
Fresno	109,096	0.49	0.00	0.50	0.83	1773	0.92	0.50	0.50	0.86	110869	0.49	0.00	0.50	0.83
Glenn	2,273	1.48	0.50	1.00	1.43	738	1.45	0.50	1.00	1.32	3011	1.47	0.50	1.00	1.40
Kern	8,917	0.63	0.00	0.50	1.14	22	0.21	0.00	0.00	0.40	8939	0.62	0.00	0.50	1.14
Kings	45,556	0.63	0.00	0.50	1.13	0	0.00	0.00	0.00	0.00	45556	0.63	0.00	0.50	1.13
Madera	8,935	0.74	0.50	0.50	1.05	731	0.51	0.50	0.50	0.65	9666	0.73	0.50	0.50	1.03
Merced	41,472	0.89	0.00	0.50	1.31	3647	0.69	0.50	0.50	0.96	45119	0.87	0.00	0.50	1.29
Sacramento	4,798	2.20	0.00	1.00	2.83	1459	2.61	1.00	2.00	2.55	6257	2.29	0.00	1.50	2.77
San Benito	146	0.49	0.50	0.50	0.29	158	1.74	0.50	1.50	1.37	304	1.15	0.50	0.50	1.18
San Joaquin	15,987	0.71	0.00	0.00	1.63	4658	0.71	0.00	0.00	1.48	20645	0.71	0.00	0.00	1.60
Santa Clara	472	2.25	0.00	1.50	2.46	232	2.52	1.00	2.00	2.06	704	2.34	0.50	1.50	2.34
Solano	13,266	0.33	0.00	0.00	0.76	1523	0.28	0.00	0.00	0.52	14789	0.33	0.00	0.00	0.74
Stanislaus	10,696	0.31	0.00	0.00	0.54	3008	0.71	0.00	0.50	1.06	13704	0.40	0.00	0.00	0.71
Sutter	15,520	0.91	0.00	0.50	1.24	1763	0.75	0.00	0.50	0.96	17283	0.89	0.00	0.50	1.22
Tehama	599	1.69	1.00	1.00	1.86	0	0.00	0.00	0.00	0.00	599	1.69	1.00	1.00	1.86
Tulare	4,671	1.03	0.50	1.00	1.12	0	0.00	0.00	0.00	0.00	4671	1.03	0.50	1.00	1.12
Yolo	45,636	0.44	0.00	0.00	0.82	4005	0.82	0.00	0.50	1.28	49641	0.47	0.00	0.00	0.87
STATEWIDE	357,116	0.66	0.00	0.50	1.14	24255	0.88	0.00	0.50	1.39	381371	0.67	0.00	0.50	1.16

Grade: Hue

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	20.83	21.50	21.00	1.25	0	0.00	0.00	0.00	0.00	1495	20.83	21.50	21.00	1.25
Colusa	20,334	20.88	20.00	20.50	1.25	538	21.41	22.00	21.50	1.00	20872	20.89	20.00	21.00	1.25

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 14 Ending 10/03/2026

	Last Week YTD					Current Week					Year To Date				
Grade: Hue, Continued															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Contra Costa	7,247	20.00	19.50	20.00	0.98	0	0.00	0.00	0.00	0.00	7247	20.00	19.50	20.00	0.98
Fresno	109,096	20.41	20.00	20.00	1.28	1773	20.29	20.00	20.00	0.94	110869	20.41	20.00	20.00	1.27
Glenn	2,273	20.27	19.50	20.00	1.49	738	20.52	21.00	20.50	1.13	3011	20.33	19.50	20.00	1.41
Kern	8,917	20.54	20.50	20.50	1.10	22	20.54	20.50	20.50	0.55	8939	20.54	20.50	20.50	1.09
Kings	45,556	20.41	20.00	20.00	1.18	0	0.00	0.00	0.00	0.00	45556	20.41	20.00	20.00	1.18
Madera	8,935	20.79	20.00	20.50	1.39	731	20.58	19.50	20.50	1.32	9666	20.77	20.00	20.50	1.38
Merced	41,472	20.79	20.50	20.50	1.22	3647	20.50	20.50	20.50	0.99	45119	20.77	20.50	20.50	1.21
Sacramento	4,798	20.96	20.50	21.00	1.08	1459	20.94	20.50	21.00	1.06	6257	20.95	20.50	21.00	1.07
San Benito	146	20.16	20.00	20.00	0.58	158	19.76	19.50	19.50	0.46	304	19.95	20.00	20.00	0.56
San Joaquin	15,987	20.54	20.00	20.00	1.36	4658	20.70	20.50	20.50	1.08	20645	20.57	20.00	20.50	1.31
Santa Clara	472	20.38	20.50	20.50	0.89	232	20.55	20.50	20.50	0.75	704	20.43	20.50	20.50	0.85
Solano	13,266	20.64	20.50	20.50	1.11	1523	20.37	20.50	20.50	0.93	14789	20.61	20.50	20.50	1.10
Stanislaus	10,696	20.55	20.00	20.50	1.24	3008	20.73	20.50	20.50	1.16	13704	20.59	20.50	20.50	1.23
Sutter	15,520	21.02	20.50	21.00	1.30	1763	21.01	21.00	21.00	1.26	17283	21.02	20.50	21.00	1.29
Tehama	599	22.11	21.50	22.00	1.02	0	0.00	0.00	0.00	0.00	599	22.11	21.50	22.00	1.02
Tulare	4,671	20.33	20.50	20.00	1.02	0	0.00	0.00	0.00	0.00	4671	20.33	20.50	20.00	1.02
Yolo	45,636	21.13	21.00	21.00	1.38	4005	20.59	20.50	20.50	1.01	49641	21.09	20.50	21.00	1.36
STATEWIDE	357,116	20.63	20.00	20.50	1.29	24255	20.64	20.50	20.50	1.09	381371	20.63	20.00	20.50	1.28

Grade: Solids															
County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	4.70	4.50	4.70	0.29	0	0.00	0.00	0.00	0.00	1495	4.70	4.50	4.70	0.29
Colusa	20,334	4.94	4.90	4.90	0.44	538	4.63	4.50	4.50	0.37	20872	4.93	4.90	4.90	0.44
Contra Costa	7,247	5.20	5.10	5.20	0.35	0	0.00	0.00	0.00	0.00	7247	5.20	5.10	5.20	0.35
Fresno	109,096	5.33	5.30	5.30	0.48	1773	4.99	4.80	5.00	0.41	110869	5.33	5.30	5.30	0.48
Glenn	2,273	4.85	4.90	4.90	0.34	738	5.16	5.10	5.20	0.35	3011	4.93	4.90	4.90	0.37
Kern	8,917	5.04	4.60	5.00	0.54	22	5.14	5.30	5.15	0.22	8939	5.04	4.60	5.00	0.54
Kings	45,556	4.97	4.90	4.90	0.45	0	0.00	0.00	0.00	0.00	45556	4.97	4.90	4.90	0.45
Madera	8,935	5.10	4.90	5.10	0.44	731	5.08	5.20	5.10	0.40	9666	5.09	4.90	5.10	0.44
Merced	41,472	5.11	4.90	5.00	0.54	3647	4.97	4.90	5.00	0.44	45119	5.10	4.90	5.00	0.53
Sacramento	4,798	5.27	5.30	5.30	0.44	1459	5.43	5.40	5.40	0.42	6257	5.30	5.30	5.30	0.44
San Benito	146	4.88	4.80	4.80	0.23	158	5.08	5.30	5.20	0.41	304	4.98	4.80	4.90	0.35
San Joaquin	15,987	5.34	5.20	5.30	0.50	4658	5.25	5.20	5.20	0.47	20645	5.32	5.20	5.30	0.49
Santa Clara	472	4.78	4.70	4.70	0.32	232	4.61	4.60	4.60	0.30	704	4.73	4.60	4.70	0.33
Solano	13,266	5.32	5.30	5.30	0.52	1523	5.34	5.60	5.40	0.38	14789	5.32	5.30	5.30	0.51
Stanislaus	10,696	5.19	5.20	5.20	0.48	3008	5.13	5.10	5.10	0.46	13704	5.18	5.10	5.10	0.47
Sutter	15,520	4.84	4.70	4.80	0.49	1763	5.16	5.30	5.20	0.51	17283	4.87	4.70	4.80	0.50
Tehama	599	4.83	4.80	4.80	0.28	0	0.00	0.00	0.00	0.00	599	4.83	4.80	4.80	0.28
Tulare	4,671	4.87	4.50	4.80	0.42	0	0.00	0.00	0.00	0.00	4671	4.87	4.50	4.80	0.42
Yolo	45,636	4.97	4.90	4.90	0.42	4005	5.07	4.80	5.00	0.52	49641	4.98	4.90	5.00	0.43

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Grade Distribution By County (RP110)

Week 14 Ending 10/03/2026

STATEWIDE	357,116	5.14	5.00	5.10	0.50	24255	5.12	5.10	5.10	0.48	381371	5.14	5.00	5.10	0.50
-----------	---------	------	------	------	------	-------	------	------	------	------	--------	------	------	------	------

Grade: PH

County	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
Butte	1,495	4.41	4.43	4.41	0.08	0	0.00	0.00	0.00	0.00	1495	4.41	4.43	4.41	0.08
Colusa	20,334	4.40	4.36	4.39	0.09	538	4.49	4.49	4.50	0.08	20872	4.40	4.36	4.39	0.09
Contra Costa	7,247	4.39	4.41	4.39	0.08	0	0.00	0.00	0.00	0.00	7247	4.39	4.41	4.39	0.08
Fresno	109,096	4.42	4.40	4.41	0.10	1773	4.46	4.43	4.45	0.08	110869	4.42	4.40	4.41	0.10
Glenn	2,273	4.41	4.42	4.41	0.07	738	4.42	4.41	4.41	0.06	3011	4.41	4.42	4.41	0.07
Kern	8,917	4.38	4.36	4.38	0.09	22	4.42	4.39	4.42	0.04	8939	4.38	4.36	4.38	0.09
Kings	45,556	4.40	4.40	4.39	0.09	0	0.00	0.00	0.00	0.00	45556	4.40	4.40	4.39	0.09
Madera	8,935	4.47	4.49	4.47	0.10	731	4.46	4.47	4.47	0.09	9666	4.47	4.49	4.47	0.10
Merced	41,472	4.45	4.40	4.44	0.10	3647	4.38	4.38	4.38	0.07	45119	4.44	4.38	4.43	0.10
Sacramento	4,798	4.35	4.31	4.35	0.09	1459	4.36	4.34	4.36	0.08	6257	4.35	4.34	4.35	0.09
San Benito	146	4.32	4.24	4.30	0.09	158	4.39	4.40	4.39	0.07	304	4.36	4.36	4.36	0.09
San Joaquin	15,987	4.39	4.37	4.39	0.11	4658	4.42	4.42	4.41	0.11	20645	4.40	4.37	4.39	0.11
Santa Clara	472	4.37	4.35	4.37	0.07	232	4.38	4.38	4.39	0.05	704	4.37	4.38	4.38	0.07
Solano	13,266	4.38	4.39	4.38	0.09	1523	4.38	4.35	4.36	0.09	14789	4.38	4.37	4.38	0.09
Stanislaus	10,696	4.42	4.41	4.41	0.10	3008	4.38	4.35	4.37	0.09	13704	4.41	4.39	4.40	0.10
Sutter	15,520	4.39	4.38	4.39	0.08	1763	4.38	4.36	4.37	0.10	17283	4.39	4.38	4.38	0.08
Tehama	599	4.33	4.33	4.32	0.06	0	0.00	0.00	0.00	0.00	599	4.33	4.33	4.32	0.06
Tulare	4,671	4.43	4.39	4.43	0.09	0	0.00	0.00	0.00	0.00	4671	4.43	4.39	4.43	0.09
Yolo	45,636	4.36	4.33	4.35	0.09	4005	4.34	4.32	4.33	0.08	49641	4.36	4.33	4.35	0.09
STATEWIDE	357,116	4.40	4.40	4.40	0.10	24255	4.39	4.35	4.38	0.10	381371	4.40	4.40	4.40	0.10

* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)
Mean: Average grade
Mode: Most often-occurring grade
Median: Middle grade value when all loads are sorted in order of grade value

Load Grading Cumulative Percentages

Year-To-Date (RRPT120) - WORM, MOLD, GREEN, LU, AND MOT
Week 14 Ending 10/03/2026

Grade 1: Worm
Grade 2: Mold
Grade 3: Green
Grade 4: Limited Use
Grade 5: Mot

Worm			Mold			Green			Limited Use			Mot		
Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads	Grade	Pctl.	#Loads
0.0	99.6	379,800	0.0	30.3	115,550	0.0	17.0	64,917	0.0	37.3	142,156	0.0	44.1	168,084
0.5	100.0	381,196	0.5	52.4	199,804	0.5	35.9	136,732	0.5	62.0	236,613	0.5	72.8	277,759
1.0	100.0	381,317	1.0	68.0	259,457	1.0	52.5	200,030	1.0	78.1	297,835	1.0	85.4	325,579
1.5	100.0	381,347	1.5	77.1	294,034	1.5	64.2	244,773	1.5	86.3	329,205	1.5	90.8	346,412
2.0	100.0	381,365	2.0	83.1	316,740	2.0	73.1	278,632	2.0	91.1	347,572	2.0	93.8	357,765
2.5	100.0	381,367	2.5	87.2	332,486	2.5	79.5	303,094	2.5	94.0	358,593	2.5	95.6	364,721
3.0	100.0	381,369	3.0	90.1	343,551	3.0	84.2	321,081	3.0	95.9	365,667	3.0	96.8	369,227
3.5	100.0	381,370	3.5	92.2	351,806	3.5	87.7	334,480	3.5	97.1	370,256	3.5	97.6	372,343
4.0	100.0	381,371	4.0	93.9	358,042	4.0	90.3	344,280	4.0	97.9	373,337	4.0	98.2	374,458
			4.5	95.1	362,840	4.5	92.2	351,790	4.5	98.5	375,550	4.5	98.6	375,969
			5.0	96.1	366,452	5.0	93.8	357,620	5.0	98.9	377,014	5.0	98.9	377,098
			5.5	96.9	369,429	5.5	95.0	362,300	5.5	99.2	378,140	5.5	99.1	377,971
			6.0	97.4	371,632	6.0	96.0	366,007	6.0	99.4	378,921	6.0	99.3	378,658
			6.5	97.9	373,454	6.5	96.8	369,086	6.5	99.5	379,487	6.5	99.4	379,144
			7.0	98.3	374,819	7.0	97.4	371,632	7.0	99.6	379,917	7.0	99.5	379,527
			7.5	98.6	375,969	7.5	98.0	373,594	7.5	99.7	380,252	7.5	99.6	379,825
			8.0	98.8	376,916	8.0	98.4	375,176	8.0	99.8	380,500	8.0	99.7	380,074
			8.5	99.0	377,718	8.5	98.7	376,497	8.5	99.8	380,680	8.5	99.7	380,280
			9.0	99.2	378,377	9.0	99.0	377,558	9.0	99.9	380,824	9.0	99.8	380,463
			9.5	99.3	378,883	9.5	99.2	378,364	9.5	99.9	380,938	9.5	99.8	380,601
			10.0	99.5	379,313	10.0	99.4	379,004	10.0	99.9	381,028	10.0	99.8	380,713
			10.5	99.5	379,624	10.5	99.5	379,537	10.5	99.9	381,099	10.5	99.9	380,818
			11.0	99.6	379,904	11.0	99.6	379,894	11.0	99.9	381,155	11.0	99.9	380,891
			11.5	99.7	380,179	11.5	99.7	380,213	11.5	100.0	381,188	11.5	99.9	380,961
			12.0	99.7	380,349	12.0	99.8	380,473	12.0	100.0	381,222	12.0	99.9	381,021
			12.5	99.8	380,509	12.5	99.8	380,658	12.5	100.0	381,253	12.5	99.9	381,078
			13.0	99.8	380,633	13.0	99.9	380,831	13.0	100.0	381,275	13.0	99.9	381,125
			13.5	99.8	380,739	13.5	99.9	380,963	13.5	100.0	381,291	13.5	99.9	381,161
			14.0	99.9	380,820	14.0	99.9	381,044	14.0	100.0	381,316	14.0	100.0	381,193
			14.5	99.9	380,910	14.5	99.9	381,112	14.5	100.0	381,325	14.5	100.0	381,219
			15.0	99.9	380,964	15.0	99.9	381,167	15.0	100.0	381,330	15.0	100.0	381,240
			15.5	99.9	381,009	15.5	100.0	381,208	15.5	100.0	381,338	15.5	100.0	381,256
			16.0	99.9	381,058	16.0	100.0	381,246	16.0	100.0	381,342	16.0	100.0	381,272
			16.5	99.9	381,103	16.5	100.0	381,277	16.5	100.0	381,344	16.5	100.0	381,284
			17.0	99.9	381,121	17.0	100.0	381,299	17.0	100.0	381,346	17.0	100.0	381,295
			17.5	99.9	381,157	17.5	100.0	381,307	17.5	100.0	381,352	17.5	100.0	381,308
			18.0	100.0	381,183	18.0	100.0	381,326	18.0	100.0	381,353	18.0	100.0	381,325
			18.5	100.0	381,208	18.5	100.0	381,339	18.5	100.0	381,355	18.5	100.0	381,334
			19.0	100.0	381,221	19.0	100.0	381,343	19.0	100.0	381,360	19.0	100.0	381,339
			19.5	100.0	381,239	19.5	100.0	381,345	19.5	100.0	381,361	19.5	100.0	381,345
			20.0	100.0	381,255	20.0	100.0	381,347	20.0	100.0	381,363	20.0	100.0	381,350
			20.5	100.0	381,270	20.5	100.0	381,348	20.5	100.0	381,363	20.5	100.0	381,355
			21.0	100.0	381,280	21.0	100.0	381,353	21.0	100.0	381,363	21.0	100.0	381,357
			21.5	100.0	381,286	21.5	100.0	381,356	21.5	100.0	381,364	21.5	100.0	381,357

* Percent of Loads Scoring Less Than Or Equal To Grade Value
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 14 Ending 10/03/2026

ANALYSIS BY COUNTY FOR GRADE: GREEN

County	#Loads	Current Week GREEN Percent Less than or Equal To:				#Loads	Year To Date GREEN Percent Less than or Equal To:			
		1%	2%	3%	4%		1%	2%	3%	4%
Butte	0	0	0	0	0	1,495	28	37	48	61
Colusa	538	1	10	28	37	20,872	19	39	56	70
Contra Costa	0	0	0	0	0	7,247	77	91	97	99
Fresno	1,773	34	66	81	87	110,869	54	77	89	94
Glenn	738	17	42	65	84	3,011	9	26	42	54
Kern	22	22	50	86	90	8,939	59	81	89	93
Kings	0	0	0	0	0	45,556	50	77	89	94
Madera	731	36	77	94	98	9,666	29	56	74	85
Merced	3,647	30	61	77	85	45,119	44	71	84	91
Sacramento	1,459	16	38	52	65	6,257	22	45	64	77
San Benito	158	4	17	46	73	304	50	56	72	86
San Joaquin	4,658	65	83	92	96	20,645	70	87	94	97
Santa Clara	232	20	44	58	71	704	31	45	58	69
Solano	1,523	90	97	99	99	14,789	85	94	97	99
Stanislaus	3,008	54	75	83	88	13,704	72	88	94	96
Sutter	1,763	26	43	58	69	17,283	28	46	60	71
Tehama	0	0	0	0	0	599	4	18	34	49
Tulare	0	0	0	0	0	4,671	8	25	42	57
Yolo	4,005	68	80	87	92	49,641	67	79	86	91
STATEWIDE TOTALS										
CURRENT WEEK	24,255	48.3	68.8	80.4	86.9	381,371	52	73	84	90
LAST WEEK YTD						357,116	53	73	84	91

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 14 Ending 10/03/2026

ANALYSIS BY COUNTY FOR GRADE: LU

County	#Loads	Current Week				#Loads	Year To Date			
		LU Percent Less than or Equal To:					LU Percent Less than or Equal To:			
		5%	8%	11%	14%		5%	8%	11%	14%
Butte	0	0	0	0	0	1,495	99	100	100	100
Colusa	538	99	100	100	100	20,872	97	99	99	99
Contra Costa	0	0	0	0	0	7,247	99	99	100	100
Fresno	1,773	100	100	100	100	110,869	99	99	99	99
Glenn	738	100	100	100	100	3,011	99	100	100	100
Kern	22	100	100	100	100	8,939	99	99	100	100
Kings	0	0	0	0	0	45,556	99	99	99	99
Madera	731	99	99	100	100	9,666	99	99	99	100
Merced	3,647	99	100	100	100	45,119	98	99	99	99
Sacramento	1,459	98	99	100	100	6,257	99	99	100	100
San Benito	158	100	100	100	100	304	91	98	100	100
San Joaquin	4,658	99	99	100	100	20,645	99	99	99	100
Santa Clara	232	100	100	100	100	704	100	100	100	100
Solano	1,523	98	99	100	100	14,789	99	99	99	99
Stanislaus	3,008	99	100	100	100	13,704	99	99	99	99
Sutter	1,763	99	99	100	100	17,283	98	99	99	99
Tehama	0	0	0	0	0	599	96	99	100	100
Tulare	0	0	0	0	0	4,671	99	100	100	100
Yolo	4,005	99	100	100	100	49,641	98	99	99	99
STATEWIDE TOTALS										
CURRENT WEEK	24,255	99.6	100.0	100.0	100.0	381,371	99	100	100	100
LAST WEEK YTD						357,116	99	100	100	100

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 14 Ending 10/03/2026

ANALYSIS BY COUNTY FOR GRADE: MOLD														
County	#Loads	Current Week						#Loads	Year To Date					
		MOLD Percent Less than or Equal To:							MOLD Percent Less than or Equal To:					
		3%	4%	5%	6%	7%	8%		3%	4%	5%	6%	7%	8%
Butte	0	0	0	0	0	0	0	1,495	89	96	99	99	100	100
Colusa	538	46	60	76	86	92	95	20,872	84	91	95	97	98	98
Contra Costa	0	0	0	0	0	0	0	7,247	98	99	99	99	99	99
Fresno	1,773	73	78	82	86	88	91	110,869	91	94	95	97	97	98
Glenn	738	59	76	86	93	98	99	3,011	73	84	90	93	95	97
Kern	22	13	22	36	54	77	90	8,939	99	99	99	99	99	99
Kings	0	0	0	0	0	0	0	45,556	80	86	90	93	95	96
Madera	731	75	86	91	95	97	99	9,666	83	91	95	97	99	99
Merced	3,647	88	94	96	98	99	99	45,119	87	92	95	97	98	99
Sacramento	1,459	97	98	99	99	99	100	6,257	97	98	99	99	99	99
San Benito	158	95	96	99	100	100	100	304	97	98	99	100	100	100
San Joaquin	4,658	93	96	97	98	98	99	20,645	94	96	97	98	98	99
Santa Clara	232	100	100	100	100	100	100	704	100	100	100	100	100	100
Solano	1,523	98	99	99	100	100	100	14,789	96	98	99	99	99	99
Stanislaus	3,008	97	98	99	99	99	99	13,704	94	97	98	99	99	99
Sutter	1,763	78	87	92	94	95	95	17,283	83	90	95	97	98	98
Tehama	0	0	0	0	0	0	0	599	93	97	99	99	100	100
Tulare	0	0	0	0	0	0	0	4,671	95	98	99	99	99	99
Yolo	4,005	95	98	99	99	99	99	49,641	95	97	98	99	99	99
STATEWIDE TOTALS														
CURRENT WEEK	24,255	88.9	93.4	95.8	97.2	98.1	98.7	381,371	90	94	96	97	98	99
LAST WEEK YTD								357,116	90	94	96	97	98	99

Analysis By County For Grade (RP130)

Processing Tomato Advisory Board CROP System - Posted Certificates Report
Week 14 Ending 10/03/2026

ANALYSIS BY COUNTY FOR GRADE: MOT

County	#Loads	Current Week				#Loads	Year To Date			
		MOT Percent Less than or Equal To:					MOT Percent Less than or Equal To:			
		0.5%	1%	2%	3%		0.5%	1%	2%	3%
Butte	0	0	0	0	0	1,495	24	35	53	68
Colusa	538	54	73	87	93	20,872	47	69	87	94
Contra Costa	0	0	0	0	0	7,247	87	94	98	99
Fresno	1,773	53	75	92	97	110,869	79	91	96	98
Glenn	738	34	55	79	91	3,011	35	56	79	90
Kern	22	90	95	100	100	8,939	75	88	95	97
Kings	0	0	0	0	0	45,556	74	86	94	97
Madera	731	78	91	97	98	9,666	69	84	93	96
Merced	3,647	71	86	94	97	45,119	64	79	91	95
Sacramento	1,459	18	34	59	72	6,257	34	48	66	77
San Benito	158	26	48	71	84	304	54	72	85	91
San Joaquin	4,658	74	84	92	95	20,645	76	86	92	95
Santa Clara	232	18	34	54	70	704	31	43	60	73
Solano	1,523	88	96	99	99	14,789	86	93	97	98
Stanislaus	3,008	69	83	92	96	13,704	83	92	97	98
Sutter	1,763	65	82	93	96	17,283	60	77	90	95
Tehama	0	0	0	0	0	599	31	52	77	87
Tulare	0	0	0	0	0	4,671	47	70	89	96
Yolo	4,005	67	78	89	94	49,641	79	89	96	98
STATEWIDE TOTALS										
CURRENT WEEK	24,255	65.2	79.1	89.9	94.6	381,371	73	85	94	97
LAST WEEK YTD						357,116	73	86	94	97

Average Defects Report (RP10)**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS**
Week 14 Ending 10/03/2026**Butte**

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	2.3	3.8	2.1	21.2	1.5	5.0	4.46
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.5	7.2	4.1	22.1	1.2	5.2	4.41
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	322	0.0	2.3	7.1	4.0	19.0	0.5	4.4	4.49
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	1.3	1.6	4.1	20.0	1.2	4.8	4.47
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	270	0.0	0.8	4.8	5.0	21.1	1.1	5.1	4.44
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	670	0.0	1.8	1.9	1.0	21.7	0.5	4.6	4.34
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			1,494	0.0	1.7	3.7	2.8	20.8	0.8	4.7	4.41

Colusa

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	2.0	1.0	21.5	3.0	4.6	4.40
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	751	0.0	1.0	1.1	1.3	20.3	1.3	4.9	4.45
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	0.4	4.1	0.8	20.6	0.5	5.4	4.30
028	6428, N	Cur Wk	172	0.0	2.0	8.4	1.6	21.8	1.8	4.5	4.45
		YTD	2,264	0.0	2.4	5.0	1.4	22.5	2.7	4.9	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	3.2	0.5	0.6	20.4	0.5	5.3	4.47
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,854	0.0	0.7	4.5	1.0	21.6	0.8	5.2	4.34
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	109	0.0	2.9	0.7	0.2	19.4	0.4	5.0	4.46
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	1.3	1.4	0.2	20.2	3.0	5.4	4.39
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	468	0.0	1.2	3.3	0.8	21.0	1.7	5.5	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.8	4.3	1.4	20.7	2.7	4.8	4.45

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	4.5	0.0	0.0	20.5	1.0	5.1	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	4.5	0.4	0.1	20.5	0.3	5.2	4.39
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	114	0.0	2.5	6.4	1.3	21.9	1.2	4.5	4.42
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.8	0.8	0.0	20.7	0.2	4.9	4.48
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	114	0.0	1.9	3.8	1.1	19.9	1.0	5.0	4.35
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	2.5	4.6	0.7	21.3	1.6	4.5	4.40
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	382	0.0	1.1	1.7	0.8	21.3	1.7	5.3	4.32
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	76	0.0	3.1	4.3	2.2	22.0	1.7	4.7	4.39
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.3	3.6	1.6	22.4	2.9	5.2	4.42
477	4707, HZ	Cur Wk	145	0.0	4.2	2.9	0.6	22.1	0.9	5.1	4.55
		YTD	580	0.0	4.2	2.0	0.8	22.1	0.8	4.9	4.52
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.8	2.9	1.2	20.7	2.0	4.5	4.42
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	145	0.0	3.8	1.2	0.5	20.6	0.5	4.1	4.58
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,098	0.0	2.0	4.2	0.9	19.3	0.8	4.5	4.47
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	156	0.0	3.0	0.5	0.3	20.1	0.3	5.2	4.38
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.0	0.7	0.3	20.6	0.2	5.1	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.8	0.7	20.9	1.7	4.9	4.55
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	44	0.0	1.1	5.0	0.9	21.0	0.9	4.8	4.34
610	2016, HZ	Cur Wk	172	0.0	5.8	7.2	0.7	20.4	1.8	4.3	4.51
		YTD	5,435	0.0	1.9	3.3	1.1	20.0	1.2	4.7	4.38
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	59	0.0	0.5	2.0	2.0	20.9	2.1	5.8	4.49
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	0.6	1.1	0.8	20.3	1.2	5.1	4.39
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Colusa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
662	1662, HZ	YTD	26	0.0	2.4	1.7	1.1	21.9	0.7	4.9	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	2.0	2.5	0.9	21.2	1.7	4.6	4.41
730	9037, SVTM	Cur Wk	34	0.0	1.5	12.0	2.0	22.1	0.6	4.7	4.35
		YTD	383	0.0	0.9	4.7	1.3	22.0	0.7	4.8	4.34
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
755	7558, NB	YTD	3	0.2	1.8	0.2	0.0	20.5	0.2	5.0	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
856	6508, N	YTD	3	0.2	2.2	0.3	0.0	20.0	0.2	5.1	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	404	0.0	1.5	3.0	1.5	20.8	2.6	5.6	4.39
904	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,550	0.0	2.0	3.3	1.0	21.4	0.7	5.1	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
913	9019, SVTM	YTD	4	0.0	1.6	1.4	0.0	21.9	0.6	5.0	4.24
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	2.0	2.3	0.9	22.0	2.3	4.9	4.43
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	812	0.0	1.2	2.5	1.2	21.3	0.7	5.0	4.33
		Cur Wk	14	0.0	1.1	12.6	1.1	20.2	0.2	4.7	4.41
941	9041, SVTM	YTD	1,529	0.0	1.6	3.3	1.1	20.0	0.8	5.1	4.45
		Cur Wk:	537	0.0	3.8	6.8	1.0	21.4	1.4	4.6	4.49
		YTD	20,870	0.0	1.8	3.4	1.1	20.9	1.3	4.9	4.40

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	215	0.0	0.0	0.5	0.1	20.4	0.1	5.2	4.30
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
028	6428, N	YTD	115	0.0	0.1	1.1	0.0	21.7	0.7	4.9	4.43
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	247	0.0	1.3	0.4	0.3	19.3	1.1	5.6	4.52
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	421	0.0	0.5	1.1	0.4	19.8	0.8	5.1	4.45
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
064	0645, LS	YTD	1,502	0.0	0.2	0.7	0.2	19.6	1.0	5.3	4.40
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Contra Costa, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	658	0.0	0.1	0.4	0.2	20.4	0.5	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	2.1	0.3	19.1	0.7	5.0	4.37
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	0.4	1.3	0.5	20.1	1.1	5.3	4.28
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.4	1.2	0.6	20.1	0.7	5.4	4.30
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	104	0.0	0.0	0.7	0.1	20.4	0.7	5.1	4.32
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.3	0.6	0.4	20.4	0.7	5.2	4.41
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	265	0.0	0.5	1.4	0.3	20.4	2.7	5.1	4.42
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,019	0.0	0.5	0.6	0.3	19.5	0.4	5.3	4.35
740	74, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	976	0.0	1.0	1.1	0.3	19.9	1.4	5.2	4.43
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	0.2	2.1	0.3	20.6	0.3	5.1	4.40
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	0.4	0.6	0.2	19.5	0.4	4.8	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	0.4	1.0	0.3	19.9	1.3	4.9	4.37
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	0.5	0.8	0.4	22.5	1.2	5.1	4.26
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			7,247	0.0	0.4	0.8	0.3	20.0	0.9	5.2	4.39

Fresno

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	1.3	0.6	0.3	21.5	0.5	5.1	4.37
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,088	0.0	0.5	2.4	0.8	19.5	0.3	5.1	4.32
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8,403	0.0	0.5	1.2	0.5	19.8	0.6	5.6	4.38
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	0.9	2.6	0.3	21.5	0.7	4.8	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	4,549	0.0	0.9	0.7	0.5	19.5	1.1	5.8	4.47
037	8237, HM	Cur Wk	377	0.0	0.8	3.9	1.2	20.9	0.4	5.3	4.37
		YTD	9,466	0.0	0.9	1.4	0.4	21.1	0.5	5.4	4.38
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	0.3	2.1	0.6	19.7	1.5	5.3	4.42
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,235	0.0	1.2	1.3	0.5	20.0	1.4	5.6	4.55
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,947	0.0	0.8	1.6	0.4	19.5	1.2	5.5	4.44
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,184	0.0	0.7	4.8	1.4	21.2	0.8	5.5	4.43
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.4	6.0	0.8	20.2	2.6	5.3	4.39
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	695	0.0	1.0	0.9	0.4	20.5	1.2	4.9	4.48
112	16112, UG	Cur Wk	9	0.0	0.9	2.6	0.5	21.9	0.2	5.0	4.39
		YTD	1,713	0.0	1.5	0.7	0.4	19.8	0.7	5.1	4.46
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	0.2	3.6	0.3	20.3	0.5	5.4	4.29
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	4.1	1.0	5.8	22.0	4.3	5.2	4.53
130	130, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.5	1.6	0.4	20.4	1.5	6.3	4.47
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	1.1	1.1	0.5	20.5	0.8	5.3	4.41
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.0	1.6	0.8	19.5	0.4	4.7	4.55
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	11.4	2.4	0.4	21.3	0.8	4.9	4.62
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,712	0.0	0.4	1.0	0.4	19.8	0.8	5.5	4.38
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,051	0.0	2.9	4.1	0.7	19.4	1.6	5.4	4.45
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.5	0.5	0.3	20.3	0.9	5.1	4.39
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	211	0.0	0.4	1.2	0.4	20.3	0.5	5.1	4.37
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	0.3	0.3	0.3	19.6	2.0	5.1	4.45
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	381	0.0	0.9	0.5	0.1	19.9	0.7	5.6	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	0.3	0.2	21.1	1.1	5.5	4.39
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	466	0.0	0.9	0.8	0.2	20.3	0.7	5.8	4.35
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,659	0.0	0.5	1.3	0.4	21.9	1.3	5.2	4.40
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.8	1.4	0.2	20.9	0.7	5.2	4.32
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	2.2	0.5	20.4	1.1	5.1	4.43
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.7	1.0	0.1	20.6	0.6	5.3	4.45
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	73	0.0	2.9	1.5	1.0	20.7	0.8	4.8	4.44
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	0.6	1.9	0.2	20.8	0.5	4.7	4.32
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,245	0.0	0.4	1.7	0.4	20.3	1.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	0.1	2.9	1.0	20.6	0.6	6.0	4.33
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	500	0.0	0.3	1.4	0.5	20.9	0.5	5.5	4.35
365	2365, HZ	Cur Wk	47	0.0	1.5	2.7	1.1	21.1	0.3	4.9	4.54
		YTD	779	0.0	2.4	3.6	0.7	20.6	0.3	4.7	4.59
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	510	0.0	0.1	1.5	0.5	19.3	0.7	5.4	4.40
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	276	0.0	1.1	2.9	1.3	20.5	1.8	6.2	4.44
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6,040	0.0	0.7	1.2	0.5	20.4	0.9	5.4	4.49
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	983	0.0	2.9	3.0	1.4	21.9	1.7	5.1	4.49
441	114, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	347	0.0	0.3	1.8	0.4	21.1	0.3	5.1	4.39
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	0.8	1.0	0.5	21.8	2.3	5.4	4.55
477	4707, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	450	0.0	2.2	2.2	0.5	22.0	0.3	4.8	4.51
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	198	0.0	0.2	1.5	0.5	19.8	0.9	5.4	4.35
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,351	0.0	1.5	0.9	0.3	19.8	0.5	4.7	4.57
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,115	0.0	0.5	0.8	0.2	19.4	0.3	5.2	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
510	2015, HZ	Cur Wk	49	0.0	1.1	5.5	0.3	19.1	0.5	4.7	4.49
		YTD	130	0.0	0.9	5.7	0.4	19.2	0.3	4.7	4.49
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	349	0.0	0.2	0.8	0.1	20.1	1.4	5.9	4.44
533	2533, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	46	0.0	8.9	3.0	0.4	21.1	0.9	4.7	4.54
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,792	0.0	0.6	0.8	0.2	19.5	0.6	5.6	4.38
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.5	0.7	21.0	4.5	6.2	4.37
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,143	0.0	0.4	1.9	0.3	19.3	0.4	4.9	4.37
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	47	0.0	1.0	1.1	0.3	20.3	1.0	5.3	4.43
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	5.2	0.2	20.2	1.0	5.1	4.50
572	0275, SY	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	1.5	2.3	0.4	20.8	2.4	5.1	4.39
577	HEINZ TRIAL	Cur Wk	60	0.0	9.0	2.0	1.1	19.7	0.6	5.6	4.47
		YTD	187	0.0	9.0	1.9	0.7	20.4	0.9	5.3	4.49
610	2016, HZ	Cur Wk	376	0.0	2.6	1.0	0.6	19.8	0.9	5.0	4.43
		YTD	6,167	0.0	3.2	1.8	0.6	20.0	0.6	4.8	4.48
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,571	0.0	0.3	1.8	0.3	19.8	1.1	5.0	4.34
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	57	0.0	0.6	2.0	0.2	19.7	0.1	5.6	4.44
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.7	1.5	0.5	19.5	0.1	4.9	4.40

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
652	6502, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.0	18.7	0.7	5.1	4.50
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.6	0.5	20.5	0.7	5.6	4.49
662	1662, HZ	Cur Wk	12	0.0	12.0	1.8	0.9	21.6	0.6	4.7	4.60
		YTD	571	0.0	5.4	1.8	0.4	21.8	1.2	4.9	4.59
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	459	0.0	7.1	2.0	0.4	23.6	2.0	4.8	4.59
730	9037, SVTM	Cur Wk	27	0.0	17.6	5.2	1.0	22.2	0.2	4.7	4.50
		YTD	3,045	0.0	1.6	2.1	0.4	21.9	0.5	5.0	4.37
755	7558, NB	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	49	0.1	2.1	1.3	0.2	20.0	1.5	5.4	4.40
765	1765, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	9.7	1.7	0.0	23.3	0.6	5.0	4.58
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	101	0.0	0.4	1.3	0.5	21.0	0.4	5.9	4.35
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	139	0.0	1.1	0.6	0.1	18.5	0.9	5.6	4.53
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,110	0.0	1.2	1.1	0.4	20.6	1.4	5.7	4.38
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,341	0.0	0.8	2.2	0.9	20.7	0.5	5.5	4.44
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	486	0.0	0.8	2.8	0.8	19.4	0.4	5.0	4.41
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.3	1.4	0.2	20.6	0.4	5.3	4.44
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,573	0.0	0.6	1.3	0.3	21.4	1.2	5.1	4.44
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.2	0.8	0.0	18.9	0.5	5.6	4.42
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	0.4	1.5	0.2	19.3	0.7	5.3	4.38
916	9016, SVTM	Cur Wk	30	0.0	11.9	1.4	0.3	22.5	0.2	4.4	4.52
		YTD	843	0.0	4.5	1.9	0.4	21.8	0.2	5.1	4.48
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,393	0.0	1.3	2.1	1.1	21.9	1.6	5.7	4.30
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,068	0.0	1.2	3.2	1.3	21.0	1.6	5.3	4.40
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Fresno, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
941	9041, SVTM	YTD	3,389	0.0	0.9	0.8	0.3	21.3	0.8	5.6	4.29
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,912	0.0	1.3	1.1	0.3	21.0	0.5	5.3	4.41
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.3	1.0	0.0	20.6	0.8	5.5	4.42
		Cur Wk	786	0.0	2.8	1.6	1.0	20.1	0.4	4.9	4.50
996	1996, HZ	YTD	8,684	0.0	1.5	1.9	0.6	20.0	0.3	5.0	4.46
		Cur Wk:	1,773	0.0	2.9	2.2	0.9	20.3	0.5	5.0	4.46
		YTD	110,679	0.0	1.1	1.5	0.5	20.4	0.8	5.3	4.42

Glenn

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	137	0.0	2.5	6.9	1.2	19.1	0.9	5.2	4.46
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
566	6506, N	YTD	23	0.1	4.6	0.4	0.9	22.0	0.9	4.7	4.57
		Cur Wk	1	0.0	3.5	5.0	5.5	20.5	1.0	5.1	4.48
		YTD	21	0.0	3.7	2.9	1.4	20.5	0.8	5.3	4.47
610	2016, HZ	Cur Wk	306	0.0	1.9	3.9	1.9	19.4	0.9	5.0	4.41
		YTD	1,904	0.0	1.9	5.7	1.5	19.8	1.0	4.8	4.39
		Cur Wk	431	0.0	3.7	2.1	1.1	21.3	0.5	5.3	4.42
916	9016, SVTM	YTD	636	0.0	4.9	2.2	1.3	22.2	0.6	5.2	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	289	0.0	1.9	6.1	1.9	20.2	0.8	5.1	4.49
996	1996, HZ	Cur Wk:	738	0.0	3.0	2.8	1.5	20.5	0.7	5.2	4.42
		YTD	3,010	0.0	2.6	5.0	1.5	20.3	0.9	4.9	4.41

Kern

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.8	2.5	0.3	21.9	0.2	4.8	4.29
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
036	8163, HM	YTD	303	0.0	0.5	0.3	0.5	19.5	1.3	5.9	4.50
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	493	0.0	0.3	0.6	0.5	19.5	1.0	5.3	4.43
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	1.0	2.8	1.2	20.3	1.8	5.2	4.33
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
103	403, BQ	YTD	715	0.0	0.9	2.0	0.9	20.4	1.0	5.4	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	438	0.0	1.2	0.9	0.4	20.9	1.9	4.4	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	0.1	0.8	0.6	21.5	0.9	4.6	4.50
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.2	1.3	0.5	20.8	2.2	5.2	4.41
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.7	1.0	0.4	20.9	1.3	5.4	4.37
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.9	1.3	0.2	20.7	0.8	4.8	4.30
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,129	0.0	0.4	2.0	0.9	20.2	0.8	5.3	4.36
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.1	8.0	3.5	20.9	1.2	5.9	4.35
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	202	0.0	0.6	1.1	0.8	20.3	1.4	4.4	4.41
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	0.8	0.8	0.6	19.8	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.2	2.2	0.4	19.1	0.2	5.3	4.36
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	796	0.0	0.4	1.6	0.5	19.8	0.7	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	811	0.0	0.5	1.1	0.2	20.4	0.8	4.7	4.40
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	1.0	0.0	20.5	1.0	5.3	4.48
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	0.8	1.0	0.2	24.0	1.9	4.4	4.56
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,021	0.0	0.2	1.4	0.5	20.9	0.5	4.7	4.35
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	228	0.0	0.4	0.5	0.6	19.8	1.0	4.9	4.40
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	190	0.0	0.5	0.5	0.2	22.8	0.6	4.7	4.30
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Kern, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
916	9016, SVTM	YTD	248	0.0	0.8	1.0	0.3	21.7	0.8	4.5	4.42
		Cur Wk	22	0.0	5.9	2.3	0.2	20.5	0.5	5.1	4.42
		YTD	22	0.0	5.9	2.3	0.2	20.5	0.5	5.1	4.42
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	40	0.0	0.6	4.3	1.0	23.2	0.8	5.5	4.27
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
996	1996, HZ	YTD	623	0.0	0.1	1.5	0.3	21.3	0.4	4.7	4.36
Cur Wk:			22	0.0	5.9	2.3	0.2	20.5	0.5	5.1	4.42
YTD			8,930	0.0	0.6	1.5	0.6	20.5	0.9	5.0	4.38

Kings

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	445	0.0	2.4	1.9	0.9	20.5	0.6	5.0	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
027	9027, SVTM	YTD	2,300	0.0	0.3	0.8	0.3	19.5	0.5	5.5	4.35
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	886	0.0	0.7	0.7	0.4	19.6	0.7	5.6	4.50
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,690	0.0	1.8	1.4	0.7	20.7	0.8	5.2	4.40
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
037	8237, HM	YTD	456	0.0	0.5	0.5	0.3	19.6	1.0	5.1	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	79	0.0	1.3	4.4	0.8	21.2	0.8	5.4	4.42
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	0.1	1.0	0.2	21.5	0.8	4.6	4.29
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
074	6474, N	YTD	189	0.0	2.3	1.6	1.2	21.0	2.3	4.9	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	0.1	2.3	0.1	21.2	0.4	5.5	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	521	0.0	0.7	6.4	0.9	19.7	0.6	4.3	4.57
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
124	0221, HMC	YTD	1,400	0.0	0.2	0.8	0.3	19.8	0.4	5.1	4.33
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	191	0.0	1.2	3.5	0.6	18.9	1.3	5.6	4.43
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.2	1.4	0.1	20.4	1.4	4.6	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
165	1657, HZ	YTD	151	0.0	6.4	4.2	0.8	19.9	1.3	4.4	4.47
		Cur Wk									
		YTD									

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	143	0.0	0.4	1.7	0.4	20.2	1.2	5.9	4.30
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,599	0.0	5.1	1.4	1.5	21.6	1.1	5.0	4.46
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	916	0.0	0.9	2.1	0.3	19.9	1.3	5.0	4.36
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	3.8	1.5	0.4	20.0	0.3	5.2	4.55
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,916	0.0	0.2	1.3	0.2	20.9	1.0	4.9	4.36
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	850	0.0	0.1	1.1	0.2	22.3	0.9	4.5	4.45
365	2365, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	783	0.0	2.4	2.3	1.0	19.9	0.5	4.8	4.52
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.1	0.9	0.2	19.0	0.9	5.4	4.47
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	977	0.0	0.6	1.2	0.4	20.3	1.4	5.4	4.46
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,018	0.0	0.5	1.1	0.5	20.6	0.3	5.1	4.35
461	6461, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	1.7	1.5	1.3	21.4	1.1	4.9	4.45
477	4707, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	271	0.0	5.1	2.6	0.9	22.5	0.4	4.5	4.62
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.9	0.7	0.3	21.0	1.0	4.4	4.61
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	279	0.0	0.2	1.4	0.3	20.0	0.7	5.2	4.40
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,041	0.0	0.5	2.9	0.9	20.3	0.7	5.3	4.35
555	MISC TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	3.0	0.7	0.4	20.2	3.2	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,395	0.0	0.3	1.7	0.3	20.2	0.4	4.7	4.34
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	1.0	0.0	19.5	1.5	5.4	4.35
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	2.2	9.3	1.5	21.1	1.7	5.3	4.59
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Kings, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
610	2016, HZ	YTD	40	0.0	0.5	1.8	0.2	20.4	0.6	5.5	4.33
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12,072	0.0	1.4	1.8	0.6	19.7	0.6	4.7	4.38
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	629	0.0	0.2	0.5	0.4	19.8	1.2	5.1	4.34
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.5	8.4	1.9	21.7	0.8	4.1	4.55
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	39	0.0	6.1	2.0	0.7	21.7	0.9	4.9	4.60
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4,506	0.0	4.4	1.7	1.2	21.4	0.6	5.2	4.41
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	472	0.0	1.3	3.6	1.2	20.5	0.5	5.1	4.41
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	188	0.0	2.1	1.1	0.3	22.2	1.1	5.0	4.49
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	10.2	1.9	0.4	21.1	0.2	5.0	4.52
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.8	3.2	0.9	22.6	2.0	5.5	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	121	0.0	2.1	2.6	0.9	21.3	1.1	5.0	4.42
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	920	0.0	1.4	0.5	0.2	20.8	1.3	5.3	4.28
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	370	0.0	0.4	1.1	0.1	19.7	0.1	5.2	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	942	0.0	0.9	1.4	0.4	20.7	0.4	4.6	4.43
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			45,512	0.0	1.7	1.6	0.6	20.4	0.7	5.0	4.40

Madera

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	395	0.0	0.6	3.4	0.5	21.1	0.4	5.2	4.39
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	642	0.0	3.6	1.6	0.6	19.1	1.4	5.6	4.53

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
074	6474, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	835	0.0	1.6	4.4	1.4	22.6	0.8	5.1	4.51
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	108	0.0	2.3	2.9	0.6	19.5	2.4	5.9	4.55
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	1.6	1.5	0.8	21.9	1.9	4.7	4.45
365	2365, HZ	Cur Wk	30	0.0	1.8	1.6	0.5	20.7	0.9	4.5	4.56
		YTD	95	0.0	2.0	1.5	0.5	21.4	0.8	4.7	4.66
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	2.5	5.8	2.1	21.6	1.0	5.1	4.41
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	342	0.0	2.7	2.3	1.0	22.2	1.8	5.2	4.58
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	2.6	2.9	1.3	19.8	1.0	5.2	4.39
477	4707, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	454	0.0	1.1	3.0	0.8	22.0	0.5	4.7	4.48
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	257	0.0	1.2	2.9	1.1	19.6	1.0	5.0	4.54
520	0052, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
558	5508, HZ	Cur Wk	18	0.0	4.0	1.6	0.8	21.6	1.0	4.7	4.56
		YTD	18	0.0	4.0	1.6	0.8	21.6	1.0	4.7	4.56
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	1.5	0.9	0.2	20.9	1.7	4.5	4.50
610	2016, HZ	Cur Wk	221	0.0	3.5	1.7	0.9	19.4	1.0	5.0	4.50
		YTD	1,722	0.0	1.1	2.0	0.6	19.5	0.7	4.9	4.46
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.9	2.4	1.0	20.3	0.5	4.8	4.46
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	966	0.0	1.2	2.7	0.4	21.9	0.4	5.0	4.42
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	2.2	3.8	1.0	20.7	0.5	4.8	4.53
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.1	1.3	0.6	20.1	0.4	5.1	4.35
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	455	0.0	4.2	2.0	0.7	19.8	1.1	5.3	4.53
916	9016, SVTM	Cur Wk	91	0.0	1.4	1.3	0.3	20.8	0.3	5.5	4.44
		YTD	121	0.0	1.3	1.2	0.3	20.8	0.3	5.5	4.44
919	9019, SVTM	Cur Wk	170	0.0	2.5	2.4	0.4	22.5	2.2	5.2	4.34
		YTD	728	0.0	2.7	2.8	0.9	22.2	2.2	5.4	4.33
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Madera, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
996	1996, HZ	YTD	262	0.0	1.8	2.8	0.8	20.6	0.9	5.2	4.39
		Cur Wk	201	0.0	1.1	1.3	0.3	20.0	0.4	5.0	4.51
		YTD	1,552	0.0	0.9	1.4	0.5	20.1	0.5	5.1	4.48
Cur Wk:			731	0.0	2.3	1.7	0.5	20.6	1.0	5.1	4.46
YTD			9,665	0.0	1.7	2.5	0.7	20.8	0.9	5.1	4.47

Merced

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	1.5	1.0	0.8	21.0	1.0	5.3	4.35
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	891	0.0	0.6	1.1	0.6	20.8	1.7	5.8	4.44
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.4	2.3	0.5	23.0	1.2	5.2	4.47
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	267	0.0	1.4	0.3	0.2	19.7	0.8	5.8	4.56
037	8237, HM	Cur Wk	473	0.0	0.8	2.2	0.6	21.0	0.4	5.1	4.40
		YTD	4,547	0.0	1.4	1.9	0.6	21.1	0.6	5.1	4.42
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	0.5	1.1	0.5	20.4	3.4	6.5	4.55
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	1.3	1.2	0.7	21.3	2.7	5.5	4.61
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	859	0.0	2.9	2.1	1.0	19.7	2.3	5.5	4.54
074	6474, N	Cur Wk	6	0.0	2.7	4.4	3.8	20.9	1.1	5.9	4.53
		YTD	1,245	0.0	1.9	2.3	1.0	21.3	1.1	5.5	4.55
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	163	0.0	1.1	0.7	0.7	21.3	2.0	4.6	4.55
112	16112, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	417	0.0	1.7	0.4	0.3	20.4	0.6	4.6	4.43
124	0221, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.0	2.5	0.7	21.2	8.5	5.7	4.42
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	1.5	0.9	0.7	19.4	0.5	4.3	4.53
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	227	0.0	1.3	0.9	0.8	21.2	3.6	5.7	4.53
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	574	0.0	2.5	1.6	1.2	19.7	1.9	5.3	4.51
210	110, BP	Cur Wk	69	0.0	1.5	2.6	0.3	19.8	1.4	5.8	4.30
		YTD	347	0.0	1.1	2.1	0.7	19.8	1.0	5.9	4.35

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	88	0.0	0.6	0.3	0.7	20.7	0.8	5.4	4.32
239	9023, SVTM	Cur Wk	2	0.0	0.3	1.0	1.2	22.2	0.8	5.0	4.39
		YTD	172	0.0	1.0	1.1	0.9	22.6	0.9	5.1	4.49
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	797	0.0	1.8	3.0	1.3	20.9	1.2	4.7	4.45
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	514	0.0	2.5	2.8	1.1	20.7	1.5	4.9	4.50
365	2365, HZ	Cur Wk	187	0.0	0.4	1.6	0.3	20.7	0.5	5.1	4.43
		YTD	187	0.0	0.4	1.6	0.3	20.7	0.5	5.1	4.43
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	1.0	3.0	1.8	21.4	2.0	5.8	4.54
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.6	0.4	0.4	21.1	1.9	5.6	4.55
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,780	0.0	4.2	1.5	1.5	22.1	1.3	4.8	4.54
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	5.4	0.5	0.2	20.3	1.8	5.3	4.60
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	161	0.0	0.8	0.5	0.3	20.3	0.5	4.9	4.63
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	2.1	0.0	0.7	22.1	1.0	4.7	4.53
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	673	0.0	1.1	1.5	0.9	19.2	0.8	4.8	4.52
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	234	0.0	1.7	0.7	0.3	20.1	0.5	5.2	4.39
555	MISC TRIAL	Cur Wk	1	0.0	0.5	1.0	1.0	18.0	1.0	5.5	4.30
		YTD	25	0.0	1.5	0.6	0.2	20.5	0.7	4.7	4.43
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	1.0	0.3	0.1	20.4	0.9	5.6	4.56
577	HEINZ TRIAL	Cur Wk	25	0.0	0.6	2.5	0.5	20.7	0.5	5.5	4.37
		YTD	82	0.0	2.3	2.0	0.3	20.9	0.7	5.0	4.47
610	2016, HZ	Cur Wk	1,314	0.0	2.3	2.7	0.8	19.8	0.7	4.7	4.41
		YTD	6,636	0.0	1.6	2.3	1.0	20.1	0.7	4.6	4.46
649	6498, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	1.6	0.2	0.8	22.1	0.7	4.7	4.58
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	0.5	1.3	0.2	19.3	0.2	4.8	4.41
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	11.0	2.0	4.5	20.5	2.0	6.6	4.64
662	1662, HZ	Cur Wk	16	0.0	0.8	1.4	0.5	21.9	0.4	5.1	4.40

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Merced, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	274	0.0	1.6	2.0	0.2	21.5	0.6	4.9	4.52
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.3	1.7	0.4	22.1	0.2	4.7	4.41
730	9037, SVTM	Cur Wk	899	0.0	1.2	2.9	0.8	21.2	0.3	5.1	4.36
		YTD	5,149	0.0	0.9	2.0	0.6	21.3	0.5	5.1	4.35
740	74, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	373	0.0	2.5	1.5	0.6	20.3	0.8	5.1	4.49
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	90	0.0	1.6	1.7	1.2	21.1	1.1	4.6	4.50
820	1082, SVTM	Cur Wk	4	0.0	0.1	1.9	0.0	22.4	0.1	4.5	4.37
		YTD	2,057	0.0	1.4	1.7	0.8	21.0	1.4	5.4	4.37
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	457	0.0	1.4	2.0	1.2	21.1	1.3	5.2	4.49
903	9036, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	388	0.0	0.7	0.7	0.8	21.3	3.3	6.0	4.47
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	0.9	4.4	1.9	19.2	0.5	6.1	4.39
913	9013, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	2.4	2.2	1.6	19.6	0.9	5.6	4.47
916	9016, SVTM	Cur Wk	415	0.0	1.5	1.5	0.4	21.0	0.3	5.0	4.33
		YTD	665	0.0	1.2	1.6	0.5	21.5	0.3	5.1	4.34
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,811	0.0	3.2	3.4	1.5	21.9	2.3	5.4	4.35
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,711	0.0	2.5	1.5	1.1	20.6	1.2	5.4	4.44
925	9025, SVTM	Cur Wk	45	0.0	3.0	4.3	1.2	20.1	0.4	5.9	4.34
		YTD	1,252	0.0	1.9	1.4	0.4	20.8	0.9	5.3	4.36
941	9041, SVTM	Cur Wk	17	0.0	0.7	1.5	0.2	20.4	0.1	5.5	4.37
		YTD	937	0.0	0.6	1.8	0.7	21.1	0.4	5.2	4.36
996	1996, HZ	Cur Wk	174	0.0	0.4	2.2	0.5	19.6	0.2	5.2	4.39
		YTD	7,108	0.0	0.8	1.8	1.0	20.2	0.5	5.0	4.48
Cur Wk:			3,647	0.0	1.5	2.5	0.7	20.5	0.5	5.0	4.38
YTD			45,102	0.0	1.5	1.9	0.9	20.8	1.0	5.1	4.44

Sacramento

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	88	0.0	1.1	1.3	3.6	20.7	2.7	5.4	4.40
		YTD	88	0.0	1.1	1.3	3.6	20.7	2.7	5.4	4.40
037	8237, HM	Cur Wk	686	0.0	1.1	4.0	2.7	21.4	1.1	5.5	4.40
		YTD	1,528	0.0	1.0	3.8	2.6	21.4	0.8	5.4	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Sacramento, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
068	8268, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	306	0.0	1.0	1.4	1.8	20.4	1.3	5.4	4.34
074	6474, N	Cur Wk	120	0.0	0.6	2.3	4.6	20.6	0.4	5.5	4.34
		YTD	275	0.0	0.7	2.4	4.1	20.9	0.4	5.5	4.36
139	139, BP	Cur Wk	21	0.0	0.5	3.6	0.4	20.1	1.5	5.5	4.27
		YTD	21	0.0	0.5	3.6	0.4	20.1	1.5	5.5	4.27
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	27	0.0	0.5	0.9	0.2	20.2	1.2	5.7	4.25
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	78	0.0	0.3	0.5	0.1	21.1	0.4	6.0	4.23
264	2640, HZ	Cur Wk	12	0.0	0.4	6.7	1.9	20.9	1.5	5.2	4.32
		YTD	12	0.0	0.4	6.7	1.9	20.9	1.5	5.2	4.32
324	8423, BOS	Cur Wk	98	0.0	0.6	4.7	3.2	20.3	0.5	4.9	4.33
		YTD	625	0.0	1.2	3.9	2.0	20.6	1.2	4.8	4.35
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	313	0.0	0.4	1.5	0.2	20.5	0.6	5.6	4.25
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	1.0	3.0	1.1	20.9	0.9	4.9	4.51
610	2016, HZ	Cur Wk	178	0.0	0.2	5.1	1.3	19.6	0.6	5.4	4.27
		YTD	565	0.0	0.5	4.7	2.3	20.2	0.7	5.2	4.30
649	6498, N	Cur Wk	122	0.0	0.4	3.1	1.1	20.5	0.7	5.8	4.44
		YTD	122	0.0	0.4	3.1	1.1	20.5	0.7	5.8	4.44
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	251	0.0	0.5	0.6	4.5	21.1	0.3	5.0	4.39
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	17	0.0	0.8	1.6	5.4	20.8	1.1	5.4	4.32
916	9016, SVTM	Cur Wk	50	0.0	0.8	2.7	3.4	21.4	0.8	5.4	4.26
		YTD	53	0.0	0.7	2.6	3.3	21.4	0.8	5.4	4.26
919	9019, SVTM	Cur Wk	83	0.0	0.7	1.6	2.4	22.1	2.2	5.1	4.25
		YTD	880	0.0	1.3	2.3	2.1	22.0	1.7	5.4	4.27
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,081	0.0	0.3	2.7	2.1	20.3	0.4	5.1	4.42
Cur Wk:			1,458	0.0	0.8	3.6	2.6	20.9	1.1	5.4	4.36
YTD			6,256	0.0	0.8	3.0	2.3	21.0	0.9	5.3	4.35

San Benito

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	122	0.0	0.3	0.2	0.5	20.3	3.2	4.9	4.30
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

San Benito, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
610	2016, HZ	YTD	24	0.0	0.8	0.3	0.2	19.5	1.8	4.7	4.47
		Cur Wk	63	0.0	2.0	2.8	2.4	19.7	0.4	4.7	4.44
		YTD	63	0.0	2.0	2.8	2.4	19.7	0.4	4.7	4.44
996	1996, HZ	Cur Wk	95	0.0	0.3	3.8	1.3	19.8	0.1	5.3	4.36
		YTD	95	0.0	0.3	3.8	1.3	19.8	0.1	5.3	4.36
Cur Wk:			158	0.0	0.9	3.4	1.7	19.8	0.2	5.1	4.39
YTD			304	0.0	0.7	1.9	1.2	19.9	1.5	5.0	4.36

San Joaquin

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
028	6428, N	Cur Wk	89	0.0	1.4	3.2	0.9	21.1	0.7	5.9	4.48
		YTD	89	0.0	1.4	3.2	0.9	21.1	0.7	5.9	4.48
036	8163, HM	Cur Wk	294	0.0	1.6	0.6	0.4	20.0	1.4	5.7	4.55
		YTD	463	0.0	1.3	0.5	0.3	19.8	1.2	5.7	4.53
037	8237, HM	Cur Wk	1,042	0.0	0.4	1.5	0.4	21.3	0.4	5.2	4.34
		YTD	2,390	0.0	0.6	1.7	0.6	21.6	0.6	5.4	4.36
043	43, BP	Cur Wk	13	0.0	0.9	2.7	0.5	20.8	0.0	5.2	4.33
		YTD	495	0.0	1.1	0.5	0.3	20.6	0.8	5.5	4.48
064	0645, LS	Cur Wk	28	0.0	0.6	1.5	0.2	20.8	0.3	5.0	4.49
		YTD	253	0.0	0.9	0.6	0.3	20.4	0.7	5.2	4.48
068	8268, HM	Cur Wk	635	0.0	1.1	1.1	0.4	19.8	1.1	5.4	4.44
		YTD	2,755	0.0	0.7	0.9	0.3	19.5	1.2	5.4	4.42
074	6474, N	Cur Wk	37	0.0	0.3	3.7	1.0	21.5	0.3	5.1	4.37
		YTD	296	0.0	2.2	1.6	0.9	21.9	1.0	5.0	4.48
101	101, BP	Cur Wk	152	0.0	0.1	0.2	0.3	20.0	0.6	5.0	4.47
		YTD	283	0.0	0.7	0.5	0.3	20.2	0.6	5.0	4.47
124	0221, HMC	Cur Wk	11	0.0	3.3	0.1	0.2	21.6	2.0	5.2	4.51
		YTD	31	0.0	1.5	0.9	0.2	22.4	1.6	5.3	4.41
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	0.4	0.2	0.1	20.6	0.8	5.5	4.37
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	70	0.0	2.3	1.3	1.2	19.6	2.3	5.3	4.45
210	110, BP	Cur Wk	112	0.0	1.0	1.2	0.4	21.0	0.7	5.4	4.34
		YTD	900	0.0	0.6	0.8	0.3	20.4	0.8	5.5	4.32
219	109, BP	Cur Wk	152	0.0	0.8	0.7	0.4	20.6	0.8	5.4	4.38
		YTD	716	0.0	0.6	0.7	0.3	20.3	0.6	5.5	4.31
239	9023, SVTM	Cur Wk	179	0.0	0.7	1.0	0.3	21.0	1.2	5.3	4.40
		YTD	777	0.0	0.4	0.5	0.2	20.4	1.0	5.3	4.39
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	153	0.0	0.7	1.7	0.3	20.7	1.0	5.2	4.33

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

San Joaquin, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
324	8423, BOS	Cur Wk	99	0.0	5.8	0.8	1.2	21.7	3.1	4.6	4.60
		YTD	147	0.0	5.8	0.7	1.2	21.7	3.1	4.6	4.59
409	9040, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	107	0.0	1.4	0.8	0.3	20.7	1.1	5.6	4.33
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	0.9	0.2	0.2	20.3	0.4	5.5	4.47
434	6434, N	Cur Wk	58	0.0	7.6	0.8	1.9	22.7	2.3	4.6	4.70
		YTD	396	0.0	5.1	0.3	1.3	22.4	2.0	4.6	4.59
476	2476, HZ	Cur Wk	38	0.0	0.9	0.3	0.2	20.9	0.6	5.5	4.47
		YTD	38	0.0	0.9	0.3	0.2	20.9	0.6	5.5	4.47
485	6485, N	Cur Wk	177	0.0	0.5	0.5	0.6	20.2	0.4	4.7	4.57
		YTD	1,325	0.0	0.7	0.3	0.3	20.1	0.4	4.7	4.55
552	5522, HM	Cur Wk	327	0.0	1.8	0.6	0.2	20.0	0.3	5.7	4.41
		YTD	991	0.0	1.0	0.6	0.3	20.0	0.5	5.5	4.37
565	MIX	Cur Wk	7	0.0	1.1	0.4	0.3	20.4	0.6	4.9	4.47
		YTD	16	0.0	0.9	0.7	0.3	20.0	0.5	5.1	4.45
566	6506, N	Cur Wk	12	0.0	1.2	2.3	2.4	21.1	0.7	5.4	4.44
		YTD	12	0.0	1.2	2.3	2.4	21.1	0.7	5.4	4.44
649	6498, N	Cur Wk	5	0.0	1.3	2.9	1.9	20.7	0.3	6.1	4.55
		YTD	34	0.0	3.9	0.6	1.2	21.6	1.1	4.8	4.62
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	7.2	0.5	0.8	21.6	3.0	6.1	4.68
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	0.6	1.9	0.5	20.9	0.7	5.6	4.27
740	74, BP	Cur Wk	46	0.0	1.5	0.9	0.3	20.0	0.5	5.0	4.49
		YTD	829	0.0	0.9	0.9	0.3	19.8	0.9	5.4	4.40
755	7558, NB	Cur Wk	5	0.0	0.4	0.7	0.4	20.7	0.7	5.5	4.42
		YTD	59	0.0	0.2	1.4	0.9	20.9	0.3	5.4	4.32
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	240	0.0	0.8	0.2	0.5	20.9	1.2	5.4	4.33
841	58841, HM	Cur Wk	200	0.0	0.3	0.8	0.0	20.1	0.6	5.6	4.39
		YTD	842	0.0	0.4	1.0	4.2	21.2	0.4	5.3	4.37
903	9036, SVTM	Cur Wk	46	0.0	0.8	1.8	0.5	20.4	0.9	5.1	4.46
		YTD	301	0.0	0.3	0.8	0.2	19.8	0.9	5.3	4.44
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.1	0.3	0.1	21.3	0.4	5.3	4.44
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	3.0	0.0	2.3	21.9	2.0	4.4	4.48
913	9013, SVTM	Cur Wk	133	0.0	1.1	1.6	1.3	20.3	0.8	5.1	4.46
		YTD	877	0.0	2.5	0.9	1.0	20.1	1.0	5.2	4.46
916	9016, SVTM	Cur Wk	220	0.0	0.9	4.4	2.2	21.3	0.2	4.9	4.33

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

San Joaquin, Continued			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
919	9019, SVTM	YTD	557	0.0	0.6	3.9	2.1	21.2	0.2	5.1	4.33
		Cur Wk	73	0.0	1.2	1.6	2.2	22.1	2.5	5.5	4.28
		YTD	1,064	0.0	1.6	1.2	1.1	22.6	1.9	5.4	4.27
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	71	0.0	0.4	0.4	0.0	19.9	0.8	5.2	4.29
925	9025, SVTM	Cur Wk	178	0.0	0.6	0.4	2.1	21.4	0.4	4.8	4.31
		YTD	406	0.0	0.4	0.6	1.1	20.3	0.4	5.1	4.30
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	411	0.0	0.2	1.1	0.1	21.0	0.2	5.0	4.28
996	1996, HZ	Cur Wk	289	0.0	0.6	1.1	1.0	20.5	0.4	4.9	4.43
		YTD	1,592	0.0	0.3	1.9	0.7	19.9	0.3	5.5	4.35
Cur Wk:			4,657	0.0	1.1	1.3	0.7	20.7	0.8	5.3	4.42
YTD			20,644	0.0	1.0	1.1	0.7	20.6	0.8	5.3	4.40

Santa Clara			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.1	6.2	3.6	20.9	0.1	5.1	4.32
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	161	0.0	0.2	0.2	0.3	19.5	1.4	5.0	4.39
730	9037, SVTM	Cur Wk	107	0.0	0.6	4.6	3.7	20.7	0.3	4.6	4.38
		YTD	270	0.0	0.5	5.1	3.8	20.9	0.3	4.6	4.38
916	9016, SVTM	Cur Wk	9	0.0	0.6	3.6	0.6	22.7	0.4	5.8	4.30
		YTD	9	0.0	0.6	3.6	0.6	22.7	0.4	5.8	4.30
941	9041, SVTM	Cur Wk	116	0.0	0.4	1.5	1.6	20.3	0.1	4.5	4.39
		YTD	231	0.0	0.3	2.0	1.9	20.4	0.1	4.5	4.36
Cur Wk:			232	0.0	0.5	3.0	2.5	20.6	0.2	4.6	4.38
YTD			704	0.0	0.3	3.0	2.3	20.4	0.5	4.7	4.37

Solano			#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
Variety #	Name										
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	1.6	0.4	0.9	21.6	0.9	6.6	4.38
011	8011, SV	Cur Wk	1	0.0	0.5	0.0	0.0	18.5	0.0	4.5	4.32
		YTD	1	0.0	0.5	0.0	0.0	18.5	0.0	4.5	4.32
018	811, BOS	Cur Wk	149	0.0	0.4	0.2	0.2	20.0	0.4	5.0	4.30
		YTD	239	0.0	0.6	1.9	0.2	20.3	0.4	4.8	4.30
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.2	0.7	0.1	20.3	0.2	5.5	4.31

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
036	8163, HM	Cur Wk	64	0.0	0.9	0.4	0.4	19.5	1.0	5.6	4.54
		YTD	850	0.0	1.3	0.6	0.4	19.7	0.7	5.6	4.49
037	8237, HM	Cur Wk	677	0.0	0.4	0.4	0.2	20.6	0.2	5.4	4.36
		YTD	2,215	0.0	0.6	0.6	0.3	21.0	0.2	5.4	4.35
068	8268, HM	Cur Wk	74	0.0	0.3	0.2	0.2	18.9	0.4	5.5	4.47
		YTD	1,200	0.0	0.7	0.5	0.2	19.9	0.8	5.5	4.40
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	321	0.0	0.2	0.5	0.4	20.7	0.5	6.0	4.27
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	19.5	0.0	5.1	4.38
219	109, BP	Cur Wk	60	0.0	0.7	0.1	0.5	20.3	0.5	5.0	4.31
		YTD	231	0.0	0.5	0.6	0.5	21.1	0.7	5.8	4.29
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	830	0.0	0.5	0.2	0.1	21.4	0.3	4.9	4.38
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.8	0.5	0.1	20.4	0.7	4.9	4.32
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	3.3	0.7	2.4	23.2	5.6	4.7	4.41
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	357	0.0	0.8	0.1	0.3	20.7	0.4	5.1	4.45
485	6485, N	Cur Wk	56	0.0	1.6	0.2	0.4	19.9	0.8	4.9	4.65
		YTD	291	0.0	1.4	0.1	0.2	19.9	0.5	4.8	4.59
510	2015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	168	0.0	0.2	1.1	2.1	20.2	0.4	4.3	4.39
552	5522, HM	Cur Wk	99	0.0	0.6	0.2	0.2	19.2	0.1	5.7	4.35
		YTD	1,648	0.0	0.3	0.5	0.2	20.2	0.5	5.6	4.33
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	274	0.0	0.4	1.0	1.8	20.0	0.8	4.6	4.44
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	0.4	0.1	0.0	20.2	1.4	5.2	4.41
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.5	2.0	1.5	23.1	0.8	4.7	4.43
610	2016, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	173	0.0	0.7	2.5	1.6	21.7	1.2	4.9	4.30
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.0	20.0	0.0	5.3	4.51
730	9037, SVTM	Cur Wk	86	0.0	2.0	1.7	0.7	22.0	3.5	4.9	4.40
		YTD	124	0.0	2.6	1.4	0.9	21.9	2.6	4.8	4.40
755	7558, NB	Cur Wk	20	0.0	0.2	0.1	0.1	20.4	0.4	5.5	4.33
		YTD	80	0.0	0.2	1.1	0.1	20.8	0.2	5.1	4.35
841	58841, HM	Cur Wk	170	0.0	0.3	0.6	0.4	20.3	0.2	5.4	4.39

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Solano, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
904	9048, SVTM	YTD	4,298	0.0	1.0	0.5	0.3	20.7	0.3	5.3	4.40
		Cur Wk	12	0.0	0.2	0.2	0.0	19.3	0.1	5.5	4.42
		YTD	12	0.0	0.2	0.2	0.0	19.3	0.1	5.5	4.42
916	9016, SVTM	Cur Wk	55	0.0	0.9	2.1	0.4	21.5	1.0	5.4	4.32
		YTD	477	0.0	1.0	0.7	0.2	21.2	0.3	5.3	4.33
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	6.0	0.0	0.0	21.5	0.5	4.9	4.36
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.5	0.5	0.5	21.5	0.5	4.6	4.42
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	514	0.0	1.0	0.7	0.3	21.4	0.2	4.9	4.34
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	1.0	0.0	20.5	0.0	5.1	4.35
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	1.1	2.3	0.9	19.9	1.9	5.8	4.41
Cur Wk:			1,523	0.0	0.6	0.5	0.3	20.4	0.5	5.3	4.38
YTD			14,787	0.0	0.8	0.6	0.3	20.6	0.4	5.3	4.38

Stanislaus

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	554	0.0	1.2	0.3	0.2	20.6	1.8	5.5	4.46
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	1.0	0.5	21.5	5.5	5.2	4.50
036	8163, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	403	0.0	1.3	0.2	0.2	19.7	0.5	5.5	4.45
037	8237, HM	Cur Wk	936	0.0	0.5	2.2	0.7	20.6	0.2	5.3	4.36
		YTD	2,318	0.0	0.7	1.7	0.5	20.8	0.3	5.3	4.37
064	0645, LS	Cur Wk	32	0.0	0.5	0.5	0.3	19.6	1.1	5.7	4.51
		YTD	161	0.0	1.2	0.2	0.3	20.3	1.3	5.2	4.54
068	8268, HM	Cur Wk	81	0.0	1.0	1.1	0.2	19.3	1.4	5.8	4.47
		YTD	674	0.0	1.3	0.7	0.1	19.3	1.2	5.4	4.44
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	187	0.0	1.2	0.5	0.5	20.7	1.7	4.8	4.48
124	0221, HMC	Cur Wk	1	0.0	0.5	0.5	0.0	20.0	5.5	5.8	4.42
		YTD	1	0.0	0.5	0.5	0.0	20.0	5.5	5.8	4.42
130	130, BP	Cur Wk	1	0.0	0.5	0.5	0.5	20.5	2.5	6.6	4.41
		YTD	1	0.0	0.5	0.5	0.5	20.5	2.5	6.6	4.41

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	222	0.0	0.5	0.3	0.0	19.4	0.5	4.6	4.43
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	179	0.0	1.0	0.1	0.1	19.9	0.5	5.2	4.36
210	110, BP	Cur Wk	32	0.0	2.0	0.0	0.3	21.2	1.4	5.0	4.41
		YTD	238	0.0	1.7	0.9	0.2	20.9	1.2	5.4	4.38
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	378	0.0	0.7	0.3	0.2	20.2	0.5	5.5	4.33
239	9023, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	753	0.0	0.9	0.6	0.1	21.3	0.8	4.9	4.41
248	8422, BOS	Cur Wk	118	0.0	2.3	6.3	1.8	21.0	0.3	4.3	4.42
		YTD	118	0.0	2.3	6.3	1.8	21.0	0.3	4.3	4.42
291	0298, SY	Cur Wk	15	0.0	2.7	1.5	1.0	20.9	0.9	4.9	4.57
		YTD	15	0.0	2.7	1.5	1.0	20.9	0.9	4.9	4.57
430	9034, SVTM	Cur Wk	16	0.0	2.8	0.4	0.9	21.1	1.0	5.0	4.55
		YTD	16	0.0	2.8	0.4	0.9	21.1	1.0	5.0	4.55
434	6434, N	Cur Wk	88	0.0	2.3	2.6	1.5	20.6	0.9	5.0	4.57
		YTD	113	0.0	2.5	2.5	1.5	20.7	0.9	4.9	4.56
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	192	0.0	2.1	0.1	0.3	21.5	1.4	5.4	4.48
485	6485, N	Cur Wk	44	0.0	0.6	1.5	0.3	19.4	0.4	5.4	4.51
		YTD	538	0.0	0.8	0.3	0.2	19.9	0.4	4.7	4.53
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.5	0.4	0.2	21.4	0.3	4.7	4.52
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.5	0.6	0.0	18.8	0.3	5.7	4.34
565	MIX	Cur Wk	9	0.0	0.6	1.4	0.1	19.2	0.7	5.8	4.54
		YTD	18	0.0	0.9	1.0	0.2	19.8	1.0	5.4	4.50
610	2016, HZ	Cur Wk	212	0.0	0.8	0.7	0.4	21.1	0.8	4.9	4.36
		YTD	732	0.0	0.5	0.8	0.3	20.7	0.6	4.8	4.34
649	6498, N	Cur Wk	12	0.0	0.9	3.8	1.4	19.6	0.1	5.3	4.46
		YTD	12	0.0	0.9	3.8	1.4	19.6	0.1	5.3	4.46
730	9037, SVTM	Cur Wk	511	0.0	0.8	1.1	0.5	21.5	0.3	5.0	4.35
		YTD	942	0.0	0.8	0.9	0.4	21.7	0.7	5.2	4.38
740	74, BP	Cur Wk	5	0.0	1.1	0.8	0.2	19.4	0.8	6.9	4.45
		YTD	147	0.0	2.7	0.8	0.1	19.6	1.0	5.7	4.52
755	7558, NB	Cur Wk	39	0.0	0.3	0.7	0.7	20.5	0.5	4.9	4.35
		YTD	39	0.0	0.3	0.7	0.7	20.5	0.5	4.9	4.35
820	1082, SVTM	Cur Wk	2	0.0	1.0	0.8	0.3	21.0	1.2	5.5	4.30
		YTD	566	0.0	1.1	1.2	0.5	20.6	1.0	5.5	4.34
841	58841, HM	Cur Wk	75	0.0	0.8	1.3	0.5	21.0	0.6	5.5	4.39

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Stanislaus, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
903	9036, SVTM	YTD	478	0.0	0.6	1.6	0.2	20.6	0.3	5.2	4.41
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	344	0.0	1.1	1.3	0.6	20.2	1.7	5.7	4.44
904	9048, SVTM	Cur Wk	28	0.0	0.1	1.4	0.5	19.5	0.3	5.9	4.40
		YTD	51	0.0	0.2	0.9	0.4	19.5	0.4	6.0	4.42
916	9016, SVTM	Cur Wk	283	0.0	0.7	2.1	1.3	21.3	0.2	5.2	4.35
		YTD	283	0.0	0.7	2.1	1.3	21.3	0.2	5.2	4.35
919	9019, SVTM	Cur Wk	1	0.0	0.0	1.5	0.0	21.5	0.5	6.3	4.32
		YTD	276	0.0	3.5	1.4	1.1	22.0	2.7	5.3	4.32
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	172	0.0	0.8	0.1	0.0	21.4	1.1	4.8	4.42
925	9025, SVTM	Cur Wk	162	0.0	0.4	0.4	0.2	21.0	0.3	5.0	4.26
		YTD	595	0.0	1.6	0.3	0.3	21.5	1.2	5.1	4.37
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	111	0.0	3.1	1.5	0.8	21.1	0.3	4.8	4.42
951	9516, BOS	Cur Wk	12	0.0	0.1	1.0	0.9	20.3	0.5	4.8	4.36
		YTD	12	0.0	0.1	1.0	0.9	20.3	0.5	4.8	4.36
996	1996, HZ	Cur Wk	292	0.0	0.8	1.6	0.5	19.5	0.3	4.8	4.47
		YTD	1,685	0.0	0.7	1.2	0.4	19.9	0.3	5.0	4.45
Cur Wk:			3,007	0.0	0.8	1.8	0.7	20.7	0.4	5.1	4.38
YTD			13,690	0.0	1.0	1.0	0.4	20.6	0.8	5.2	4.41

Sutter

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	2.7	0.5	0.0	21.3	1.7	5.0	4.35
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	2.5	4.3	0.8	20.9	1.3	5.0	4.52
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	196	0.0	1.7	0.5	0.1	21.3	2.9	5.2	4.42
028	6428, N	Cur Wk	119	0.0	5.0	4.6	1.6	21.7	2.0	5.2	4.47
		YTD	174	0.0	4.3	4.7	1.5	21.9	2.5	5.1	4.49
037	8237, HM	Cur Wk	489	0.0	1.1	1.1	0.3	22.0	0.4	5.3	4.32
		YTD	2,033	0.0	1.2	2.5	0.7	21.9	0.6	5.1	4.35
068	8268, HM	Cur Wk	22	0.0	7.2	3.8	0.3	20.5	1.1	5.0	4.61
		YTD	349	0.0	2.4	1.4	0.2	19.5	1.8	5.5	4.51
210	110, BP	Cur Wk	32	0.0	11.7	0.7	0.3	21.5	0.5	5.1	4.56
		YTD	52	0.0	10.6	1.0	0.4	21.7	0.4	5.2	4.56
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	8.6	1.1	0.5	21.7	0.5	5.2	4.52

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	106	0.0	3.3	2.7	1.2	21.6	1.4	4.4	4.47
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	3.7	0.0	0.0	21.0	2.2	5.3	4.42
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	77	0.0	1.3	5.2	0.9	20.5	0.7	4.7	4.33
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	1.1	2.7	1.1	23.1	3.6	4.6	4.44
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	183	0.0	0.7	6.5	0.8	22.2	1.7	5.1	4.27
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	533	0.0	2.3	5.2	1.6	22.9	2.4	4.8	4.45
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
473	2374, HZ	Cur Wk	1	0.0	0.0	0.5	0.0	21.0	0.0	5.0	4.32
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	5.0	4.32
477	4707, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	266	0.0	1.0	1.5	0.4	21.8	0.8	4.5	4.40
485	6485, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5	0.0	9.7	3.6	0.4	21.9	0.3	4.3	4.68
510	2015, HZ	Cur Wk	55	0.0	4.5	3.4	0.9	19.3	1.2	4.3	4.49
		YTD	773	0.0	1.5	4.8	1.0	19.2	0.8	4.5	4.42
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	216	0.0	3.3	1.6	0.2	20.9	0.3	5.6	4.41
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	52	0.0	0.6	1.4	0.6	20.7	0.9	5.2	4.42
610	2016, HZ	Cur Wk	297	0.0	1.8	2.9	0.7	19.7	1.2	4.8	4.38
		YTD	6,405	0.0	2.0	3.6	1.0	20.3	1.1	4.7	4.38
649	6498, N	Cur Wk	73	0.0	0.9	3.8	1.6	19.9	0.5	5.8	4.50
		YTD	162	0.0	1.3	4.4	1.7	20.6	0.7	5.2	4.49
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	2.3	4.2	0.6	21.8	0.8	5.0	4.43
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.8	0.8	1.1	20.7	0.8	4.8	4.44
662	1662, HZ	Cur Wk	175	0.0	0.8	3.0	0.7	20.7	1.1	5.6	4.33
		YTD	307	0.0	1.9	2.9	1.1	21.2	1.5	5.3	4.39
675	6475, N	Cur Wk	120	0.0	2.7	5.4	0.9	21.3	0.9	5.2	4.43
		YTD	120	0.0	2.7	5.4	0.9	21.3	0.9	5.2	4.43
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	2.3	1.8	0.6	21.3	1.1	4.7	4.42
730	9037, SVTM	Cur Wk	231	0.0	2.5	5.1	1.1	21.0	0.9	5.0	4.39

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Sutter, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
755	7558, NB	YTD	629	0.0	2.0	3.2	1.1	21.8	1.4	5.0	4.38
		Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	17	0.1	1.0	0.7	0.4	23.5	0.3	4.7	4.28
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	220	0.0	1.0	0.5	0.0	21.6	0.7	5.6	4.42
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.3	0.7	0.0	19.2	0.3	5.3	4.36
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	1.7	1.0	0.8	21.2	3.8	4.6	4.38
916	9016, SVTM	Cur Wk	149	0.0	2.7	5.8	0.7	21.2	0.4	5.3	4.30
		YTD	2,457	0.0	2.2	2.5	0.7	21.9	0.5	5.0	4.36
925	9025, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	3.0	0.0	0.5	20.5	0.5	5.0	4.42
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,095	0.0	1.3	3.7	1.1	21.6	0.9	4.9	4.37
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	469	0.0	1.4	2.6	0.9	20.6	0.9	5.0	4.42
Cur Wk:			1,763	0.0	2.3	3.3	0.8	21.0	0.9	5.2	4.38
YTD			17,283	0.0	1.9	3.3	0.9	21.0	1.0	4.9	4.39

Tehama

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
037	8237, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	133	0.0	1.0	6.4	1.7	21.6	0.6	4.9	4.28
916	9016, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.7	6.0	1.4	22.7	0.8	4.8	4.31
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	112	0.0	2.5	2.8	2.7	22.1	3.4	5.2	4.39
941	9041, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	261	0.0	1.2	3.8	1.4	22.2	0.9	4.7	4.33
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			599	0.0	1.5	4.5	1.7	22.1	1.3	4.8	4.33

Tulare

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
018	811, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	1.7	4.2	1.4	20.7	0.5	4.3	4.40
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	653	0.0	0.8	3.7	1.2	20.4	0.4	5.1	4.39

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Tulare, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	842	0.0	0.6	4.6	1.5	19.3	0.4	4.6	4.52
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	66	0.0	1.9	2.7	0.0	20.7	0.6	5.0	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	606	0.0	0.9	4.0	0.6	20.5	1.7	5.1	4.46
552	5522, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	483	0.0	0.5	2.5	1.2	19.9	0.6	5.4	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	201	0.0	2.8	2.0	0.3	19.7	0.5	4.5	4.42
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	1.2	6.3	0.6	21.1	1.5	4.2	4.45
730	9037, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	132	0.0	1.4	3.0	0.6	22.6	0.9	5.2	4.46
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	888	0.0	1.0	5.7	1.2	20.8	0.5	4.6	4.39
841	58841, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	360	0.0	1.9	5.5	0.8	21.2	0.8	4.9	4.50
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	209	0.0	0.8	5.6	0.7	19.5	0.7	4.8	4.43
996	1996, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	54	0.0	1.1	2.4	0.2	21.2	0.8	4.6	4.44
Cur Wk:			0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
YTD			4,671	0.0	1.0	4.3	1.0	20.3	0.7	4.9	4.43

Yolo

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
000	000, UNCODED	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.5	1.0	0.5	18.5	0.0	5.4	4.30
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	898	0.0	0.9	0.7	0.4	20.9	0.7	4.9	4.34
028	6428, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	679	0.0	2.5	4.9	0.8	22.8	3.6	4.7	4.53
036	8163, HM	Cur Wk	46	0.0	2.5	0.6	1.0	19.7	1.4	5.2	4.56
		YTD	248	0.0	2.1	0.5	0.5	19.6	1.3	5.3	4.49
037	8237, HM	Cur Wk	1,728	0.0	0.7	0.6	0.5	20.7	0.3	5.2	4.34

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	11,230	0.0	0.8	0.8	0.3	21.3	0.3	5.1	4.34
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
064	0645, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	81	0.0	0.3	0.0	0.4	20.7	0.9	5.2	4.27
068	8268, HM	Cur Wk	97	0.0	1.1	0.7	0.1	19.2	1.0	5.4	4.43
		YTD	2,812	0.0	0.7	0.5	0.2	19.8	0.7	5.2	4.40
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
101	101, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	1.0	0.2	0.4	21.1	1.5	4.5	4.54
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	0.5	0.3	0.2	21.7	2.3	5.1	4.44
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	164	0.0	0.7	1.2	0.0	19.7	0.2	4.5	4.41
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	494	0.0	0.6	0.6	0.3	20.4	1.0	5.2	4.33
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	238	0.0	1.2	4.8	1.1	21.0	4.2	4.7	4.49
210	110, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	529	0.0	0.9	0.4	0.2	20.3	1.3	5.2	4.30
219	109, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	792	0.0	1.2	0.5	0.2	20.6	0.9	5.2	4.31
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.7	0.7	0.2	20.8	1.4	4.9	4.31
248	8422, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	250	0.0	1.5	3.5	0.6	21.5	2.3	4.5	4.36
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	0.8	0.2	0.2	18.0	0.5	5.4	4.36
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	0.5	0.2	0.1	21.4	0.3	5.3	4.36
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	109	0.0	0.5	1.8	0.6	20.9	0.5	4.6	4.33
264	2640, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	80	0.0	0.9	2.6	2.4	21.4	0.8	4.7	4.31
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	437	0.0	0.2	0.6	0.1	20.7	1.8	5.1	4.38

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
314	37314, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	0.0	21.0	0.0	4.6	4.28
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,529	0.0	0.7	2.3	1.0	21.7	2.4	5.1	4.37
324	8423, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	162	0.0	0.5	3.4	1.0	20.4	1.2	5.0	4.35
409	9040, SVTM	Cur Wk	6	0.0	2.1	0.8	1.3	20.5	0.5	5.4	4.45
		YTD	146	0.0	1.3	0.7	0.3	21.8	1.6	5.1	4.46
430	9034, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	800	0.0	0.7	0.3	0.1	21.0	0.6	5.1	4.43
434	6434, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	895	0.0	2.0	3.9	1.4	23.3	3.5	5.0	4.51
473	2374, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	1.4	0.3	0.2	20.9	0.0	5.0	4.31
476	2476, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	141	0.0	1.3	0.3	0.1	21.5	0.5	5.0	4.42
485	6485, N	Cur Wk	137	0.0	0.9	0.2	0.1	20.1	0.2	4.4	4.55
		YTD	666	0.0	1.2	0.3	0.1	20.3	0.3	4.3	4.55
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
510	2015, HZ	Cur Wk	167	0.0	0.4	1.3	0.8	19.9	0.6	4.7	4.38
		YTD	1,299	0.0	0.4	2.8	1.3	19.4	0.4	4.7	4.36
552	5522, HM	Cur Wk	46	0.0	2.9	0.6	0.5	19.9	0.4	5.3	4.47
		YTD	625	0.0	1.5	0.2	0.2	20.2	0.9	5.5	4.42
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	409	0.0	1.5	1.3	0.8	20.2	1.6	4.6	4.46
565	MIX	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	2.0	0.0	0.0	19.5	0.0	5.1	4.38
566	6506, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	0.7	1.2	0.6	20.5	0.4	4.8	4.50
577	HEINZ TRIAL	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14	0.0	2.0	2.0	0.2	20.3	0.3	4.6	4.38
610	2016, HZ	Cur Wk	774	0.0	0.5	2.5	1.4	20.3	0.6	4.6	4.31
		YTD	5,098	0.0	0.8	3.0	0.9	20.4	0.6	4.7	4.32
638	2638, HZ	Cur Wk	22	0.0	0.7	0.8	1.4	21.3	1.3	5.0	4.39
		YTD	22	0.0	0.7	0.8	1.4	21.3	1.3	5.0	4.39
649	6498, N	Cur Wk	11	0.0	1.0	0.8	3.6	20.5	0.0	5.4	4.54
		YTD	24	0.0	1.2	1.1	1.9	20.9	1.0	5.3	4.53
652	6502, N	Cur Wk	6	0.0	0.5	0.4	0.1	19.2	0.2	4.8	4.49
		YTD	6	0.0	0.5	0.4	0.1	19.2	0.2	4.8	4.49
662	1662, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Yolo, Continued

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
730	9037, SVTM	YTD	85	0.0	1.4	1.2	0.5	21.8	2.3	4.5	4.46
		Cur Wk	49	0.0	1.3	3.3	0.9	20.6	0.6	4.9	4.31
		YTD	1,699	0.0	0.9	2.8	0.5	21.9	0.6	4.8	4.32
740	74, BP	Cur Wk	14	0.0	2.2	1.1	0.1	19.8	0.2	5.2	4.46
		YTD	82	0.0	0.9	1.1	0.2	19.6	0.3	5.9	4.35
755	7558, NB	Cur Wk	97	0.0	0.3	0.3	0.1	19.8	0.2	5.1	4.32
		YTD	235	0.0	0.5	0.3	0.1	20.2	0.2	5.1	4.32
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	50	0.0	1.3	0.1	0.4	18.6	0.7	5.2	4.50
820	1082, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	130	0.0	1.2	0.5	0.5	21.6	1.0	4.8	4.32
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
841	58841, HM	Cur Wk	58	0.0	0.6	0.3	0.1	20.2	0.3	5.6	4.40
		YTD	5,664	0.0	1.2	0.7	0.3	21.0	0.6	5.3	4.39
901	9011, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
904	9048, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	31	0.0	1.2	0.1	0.1	19.9	0.4	4.9	4.38
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	12	0.0	0.5	0.2	0.2	20.6	2.2	4.6	4.32
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	677	0.0	1.9	2.6	1.4	21.4	0.7	5.3	4.30
		YTD	4,982	0.0	1.1	1.3	0.5	21.6	0.4	5.0	4.31
919	9019, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	777	0.0	0.9	0.5	0.2	22.8	1.6	5.0	4.26
941	9041, SVTM	Cur Wk	17	0.0	2.2	0.0	0.0	21.0	0.2	4.7	4.37
		YTD	3,093	0.0	0.7	1.6	0.5	21.8	0.7	4.7	4.31
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.0	0.3	19.5	0.5	5.8	4.23
996	1996, HZ	Cur Wk	50	0.0	1.2	0.3	0.7	21.0	0.4	5.5	4.39
		YTD	924	0.0	1.2	1.6	0.7	21.5	1.5	4.8	4.41
Cur Wk:			4,002	0.0	0.9	1.4	0.8	20.6	0.5	5.1	4.34
YTD			49,600	0.0	0.9	1.4	0.5	21.1	0.8	5.0	4.36

Average Defects Report (RP10)

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

TOTAL STATEWIDE	Cur Wk	24,248	0.0	1.4	2.1	0.9	20.6	0.6	5.1	4.39
	YTD	381,047	0.0	1.3	1.8	0.7	20.6	0.8	5.1	4.40

Average Defects by Variety Report (RP20)**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**
Week 14 Ending 10/03/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	526	0.0	2.2	1.8	0.8	20.6	0.6	5.0	4.38
520	0052, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	3.5	2.5	0.6	20.3	3.5	5.3	4.57
1	010, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	37	0.0	1.0	2.9	0.4	20.2	2.9	5.4	4.39
909	0199, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	64	0.0	1.4	0.9	2.0	21.1	2.7	4.7	4.36
124	0221, HMC	Cur Wk	12	0.0	3.0	0.2	0.2	21.5	2.3	5.2	4.50
		YTD	250	0.0	2.4	1.5	1.6	21.3	2.6	5.0	4.40
572	0275, SY	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	1.5	2.3	0.4	20.8	2.4	5.1	4.39
291	0298, SY	Cur Wk	15	0.0	2.7	1.5	1.0	20.9	0.9	4.9	4.57
		YTD	15	0.0	2.7	1.5	1.0	20.9	0.9	4.9	4.57
173	0371, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9946	0.0	0.5	1.1	0.4	20.0	0.9	5.4	4.37
064	0645, LS	Cur Wk	60	0.0	0.5	1.0	0.3	20.1	0.7	5.4	4.50
		YTD	2319	0.0	1.0	1.0	0.5	20.2	1.3	5.4	4.52
196	0691, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	532	0.0	0.8	3.6	1.0	20.6	3.3	4.8	4.47
101	101, BP	Cur Wk	152	0.0	0.1	0.2	0.3	20.0	0.6	5.0	4.47
		YTD	1443	0.0	1.0	0.7	0.4	20.6	1.3	4.9	4.49
015	1015, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	965	0.0	1.3	1.8	1.2	20.4	1.3	4.9	4.47
820	1082, SVTM	Cur Wk	6	0.0	0.4	1.5	0.1	21.9	0.5	4.8	4.35
		YTD	5323	0.0	1.2	1.3	0.6	20.8	1.3	5.5	4.37
109	109	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	1.0	0.3	0.1	20.1	0.9	5.3	4.26
219	109, BP	Cur Wk	212	0.0	0.8	0.6	0.5	20.5	0.7	5.3	4.36
		YTD	3436	0.0	0.8	0.7	0.3	20.5	0.8	5.5	4.32
210	110, BP	Cur Wk	245	0.0	2.8	1.4	0.3	20.8	1.0	5.4	4.37
		YTD	3036	0.0	1.0	0.9	0.3	20.4	1.0	5.6	4.33
441	114, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	3.0	0.3	19.0	2.8	5.0	4.40
161	116 ,BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	296	0.0	0.5	1.2	0.3	21.2	1.3	5.3	4.43
118	118, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	407	0.0	0.2	2.5	0.3	20.8	0.6	5.0	4.29
211	121, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	0.5	0.3	0.2	20.8	0.9	5.5	4.39
130	130, BP	Cur Wk	1	0.0	0.5	0.5	0.5	20.5	2.5	6.6	4.41

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	10	0.0	1.4	1.5	0.4	20.4	1.6	6.3	4.47
139	139, BP	Cur Wk	21	0.0	0.5	3.6	0.4	20.1	1.5	5.5	4.27
		YTD	21	0.0	0.5	3.6	0.4	20.1	1.5	5.5	4.27
112	16112, UG	Cur Wk	9	0.0	0.9	2.6	0.5	21.9	0.2	5.0	4.39
		YTD	2130	0.0	1.5	0.7	0.3	20.0	0.7	5.0	4.46
165	1657, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1564	0.0	0.7	4.8	1.2	19.5	0.4	4.5	4.54
662	1662, HZ	Cur Wk	203	0.0	1.4	2.8	0.7	20.8	1.0	5.5	4.35
		YTD	1424	0.0	3.2	2.1	0.6	21.5	1.3	4.9	4.50
171	1715, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	417	0.0	1.4	0.8	0.1	19.6	0.4	4.6	4.44
765	1765, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	9.7	1.7	0.0	23.3	0.6	5.1	4.58
776	1776, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1857	0.0	1.3	4.4	1.1	20.7	0.5	4.9	4.42
763	17763, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	1.1	1.2	0.7	19.6	0.3	5.3	4.36
187	187, CXD	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	741	0.0	0.8	1.0	0.3	20.7	1.6	4.5	4.38
988	1988, LS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.6	0.7	0.1	20.3	0.6	5.5	4.36
191	1991, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	495	0.0	2.1	2.0	0.5	20.5	0.9	4.7	4.44
996	1996, HZ	Cur Wk	1901	0.0	1.6	1.7	0.8	20.0	0.3	4.9	4.47
		YTD	26742	0.0	1.1	2.0	0.8	20.2	0.5	5.0	4.45
010	2010, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	2.5	0.0	20.0	0.0	6.0	4.41
510	2015, HZ	Cur Wk	271	0.0	1.3	2.5	0.7	19.6	0.7	4.6	4.42
		YTD	4857	0.0	1.3	3.7	1.3	19.3	0.6	4.6	4.44
610	2016, HZ	Cur Wk	3913	0.0	1.9	2.8	1.0	19.9	0.8	4.8	4.39
		YTD	48139	0.0	1.7	2.6	0.8	20.1	0.8	4.7	4.40
502	205, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.2	0.3	0.3	21.8	0.8	5.4	4.46
227	22706, ISI	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	4.9	4.32
365	2365, HZ	Cur Wk	264	0.0	0.7	1.8	0.5	20.7	0.5	5.0	4.47
		YTD	1844	0.0	2.2	2.8	0.8	20.4	0.5	4.8	4.55
473	2374, HZ	Cur Wk	1	0.0	0.0	0.5	0.0	21.0	0.0	5.0	4.32
		YTD	15	0.0	1.3	0.3	0.2	20.9	0.0	5.0	4.31
247	247, E	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1530	0.0	0.8	1.6	0.3	20.2	1.2	5.0	4.34
476	2476, HZ	Cur Wk	38	0.0	0.9	0.3	0.2	20.9	0.6	5.5	4.47
		YTD	525	0.0	1.3	1.0	0.7	21.5	1.3	5.1	4.47

* Loads Which Were Certified And Paid For
 Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
479	2479, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	501	0.0	0.5	1.6	0.8	20.2	1.3	4.8	4.39
251	2515, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.6	1.3	0.4	19.4	0.8	5.2	4.40
256	2516, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	38	0.0	0.8	0.5	0.1	21.1	0.4	5.3	4.40
533	2533, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	46	0.0	8.9	3.0	0.4	21.1	0.9	4.7	4.54
026	262, SSA	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	1.5	0.0	20.5	3.5	5.6	4.56
638	2638, HZ	Cur Wk	22	0.0	0.7	0.8	1.4	21.3	1.3	5.0	4.39
		YTD	22	0.0	0.7	0.8	1.4	21.3	1.3	5.0	4.39
263	2639, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	401	0.0	1.7	2.9	0.9	20.4	0.7	4.8	4.37
264	2640, HZ	Cur Wk	12	0.0	0.4	6.7	1.9	20.9	1.5	5.2	4.32
		YTD	182	0.0	1.4	3.5	1.6	21.5	1.5	4.6	4.36
273	273, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	3.1	1.5	20.5	1.4	5.8	4.44
314	37314, UG	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	0.0	21.0	0.0	4.6	4.28
842	3842, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	123	0.0	1.2	1.4	1.2	20.6	1.0	5.6	4.50
400	400, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	970	0.0	0.1	1.1	0.4	19.2	0.9	5.3	4.42
103	403, BQ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.7	0.9	20.3	2.4	5.1	4.31
043	43, BP	Cur Wk	13	0.0	0.9	2.7	0.5	20.8	0.0	5.2	4.33
		YTD	495	0.0	1.1	0.5	0.3	20.6	0.8	5.5	4.48
452	4521, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2557	0.0	0.6	1.1	0.5	20.8	0.4	5.1	4.36
477	4707, HZ	Cur Wk	145	0.0	4.2	2.9	0.6	22.1	0.9	5.1	4.55
		YTD	2021	0.0	2.8	2.3	0.7	22.1	0.6	4.8	4.51
707	47073, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2146	0.0	2.3	2.2	0.4	22.3	0.7	4.8	4.46
052	5235, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	281	0.0	0.9	1.0	0.3	20.4	3.4	5.1	4.44
369	5369, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	419	0.0	1.6	0.3	0.1	20.2	1.0	5.3	4.63
558	5508, HZ	Cur Wk	18	0.0	4.0	1.6	0.8	21.6	1.0	4.7	4.56
		YTD	18	0.0	4.0	1.6	0.8	21.6	1.0	4.7	4.56
511	5511, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	614	0.0	0.3	1.1	0.2	20.2	2.0	5.5	4.43
552	5522, HM	Cur Wk	472	0.0	1.6	0.5	0.2	19.8	0.3	5.6	4.41

* Loads Which Were Certified And Paid For
 Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	13465	0.0	0.7	1.0	0.3	19.8	0.6	5.5	4.36
560	5608, HZ	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4233	0.0	0.6	1.5	0.4	20.0	0.6	4.7	4.38
841	58841, HM	Cur Wk	503	0.0	0.4	0.8	0.2	20.3	0.5	5.5	4.39
		YTD	14953	0.0	1.0	1.1	0.7	20.9	0.5	5.3	4.41
316	621316, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.4	1.8	0.1	20.6	0.4	5.7	4.35
326	621326, HMC	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	9	0.0	0.9	0.5	0.4	19.9	1.0	4.9	4.37
366	6366, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	178	0.0	0.4	0.4	0.2	20.4	0.8	4.9	4.36
042	6402, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	418	0.0	0.4	1.8	0.6	19.9	2.0	5.6	4.46
641	6416, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2428	0.0	0.3	1.3	0.4	19.8	1.1	5.0	4.35
028	6428, N	Cur Wk	468	0.0	2.5	5.1	1.8	21.4	1.8	5.1	4.45
		YTD	4027	0.0	2.2	4.4	1.2	22.3	2.5	4.9	4.48
434	6434, N	Cur Wk	146	0.0	4.5	1.9	1.7	21.5	1.5	4.8	4.62
		YTD	5408	0.0	3.2	2.6	1.4	22.4	2.0	4.9	4.52
461	6461, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	20.5	1.5	5.6	4.46
074	6474, N	Cur Wk	163	0.0	0.6	2.7	3.7	20.8	0.4	5.4	4.35
		YTD	3914	0.0	1.4	3.5	1.4	21.6	0.9	5.4	4.49
675	6475, N	Cur Wk	120	0.0	2.7	5.4	0.9	21.3	0.9	5.2	4.43
		YTD	120	0.0	2.7	5.4	0.9	21.3	0.9	5.2	4.43
648	6480, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	853	0.0	1.6	0.9	0.3	20.1	0.3	4.6	4.43
485	6485, N	Cur Wk	414	0.0	0.8	0.5	0.4	20.0	0.4	4.7	4.57
		YTD	4924	0.0	1.1	0.5	0.3	20.1	0.5	4.6	4.56
489	6489, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1492	0.0	0.4	0.9	0.2	19.5	0.4	5.2	4.40
649	6498, N	Cur Wk	223	0.0	0.6	3.2	1.4	20.3	0.6	5.8	4.47
		YTD	500	0.0	1.1	2.9	1.3	20.6	0.8	5.4	4.48
650	6500, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	98	0.0	1.1	3.6	0.7	20.5	0.6	4.8	4.43
652	6502, N	Cur Wk	6	0.0	0.5	0.4	0.1	19.2	0.2	4.8	4.49
		YTD	8	0.0	0.4	0.3	0.1	19.1	0.4	4.9	4.49
654	6504, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	0.7	3.4	0.7	19.8	1.3	6.1	4.50
566	6506, N	Cur Wk	12	0.0	1.2	2.3	2.4	21.1	0.7	5.4	4.44
		YTD	112	0.0	2.0	2.9	1.2	21.3	1.1	5.0	4.53
856	6508, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	2.8	1.5	1.0	21.0	0.2	4.8	4.54

* Loads Which Were Certified And Paid For
 Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
659	6509, N	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	89	0.0	3.0	1.0	0.9	21.1	1.1	5.3	4.48
006	68, BP	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.5	1.5	0.5	21.5	2.0	4.9	4.52
848	6848, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	887	0.0	0.7	3.0	0.7	19.4	0.5	4.9	4.42
851	6851, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	16	0.0	2.0	1.6	0.3	19.9	1.7	4.7	4.34
301	7103, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7590	0.0	0.4	1.7	0.4	20.5	1.3	5.2	4.39
740	74, BP	Cur Wk	65	0.0	1.6	0.9	0.3	19.9	0.5	5.2	4.48
		YTD	2407	0.0	1.3	1.1	0.3	19.9	1.1	5.3	4.43
755	7558, NB	Cur Wk	161	0.0	0.3	0.4	0.2	20.1	0.3	5.1	4.33
		YTD	482	0.0	0.6	0.7	0.3	20.5	0.4	5.1	4.34
178	7708, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2052	0.0	2.5	3.1	0.8	19.4	1.7	5.4	4.47
011	8011, SV	Cur Wk	1	0.0	0.5	0.0	0.0	18.5	0.0	4.5	4.32
		YTD	1	0.0	0.5	0.0	0.0	18.5	0.0	4.5	4.32
018	811, BOS	Cur Wk	149	0.0	0.4	0.2	0.2	20.0	0.4	5.0	4.30
		YTD	1492	0.0	0.6	2.5	0.8	19.8	0.4	5.0	4.33
036	8163, HM	Cur Wk	404	0.0	1.6	0.5	0.5	19.9	1.3	5.6	4.55
		YTD	8379	0.0	1.1	0.6	0.4	19.6	1.0	5.7	4.48
823	8232, SV	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.1	0.7	0.1	21.6	1.5	5.4	4.37
037	8237, HM	Cur Wk	6408	0.0	0.7	1.7	0.8	21.0	0.4	5.3	4.36
		YTD	39832	0.0	0.9	1.6	0.6	21.2	0.5	5.2	4.37
068	8268, HM	Cur Wk	909	0.0	1.2	1.1	0.4	19.6	1.1	5.5	4.45
		YTD	16104	0.0	1.0	1.0	0.4	19.6	1.1	5.4	4.43
248	8422, BOS	Cur Wk	118	0.0	2.3	6.3	1.8	21.0	0.3	4.4	4.42
		YTD	1638	0.0	1.9	3.3	1.2	21.3	1.5	4.6	4.43
324	8423, BOS	Cur Wk	197	0.0	3.6	2.5	2.1	21.1	2.0	4.7	4.48
		YTD	1524	0.0	2.2	3.1	1.5	20.8	1.5	4.8	4.43
807	8507, HM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	189	0.0	1.1	0.4	0.2	18.5	0.8	5.5	4.53
468	8641, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.8	1.5	5.0	21.0	1.6	4.5	4.40
469	8654, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	4.2	1.5	0.7	20.1	1.5	5.2	4.51
900	9000, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	0.7	1.0	0.3	21.6	0.8	4.6	4.42
901	9011, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.0	0.0	21.0	0.0	4.3	4.33
913	9013, SVTM	Cur Wk	133	0.0	1.1	1.6	1.3	20.3	0.8	5.1	4.46

* Loads Which Were Certified And Paid For
 Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

Variety #	Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
		YTD	3049	0.0	1.9	1.6	0.8	19.9	1.2	5.3	4.44
914	9014, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	1.7	0.5	0.2	22.6	2.0	5.1	4.38
916	9016, SVTM	Cur Wk	2432	0.0	2.1	2.6	1.2	21.3	0.5	5.2	4.34
		YTD	14583	0.0	2.0	2.1	0.7	21.6	0.5	5.0	4.35
919	9019, SVTM	Cur Wk	327	0.0	1.8	2.0	1.3	22.3	2.3	5.3	4.30
		YTD	9467	0.0	1.9	2.2	1.2	22.1	1.9	5.5	4.30
921	9021, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3676	0.0	1.9	2.1	1.1	20.9	1.4	5.3	4.42
239	9023, SVTM	Cur Wk	181	0.0	0.7	1.0	0.3	21.0	1.2	5.3	4.40
		YTD	8790	0.0	2.4	1.1	0.8	21.5	1.0	5.1	4.43
092	9024, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.0	0.5	2.0	20.0	0.0	5.0	4.47
925	9025, SVTM	Cur Wk	385	0.0	0.8	0.9	1.2	21.1	0.4	5.0	4.30
		YTD	6564	0.0	1.2	0.8	0.3	21.1	0.9	5.4	4.31
027	9027, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	14489	0.0	0.5	1.2	0.5	20.0	0.7	5.5	4.38
320	9032, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2620	0.0	0.7	2.9	1.1	21.5	2.0	5.3	4.35
330	9033, SVTM	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1350	0.0	0.2	1.2	0.3	21.8	0.7	4.9	4.42
430	9034, SVTM	Cur Wk	16	0.0	2.8	0.4	0.9	21.1	1.0	5.0	4.55
		YTD	9369	0.0	0.7	1.0	0.4	20.5	0.9	5.4	4.48
903	9036, SVTM	Cur Wk	46	0.0	0.8	1.8	0.5	20.4	0.9	5.1	4.46
		YTD	4794	0.0	0.7	1.2	0.4	21.2	1.4	5.3	4.45
730	9037, SVTM	Cur Wk	1944	0.0	1.5	3.0	1.0	21.3	0.5	5.0	4.36
		YTD	17369	0.0	1.9	2.2	0.9	21.6	0.6	5.1	4.37
409	9040, SVTM	Cur Wk	6	0.0	2.1	0.8	1.3	20.5	0.5	5.4	4.45
		YTD	842	0.0	1.4	2.7	1.2	21.1	1.6	5.7	4.45
941	9041, SVTM	Cur Wk	150	0.0	0.6	1.4	1.2	20.4	0.1	4.6	4.39
		YTD	10747	0.0	1.0	1.8	0.6	21.3	0.6	5.0	4.35
904	9048, SVTM	Cur Wk	40	0.0	0.2	1.0	0.3	19.4	0.2	5.8	4.41
		YTD	155	0.0	0.7	0.9	0.4	19.7	0.4	5.6	4.40
491	9419, BOS	Cur Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	1.4	2.1	1.1	20.1	2.4	4.9	4.40
951	9516, BOS	Cur Wk	12	0.0	0.1	1.0	0.9	20.3	0.5	4.8	4.36
		YTD	12	0.0	0.1	1.0	0.9	20.3	0.5	4.8	4.36
577	HEINZ TRIAL	Cur Wk	86	0.0	6.6	2.2	1.0	20.0	0.5	5.5	4.44
		YTD	462	0.0	4.6	2.1	0.6	20.8	0.9	5.1	4.45
555	MISC TRIAL	Cur Wk	1	0.0	0.5	1.0	1.0	18.0	1.0	5.5	4.30
		YTD	35	0.0	1.8	0.6	0.3	20.4	1.6	5.0	4.42
565	MIX	Cur Wk	16	0.0	0.8	0.9	0.2	19.8	0.7	5.4	4.51
		YTD	114	0.0	1.2	0.9	0.2	20.2	0.9	5.3	4.45

* Loads Which Were Certified And Paid For
 Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.

Average Defects by Variety Report (RP20)

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/03/2026

TOTAL STATEWIDE	Cur Wk	24,248	0.0	1.4	2.1	0.9	20.6	0.6	5.1	4.39
	YTD	381,047	0.0	1.3	1.8	0.7	20.6	0.9	5.1	4.40

* Loads Which Were Certified And Paid For
Produced by ExtendAg, Cultura Technologies, LLC. All rights reserved.