



# **Copper State Bolt & Nut Co.**

*Supporting your industry since 1972*

# INDUSTRY SUPPORT

- **CONSTRUCTION**
- **STEEL FABRICATION**
- **ENERGY PRODUCTION**
- **MINING & HEAVY INDUSTRIAL**
- **MANUFACTURERS (OEM & MRO)**



Copper State Bolt & Nut Co.



## WHO WE ARE

Copper State Bolt & Nut Co. is a second-generation family, women-owned business. We value the founding principles that formed Copper State from the very beginning, aimed at creating an enriching and fulfilling environment for our employees, and maintaining lasting relationships with our customers and suppliers.

Since 1972, Copper State has evolved in support of our customers. We have served the Construction and Industrial markets for over 50 years, providing quality products, value-added service solutions, and outstanding customer service. We are a local supplier in every market where we operate and a dedicated member in every community where our families and yours work together.

Our 500+ employees now support nearly 20,000 customers in more than 30 locations to provide you with direct assistance where and when you need it. Our expansive capabilities in distribution and manufacturing support customers in Construction, Steel Fabrication, Energy Production, Original Equipment Manufacturing (OEM), Maintenance & Repair Operations (MRO), Mining, and Heavy Industrial.

Continuous improvement and reinvestment in the growth of our business are keys to success. We continue to enhance our operations to meet your emerging needs in today's fast-paced, technology-rich, and ever changing environment. With agility and flexibility, we can integrate our operations with those of yours and our suppliers, creating true partnerships with each relationship.

Copper State strives to be the First Choice for Employees, the First Choice for Suppliers, and YOUR First Choice as our Customer. We look forward to doing business together!

## WHAT WE DO

We are here to make your job easier by providing you with quality products and value-added services unique to YOUR industry to save you time and money. Flip through the pages to see how Copper State can be of service to you.



WE HAVE ALL YOUR PPE NEEDS.



ZENITH X2



ZENITH X2 AIR



NON-VENTED  
BRIMLESS



VENTED  
FRONT BRIM

BLACK BOTTOM LIME  
ANSI Type R Class 2



31SV2-3020650DLY  
L, XL, 2XL

HEAD PROTECTION



RESPIRATORS



SAFETY VESTS




GLOVES



SAFETY GLASSES



EAR PLUGS



SAFETY HARNESSES

SUNBURST™



31SG-250470004



31SG-250470005



31SG-250470041

ANSER™



31SG-250AN10110



31SG-250AN10112



31SG-250AN10114



31SG-250AN10118

COOLING TOWELS



31CT  
EZ-Cool Max Evaporative  
Cooling Towel

MAXIFLEX BLACK  
UTILITY GLOVES



31GL-34874  
S, M, L, XL, 2XL  
MAXIFLEX CUT  
RESISTANT GLOVES




31GL-348743  
S, M, L, XL, 2XL  
MAXIFLEX HI-VIS  
YELLOW GLOVES



31GL-34874FY  
M, L, XL

ADD YOUR LOGO  
TO YOUR PPE!

See your CSBN rep for details.



Copper State Bolt & Nut Co.



# KASK

## SAFETY HELMETS



### ZENITH X2

Available in Standard and Hi Viz Colors



ANSI Z89.1 Type I, Type II Class E  
Hi Viz Colors:



ORANGE FLUO



YELLOW FLUO



BLACK



WHITE

Add your logo to any KASK helmet\*

\*Ask your CSBN rep for details.



### ZENITH X2 AIR

Available in Standard and Hi Viz Colors



ANSI Z89.1 Type I, Type II Class C  
Standard Colors:



RED



ORANGE



YELLOW



GREEN



BLUE



BLACK



ANTHRACITE



LIGHT GREY



WHITE

## HELMET ACCESSORIES



### METAL MESH VISOR

31HSKX-WVI00009

Adapter and visor  
carrier must be  
purchased separately.



### UNIVERSAL HEARING PROTECTION

SNR 29-31 dBa  
31HSKX-WHP00006



### UNIVERSAL SUN SHIELD

31HSKX-WAC00036209



### HI-VIZ ORANGE NECK SHADE

31HSKX-WAC000025



### EXTRA COMFORT SPACER

31HSKX-WPA00008





Nothing but **HEAVY DUTY.**

## STOCKING SELECT MILWAUKEE PPE SOLUTIONS

Please contact your local inside/outside CSBN Representative for pricing/ordering.

### NITRILE DIPPED GLOVES

Milw #	CSBN #	Size
<b>CUT LEVEL 1</b>		
48-22-8900	31GL-48228900B	Small
48-22-8901	31GL-48228901B	Medium
48-22-8902	31GL-48228902B	Large
48-22-8903	31GL-48228903B	X-Large
48-22-8904	31GL-48228904B	2XL
<b>CUT LEVEL 3</b>		
48-22-8930	31GL-48228930B	Small
48-22-8931	31GL-48228931B	Medium
48-22-8932	31GL-48228932B	Large
48-22-8933	31GL-48228933B	X-Large
48-22-8934	31GL-48228934B	2XL
<b>CUT LEVEL 5</b>		
48-22-8950	31GL-48228950B	Small
48-22-8951	31GL-48228951B	Medium
48-22-8952	31GL-48228952B	Large
48-22-8953	31GL-48228953B	X-Large
48-22-8954	31GL-48228954B	2XL

### SAFETY GLASSES

Milw #	CSBN #	Description
<b>SAFETY GLASSES</b>		
48-73-2011	31SG-48732011	Clear
48-73-2016	31SG-48732016	Tinted
<b>PERFORMANCE SAFETY GLASSES</b>		
48-73-2020	31SG-48732020	Clear
48-73-2025	31SG-48732025	Tinted
<b>PERFORMANCE SAFETY GLASSES w/GASKET</b>		
48-73-2040	31SG-48732040	Clear
48-73-2045	31SG-48732045	Polarized

### HEARING PROTECTION

Milw #	CSBN #	Description
48-73-3005	31EP-48733005	Ear Plugs, 100 pair
48-73-3151	31EP-48733151	Reusable Corded Ear Plugs, 3PK



### TOOL LANYARDS & ACCESSORIES

Milw #	CSBN #	Size
<b>EXTENDED REACH TOOL LANYARDS</b>		
48-22-8811	31ML-48228811	10LB, 54"
48-22-8812	31ML-48228812	10LB, 72"
48-22-8816	31ML-48228816	15LB, 54"
48-22-8817	31ML-48228817	15LB, 72"
<b>LOCKING TOOL LANYARDS</b>		
48-22-8815	31ML-48228815	15LB, 36"
48-22-8850	31ML-48228850	35LB, 36"
<b>QUICK CONNECT LOCKING TOOL LANYARD SYSTEM</b>		
48-22-8820	31ML-48228820	10LB Lanyard
48-22-8822	31ML-48228822	3PC 5LB Accessory
48-22-8823	31ML-48228823	3PC 10LB Accessory
<b>WRIST LANYARDS</b>		
48-22-8830	31ML-48228830	5LB
48-22-8835	31ML-48228835	5LB Quick Connect
<b>D-RING WEB ATTACHMENTS</b>		
48-22-8870	31ML-48228870	5PC 2LB
48-22-8871	31ML-48228871	5PC 5LB
48-22-8872	31ML-48228872	35LB
48-22-8860	31ML-48228860	12' Self-Adhering Tape
<b>SPLIT RINGS</b>		
48-22-8880	31ML-48228880	5PC 2LB, 3/4"
48-22-8881	31ML-48228881	5PC 2LB, 1"
48-22-8882	31ML-48228882	5PC 2LB, 1-1/2"
48-22-8883	31ML-48228883	5PC 2LB, 2"

## MILWAUKEE® ACCESSORIES



**SHOCKWAVE™ IMPACT RATED STEP BITS**



**SHOCKWAVE™ IMPACT METAL HOLE SAWS**



**SHOCKWAVE™ IMPACT TITANIUM DRILL BITS**



**SHOCKWAVE™ IMPACT MULTI-MATERIAL DRILL BITS**



**HOLE SAWS**



**BIG HAWG BITS**



**BAND SAW BLADES**



**SAWZALL® BLADES (METAL, WOOD & DEMO)**



### HOW WE CAN HELP YOU

- Custom apprentice or company require hand tool kits
- Safety Trainings and Safety PPE Orders
- New project tool lists and custom order incentive programs
- New Product Research and Development with your team



Copper State Bolt & Nut Co.





## Safety Helmets & Accessories



**31HSL-48731300**

**BRIMLESS VENTED  
SAFETY HELMET**

White Type 2, Class C



**31HSL-48731301**

**BRIMLESS UNVENTED  
SAFETY HELMET**

White Type 2, Class E



**31HSL-48731320**

**FRONT BRIM VENTED  
SAFETY HELMET**

White Type 2, Class C



**31HSL-48731321**

**FRONT BRIM UNVENTED  
SAFETY HELMET**

White Type 2, Class E

Milwaukee Type 2 Safety Helmets offer protection from top and side impacts. These helmets are BOLT™ compatible with four BOLT™ accessory slots and two universal accessory slots that easily integrate additional personal protection equipment and accessories so you can adapt to your jobsite. The helmets include a headlamp mount that works with most headlamps for easy, secure attachment.

### Available in:



Add your logo to any helmet. See your CSBN rep for details.




Safety Helmet BOLT Eye Visor Clear  
**31HSLX-48731411**




Safety Helmet BOLT Eye Visor Tinted  
**31HSLX-48731416**



BOLT™ Sunshade  
**31HSLX-48731070**



BOLT™ Sun Visor  
**31HSLX-48731073**



BOLT™ Full Face Shields  
**31HSLX-48731420** Clear  
**31HSLX-48731425** Gray  
**31HSLX-48731430** Mesh



BOLT™ Marker Clip  
(helmet not included)  
**31HSLX-48731086**



BOLT™ Sun Visor with Sunshade  
(helmet not included)  
**31HSLX-48731072**



Safety Helmet Sweat Band  
**31HSLX-48731092**



BOLT™ Low-Profile Headlamp Mount  
**31HSLX-48731094**




# ARMOR GUYS

• PROTECTED •

## PREMIUM HAND PROTECTION

### 00-810

### KYORENE® PRO



#### ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphite A1 Liner
- Black HCT® MicroFoam Nitrile Palm Coating


#### APPLICATIONS:

Automotive Manufacturing, Light Manufacturing, Maintenance, Warehousing, Landscaping

316L-00810S 316L-00810M 316L-00810L 316L-00810XL 316L-00810XXL

### 00-830

### KYORENE® PRO



#### ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphite A3 Liner
- Black HCT® MicroFoam Nitrile Palm Coating


#### APPLICATIONS:

Automotive Manufacturing, Appliance Manufacturing, Metal Stamping, Sheet Metal Handling, Handling, Handling Extruded Plastics, Construction

316L-00830S 316L-00830M 316L-00830L 316L-00830XL 316L-00830XXL

### 00-840

### KYORENE® PRO



#### ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphite A4 Liner
- Black HCT® MicroFoam Nitrile Palm Coating

#### APPLICATIONS:

Automotive Manufacturing, Metal Stamping, Sheet Metal Handling, Steel Processing, Construction

316L-00840S 316L-00840M 316L-00840L 316L-00840XL 316L-00840XXL

### 00-860

### KYORENE® PRO



#### ATTRIBUTES:

- 18g Gray Kyorene® Pro Graphite A6 Liner
- Black HCT® MicroFoam Nitrile Palm Coating


#### APPLICATIONS:

Metal Fabrication, Metal Stamping, Steel Processing, Steel Handling, Recycling

316L-00860S 316L-00860M 316L-00860L 316L-00860XL 316L-00860XXL

### 04-001

### EXTRAFLEX®



#### ATTRIBUTES:

- 15g Gray Nylon Liner
- Black HCT® MicroFoam Nitrile Palm Coating

#### APPLICATIONS:

General Assembly, Automotive Assembly, Light Manufacturing, Maintenance, Warehousing, Landscaping

316L-04001S 316L-04001M 316L-04001L 316L-04001XL 316L-04001XXL



## Copper State Bolt & Nut Co.




### CARABINER



**31FT-8447**

Large Twist Lock, 2 1/4" Opening, 3,600 lb Gate with Captive Pin Option


### WHIPLASH TOOL LEASH



15 lb Loop & Carabiner

**31FT-5027B**

### TEMPORARY ROOF ANCHOR



Reusable, Hinged Roof Anchor with Heavy Duty D-ring; includes nails, and hinged design.

**31FT-7410**

### TRAUMA RELIEF PACK



2-part UniFit Suspension Trauma Relief System

**31FT-5040**

### FT-ONE™ FULL BODY HARNESS



3D Construction  
Belted Full Body Harness with Tongue Buckle Leg Adjustments

**31FT-8127B (S,M,L,XL,2X)**

### BELTED CONTRACTOR HARNESS



3 D-rings (back and side), Durable 4" Web Waist

**31FT-7073LX (L/XL)**  
**31FT-7073SM (S/M)**

### LANYARDS



6' ClearPack Shock Absorbing Web with Single Leg

**31FT-8256**



6' Internal Shock Absorb Tubular Web with Single Leg and 2 Snap Hooks

**31FT-8259**

### BELTED TRADESMAN+



3 D-rings (back and side), Tongue Buckle Legs, and Quick Connect Chest

**31FT-7078BLX (L/XL)**  
**31FT-7078BSM (S/M)**

### JOURNEYMAN FLEX STEEL




Non-belted Full Body Harness: 1 Back D-ring; Quick Connect Legs

**31FT-7021QC**



6' in Length; Y-leg for 100% Tie-off with 3 Snap Hooks

**31FT-82608**



6' in Length; "SoftPack" Y-leg for 100% Tie-off; 1 Snap Hook and 2 Rebar Hooks

**31FT-8256LTY3**

### SRL'S



6' Mini Twin-Leg with Triple Action SRD Connector

**31FT-72706TH3**



10' Compact Web SRD; Steel Carabiner with Captive Pin

**31FT-82710SC1**



30' 7/32 Galvanized Steel Contractor Leading Edge Cable

**31FT-727630LE**



9' DuraTech® Leading Edge Personal SRL with Steel Snap Hooks

**31FT-83909TP1**








We offer **FREE** onsite Certified Training Classes and Lifting Safety Inspections\*

\*Ask your CSBN rep for details.

### WIRE ROPE ASSEMBLY

Wire Ropes are flexible & resistant to abrasion. Available in:

3/8" Diameter X 6'    1/2" Diameter X 8'  
3/8" Diameter X 10'    1/2" Diameter X 12'



31LAWRA

### ENDLESS SLINGS



31LA-EN1801D4

4' Length

31LA-EN1801D6

6' Length

1" Width; An endless loop of load-bearing yarns, protected by a woven tubular jacket

### EYE & EYE SLINGS

31LA-EE

Available in:

Ply-1: Width: 1", 2"  
Length: 6', 12'\*

Ply-2: Width: 2", 4"  
Length: 4', 6', 8', 10', 12', 20'\*

\*Prices vary by size. Call for pricing.



### DON'T FORGET DIRECT CONNECT HOOKS



31LA-DCH1



31LA-DCH2




31LA-DCH3

Quickest & easiest way to add hooks to Lift-All Tuflex roundslings & web slings on the job site. No tools or excess parts required.

### TUFLEX™ ROUNDSLINGS



31LA-EN90



31LA-EN60



31LA-EN30

Most flexible style of sling.  
Available Sizes: 3', 6', 8', 12"

\*All sizes are not available in each color; prices vary by size. Call for pricing.

### 2-PIECE RATCHET ASSEMBLY

500 lb Capacity



31LA-60501

2" Width, 27' Length; 2 PC Assemblies (type B) with one fixed length of webbing and one adjustable length of webbing

### FLAT, U, & OPEN HOOK ASSEMBLY

700 lb Capacity




31LA-60103B15

1" Width, 15' Length, Long Open Hook  
2-PC Ratchet Assembly

### 2-PIECE RATCHET ASSEMBLY

10,000 lb Capacity



31LA-61001

2" Width, 27' Length; 2 PC Assemblies (type B) with one fixed length of webbing and one adjustable length of webbing



Copper State Bolt & Nut Co.





We offer **FREE** onsite Certified  
Ladder Safety Trainings,  
Inspections, and Repair Services.\*

\*See your CSBN representative for details.

### SINGLE STEP LADDERS

- 31LSF-30004 - 4 ft.
- 31LSF-30006 - 6 ft.
- 31LSF-30008 - 8 ft.
- 31LSF-30010 - 10 ft.
- 31LSF-30012 - 12 ft.

This non-conductive fiberglass step ladder has a load capacity of 300 lbs, rated ANSI Type IA. Equipped with the new and innovative Raptor Top with magnet and multiple tool slots, and SHOX impact absorption system.



### EXTENSION LADDERS

- 31LEF-30016 - 16 ft.
- 31LEF-30020 - 20 ft.
- 31LEF-30024 - 24 ft.
- 31LEF-30028 - 28 ft.
- 31LEF-30032 - 32 ft.

This fiberglass extension ladder has a 300 lbs load capacity, rated ANSI Type IA. It is equipped with the MAXLOCK rung lock.



### PLATFORM STEP LADDERS

- 31LPF-30004 - 4 ft.
- 31LPF-30006 - 6 ft.
- 31LPF-30008 - 8 ft.
- 31LPF-30010 - 10 ft.
- 31LPF-30012 - 12 ft.

This PRO Platform step ladder has a 300 lbs capacity, featuring an extended handrail and a 30% larger platform area.



### DOUBLE STEP LADDERS

- 31LDF-30006 - 6 ft.
- 31LDF-30008 - 8 ft.
- 31LDF-30010 - 10 ft.
- 31LDF-30012 - 12 ft.

This non-conductive fiberglass industrial double front step ladder has a load capacity of 300 lbs, rated ANSI Type IA, and is equipped with Raptor Boot.



### CROSS STEP LADDERS

- 31LXF-30004 - 4 ft.
- 31LXF-30006 - 6 ft.
- 31LXF-30008 - 8 ft.
- 31LXF-30010 - 10 ft.
- 31LXF-30012 - 12 ft.

This highly versatile Step-to-Extension Cross Step Ladder is made of quality, non-conductive fiberglass, with a load capacity of 300 lbs.





# PAINTS

## CLEAR MARKING COAT

31AE-200



15 oz clear coating to seal and protect construction chalk lines.

## COLD GALVANIZE COATING 93% ZINC RICH

31AE-7007



13 oz cold galvanized compound contains 93% pure zinc in a dry film.

## SUPER METAL CHROME FINISH

31AE-Z160



11 oz Zynolyte® chrome finish super metal spray paint

## GRAY SANDABLE PRIMER

31AE-Z1704



11 oz automotive primer that provides a smooth, rust-inhibitive base

## MULTIPURPOSE PRIMER

31AE-Z8074



11 oz high-quality, non-lifting red oxide primer

## SPEED E-NAMEL

31AE-Z813



11 oz high-quality, fast-drying enamel paint

## MARKING PAINT STICK

31AE-1245

A hand-held inverted marking paint applicator with an ergonomically designed trigger and grip.



## INVERTED CONSTRUCTION MARKING PAINT

17 oz high-quality upside-down marking paint for a variety of construction marking applications; provides good color visibility and durability.



## ZYNOLYTE® SPEED E-NAMEL PAINT

11 oz high-quality, fast-drying enamel paint with a smooth, professional finish.



## 20 OZ MRO® INDUSTRIAL ENAMEL SPRAY PAINT

Superior industrial spray paint formulated for maintenance operations where maximum performance is required.



31SE-6201411  
Aluminum

31SE-6201413  
Gloss White

31SE-6201415  
Gloss Black

31SE-6201416  
ANSI 61 Gray

31SE-6201417  
ANSI 49  
Dark Gray

31SE-6201418  
ASA 70  
Light Gray

31SE-6201419  
Safety Yellow

31SE-6201423  
Safety Red

31SE-6201426  
Deep Blue

31SE-6201427  
Safety Blue

31SE-6201432  
SJ Orange

31SE-6201443  
New Equipment  
Yellow

31SE-6201446  
Ryder Yellow

31SE-6201449  
Dark Green

31SE-6201451  
Safety Orange

31SE-6201452  
Safety Green

31SE-6201433  
Flat Black



# Copper State Bolt & Nut Co.



## LCI INTUMESCENT FIRESTOP SEALANT



### 21FSS-LCI3

Water-based intumescent sealant intended for a wide range of through-penetration and construction joint applications



We offer **FREE** onsite certified Firestop Installation Training

\*See your CSBN rep for details.

## ELASTOMERIC FIRESTOP SEALANT



### 21FSS-ES

Latex-based gun grade elastomeric firestop sealant designed for construction joint applications

## WF300 INTUMESCENT FIRESTOP CAULK



### 21FSS-WF3

Latex-based firestop caulk designed for wood frame construction

## EZ-PATH® SERIES 44+ FIRE RATED PATHWAY



### 21FSS-EZDP44

Designed for high cable volume conditions through fire-rated walls and floors


## SNS SMOKE 'N' SOUND ACOUSTICAL SEALANT



### 21FSS-SNS

High-quality acrylic latex sealant designed for sealing through-penetrations and membrane penetrations in smoke rated walls

## CID CAST-IN FIRESTOP DEVICES



### 21FSS-CD

Sleeve, concrete form and firestop rolled into a single device. Eliminates core-drilling and firestop after the concrete pour

## 20 OZ B-LINE MANUAL SAUSAGE/BULK GUN



### 22FSDT-B12S20

## SSC INTUMESCENT FIRESTOP COLLARS



### 21FSS-LCC

Firestop devices sized to plastic pipes of up to 4"

## SSP FIRESTOP PUTTY & PUTTY PADS



### 21FSS-SSP

Excels at sealing cabling penetrations and outlet boxes. Available in tubes or preformed pads.





## 14" DIAMOND BLADE



**34DPSM-1400**

*4 X 4 All Terrain Blade*

14" X .125 X 1"-20mm  
Diamond Premium Segmented  
Dry/Wet Multi-purpose blade



## NORTON CORE DRILL RIG

**22PTX-DR520**

Versatile drill rig with  
exceptional utility to meet the  
tough demands of today's  
rental and contractor industry



## DIAMOND BLADES

**NORTON**

Norton has a diamond blade to fit every project scope. From the DUO family with dual segment technology, to cost effective economy blades, their diamond blades will boost your productivity while keeping your costs down.



## DIAMOND CORE BITS

**NORTON**


Norton diamond core drill bits come in several formulations to fit your specific application; reinforced concrete and other harder building materials, asphalt and abrasive materials, and general purpose and masonry building materials.

## NORTON CLIPPER 14" GAS CUT OFF SAW

**22PTX-CP514350I**



## DIAMOND CORE BITS



**34CBDMW\***

Available Sizes:  
16" Length  
Diameter: 1 - 12"

## NORTON ABRASIVES



Grinding Wheels



Chop Saw Blades



Flap Discs



Cut-off Wheels



**Copper State Bolt & Nut Co.**





Working with unreliable abrasives is frustrating. Time to switch it up.  
**DON'T GET ABRASIVE. TRY MERCER ABRASIVES.**

Available at Copper State!

**CUT-OFF WHEELS**



**FLAP DISCS**




**FLAP WHEELS**



**GRINDING WHEELS**



**QUICK CHANGE DISCS**



**WIRE WHEELS**



**WIRE BRUSHES**



**FILES**




**BACKING PADS**



Don't get floored by stubborn floor removal.  
**TRY A PREMIUM FLOOR SCRAPER.**



**SDS-Plus Floor Scraper**



**22DBFS-CM99SDS**

SDS Plus Shank with 4" wide blade

**SDS-Max Floor Scraper**



**22DBFS-CM9919**

SDS Max Shank with 6" wide blade







**Ramset**  
POWDER FASTENING SYSTEMS



**RA27**

*Ramset's fully automatic powder-actuated tool, reduces downtime and fatigue on commercial jobsites*

#### 42PTR-RA27

Single Shot Powder Actuated Tool for attaching 1 5/8" Strut to Concrete or Steel

Common used pin # M100BB Bunker Buster 1" Premium Pin

### Features

- Power adjust dial enables user to dial down power for ideal pin embedment
- Lower pushdown force reduces fatigue
- Belt/tether clip for safety
- Swing out scaffold hook keeps tool within reach
- Durable Magazine provides up to 30% longer lifespan

### Accessories

#### 42PXR-RA27MAG

10-Pin Magazine Attachment for RA27



#### 42PXR-RA27CUP

Cup Attachment for Pole Tool Accessory\*  
\*Required for all V4 Pole Attachments



### Common Applications



Track-to-Steel

Exterior Cladding Clips

Electrical/Unistrut

Hat Channel

### ACCESSORIES

#### Pins



We stock all sizes and styles of pins for your fastening needs!

#### Pole Attachments

Compatible with T4SS and RA27 only with T4CUP and RA27CUP Attachments.

Compatible with VIPER4 bare tool.

#### 42PXR-V46

6' Trigger Pole

#### 42PXR-V48

8' Trigger Pole

#### 42PXR-V4EXT

3' Extension Pole without Trigger



**T4SS**

*The Preferred Tool for Mechanical, Electrical, and Plumbing Trades*

#### 42PTR-T4SS

Gas Actuated Single Shot Tool



### Features

- Adjustable Depth of drive for optimal performance
- Auto Shut-off/on avoids drain on lithium-ion battery
- Tapered Design - tool is engineered to reach into tight areas
- Fuel and battery gauges eliminate interruptions

### Accessories

#### 42PXR-T4CUP

Cup Attachment for Pole Tool Accessory\*

\*Required for all V4 Pole Attachments



#### 42PXR-19943

T4SS Magnetic Pin Guide



### Common Applications



Clip Assembly to Concrete or CMU Block

HVAC Duct Strap

Electrical Fixtures

**COBRA**

*Designed for attaching wood or metal track to concrete and steel*



#### 42PTR-COBRA

.27 Caliber Semi-auto Strip Load Powder Actuated Tool

**VIPER4**

*Designed for the challenges of overhead fastening*



#### 42PTR-VIPER4

.27 Caliber Semi-automatic Strip Load Powder Actuated Tool



**Copper State Bolt & Nut Co.**



# SAMMYS®

The cost and time saving **THREADED ROD ANCHORING SOLUTION**  
for Fire Protection, Electrical, HVAC, and more!



## **Sammys® Anchor Solutions are versatile!**

- For use across industries including fire protection, electrical, HVAC, and more.
- They are proven to save a significant amount of time for crews to install and hang threaded rod anchors into wood, steel, and concrete

## **25% labor savings from traditional methods.**

- Less installation time compared to three-step drop-in wedge or multi-piece hardware methods.

## **Great flexibility.**

- Accommodate installation vertically, horizontally, or at an angle up to 90 degrees.
- One step installation into wood and steel - eliminating the need to build a timely trapeze.
- Swivel models eliminate rod bending when working around other items in the ceiling.
- X-Press models available for when you don't have access to the back of the metal deck.

Compare and  
save with  
**SAMMYS®**  
Anchoring  
Solutions!



 **Buildex**






**SIMPSON****Strong-Tie****Ask about product submittals for anchors!**

See your CSBN rep for details.

**ICC-ES ESR-3037****IAPMO UES ER-240****STRONG-BOLT® 2***ICC Approved for both  
cracked & uncracked concrete*

A wedge-type expansion anchor designed for optimal performance in cracked and uncracked concrete as well as uncracked masonry. Available in carbon-steel, Type 304, and Type 316 stainless steel.

Qualified for static and seismic loading conditions (seismic design categories A through F). Suitable for horizontal, vertical, & overhead applications.

*Clip Detail***TITEN HD®***Available in stainless steel, countersunk style,  
and washer head style*

The original heavy-duty screw anchor for use in cracked and uncracked concrete, as well as masonry. The Titen HD offers low installation torque and outstanding performance.

The Titen HD is tested in accordance with ACI 355.2, AC193, and AC106.

**ICC-ES ESR-2713****ICC-ES ESR-1056***Serrated teeth on  
the tip facilitate  
cutting and reduce  
installation torque***EPOXY & ACCESSORIES****Manual Dispensing Tool****22EPS-EDT22S****21EPS-SET3G22N**




High design strength and proven performance

**SET-3G®****21EPS-SETXP22**

High-strength formula for anchoring both cracked & uncracked concrete

**SET-XP®****AT-XP®****21EPS-ATXP\***

High-strength acrylic anchoring adhesive; dispenses easily in extreme temperatures

**Mixing Nozzle****22EPS-EMN22I****Screen Tubes****21SC****Brushes****22EPS-ETB****Copper State Bolt & Nut Co.**





## HOISTS

JET's Chain and Lever Hoists combine safety, reliability and durability. JET Hoists are designed to perform in all kinds of industrial applications.

### JLP-A

#### 31JH-287301

JLP-075A-10, 3/4 Ton Lever Hoist, 10' Lift

#### 31JH-287303

JLP-075A-20, 3/4 Ton Lever Hoist with 20' Lift

#### 31JH-287401

JLP-150A-10, 1-1/2 Ton Lever Hoist with 10' Lift

#### 31JH-287403

JLP-150A-20, 1-1/2 Ton Lever Hoist with 20' Lift



### S-90

#### 31JH-101900

S90-050-10, 1/2-Ton Hand Chain Hoist with 10' Lift

#### 31JH-101912

S90-100-20, 1-Ton Hand Chain Hoist with 20' Lift

#### 31JH-101932

S90-200-20, 2-Ton Hand Chain Hoist with 20' Lift

## RESIN CARTS

JET Utility Service Carts are designed for quick transportation of large, heavy items in the industrial workplace.

#### 31UCJ-141016

PUC-43x25,  
Resin  
Utility Cart



#### 31UCJ-141014

PUC-41 x 26,  
Resin  
Utility Cart



#### 31UCJ-141017

PUC-44x25, Resin  
Flat Top Utility Cart



## JET MACHINERY

JET Machinery is engineered for various applications to deliver Accurate, efficient and to yield the most precise results.

#### 414560

HVBS-712D,  
7" x 12" Deluxe  
Horizontal /  
Vertical Bandsaw



#### 354170

JDP-20MF,  
20" Floor Drill  
Press, 1-1/2 HP,  
1Ph 115/230V



#### 577102K

JBG-8A/JBG-8B  
8" Shop Bench  
Grinder and  
JPS-2A Stand



## VICES

Wilton's easy-to-mount, high-quality industrial vises are built for rugged use in any industrial setting, including professional mechanic, automotive, utility and service, and general repair.

#### 31VI-28807

Tradesman 1765  
Vise, 6-1/2" Jaw  
Width, 6" Jaw  
Opening, 4" Throat Depth



#### 31VI-21500

Mechanics  
Vise 6" Jaw  
with Swivel Base



#### 31VI-63302

WVS6, Shop Vise,  
6" Jaw Width,  
6" Jaw Opening,  
3-1/2" Throat Depth



#### 31VI-28820

Utility Bench Vise  
6-1/2" Jaw Width,  
6" Jaw Opening,  
360° Swivel Base



## CLAMP KITS

Wilton C-Clamp Kits feature multiple clamps, in a variety of sizes, so that you can get a secure hold on your work in a whole range of applications.

#### 11114

Spark-Duty 400CS  
Hi-Vis C-Clamp Kit




#### 11115

540A Series Carriage  
C-Clamp Kit



#### 11117

10-pc 140 Series  
C-Clamp Kit



B.A.S.H Sledge Hammers are the world's most durable sledge hammer, and feature: trademark green head, unbreakable handle technology, safety plate, no-slip rubber grip, and anti-vibe check

#### 31SH-20412

4 Lb Head,  
12" B.A.S.H.<sup>®</sup>  
Sledge Hammer



#### 31SH-20816

8 Lb Head,  
16" B.A.S.H.<sup>®</sup>  
Sledge Hammer



#### 31SH-20416

4 Lb Head,  
16" B.A.S.H.<sup>®</sup>  
Sledge Hammer




#### 31SH-21016

10 Lb Head,  
16" B.A.S.H.<sup>®</sup>  
Sledge Hammer



The Wilton SHR is engineered to quickly cut strut, back-to-back strut, and threaded rod without the need for deburring or secondary operations.

**28910**  
Wilton SHR<sup>™</sup>  
Strut & Threaded  
Rod Shear



**28933**  
Wilton SHR<sup>™</sup> Threaded  
Rod Blade Set (1/4"-20,  
3/8"-16, 1/2"-13, 5/8"-11)



**28934**  
Wilton SHR<sup>™</sup> Blade Set  
Back to Back Strut  
(1-5/8" x 3-1/4")








## POWER-STUD® + SD1

A fully threaded, torque-controlled, wedge expansion anchor designed for consistent performance in cracked and uncracked concrete.



21PS1Z


## HANGERMATE®+

38HM



A rod hanging system for suspending threaded rod vertically overhead in pipe hanging, fire protection, ventilation, electrical conduit, and cable-tray applications.

## SCREW-BOLT+™



21DSBZ

A one piece, heavy duty screw anchor with a finished hex head. Suitable base materials include normal-weight concrete, sand-lightweight concrete, concrete over steel deck, concrete masonry, and solid clay brick.

## PURE110®+

A two-component, high-strength adhesive anchoring system. Designed for bonding threaded rod and reinforcing bar hardware into drilled holes in concrete base materials and for post-installed reinforcing bar connections (rebar development).

21EPP-08321SD



## CORDLESS 20V DISPENSER

Cordless calk gun with Dosage Metering Dial for repetitive dispensing in same size holes. Productive up to 24 tubes per battery charge at room temperature.

## EPOXY

### PRODUCT COMPARISON

Description	DeWalt / CSBN	Hilti
Pure 110+ 20.5 FL. oz. Dual Cartridge	08310SD / 21EPP-08321SD	RE500-V3 16.9 oz. #2123404
AC200+ 9.5 FL. oz. Quick-Shot	PFC1271050 / 21EPP-PFC1271050	HY 200-A 11.1 oz. #2022791
AC200+ 28 FL. oz. Dual Cartridge	PFC1271150 / 21EPP-PFC1271150	HY 200-A 16.9 oz. #3499475



Copper State Bolt & Nut Co.



# NEED ANCHORING ASSISTANCE?

## Check out DeWalt Design Assist™ (DDA)

A state-of-the-art structural connection design software for concrete anchoring

- Innovative Features, Applications, and Products
- Extensive Product Library
- A Newly Designed User Interface with Improved Visual Modeling
- Calculate & Compare Module
- Load Wizard to Simplify Load Configuration

### DESIGN



Code compliant anchor designs according to ACI 318-14 and CSA A23.3-14

### COMPARE



Quickly compare up to 3 similar or different anchors

### DOCUMENT



Comprehensive design calculations with multiple reporting options

### ANCHOR




Includes full catalog of DeWalt innovative anchors, standard Cast-in Place, and more

Scan QR code to learn more about DDA and to download the software!



## BANG-IT®+ BRIDGE BAR



Allows for optimal placement of Bang-It+ inserts through the flute incline or positioned over the lower flute of steel deck profiles.

21BIM-BRIDGEBAR

## BANG-IT®+

Concrete inserts designed for installation in and through composite steel deck (i.e. "pan-deck") used to support newly poured concrete floor or roof slabs. Specifically designed to provide hanger attachments for mechanical, electrical, plumbing (MEP), and fire protection.

21BIM-038050



# DeWALT®

## ANCHORS & FASTENERS

## Ask about product submittals for anchors!

See your CSBN representative for details.

## WOOD-KNOCKER® II+

Installed into wooden forms used to support newly poured concrete floor slabs, roof slabs, or walls.



21WK2G-038050

## INSTALLATION TOOL



22WT-PFM3612000

## WOOD-KNOCKER® II +

### PRODUCT COMPARISON

Anchor Style		Rod Diameter	DeWalt / CSBN	Hilti
Single Thread	Low Profile	1/4"	PFM2500014 / 21WK2QL-025	KCS-WF 1/4"
		3/8"	PFM2500038 / 21WK2EL-038	KCS-WF 3/8"
	Full Size	1/4"	PFM2521100 / 21WK2Q-025	-
		3/8"	PFM2521150 / 21WK2E-038	-
		1/2"	PFM2521200 / 21WKY-050	KCS-WF 1/2"
		5/8"	PFM2521250 / 21WK2R-063	KCS-WF 5/8"
Multi Thread	Low Profile	3/4"	PFM-2521300 / 21WK2U-075	KCS-WF 3/4"
		1/4" - 3/8"	PFM2501438 / 21WK2WL-025038	KCM-WF 1/4, 3/8"
	Full Size	1/4" - 3/8"	PFM2521438 / WK2W-025038	-
		3/8" - 1/2"	PFM2521350 / 21WK2G-038050	KCM-WF 3/8, 1/2"
		5/8" - 3/4"	PFM2525834 / 21WK2K-063075	-
		1/4" - 3/8" - 1/2"	PFM253143812 / 21WK2A-025038050	-
		3/8" - 1/2" - 5/8"	PFM253381258 / 21WK2Q-038050063	KCM-WF 3/8, 1/2, 5/8"
		3/8" - 1/2" - 5/8" - 3/4"		KCM-WF 3/8, 1/2, 5/8, 3/4"

## BANG-IT® +

### PRODUCT COMPARISON

Anchor Style		Rod Diameter	DeWalt / CSBN	Hilti
Single Thread	Full Size	1/4"	07540-PWR / 21BIM-025	-
		3/8"	07542-PWR / 21BIM-038	KCS-MD 3/8"
		1/2"	07544-PWR / 21BIM-050	KCS-MD 1/2"
		5/8"	07546-PWR / 21BIM-063	KCS-MD 5/8"
		3/4"	07548-PWR / 21BIM-075	KCS-MD 3/4"
Multi Thread		1/4" - 3/8"	PFM3521438 / 21BIM-025038	KCM-MD 1/4, 3/8"
		3/8" - 1/2"	07543-PWR / 21BIM-038050	KCM-MD 3/8, 1/2"
		5/8" - 3/4"	PFM3525834 / 21BIM-063075	KCM-MD 5/8, 3/4"
		1/4" - 3/8" - 1/2"	PFM353143812 / 21BIM-025038050	-
		3/8" - 1/2" - 5/8"	PFM353381258 / 21BIM-038050063	KCM-MD 3/8, 1/2, 5/8"





## MAGNETIC DRILL PRESSES

### AC35 MiniBrute

**Cutter Capacity:**  
1 3/8" diameter X 2" depth  
**Weight:** 23 lbs  
**Magnetic Strength:**  
2,200 lbs



#### 22PTC-AC35

Easy to maneuver. Industry applications include truck & trailer, utilities, welding, refineries, construction, and more

### AC50 MightiBrute

**Cutter Capacity:**  
2 1/8" diameter X 2" depth  
**Weight:** 33 lbs  
**Magnetic Strength:**  
3,370 lbs



#### 22PTC-AC50

Quick change cutter arbor; includes safety chain. Ideal for steel fabricators who cut holes up to 2 1/8" in diameter. Excellent for portable drilling in the shop or field.

### RB30 LittleBrute

**Height:**  
7 3/4"  
**Weight:** 25 lbs  
**Magnetic Strength:**  
3,300 lbs



#### 22PTC-RB30

LED light for improved vision in dark areas; No-volt release switch for motor on/off; includes safety chain. Ideal for difficult to access areas.

### BD100A MegaBrute

**Cutter Capacity:**  
4" diameter X 4" depth  
**Weight:** 60 lbs  
**Magnetic Strength:**  
3,820 lbs



#### 22PTC-BD100

A heavy-duty, large capacity drill press engineered to support the needs of serious steel fabricators' most demanding jobs.

### AC42 VariBrute

**Cutter Capacity:**  
1 1/2" diameter X 2" depth  
**Weight:** 29 lbs  
**Magnetic Strength:**  
3,800 lbs



#### 22PTC-AC42

Performs 5 cutting operations: Annular cutters, twist drills, reamers, taps, countersinks. Powerful 1100W motor, lightweight with variable speed and reverse features.

### SB35 SmartBrute

**Cutter Capacity:**  
Auto-Feed:  
1 3/16" diameter X 3/4" depth  
Manual-Feed:  
1 3/8" diameter X 2" depth  
**Weight:** 36 lbs  
**Magnetic Strength:**  
3,370 lbs



#### 22PTC-SB35

Innovative, automatic drilling. Automatic power feed technology increases productivity due to consistent drilling and increased cutter life. Drills a perfect hole every time.

## HSS ANNULAR CUTTER SET



#### 22INC-CS200SET

5 PC 9/16" - 1 1/16"

## CT7 HOLE SAW KIT



#### 22INC-CT7PSET4

5 PC 5/8", 3/4", 7/8", 1", 1 1/8"

## CUTTING TOOL SETS

### CARBIDE BUR KIT



#### 22INC-BK8

8 PC Industrial Series  
SA5, SC3, SC5, SD5, SF3, SG3, & SL4

## TWISTER DRILL BIT SET




#### 22INC-TWISTERXL5

29 PC 1/16"-1/2" X 64<sup>ths</sup>  
Twister Brute Platinum  
XL5 Drill Set



# Copper State Bolt & Nut Co.





Exclusive Brand by **Copper State Bolt &**  
**PREMIUM GRADE JOBBER DRILLS**

Get the job done right with Hex Industrial Premium Grade Jobber Drills, intended for drilling through steel, stainless steel, and tough alloys. Each drill is surface treated and designed with a 135° split point and straight shank for accurate and precise drilling, fast penetration, added strength, and durability.

Sizes: 1/16" to 1/2" in 1/64" increments



135° split point provides self-centering starting point and reduces "walking"

Performance web geometry allows for faster feed rates and clears chips quicker

Molybdenum, high-speed steel allows for superior performance in tough materials



Surface treated with abrasion-resistant black oxide

Black & gold finish provides lubrication and corrosion resistance





### RECIPROCATING SAW BLADES

Part #	Description
34RSAX-DS	5 pack of All Purpose Bi-metal Recip Blades. Available in 6" & 9" Lengths.
34RSEX-DS	5 pack of Bi-Metal Recip Blades for Metal Demolition. Available in 6" & 9" Lengths.
34RSMX-DS	3 and 5 packs of Bi-Metal or Carbide Recip Blades for Metal & Thick Metal. Available in 4", 6", 9", & 12" Lengths.
34RSSX-DS	3 and 5 packs of Bi-Metal or Carbide Recip Blades for Nail-embedded Wood Cutting. Available in 6", 6 1/2", 9", & 12" Lengths.

### HOLE SAWS

#### CUTS:

Hardwoods

Softwoods

Steel

Plastics

Siding



#### BI-METAL HOLE SAWS



**34HSBI**

Available in Sizes 5/8" - 6"

#### CARBIDE HOLE SAWS



**34HSCI**

Available in Sizes 1 3/8" - 3"



#### DIABLO STEEL DEMON

*for Ferrous Mild Steel Only*



**22PXX-D0736CF**

7 1/4" X 36 Tooth

**22PXX-D0756F**

7 1/4" X 56 Tooth

**22PXX-D0748CFX**

7 1/4" X 48 Tooth

**22PXX-D0770F**

7 1/4" X 70 Tooth

#### DIABLO STEEL DEMON

*Cermet Metal Cutting Blade*



**22PXX-D0842CF**

8" X 42 Tooth

**22PXX-D1260CF**

12" X 60 Tooth

**22PXX-D1472CF**

14" X 72 Tooth

#### DIABLO DEMON

*for Non-ferrous/Plastic TCG*



**22PXX-D0756N**

7 1/4" X 56 Tooth

#### AVANTI FRAMING SAW BLADE



**22PXX-A0724A**

7 1/4" X 24 Tooth

#### DIABLO FRAMING SAW BLADE



**22PXX-D0624A**

6 1/2" X 24 Tooth

**22PXX-D0724A**

7 1/4" X 24 Tooth

#### DIABLO STEEL DEMON

*for Mild Steel Only*



**22PXX-D0648F**

6 1/2" X 48 Tooth

#### DIABLO DEMO DEMON

*Tooth Framing/Demo Saw Blade*



**22PXX-D0724DA**


7 1/4" X 24 Tooth

Copper State Bolt & Nut Co.




# STRUT & ACCESSORIES

## CLAMPS & HANGERS



## FITTINGS



## NUTS



## STRUT

304 Stainless Steel  
316 Stainless Steel  
Electro Galvanized Finish  
Fiberglass Polyester Gray  
Hot Dipped Galvanized  
Yellow Zinc Finish  
Painted Green Finish  
Pre-galvanized Finish



## GENERAL CONTRACTORS

## ELECTRICAL CONTRACTORS

## MECHANICAL CONTRACTORS

Caddy® Products  
Clamps & Hangers  
Fittings  
Pipe Straps  
Post Bases  
Spring Nuts  
Springless Nuts  
Strut Channel  
Trap Nuts

Angle Brackets  
Beam Clamps  
Caddy® Products  
Clevis Hangers  
End Caps  
Flat Plate Fittings  
Pipe Clamps  
Pipe Roller Hangers  
Post Bases  
Spring Nuts  
Springless Nuts  
Square Washers  
Strut Channel  
Supports  
Trap Nuts  
Trolley Rollers  
U-Fittings  
Wing Fittings  
Z-Fittings

Angle Brackets  
Beam Clamps  
Caddy® Products  
Clevis Hangers  
Cushion Clamps  
End Caps  
Flat Plate Fittings  
Pipe Clamps  
Pipe Straps  
Post Bases  
Riser Clamps  
Split Ring Hangers  
Spring Nuts  
Springless Nuts  
Square Washers  
Strut Channel  
Supports  
Swivel Loop Hangers  
Wing Fittings

**Ask your Copper State representative  
about our special cut-to-length and  
pre-assembled strut services!**



**KUMAR**  
INDUSTRIES

**Thomas & Betts**

**UNISTRUT®**

A PART OF **atkore**  
INTERNATIONAL



**PHD Manufacturing, Inc.**



# Vendor Managed Inventory

## STORAGE OPTIONS

**TRUST  
COMMITMENT  
TRANSPARENCY**

Automated Solutions



Customer Specific Labels

Real-time Scanning Systems

### CAGE



Lockable, heavy-duty design

### JOBSITE VMI

Wheels allow for easy mobility.

Completely managed by your  
Copper State VMI Specialist.

Set up directly on your jobsite or in your fab shop.

Supported by our ENTIRE product line.

### STRUT RACK



Holds all sizes of strut, conduit, and all-thread

### CONNEX OR TRAILER




Your own personalized unit

Bolt Bins

### TRADITIONAL STORAGE

Drawer Assortments



Reusable Totes



Racks



### SMART SOLUTIONS



Coil, Locker Units, and Storeorganizers

Controlled, remote, or after-hours environments.




# Copper State Bolt & Nut Co.




# FLUID SEALING

## GASKETS

Size Capability: 1/2" - 48"\*




Standard ANSI  
150# and 300# Ring



Standard ANSI  
150# and 300# Full Face



Spiral Wound



Die Cut/Hand Cut and Custom Fabrication

\*See CSBN sales associate for all custom fabrication inquiries.

## SPECIALTIES

AIS Certified Products  
Boiler Gaskets  
Flange Isolation Kits  
Full Sheets of Material  
GORE® Joint Sealants  
O-Rings  
Piping Expansion Kits  
Pump/Valve Packing  
Silicone Sealants



## FLANGE KIT MATERIALS

304 Stainless Steel  
316 Stainless Steel  
A307A Plain or Zinc  
A307B Plain or Zinc  
ASTM A193 B7  
ASTM A193 B8  
ASTM A193 B8M



**OUR GASKETS ARE THE REAL DEAL  
FOR ANYTHING YOU NEED TO SEAL.**

## MATERIALS

Blue Tealon™  
Buna-N (Nitrile)  
Butyl  
Closed Cell Sponge  
Cloth Inserted

Cork & Neo  
EPDM  
Felt  
Fluoroelastomer/Viton®  
Gore® GR

Gum  
High Temperature Materials  
Klinger® Materials  
Neoprene  
Non-asbestos

Premium Neo  
Red Rubber  
SBR/CI  
Teflon™  
Vegetable Fiber



Other materials available - See your CSBN rep for details.



UNIQUE TO YOUR INDUSTRY.

## SPECIALTY SERVICES

### On-site Certified Trainings

- Anchoring Epoxy
- Fall Protection
- Firestop
- Ladder Safety
- Lifting Straps
- Powder Actuated



### Custom All-thread Cutting

- Capable of cutting 4" - 12' lengths for all types of all-thread
- Diameter range: 1/2" - 2"


#### Materials

A307  
F1554, Grades 36, 55, 105  
A193-B7  
18.8/A2 Stainless Steel  
316/A4 Stainless Steel  
A193-B8  
A193-B8M



### Product Submittals

- Anchors
- Firestop
- Strut & Accessories



### Pre-assembled Product Services

- Fastener Assemblies
- Strut Trapeze
- Cut-to-Length Strut



### Product Sequencing & Logistics

- Unparalleled labeling and palletization techniques
- Product arranged in their point-of-use order prior to delivery
- Simplified receiving processes
- Reduced loss of product
- Space saved on the jobsite



### Custom Portable Kits

- Power Tools
- Safety Products
- Industrial Supplies



Copper State Bolt & Nut Co.




# PRE-ASSEMBLED CUSTOM KITS & STORAGE



We offer quality and versatile kitting, packaging, and product assembly services. Some of our materials include boxes, bags, biodegradable poly material, totes, pallets, and reusable bins for lean manufacturing lines.

## Big or small? WE PACKAGE IT ALL!



Custom & Private Labeling Available.



# MANUFACTURING & HEAT TREATING

- Capacity to forge virtually any fastener in a variety of types, grades, specifications, and materials in both standard and metric sizes 1/2" to 4" (M16-M100)
- 100% Domestic Steel
- Worldwide customer base
- In-house Capabilities:
  - » ISO 9001:2015 (Certificate # 74 300 4126) certified manufacturing facility
  - » A2LA (Certificate # 0809.01) accredited testing laboratory to provide RoCap certifications, material test reports, and inspection samples
  - » Forging, Threading, Machining, and Heat Treating



*Do you want to be notified when a critical bolt comes loose?*

## LOAD MONITORING FASTENER®

Powered by  
 Transmission Dynamics



Load Monitoring Fastener+® (LMF+®) is a wireless, accurate, and automatic load monitoring fastener system that uses advanced technology to observe and record the true tightness of fasteners.

View live tension data on your mobile device, or stream to The Cloud for continuous remote monitoring.



Scan to learn more about LMF+®  
[boltense@copperstate.com](mailto:boltense@copperstate.com)



## Copper State Bolt & Nut Co.



We proudly provide quality products  
from top brand names in the industry.

**3M**

**AERVOE**



**BOSCH**

**CHAMPION**  
CUTTING TOOL CORP

**DEWALT**

**DIABLO**



**FALLTECH**  
Fall Protection, Precision Engineered.



**GRIPPLE**



**HAYDON**

**ITW Buildex**

**JET**



**LOCTITE**

**Makita**

**LiftAll**  
PRODUCTS FOR BETTER LIFTING

**LOUISVILLE**  
LADDER

**metabo HPT**  
DURABILITY FIRST

**Milwaukee**

**NORTON**  
SAINT-GOBAIN

**MERCER**  
ABRASIVES

**PIP**  
PROTECTIVE INDUSTRIAL PRODUCTS

**PHOENIX**  
SUPPORT SYSTEMS

**NUCOR**

**ARMOR GUYS**  
• PROTECTED •

**PHD**

PHD Manufacturing, Inc.

**RADIANS**

**Ramset**  
POWDER FASTENING SYSTEMS

**SEYMOUR**  
"The Inventor of Aerosol Spray Paint"

**SIMPSON**  
**Strong-Tie**

**STI**

**KASK**

**KUMAR**  
INDUSTRIES

**Sundström**

**Thomas & Betts**

**UNISTRUT**

A PART OF **atkore**  
INTERNATIONAL


**NORSEMAN**  
DRILL & TOOL  
America's Finest High-Speed Steel Cutting Tools







# WHERE TO FIND US



## GROWTH IS ON THE HORIZON.

What does the future hold? Extended support, more customers, additional locations, great people, and deeper, long-lasting partnerships.

Find a Copper State location near you.

