



Forage Factor

8-8-8 with 6 Micronutrients



8-8-8

GUARANTEED ANALYSIS:

Total Nitrogen (N).....	8%
4.8% Monoammonium Phosphate	
3.2% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	8%
Soluble Potash (K ₂ O).....	8%
Boron (B).....	0.35%
Copper (Cu).....	0.05%
0.05% Chelated Copper (Cu)	
Iron (Fe).....	0.1%
0.1% Chelated Iron (Fe)	
Manganese (Mn).....	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo).....	0.0005%
Zinc (Zn).....	0.05%
0.05% Chelated Zinc (Zn)	

Derived from: Urea, Monoammonium Phosphate, Potassium Carbonate, Boric Acid, EDTA Copper, EDTA Iron, EDTA Manganese, Sodium Molybdate, EDTA Zinc.

BULK WEIGHT/GAL: 10.2 LBS AT 68°F

Forage Factor is an NPK product that can be foliar applied to all forages, whether you're cutting for hay or maximizing a pasture's performance. This product can be applied from early spring through the growing season. Apply after every cutting or every 30 to 45 days if grazing. Ask us about our hay and pasture recommendations that utilize other products we offer, for enhancing hay and pasture production.

DIRECTIONS FOR USE:

GRASS HAY AND PASTURES: Apply 2 to 4 quarts per acre, at green-up and after each cutting. If grazing, apply every 30-45 days as needed. Consider these Sugar Creek Ag products to further enhance your Hay and Pasture fertility program: EARTHQUAKE liquid humic, and/or BrimStone 17 or Sweet 'n' Loam.

ALFALFA: Apply 2 to 4 quarts per acre, at green-up and after each cutting. If grazing, apply every 30-45 days as needed. Consider these Sugar Creek Ag products to further enhance your Alfalfa fertility program: EARTHQUAKE liquid humic, BrimStone 17, and/or DropKick.

NOTES: Apply with 10 to 20 gallons of water. Can be applied with other Sugar Creek Ag products and most herbicides, pesticides, and fungicides. Can be applied through drip or overhead irrigation. Agitate before use.

WARNING: THIS FERTILIZER CONTAINS BORON AND SHOULD BE USED ONLY AS RECOMMENDED. BORON MAY BE HARMFUL TO CROPS OTHER THAN THOSE FOR WHICH IT IS RECOMMENDED. THE USE OF THIS FERTILIZER ON ANY CROPS OTHER THAN THOSE RECOMMENDED MAY RESULT IN SERIOUS INJURY TO THE CROP(S).

CAUTION: THIS FERTILIZER CONTAINS MOLYBDENUM. CROPS HIGH IN MOLYBDENUM MAY BE TOXIC TO GRAZING ANIMALS (RUMINANTS). DO NOT FEED OR GRAZE FORAGE FROM TREATED AREAS TO LIVESTOCK WITHOUT CONSULTING A VETERINARIAN.

GENERAL INFORMATION: Sugar Creek Ag suggests growers conduct soil tests and amend the soil accordingly. This product should be applied as a supplement to your overall fertility program. We suggest conducting a jar test prior to mixing with other ingredients to establish compatibility. If the solution is left in the spray tank overnight, agitate thoroughly before spraying. To avoid crop damage due to high temperatures, it is suggested to apply early morning or early evening. Product should not be stored where freezing is possible. Product may settle in storage and should be agitated before use.

WARRANTY AND CONDITION OF SALE: Manufacturer warrants that this material conforms to the chemical description on the label, and this product is reasonably fit for use as directed. No other warranty is made, either expressed or implied. Buyer acknowledges and assumes all risk and liability resulting from handling, storage, and use of this material. Manufacturer shall not be liable for claims resulting from use of this product not in accordance with the general information, application directions, and warnings on the label.

WARNING: KEEP OUT OF REACH OF CHILDREN. In case of contact with eyes, flush with water. Contact physician if irritation persists. Dispose of container in accordance with local, state, and federal regulations.

MANUFACTURED FOR AND GUARANTEED BY:

Sugar Creek Ag

3248 Taylorsville Rd., Shelbyville, KY 40065

502-643-5291 sugarcreekag.com



Veteran Owned and Made in the USA

275 U.S. Gallons
Net Weight: 2805 Lbs.