

Demographic Information

Call Name Hattie DOB March 15, 2022

Registered Name Registration Number

Breed Mixed Breed Tattoo

Sex F Microchip
Owner Jennifer Hoyt Laboratory # AN-22-001815

Report Date May 19, 2022

These tests were developed and performed by Paw Print Genetics®, Spokane WA.

Explanation of Results

Normal A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.

Carrier A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.

Carrier / At-Risk

A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease.

Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.

At-Risk / Affected

An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may

result in the disease.

No Result 'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. An acceptable level of tests with no results has been determined by Paw Print Genetics. Dogs with at least

90% of the test results are determined to be acceptable and reportable. If your dog has an

unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.

Please review our testing terms and disclaimers regarding your results.

WT: wild type (normal)

M: mutant

Y: Y chromosome (male)

Breed Profile

There are currently no breed specific diseases for Mixed Breed

WT: wild type (normal)

M: mutant

Y: Y chromosome (male)

Coat Colors & Traits

Trait Name	Geno.	Interpretation
A Locus Agouti	a ^t /a ^t	Tricolor, black and tan
A ^S Locus Saddle Tan	N/N	No saddle tan/creeping tan
B Locus Brown	B/b	Black coat, nose and foot pads (carries brown)
B Locus (Brown) - b ^a B Locus (Brown) - b ^c B Locus (Brown) - b ^d B Locus (Brown) - b ^s	0 0 0 1	
<u>Brachycephaly</u>	BR/BR	Likely medium to long muzzle
Chondrodysplasia CDPA	CD or cd/CD	Likely short-legged (may be typical leg length carrier)
Curly Hair	Cu/Cu ^C	Curly/wavy coat (carrier)
<u>D Locus</u> <u>Dilute</u>	D/D	Non dilute
D Locus (Dilute) - d ¹ D Locus (Dilute) - d ²	0	
E Locus Yellow/Red	E/e	Black (carries yellow/red)
E ^g Locus Grizzle, Afghan Hound Type	N/N	No grizzle
E ^h Locus Sable, Cocker Spaniel Type	N/N	No sable

E ^m Locus Melanistic Mask	N/N	No melanistic mask
H Locus Harlequin, Great Dane Type	h/h	No harlequin
Hr Locus FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type	hr/hr	Coated
<u>l Locus</u> <u>Intensity</u>	1/1	Normal intensity
IC Locus Improper Coat/Furnishings	F/IC	Furnishings (improper coat carrier)
K Locus Dominant Black	k ^y /k ^y	Agouti expression allowed
<u>L Locus</u> Long <u>Hair/Fluffy</u> - Lh ¹ , Lh ²	Lh/Lh	Longhaired
L Locus (Long Hair/Fluffy) - Lh ¹ L Locus (Long Hair/Fluffy) - Lh ²	2	
M Locus Merle	m/M222	Single copy merle carrier
<u>Polydactyly</u>	pd/pd	Normal (typical) toes (likely no hind dewclaws)
S Locus White Spotting, Parti, or Piebald	S/S	No white spotting, flash, parti, or piebald
SD Locus Shedding	SD/SD	High shedding
Sex Determination	X/X	Female
Locus Natural Bobtail	t/t	Normal tail

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Diseases

Disease Name	Geno.	Interpretation
Acral Mutilation Syndrome	WT/WT	Normal (Clear)
Acute Respiratory Distress Syndrome	WT/WT	Normal (Clear)

Adult Paroxysmal Dyskinesia	WT/WT	Normal (Clear)
Alaskan Husky Encephalopathy	WT/WT	Normal (Clear)
Alaskan Malamute Polyneuropathy	WT/WT	Normal (Clear)
Amelogenesis Imperfecta	WT/WT	Normal (Clear)
Benign Familial Juvenile Epilepsy	WT/WT	Normal (Clear)
Canine Multiple System Degeneration Chinese Crested Type	WT/WT	Normal (Clear)
<u>Canine Multiple System Degeneration</u> <u>Kerry Blue Terrier Type</u>	WT/WT	Normal (Clear)
Canine Scott Syndrome	WT/WT	Normal (Clear)
Catalase Deficiency	WT/WT	Normal (Clear)
Centronuclear Myopathy	WT/WT	Normal (Clear)
Cerebellar Ataxia Finnish Hound Type	WT/WT	Normal (Clear)
Cerebellar Cortical Degeneration	WT/WT	Normal (Clear)
Cerebellar Degeneration	WT/WT	Normal (Clear)
<u>Chondrodysplasia</u> <u>Karelian Bear Dog and Norwegian Elkhound Type</u>	WT/WT	Normal (Clear)
<u>Cleft Palate and Syndactyly</u> <u>Nova Scotia Duck Tolling Retriever Type</u>	WT/WT	Normal (Clear)
Coagulation Factor VII Deficiency	WT/WT	Normal (Clear)
Collie Eye Anomaly	WT/WT	Normal (Clear)
Complement 3 Deficiency	WT/WT	Normal (Clear)
Cone Degeneration	WT/WT	Normal (Clear)
Cone Degeneration German Shepherd Dog Type	WT/WT	Normal (Clear)
Cone Degeneration German Shorthaired Pointer Type	WT/WT	Normal (Clear)
Cone Degeneration Labrador Retriever Type	WT/WT	Normal (Clear)
Congenital Hypothyroidism with Goiter Terrier Type	WT/WT	Normal (Clear)
Congenital Methemoglobinemia	WT/WT	Normal (Clear)
Congenital Myasthenic Syndrome Jack Russell Terrier Type	WT/WT	Normal (Clear)
Congenital Myasthenic Syndrome	WT/WT	Normal (Clear)

<u>Labrador Retriever Type</u>		
Congenital Myasthenic Syndrome Old Danish Pointer Type	WT/WT	Normal (Clear)
Congenital Stationary Night Blindness	WT/WT	Normal (Clear)
<u>Craniomandibular Osteopathy</u>	WT/WT	Normal (Clear)
Cyclic Neutropenia	WT/WT	Normal (Clear)
<u>Cystinuria</u> <u>Australian Cattle Dog Type</u>	WT/WT	Normal (Clear)
<u>Cystinuria</u> <u>Labrador Retriever Type</u>	WT/WT	Normal (Clear)
<u>Cystinuria</u> <u>Miniature Pinscher Type</u>	WT/WT	Normal (Clear)
<u>Cystinuria</u> <u>Newfoundland Type</u>	WT/WT	Normal (Clear)
Cystinuria Type 3 Bulldog Type Risk Factor, Variant 3	WT/WT	Normal (Clear)
Cystinuria Type 3 Bulldog Type Risk Factor, Variants 1 and 2	WT/WT	Normal (Clear)
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1) Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0	
Dandy-Walker-Like Malformation	WT/WT	Normal (Clear)
<u>Degenerative Myelopathy</u>	WT/WT	Normal (Clear)
Degenerative Myelopathy (Bernese Mountain Dog Variant) Degenerative Myelopathy (Common Variant)	0	
<u>Degenerative Myelopathy Early-Onset Risk Modifier</u> <u>Pembroke Welsh Corgi Type</u>	WT/WT	Normal (Clear)
<u>Dental Hypomineralization</u>	WT/WT	Normal (Clear)
<u>Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy</u> <u>Doberman Pinscher Type Risk Factor, Variant 1</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy</u> <u>Doberman Pinscher Type Risk Factor, Variant 2</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy</u> <u>Schnauzer Type</u>	WT/WT	Normal (Clear)
<u>Dry Eye Curly Coat Syndrome</u>	WT/WT	Normal (Clear)
<u>Dystrophic Epidermolysis Bullosa</u>	WT/WT	Normal (Clear)

Early Retinal Degeneration	WT/WT	Normal (Clear)
Ectodermal Dysplasia Chesapeake Bay Retriever Type	WT/WT	Normal (Clear)
Ectodermal Dysplasia, X-Linked Dachshund Type	WT/WT	X-Linked Female Normal
Ectodermal Dysplasia, X-Linked Shepherd Type	WT/WT	X-Linked Female Normal
Ehlers-Danlos Syndrome	WT/WT	Normal (Clear)
Ehlers-Danlos Syndrome (Variant 1) Ehlers-Danlos Syndrome (Variant 2)	0	
Elliptocytosis	WT/WT	Normal (Clear)
Epidermolytic Hyperkeratosis	WT/WT	Normal (Clear)
Episodic Falling Syndrome	WT/WT	Normal (Clear)
Exercise-Induced Collapse	WT/WT	Normal (Clear)
Factor XI Deficiency	WT/WT	Normal (Clear)
<u>Familial Nephropathy</u> <u>Cocker Spaniel Type</u>	WT/WT	Normal (Clear)
Familial Nephropathy English Springer Spaniel Type	WT/WT	Normal (Clear)
<u>Fucosidosis</u>	WT/WT	Normal (Clear)
Gallbladder Mucoceles	WT/WT	Normal (Clear)
Glanzmann's Thrombasthenia Great Pyrenees Type	WT/WT	Normal (Clear)
Glanzmann's Thrombasthenia Otterhound Type	WT/WT	Normal (Clear)
Glaucoma Border Collie Type	WT/WT	Normal (Clear)
Globoid Cell Leukodystrophy Irish Setter Type	WT/WT	Normal (Clear)
Globoid Cell Leukodystrophy Terrier Type	WT/WT	Normal (Clear)
Glycogen Storage Disease Ia	WT/WT	Normal (Clear)
Glycogen Storage Disease IIIa	WT/WT	Normal (Clear)
Glycogen Storage Disease VII Wachtelhund Type	WT/WT	Normal (Clear)
Glycogen Storage Disease VII, PFK Deficiency	WT/WT	Normal (Clear)

GM1 Gangliosidosis Alaskan Husky Type	WT/WT	Normal (Clear)
GM1 Gangliosidosis Portuguese Water Dog Type	WT/WT	Normal (Clear)
GM1 Gangliosidosis Shiba Inu Type	WT/WT	Normal (Clear)
GM2 Gangliosidosis Japanese Chin Type	WT/WT	Normal (Clear)
GM2 Gangliosidosis Poodle Type	WT/WT	Normal (Clear)
<u>Greyhound Polyneuropathy</u>	WT/WT	Normal (Clear)
Hemophilia A Boxer Type	WT/WT	X-Linked Female Normal
Hemophilia A German Shepherd Dog, Type 1	WT/WT	X-Linked Female Normal
Hemophilia A German Shepherd Dog, Type 2	WT/WT	X-Linked Female Normal
Hemophilia B Cairn Terrier Type	WT/WT	X-Linked Female Normal
Hemophilia B Lhasa Apso Type	WT/WT	X-Linked Female Normal
Hemophilia B Rhodesian Ridgeback Type	WT/WT	X-Linked Female Normal
<u>Hereditary Cataracts</u>	WT/WT	Normal (Clear)
Hereditary Cataracts Australian Shepherd Type	WT/WT	Normal (Clear)
Hereditary Footpad Hyperkeratosis Irish Terrier and Kromfohrländer Type	WT/WT	Normal (Clear)
<u>Hereditary Nasal Parakeratosis</u>	WT/WT	Normal (Clear)
Hereditary Nasal Parakeratosis Greyhound Type	WT/WT	Normal (Clear)
Hereditary Nephritis Samoyed Type	WT/WT	X-Linked Female Normal
<u>Hyperuricosuria</u>	WT/WT	Normal (Clear)
Hypomyelination Weimaraner Type	WT/WT	Normal (Clear)
Ichthyosis American Bulldog Type	WT/WT	Normal (Clear)
Ichthyosis Golden Retriever Type 1	WT/WT	Normal (Clear)

Ichthyosis Great Dane Type	WT/WT	Normal (Clear)
Inherited Myopathy of Great Danes	WT/WT	Normal (Clear)
Intervertebral Disc Disease Risk Factor and Chondrodystrophy CDDY with IVDD	WT/WT	Normal (Clear)
Intestinal Cobalamin Malabsorption Beagle Type	WT/WT	Normal (Clear)
Intestinal Cobalamin Malabsorption Border Collie Type	WT/WT	Normal (Clear)
Juvenile Laryngeal Paralysis and Polyneuropathy	WT/WT	Normal (Clear)
Juvenile Myoclonic Epilepsy Rhodesian Ridgeback Type	WT/WT	Normal (Clear)
L-2-Hydroxyglutaric Aciduria Staffordshire Bull Terrier Type	WT/WT	Normal (Clear)
<u>Lagotto Storage Disorder</u>	WT/WT	Normal (Clear)
Late Onset Ataxia	WT/WT	Normal (Clear)
<u>Lethal Acrodermatitis</u>	WT/WT	Normal (Clear)
Leukocyte Adhesion Deficiency, Type I	WT/WT	Normal (Clear)
Leukocyte Adhesion Deficiency, Type III	WT/WT	Normal (Clear)
<u>Ligneous Membranitis</u>	WT/WT	Normal (Clear)
<u>Lundehund Syndrome</u>	WT/WT	Normal (Clear)
Macular Corneal Dystrophy Labrador Retriever Type	WT/WT	Normal (Clear)
May-Hegglin Anomaly	WT/WT	Normal (Clear)
Mucopolysaccharidosis I	WT/WT	Normal (Clear)
Mucopolysaccharidosis IIIA Dachshund Type	WT/WT	Normal (Clear)
Mucopolysaccharidosis IIIA New Zealand Huntaway Type	WT/WT	Normal (Clear)
Mucopolysaccharidosis VII Shepherd Type	WT/WT	Normal (Clear)
<u>Multidrug Resistance 1</u>	WT/M	Carrier (At-Risk)
Multifocal Retinopathy 1	WT/WT	Normal (Clear)
Multifocal Retinopathy 2	WT/WT	Normal (Clear)
<u>Multifocal Retinopathy 3</u>	WT/WT	Normal (Clear)

Muscular Dystrophy Golden Retriever Type	WT/WT	X-Linked Female Normal
Musladin-Lueke Syndrome	WT/WT	Normal (Clear)
Myostatin Deficiency Whippet and Longhaired Whippet Type	WT/WT	Normal (Clear)
Myotonia Congenita Australian Cattle Dog Type	WT/WT	Normal (Clear)
Myotonia Congenita Schnauzer Type	WT/WT	Normal (Clear)
Myotubular Myopathy 1	WT/WT	X-Linked Female Normal
Myotubular Myopathy 1 Rottweiler Type	WT/WT	X-Linked Female Normal
Narcolepsy Dachshund Type	WT/WT	Normal (Clear)
Narcolepsy Doberman Pinscher Type	WT/WT	Normal (Clear)
Narcolepsy Labrador Retriever Type	WT/WT	Normal (Clear)
Neonatal Cerebellar Cortical Degeneration	WT/WT	Normal (Clear)
Neonatal Encephalopathy with Seizures	WT/WT	Normal (Clear)
Neuroaxonal Dystrophy Rottweiler Type	WT/WT	Normal (Clear)
Neuroaxonal Dystrophy Spanish Water Dog Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis Tibetan Terrier Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 1	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 1 Cane Corso Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 10	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 12	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 2	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 4A	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 5 Australian Cattle Dog/Border Collie Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 5 Golden Retriever Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 6	WT/WT	Normal (Clear)

Neuronal Ceroid Lipofuscinosis 7	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 8 Australian Shepherd Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 8 Setter Type	WT/WT	Normal (Clear)
Oculocutaneous Albinism	WT/WT	Normal (Clear)
Oculocutaneous Albinism Small Breed Type	WT/WT	Normal (Clear)
<u>Osteochondrodysplasia</u>	WT/WT	Normal (Clear)
Osteogenesis Imperfecta Beagle Type	WT/WT	Normal (Clear)
Osteogenesis Imperfecta Dachshund Type	No Result	No Result
Osteogenesis Imperfecta Golden Retriever Type	WT/WT	Normal (Clear)
P2RY12 Receptor Platelet Disorder	WT/WT	Normal (Clear)
Pembroke Welsh Corgi Duchenne Muscular Dystrophy	WT/WT	X-Linked Female Normal
Persistent Müllerian Duct Syndrome	WT/WT	Normal (Clear)
Polyneuropathy Leonberger and Saint Bernard Type	WT/WT	Normal (Clear)
Polyneuropathy Leonberger Type 2	WT/WT	Normal (Clear)
Polyneuropathy with Ocular Abnormalities and Neuronal Vacuolation	WT/WT	Normal (Clear)
Pompe Disease	WT/WT	Normal (Clear)
Prekallikrein Deficiency	WT/WT	Normal (Clear)
Primary Ciliary Dyskinesia	WT/WT	Normal (Clear)
<u>Primary Hyperoxaluria</u>	WT/WT	Normal (Clear)
<u>Primary Lens Luxation</u>	WT/WT	Normal (Clear)
Primary Open Angle Glaucoma	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma</u> <u>Basset Fauve de Bretagne Type</u>	WT/WT	Normal (Clear)
Primary Open Angle Glaucoma Basset Hound Type	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma</u> <u>Norwegian Elkhound Type</u>	WT/WT	Normal (Clear)

Primary Open Angle Glaucoma and Primary Lens Luxation Shar Pei Type	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy</u> <u>Basenji Type</u>	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Bullmastiff/Mastiff Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Giant Schnauzer Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Irish Setter Type	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy</u> <u>Shetland Sheepdog Type</u>	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Sloughi Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 1</u>	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 2	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 4 crd4/cord1	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Generalized	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Golden Retriever 1	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Golden Retriever 2	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, PRA1 Papillon Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, PRA3 Tibetan Terrier and Spaniel Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration prcd	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Rod-Cone Dysplasia 3	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Rod-Cone Dysplasia 4	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, X-Linked 1	WT/WT	X-Linked Female Normal
Protein Losing Nephropathy	WT/WT, WT/WT	Normal (Clear) - No Increased Risk
Protein Losing Nephropathy (Variant 1) Protein Losing Nephropathy (Variant 2)	0	
Pyruvate Dehydrogenase Deficiency	WT/WT	Normal (Clear)

<u>Pyruvate Kinase Deficiency</u> <u>Basenji Type</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency</u> <u>Beagle Type</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency</u> <u>Labrador Retriever Type</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency</u> <u>Pug Type</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency</u> <u>Terrier Type</u>	WT/WT	Normal (Clear)
Recurrent Inflammatory Pulmonary Disease	WT/WT	Normal (Clear)
Renal Cystadenocarcinoma and Nodular Dermatofibrosis	WT/WT	Normal (Clear)
Retinal Dysplasia/Oculoskeletal Dysplasia 1	WT/WT	Normal (Clear)
Retinal Dysplasia/Oculoskeletal Dysplasia 2	WT/WT	Normal (Clear)
Sensory Neuropathy Border Collie Type	WT/WT	Normal (Clear)
Severe Combined Immunodeficiency Disease Terrier Type	WT/WT	Normal (Clear)
Severe Combined Immunodeficiency Disease Wetterhoun Type	WT/WT	Normal (Clear)
Severe Combined Immunodeficiency Disease, X- Linked Basset Hound Type	WT/WT	X-Linked Female Normal
Severe Combined Immunodeficiency Disease, X- Linked Corgi Type	WT/WT	X-Linked Female Normal
Shar-Pei Autoinflammatory Disease	WT/WT	Normal (Clear)
Skeletal Dysplasia 2	WT/WT	Normal (Clear)
<u>Spinal Dysraphism</u>	WT/WT	Normal (Clear)
<u>Spinocerebellar Ataxia</u>	WT/WT	Normal (Clear)
<u>Spondylocostal Dysostosis</u>	WT/WT	Normal (Clear)
Stargardt Disease	WT/WT	Normal (Clear)
Startle Disease	WT/WT	Normal (Clear)
<u>Thrombopathia</u> <u>American Eskimo Dog Type</u>	WT/WT	Normal (Clear)
<u>Thrombopathia</u> <u>Basset Hound Type</u>	WT/WT	Normal (Clear)

WT/WT	Normal (Clear)
WT/WT	Normal (Clear)
	WT/WT WT/WT WT/WT WT/WT WT/WT WT/WT

WT: wild type (normal)

M: mutant

Y: Y chromosome (male)

Helm Short

Helen F Smith, PhD

Christina J Ramirez, PhD, DVM, DACVP

Associate Laboratory Director

Medical Director

Canine HealthCheck is a product of Paw Print Genetics. This test was developed and its performance determined by Paw Print Genetics®. This laboratory has established and verified the test's accuracy and precision. Because all tests are preformed are DNA-base, rare genomic variations may interfere with the performance of some tests producing false results. If you think these results are in error, please contact the laboratory for further evaluation.