



**Ruminant Feed**

# All Rounder Pellet

## Product Description

Woods Ruminant All Rounder Pellet is a medicated stock feed suitable for all cattle over 200kg live weight and all sheep over 15kg live weight as a backgrounding supplement in conjunction with pasture, hay or silage. This pellet can also be limit fed to breeders and bulls, and ewes and rams as a supplement to forage available.

This pellet is composed of milled grains, protein meals/pulse seeds, fibre and other food by-products (hulls, millrun, biscuit meal, etc.), macro-minerals, trace minerals and vitamins.

Typically, **Woods Ruminant All Rounder Pellet** contains 31mg/kg Lasalocid sodium, a rumen modifier that helps improve feed conversion.



## Typical Result\* – Dry Matter Basis

ANALYTICAL DATA	RESULT
Crude Protein	14%
Moisture	11%
NDF	28.23%
Crude Fibre	13.61%
NDF	28.23%
Fat	4.10%
Calcium	0.86%
Phosphorus	0.44%
Metabolisable Energy	11.84MJ/kg
Potassium	0.79%
Sulphur	0.15%
Magnesium	0.26%
Sodium	0.26%
Lasalocid	31.10mg/kg
Vitamin A added	5331IU/kg
Vitamin E added	10.66mg/kg



## Feeding Guidelines

Animals that have not been accustomed to grain feeding must be introduced gradually or it may cause bloat, rumen acidosis and/or possible death. Before supplying this medium high grain ration, preferably feed cattle or sheep palatable grass/cereal hay for 1 or 2 days to ensure rumen fill and adequate rumination. Depending on amount and quality of forage (pasture, hay or silage) available, supply between 1 to 2% of live weight to backgrounding young cattle or cows and bulls, and weaned lambs or ewes in troughs, or limit access self-feeders.

For cattle and sheep going into feedlot, provide **Woods Ruminant All Rounder Pellet** free access in troughs or self-feeders for first 10 to 14 days prior to changing to **Woods Beef Finisher Pellet** or **Woods Sheep Finisher Pellet**.

WARNING: DO NOT FEED TO DOGS, HORSES OR OTHER EQUINES AS MAY PROVE FATAL. THIS PRODUCT DOES NOT CONTAIN RESTRICTED ANIMAL MATERIAL.

DISCLAIMER: There may be variations of composition depending on seasonal conditions and availability of raw materials. The specifications are given as a general indication only on a typical analysis. Shelf life of this product is limited. It is recommended that the product be stored in a cool dry place and be consumed within a 6 month period from date of manufacture.