



Dry Loose Lick

Beef Grower/Breeder 10U Lick

Product Description

Woods Stockfeeds Beef Grower/Breeder 10U Lick is a dry loose lick suitable for cattle grazing standing mature pasture or crop stubble of at least 1000kg DM/Ha.

Beef Grower/Breeder 10U Lick contains no grains or grain components and is suitable to be considered a grain free/pasturefed diet. No rumen modifiers are used in the production of this feed.

Beef Grower/Breeder 10U Lick is composed of slow rumen degradable protein meals, urea (10% maximum), salt (15% maximum), limestone, mono-dicalcium phosphate (MDCP), magnesium and sulphur sources, or other trace minerals and vitamins. Additives such as rumen modifiers or probiotics may be included at the request of the customer.



Feeding Guidelines

Recommended feeding rate is 250 to 300 grams per head per day.

Always start cattle on dry loose lick at a low level of urea, such as **Woods Stockfeeds Beef Starter 5U Lick**,

then move them up to the desired dry loose lick such as **Beef Grower/Breeder 10U Lick**.

Supply in well drained open-ended troughs or covered feeders. Once consumption rates are settled, do not let troughs become empty as cattle may over consume upon reintroduction of dry loose lick.

Beef Grower/Breeder 10U Lick is also available with 15% and 20% urea.



DISCLAIMER: There may be variations of composition depending on seasonal conditions and availability of raw materials. The specifications are given as a general indication only on a typical analysis. Shelf life of this product is limited. It is recommended that the product be stored in a cool dry place and be consumed within a six month period from date of manufacture.

Typical Result* - Dry Matter Basis

NUTRIENTS	TYPICAL ANALYSIS
Total Crude Protein	61.27%
Total Equiv Protein	40.90%
Calcium	4.46%
Sulphur	2.41%
Copper	143 mg/kg
Total Phosphorous (P)	2.11%
Vitamin A	26498 IU/kg
Vitamin E	39.7 mg/kg
Selenium	3.3 mg/kg
Zinc	421 mg/kg

WARNINGS:

- Products that contain urea may be poisonous to stock
- Do not feed to starving stocks as they may overconsume the lick
- Do not feed if forage available is less than 1000kg DM/Ha
- Do not allow the product to become wet and accessible to stock
- Feed away from animals' water supply
- Do not feed to dogs, horses or other equines as may prove fatal
- Ensure animals are not excessively craving salt before supply
- Do not feed dry loose licks in conjunction with other supplements that contain urea as this may cause urea toxicity
- Always monitor consumption of dry loose licks
- Woods Stockfeeds has no control over the feeding of this product and accepts no responsibility for any stock losses that may occur
- Salt levels may vary depending on stock water or soil salt content

If rumen modifier is required, it can be requested through your supplier or Woods Stockfeeds.