Sunmaster®



- Offering a significant yield jump over established varieties in the northern region
- APH quality classification
- Similar maturity & planting window as Suntop[®]
- Shorter plant type than Suntop[®] and LRPB Reliant[®], with good lodging tolerance
- Good tolerance to RLN (P. thornei)
- Maintains high yield in the presence of crown rot

Breeder's comments

Sunmaster[®] represents the biggest leap forward in grain yield for northern wheat varieties in some time. With an impressive 9% and 6% yield improvement over LRPB Reliant[®] and Suntop[®] respectively, Sunmaster[®] is clearly the leading APH main season variety for northern growers.

For many years now, Suntop[®] has been one of the most popular APH varieties in the main planting window across NSW and Queensland. Since the release of Suntop[®], we have been focussing much of our efforts into breeding a Suntop[®] replacement that delivers even more benefits to growers. These efforts are now making their way into the paddocks of Australian farmers, as we apply new breeding methods to combine elite grain yield with APH quality and the disease resistance needed in the north.

Since Sunmaster[®] was released in 2020 it has consistently been one of the highest yielding varieties across the northern region main season National Variety Trials. With proven performance across Queensland and New South Wales, Sunmaster[®] has become the variety of choice for growers when it comes to a main season planting option.

Sunmaster[®] also has a very sound disease resistance package, particularly being able to tolerate some level of crown rot and root lesion nematode (P. thornei) pressure.

Sunmaster[®] shares many similarities with its primary parent Suntop[®], with an APH quality classification, wide adaptation and mid-season maturity. Growers that are familiar with the maturity of Suntop[®] should feel comfortable in planting Sunmaster[®] in the same window.

We expect Summaster[®] to continue to benefit growers for many more years as the clear choice for main season planting. It is a genuine Suntop[®] replacement that has been higher yielding than most other main season varieties across the northern region.

Sunmaster[®]

Table 1. Specifications

Background

Tested as	SUN972P				
Released	2020				
EPR rate	\$3.60/tonne + GST				
Disease					
Stem Rust resistance*	MS				
Stripe Rust resistance*	MRMS				
Leaf Rust resistance*	RMR				

Leaf Rust resistance*	RMR
Yellow Leaf Spot resistance*	MSS
Septoria Tritici Blotch	

MS

TMT

Pratylenchus Thornei resistance*	

Pratylenchus Thornei	
tolerance*	

resistance*

Crown	Rot resistance*	MSS

Plant Characteristics

Maturity speed^	Mid			
Maturity habit^	Spring			
Sowing window^	Main			
Novel herbicide tolerance^	None (conventional tolerance)			
Head type^	Awned			
Head type^ Plant height^	Awned Moderate			
	7441100			

Abiotic Stress

Boron tolerance^	Does not carry tolerance gene		
Acid/aluminium tolerance^	Does not carry tolerance gene		

Grain Quality

Quality classification	APH		
Grain colour	White		
Screenings level^	Low		
Test weight^	Very high		
Sprouting tolerance^o	1		
Black Point resistance*	MR		

Legend

- Resistant
- MR Moderately Resistant
- MS Moderately Susceptible
- S Susceptible
- VS Very Susceptible
- Tolerant
- MT Moderately Tolerant
- MI Moderately Intolerant
- Intolerant


- Very Intolerant
- (P) Provisional rating
- NA Not Available
- Pathotype differences
- Range
- Mixed phenotype
- May be more susceptible to alternate pathotypes
- NVT consensus ratings 2025

- Rating based on Germination Index Values
- AGT ratings/data interpretation. Comprehensive AGT agronomic trait ratings and data can be found at: https://bit.ly/ TraitRatings

Grain yield

Compared with other mid and quick-mid maturing varieties, Sunmaster[®] has yielded exceptionally well across the northern region in NVT trials (Figure 1).

Figure 1. Predicted grain yield of Sunmaster[®] versus comparators across northern NSW/QLD regions



Source: NVT long term MET analysis, main season trial series 2020-2024

^{[]:} Total number of trials per region

^{():} Number of trials that each variety was present in across the dataset

Variety comparisons

Sunblade CL Plus[®] has a sound disease resistance package, with useful stripe rust resistance and Pratylehchus thornei tolerance and resistance.

Table 2. Variety comparisons

		Sunmaster [®]	LRPB Hellfire®	LRPB Reliant®	Sunblade CL Plus®	Sunchaser [©]	Suntop [®]
	Stem Rust resistance*	MS	MR	R	MS	MR	MRMS
ase	Stripe Rust resistance*	MRMS	MRMS	MR	MRMS	RMR	MRMS
	Leaf Rust resistance*	RMR	MSS	RMR	MSS	R	MR
	Yellow Leaf Spot resistance*	MSS	MSS	S	MSS	MS	MSS
Disease	Septoria Tritici Blotch resistance*	S	S	S	S	S	S
	Pratylenchus Thornei resistance*	MS	MSS	MSS	MRMS	MSS	MRMS
	Pratylenchus Thornei tolerance*	TMT	MI	TMT	MT	MT	TMT
	Crown Rot resistance*	MSS	MSS	MS	S	MSS	MSS
	Maturity speed^	Mid	Quick	Mid	Mid	Quick-mid	Mid
	Maturity habit^	Spring	Spring	Spring	Spring	Spring	Spring
CS	Sowing window^	Main	Main	Main	Main	Main	Main
Plant Characteristics	Novel herbicide tolerance^	None (conventional tolerance)	None (conventional tolerance)	None (conventional tolerance)	Clearfield® Plus (Intervix® herbicide)	None (conventional tolerance)	None (conventional tolerance)
nt Cr	Head type^	Awned	Awned	Awned	Awned	Awned	Awned
Pla	Plant height^	Moderate	Moderate	NA	Moderate	Moderately tall	NA
	Coleoptile length^	Moderate	Moderate	NA	Moderate	Long	NA
	Lodging tolerance^	MTMI	MI	NA	MTMI	MI	NA
Abiotic Stress	Boron tolerance^	Does not carry tolerance gene	Does not carry tolerance gene	NA	Carries tolerance gene	Does not carry tolerance gene	NA
Abic	Acid/aluminium tolerance^	Does not carry tolerance gene	Carries tolerance gene	NA	Does not carry tolerance gene	Does not carry tolerance gene	NA
	Quality classification	APH	APH	APH	APH	APH	APH
	Grain colour	White	White	White	White	White	White
uality	Screenings level^	Low	Low	NA	High	Very low	NA
Grain Quality	Test weight^	Very high	High	NA	High	Very high	NA
5	Sprouting tolerance^o	I	I	NA	I	MII	NA
	Black Point resistance*	MR	S	MS	MRMS	MRMS	MSS



Please contact an AGT Affiliate or your local retailer for seed. Consult the AGT website for AGT Affiliate contact details (www.agtbreeding.com.au/affiliates). AGT varieties can be traded between growers upon the completion of a License Agreement as part of AGT's Seed Sharing $^{\text{TM}}$ initiative (www.agtbreeding.com.au/seedsharing)

PBR and EPR

Varieties denoted by the [®] symbol are protected by Plant Breeders Rights (PBR) and all production (except seed saved for planting) is liable to an End Point Royalty (EPR), which funds future plant breeding. Growers of PBR protected varieties will be subject to a Grower License Agreement that acknowledges that an EPR must be paid on all production other than seed saved for planting.

Contact

Douglas Lush, Variety Support Manager northern NSW/QLD: AGT End Point Royalty team:

0407 177 029 (08) 7111 0201

agtbreeding.com.au

The information contained in this brochure is based on knowledge and understanding at the time of writing. Growers should be aware of the need to regularly consult with their advisors on local conditions and currency of information. Wherever possible, independent NVT data has been used in this publication. In the absense of NVT data, AGT data has been provided.