



Oriel
LIGHTING

lighting revolution
2026 master catalogue



designer pendants 003



mid-century pendants 004



industrial pendants 015



earth pendants 022



LED pendant lights 031



LED linear designer 038



designer wall sconces 045



wall lights 053



vanity lights 061



spot lights 083



recessed lights 069



ceiling lights 071



DIY lights 074



outdoor wall lights 78



outdoor bollards 091



outdoor 12volt DIY 100



lamps 102



desk amps 118



floor lamps 122




globes + accessories 132

PENDANTS | designer

OL65272/6

Hyort 6 Lt Pendant
KD Version
D65 H38 S120
E14 60w x 6



OL65273/2

Hyort 2 Lt Wall Light
H46 W43 P12
E14 60w x 2




OL65274/1

Hyort Single Pendant
D50 H196
E27 60w




NEW



OL65272/8

Hyort 8 Lt Pendant
KD Version
D100 H46 S120
E14 60w x 8



No deer were harmed
in the production of
the Hyort - the antlers
are poly-resin.


The Hyort 6lt & 8lt are
supplied unassembled.

OL65281/8

Ramure 8 Lt
KD Version
D100 H46 S120
E14 60w x 8



NEW



No deer were harmed
in the production of the
Ramure - the antlers
are poly-resin.

The Ramure 6lt & 8lt are
supplied unassembled.

OL65281/6

Ramure 6 Lt
KD Version
D73 H35 S120
E14 60w x 6



NEW



PENDANTS | traditional

OL65963BZ

Gaston 3lt Bronze

H51 D41 S90

E27 60w x 3

The updated Gaston suite has a painted Bronze finish, with frosted glass.



OL65321/3BK

Rochester 3 Light

H53 D55 S190

E27 40W x 3



OL65321/3AB

Rochester 3 Light

H53 D55 S190

E27 40W x 3



OL65951BZ

Gaston 1lt Bronze

H35 D30 S90

E27 60w



OL65321/5BK

Rochester 5 Light

H55 D63 S190

E27 40W x 5



OL65321/5AB

Rochester 5 Light

H55 D63 S190

E27 40W x 5



OL65933BZ

Gaston 3lt CTC

H37 D41

E27 60w x 3



OL65321/1BK

Rochester Wall Light

H20 W13 P21

E27 40W



OL65321/1AB


Rochester Wall Light

H20 W13 P21

E27 40W



PENDANTS | mid-century



PENDANTS | mid-century

SL66901BK

Southport.30

30x30 H35 S62

E27 42w



The SL66901 canopy is tilt adjustable.



No glass

SL66906BK

Southport.100

29x100 H29 S61

E27 42w x 6



All Southport pendants have rod suspensions. Included are 2 x 23cm lengths and 1 x 13cm length.



No glass

SL66904BK

Southport.48

48x48 H30 S62

E27 42w x 4



No glass

SL64901BK

Eaton.17 Pendant

H34 17x17

E27 60w



Eaton rod suspensions supplied in 13 + 23cm lengths.

The canopy is tilt adjustable.



Clear glass

SL64902BK

Eaton.30 Pendant

H39 30x30

E27 60w



The canopy is tilt adjustable.



Clear glass

SL64904BK

Eaton.100 Pendant

H35 100x30

E27 42w x 4



Eaton rod suspensions supplied in 13 + 23cm lengths.



Clear glass

SL64903BK


Eaton.70 Pendant

H35 70x30

E27 42w x 3



Eaton rod suspensions supplied in 13 + 23cm lengths.



Clear glass

PENDANTS | mid-century statement pieces

OL65621BK

Weston 3lt
D24 H28 S180
E14 40w x 3



Clear
Glass

OL65623BK

Newham 3lt
D35 H40 S180
E14 40w x 3



Clear
Glass

OL65625BK

Langdon 4lt
42X42 H60 S180
E14 40w x 4



No
Glass

OL63744BK

Wainscott.4
L85 W30 S180
E27 60w x 4



PVC Cord
Suspension

No
Glass

OL63744SB

Wainscott.4
L85 W30 S180
E27 60w x 4



PVC Cord
Suspension

Satin
Brass

No
Glass

PENDANTS | mid-century

OL68750/1BK

Malo.35

D35 H26 S150

E27 42w



Cloth covered cord



OL68750/1WH

Malo.35

D35 H26 S150

E27 42w



Cloth covered cord



OL68751/3BK

Malo.45

D45 H35 S150

E27 42w x 3



Cloth covered cord



OL68778/27BK

Pera.27

D27 H31 S180

E27 60w



NEW



OL68778/27WH

Pera.27

D27 H31 S180

E27 60w



NEW




OL67761AC

Lenox Pendant

D38 H39 S180

E27 60w



Antique copper with black cloth covered cord.



OL68778/38BK

Pera.38

D38 H42 S180

E27 60w



NEW



OL68778/38WH

Pera.38

D38 H42 S180

E27 60w



NEW




OL67761BK

Lenox Pendant

D38 H39 S180

E27 60w



Black cloth covered cord.



PENDANTS | mid-century

OL68761BK

Olam.27
D28 H39 S180
E27 60w

NEW



OL68763BK

Olam Trilight
D36 H204
E27 60w x 3

NEW



SL64440BB

Newton Pendant
D40 S150
E27 42w



Clear
glass



SL64440BK

Newton Pendant
D40 S150
E27 42w



Clear
glass



OL60175BK

Tig Pendant Black
D8 H30 S180
GU10 35w



Black cloth
covered
cord.



OL60175WH

Tig Pendant White
D8 H30 S180
GU10 35w



White cloth
covered
cord.



OL60175SB

Tig Pendant
Satin Brass
D8 H30 S180
GU10 35w



Clear cord.

NEW



PENDANTS | mid-century

SL63511CL

Marconi.18

D18 S120

E27 25w



Clear
glass

SL63512CL

Marconi.25

D25 S120

E27 25w



SL63523CL

Marconi Trilight

D18 L90 S120

E27 25w x 3



SL63871CL

Twist.20

D20 S150

E27 25w



Satin
brass
metal
ware

Clear optic
swirl glass

SL63712CL

Legarno.30

D30 S110

E27 25w



Clear
glass

SL63723CL

Legarno Trilight

D20 L90 S120

E27 25w x 3



OL63705/13CL

Miller.130

D13 S180

E27 40w



Clear
Ribbed
Glass

OL63705/20CL

Miller.200

D20 S180

E27 40w



OL63705/30CL

Miller.300

D30 S180

E27 40w



PENDANTS | mid-century

OL63811CL

Clarise Pendant

D28 S180

E27 60w



NEW



OL63811AM

Clarise Pendant

D28 S180

E27 60w



NEW



OL63811BL

Clarise Pendant

D28 S180

E27 60w



NEW



OL63811RO

Clarise Pendant

D28 S180

E27 60w



NEW



Satin
brass
metalware
+ clear
cord

OL62257/27OM

Minka.27 Pendant

D27 H18 S155

E27 60w



NEW



Ant. brass +
black chain
suspension.

SL63403BK

Raymont Trilight

D30 S150

E27 25w x 3



Obscure
water
weave
clear glass



SL63825CL

Reno.5

D35 S150

E14 25w x 5



Clear glass
2 x 12cm
3 x 15cm



OL63611BK

Auburn.1

D14 S180

E27 42w



Clear
glass

OL63612BK

Auburn.2

D15 S180

E27 42w



Clear
glass

OL63613BK

Auburn.3

D15 S180

E27 42w



Clear
glass

OL62259/30CL

Otter

D30 H175 S155

E27 60w



NEW



Ant. brass +
black chain
suspension.



Clear optic
ribbed glass

PENDANTS | modern farmhouse

OL69291/17CL

Holbeck.17 Pendant

H40 D17 S180

E27 60w



Clear cord +
clear glass.

Wooden
highlights.




OL69291/30CL

Holbeck.30 Pendant

H30 D30 S180

E27 60w



Clear cord +
clear glass.

Wooden
highlights.



OL64751

Tibur.100 Pendant

H13 D10 S180

E14 25w



Black cloth
covered
cord.

Travertine

NEW



OL64752

Tibur.120 Pendant

H7 D13 S180

E14 25w



Black cloth
covered
cord.

Travertine

NEW



OL60571

Nina Pendant

H25 D10 S180

E27 40w



Opal Matt
Glass



OL64719NAT

Bud Pendant

D8 H10 S180

E27 60w



Black cloth
covered
cord

Solid
Timber



Shown with
LED filament
globe
(not included)



OL64718NAT

Plug Pendant

D6 H8 S180

E27 60w



Black cloth
covered
cord

Solid
Timber



Shown with
LED filament
globe
(not included)



OL64762

Terros.160 Pendant

H20 D16 S180

E27 42w



Black cloth
covered
cord.

Terrazzo
finish



PENDANTS | mid-century

OL63859BK

Arley Pendant

D13 H20 S180

E27 60w



NEW



OL63859WH

Arley Pendant

D13 H20 S180

E27 60w



NEW



OL63751/13RU

Luxe.130

D13 H33 S180

E27 60w



NEW



OL63751/13AM

Luxe.130

D13 H33 S180

E27 60w



NEW



OL63735/25OM

Twillo.25

D25 H29 S180

E27 60w



NEW



OL63735/30OM

Twillo.30

D30 H34 S180

E27 60w



NEW



OL63753/13MX

Luxe Trilight

D30 H245

E27 60w x 3



NEW



OL63751/13GN

Luxe.130

D13 H33 S180

E27 60w



NEW



OL63725/13OM

Bolli.130

D13 H23 S180

E27 60w



NEW



OL63725/20OM

Bolli.200

D20 H21 S180

E27 60w



NEW



OL63751/13SM

Luxe.130

D13 H33 S180

E27 60w



NEW



PENDANTS | mid-century

OL62255/27CL

Maison.27 Pendant

D27 H20 S150

E27 60w



Ant. brass +
black chain
suspension.



OL62255/27BL

Maison.27 Pendant

D27 H20 S150

E27 60w



Ant. brass +
black chain
suspension.



OL62255/27AM


Maison.27 Pendant

D27 H20 S150

E27 60w



Ant. brass +
black chain
suspension.



OL63501CL

Decant.1

D14 H26 S180

E27 60w



Black cloth
covered
cord.



OL63503CL

Decant.3

D13 H25 S180

E27 60w



Black cloth
covered
cord.



OL63504CL

Decant.4

10x10 H26 S180

E27 60w



Black cloth
covered
cord.



OL63301CL

Mason Jar Clear

H23 D12 S180

E27 42w



OL63301GN

Mason Jar Green

H23 D12 S180

E27 42w



OL62275/25AB

Raffy.25

D25 S180

E27 40w



Black cloth
covered
cord.



Obscure
Glass

PENDANTS | modern farmhouse



PENDANTS | mid-century

OL64920/35BK

Lexi.35
D35 H17 S180
E27 60w

NEW



↑ white inside

OL64920/35WH

Lexi.35
D35 H17 S180
E27 60w

NEW



OL67421BK

Plato Pendant
D20 H38 S160
E27 60w



↑ gold inside



OL67421WH

Plato Pendant
D20 H38 S160
E27 60w



↑ gold inside



OL67511BC

Como Single
D15 S150
E27 42w



Black metalware with brushed chrome highlights.

Black PVC cord

OL67513BC

Como 3 Light
SD15 L90 S150
E27 42w x 3



OL67511AB

Como Single
D15 S150
E27 42w



Black metalware with antique brass highlights.

Black PVC cord

OL67513AB

Como 3 Light
SD15 L90 S150
E27 42w x 3



PENDANTS | industrial metal

SL64730WH

Forge.300
D30 H16 S180
E27 60w



Complete
pendant.

↑ white
inside

SL64730BK

Forge.300
D30 H16 S180
E27 60w



↑ white
inside

SL64743WH

Forge.430
D43 H22 S180
E27 60w



↑ white
inside

SL64743BK

Forge.430
D43 H22 S180
E27 60w



↑ white
inside

OL86281

Dawson Black +
Parti Black
D25 H23 S180
E27 60w



↑ white
inside

OL86282

Dawson White +
Parti White
D25 H23 S180
E27 60w



↑ white
inside

OL86283

Yard.35 Black +
Parti Black
D35 H26 S180
E27 60w



↑ white
inside

OL86284

Yard.35 White +
Parti White
D35 H26 S180
E27 60w



↑ white
inside

OL64910/28BK

Conic.28 Pendant
D28 S180
E27 60W



↑ white
inside


OL64910/28WH

Conic.28 Pendant
D28 S180
E27 60W



OL64910/45BK

Conic.45 Pendant
D45 S180
E27 60W



↑ white
inside

OL64910/45WH

Conic.45 Pendant
D45 S180
E27 60W



PENDANTS | mix + match suspensions

PARTI

OL69253BC

Parti Suspension
Brushed Chrome
Clear PVC Wire

L180 D10

E27 60w



OL69253WH

Parti Suspension
White Metalware
White PVC Wire



OL69253WC

Parti Suspension
White Metalware
Clear PVC Wire



OL69253BK

Parti Suspension
Black Metalware
Black PVC Wire



OL69254BK

Parti E14 Suspension

L180 D10

E14 40w



The PARTI E14 suspension has an E14 lampholder for shades with a 28mm shade ring.

These PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

ALBANY cord

OL69321AB

Albany Cord
Antique Brass

S180 D10

E27 60w



OL69321BK

Albany Cord
Black



OL69321CH

Albany Cord
Chrome



OL69321CO

Albany Cord
Ant Copper



OL69321WH

Albany Cord
White



OL69321ORB

Albany Cord
Oil Rubbed Bronze (ORB)



Albany cord suspensions feature cloth covered cords.

The ALBANY suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

PARTI rod

OL69251BK

Parti Rod
Black

L105 D10

E27 60w



OL69251SB

Parti Rod
Satin Brass

NEW



OL69251AB

Parti Rod
Antique Brass

NEW



OL69251WH

Parti Rod
White



The PARTI ROD suspensions comprise of a 50+30+20 rod sections. They have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

PARTI wood

OL69259BK

Parti E27 Wood Suspension

L180 D10

E27 60w



OL69259WH

Parti E27 Wood Suspension

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.



MID-CENTURY | mix + match

SL65012BK

Rope Suspension

S200 D12

E27 40w



SL65012BK
Rope suspension
Shown with
OL2298/38WH
Slater shade.

OL69341CH ceiling mount
Shown with OL2260/27BK
warehouser shade.

OL69341AB wall
mounted, shown
with OL2292/25GN
Brolli shade.

ALBANY chain

OL69322BK

Albany Chain
Black

S160 D11

E27 60w



OL69322AB

Albany Chain
Antique Brass

OL69322WH

Albany Chain
White



*The ALBANY
suspensions have an
E27 lampholder and are
designed for use with
most shades with an
E27 (43mm) shade ring.*

*Albany cord and
chain suspensions
feature cloth
covered cords.*

BRADWAY ceiling mount

OL69341AB

Bradway
Antique Brass

H15 D12

E27 60w



OL69341BK

Bradway
Black

OL69341CH

Bradway
Chrome

*Bradway ceiling
mount has an
E27 (43mm)
lampholder and
is tilt adjustable.*

*Bradway can
be mounted on
the wall as well
as ceiling.*

NEW

MID-CENTURY | mix + match shades

OL2295/35BK

Yard.35 Shade

D35 H26

E27 opening



↑ white inside

OL2295/35WH

Yard.35 Shade

D35 H26

E27 opening



↑ white inside

OL2285/25BK

Dawson.25 Shade

D25 H23

E27 opening



↑ white inside

OL2285/25WH

Dawson.25 Shade

D25 H23

E27 opening




↑ white inside

OL2270/30BK

Victoriana.30 Shade

D30 H12

E27 opening




↑ white inside

OL2270/30WH

Victoriana.30 Shade

D30 H12

E27 opening



↑ white inside

Many shades come with the European E27 lampholder size shade ring. The accessory "shade ring reducer" is available to reduce the size down to suit a B22 - Bayonet lampholder.



OLA16/SHADE
Adapter Ring
E27 > B22

OL2260/27BK

Warehouser.27 Shade

D27 H12.5

E27 opening



↑ white inside

OL2260/31BK

Warehouser.31 Shade

D31 H16

E27 opening



↑ white inside

OL2260/39BK

Warehouser.39 Shade

D39 H20

E27 opening



↑ white inside

OL2260/27WH

Warehouser.27 Shade

D27 H12.5

E27 opening



↑ white inside

OL2260/31WH

Warehouser.31 Shade

D31 H16

E27 opening



↑ white inside

OL2260/39WH

Warehouser.39 Shade

D39 H20

E27 opening



↑ white inside

OL2292/25BK

Brolli.25 Shade

D25 H5.5

E27 opening



↑ Black inside

NEW

OL2292/25GN

Brolli.25 Shade

D25 H5.5

E27 opening



↑ Green inside

NEW

OL2292/25WH

Brolli.25 Shade

D25 H5.5

E27 opening



↑ white inside

NEW

OL2292/35BK

Brolli.35 Shade

D36 H7

E27 opening



↑ Black inside

NEW

OL2292/35GN

Brolli.35 Shade

D36 H7

E27 opening



↑ Green inside

NEW

OL2292/35WH

Brolli.35 Shade

D36 H7

E27 opening



↑ white inside

NEW

MID-CENTURY | mix + match shades

OL2255/15CL

Maison.15 Clear Glass Shade

D15 H12

E27 opening



OL2255/15BL

Maison.15 Blue Glass Shade

D15 H12

E27 opening



OL2255/15AM

Maison.15 Amber Glass Shade

D15 H12

E27 opening



OL2257/15OM

Minka.15 Glass

D15 H11

E27 opening



OL2298/38BK

Slater.38 Shade

D38 H16

E27 opening



↑ white inside

OL2298/38WH

Slater.38 Shade

D38 H16

E27 opening



↑ white inside

OL2298/38SG

Slater.38 Shade

D38 H16

E27 opening



NEW

↑ white inside

OL2298/38AB

Slater.38 Shade

D38 H16

E27 opening



↑ white inside

OL2298/38ORB

Slater.38 Shade

D38 H16

E27 opening



↑ ORB inside

NEW

OL2250CL

Toledo Clear Glass Shade

D35 H19

E27 opening (gallery included)



OL2298/38CO

Slater.38 Shade

D38 H16

E27 opening



↑ white inside

OL2298/38RU

Slater.38 Shade

D38 H16

E27 opening



↑ white inside

OL2250MO

Toledo Matt Opal Glass Shade

D35 H19

E27 opening (gallery included)



OL64495/38

Nile.38 Shade Only

D39 H29

E27 opening



OL64464

Poppa Shade Only

D36 H31

E27 opening



String
Shade



OL64463

Batur Shade Only

D36 H31

E27 opening



OL64457NAT

Serang.35 Shade Only

D35 H45

E27 opening



OL64457BK

Serang.35 Shade Only

D35 H45

E27 opening



Painted
Cane




OL64457WH

Serang.35 Shade Only

D35 H45

E27 opening



Painted
Cane



OL64471/36

Koga.36 Shade

D36 H30

E27 opening




OL64471/48

Koga.48 Shade

D48 H40

E27 opening



OL64455

Tanah Shade

D45 H55

E27 opening



The natural appeal of these products are the natural materials and hand finishing, no two fittings are identical.

There may be variations in colours and finishes across the range and between shipments.

OL2245/30FX

Boheme.30 Shade Only

D30 H48

40w



Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2245/45FX

Boheme.45 Shade Only

D45 H60

40w



Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2247/80FX

Kanto.80 Shade Only

D80 H70

40w

NEW



Fabric
Shade

Shade frame
clips on cord
suspension.

OL2247/40FX

Kanto.40 Shade Only

D40 H38

40w

NEW

Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2247/60FX

Kanto.60 Round Shade Only

D60 H55

40w

NEW

Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2248/60FX

Kanto.60 Oval Shade Only

D60 H25

40w

NEW

Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2247/40WH

Kanto.40 Shade Only

D40 H38

40w

NEW

Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2247/60WH

Kanto.60 Round Shade Only

D60 H55

40w

NEW

Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2248/60WH


Kanto.60 Oval Shade Only

D60 H25

40w

NEW

Shade
frame clips
on cord
suspension.



Fabric
Shade

PENDANTS | designer suspensions

OL69281BK

Pop.2 Suspension

L240 D11.5

E27 60w



Black
cloth
covered
cord.



POP suspensions shown here
with a LED filament G125 globe.

OL69281WH

Pop.2 Suspension

L240 D11.5

E27 60w



White
cloth
covered
cord.




OL69351BK

Philly 10lt Pendant

Canopy D12 H4
Cords S180

E27 40w x 10



OL69242BC

Drop Suspension

L180 D10

B22 60w



*The DROP
suspension has
a B22 lampholder
and is designed
for use with most
shades with a
B22 shade ring.*


OL69243BC

Shade 3 Light
suspension

BD12.5 D17 H65 S135

B22 60w x 3

*This 3 light
shade
suspension is
designed to allow
the lamp shade
to be changed
without the need
for re-wiring.
Ideally suited
to a shade 12"
(300mm) diameter
or greater.*



*The Philly is a 10 light
"swag" style pendant,
allowing you to fix each
light individually to
create a unique fitting.
Cord fixings included.*

*Shown here with
assorted LED opal
matt globes.*

OL69256BK

Parti Pan
3 Light accessory
Black

D25 H2.5



OL69256WH

Parti Pan
3 Light accessory
White

D25 H2.5



The Parti Pan can be used to
suspend multiple single pendants.

OL69257BK

Parti Pan
5 Light accessory
Black

D25 H2.5



OL69257WH

Parti Pan
5 Light accessory
White

D25 H2.5



The Parti Pan can be used to
suspend multiple single pendants.

OL69258WH

Parti Rail
3 Light accessory
White

L105 H2.5 W5.5



OL69258BK

Parti Rail
Black

The Parti Rail can be used to
suspend multiple single pendants.

OL64469/35

Mette.35 Shade

D35 H29

E27 opening



OL64469/47

Mette.47 Shade

D47 H38

E27 opening



OL64452/45

Palu.45 Shade

D45 H46

E27 opening

NEW



OL64475/30

Oden.30 Shade

D30 H45

E27 opening



OL64475/38

Oden.38 Shade

D30 H50

E27 opening



PARTI

Mix and Match the Earth Lighting natural shades with these PARTI suspensions to create a complete pendant light.


These PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

OL69253BC

Parti Suspension
Brushed Chrome
Clear PVC Wire

L180 D10

E27 60w



OL69253WH

Parti Suspension
White Metalware
White PVC Wire



OL69253WC

Parti Suspension
White Metalware
Clear PVC Wire



OL69253BK

Parti Suspension
Black Metalware
Black PVC Wire



PENDANTS | modern farmhouse

OL64353/1NAT

Cascara Pendant

D33 H48 S150

E27 42w



OL64355/3NAT

Cascara Pendant

D50 H72 S150

E27 42w x 3




OL64356/3NAT

Cascara Close to Ceiling

D33 H27

E27 42w x 3



Matt white
frame with
natural
wooden
beads

OL64523BK

Mudag.40 Pendant

D36 S180

E27 42w



Hand crafted wire
mesh shade.
Black cloth covered cord.

OL2298/38SG + OL69321WH

Slater Sage Green +
Parti White Suspension

D38 S180

E27 60w



OL64304

Bukit Pendant

D35 H35 S180

E27 40w



PENDANTS | designer

OL64130WH

Phase 30
D30 S180
E27 60w



The Phase sphere is rotation moulded acrylic, has a white canopy and cord.

OL64140WH

Phase 40
D40 S180
E27 75w



OL64150WH

Phase 50
D50 S180
E27 75w



OL67393WH

Chic 33
D30 S180
E27 60w



Clear cord.

Made from polypropylene.

OL67394WH

Chic 43
D40 S180
E27 60w



Clear cord.

OL60561WH

Cleo White
H30 D14 S180
E27 40w



handpainted glass



OL60581CL

Lisa Black/Clear
D10 S180
E27 60w

NEW



OL60581OP

Lisa Black/Opal Matt
D10 S180
E27 60w

NEW



OL60585CL

Lisa SB/Clear
D10 S180
E27 60w

NEW



OL60585OP

Lisa SB/Opal Matt
D10 S180
E27 40w

NEW



OL63296SB


Muna.6 Black/Satin Brass

64 x 64 H20

E27 60w x 6



NEW



Shown
with G95
matt opal
bulbs

OL63296SW


Muna.6 White/Satin Brass

64 x 64 H20

E27 60w x 6



NEW



Shown
with G95
matt opal
bulbs

OL56093BK

Pano 3lt Pendant

D64 S150

GU10 35w x 3



GU10

Adjustable
heads



OL56096BK

Pano 6lt Pendant

D84 S150

GU10 35w x 6



GU10

Adjustable
heads



PENDANTS | satellite

OL65010/6BK

Eva.6

L94 W32 S150

G9 LED (Globe Inc.) x 6

NEW




OL65010/6SB

Eva.6

L94 W32 S150

G9 LED (Globe Inc.) x 6

NEW




SL64680/6BK

Padua 6lt Pendant

W170 (max) H85 - 150

Glass D15

E27 42w x 6



Clear glass

Each joint in the Padua pendant is adjustable at installation. The final dimensions will vary depending on how the joints are set.

SL63210BK

Sputnik.10

D58 S180

E27 42w x 10



Shown with G125 matt opal bulbs

PENDANTS | spotlight

OL56013/4BK

Bridge 4lt Pendant

W90 Head 6x9 S180

GU10 35w x 4



GU10

Adjustable
heads

Bridge GU10
pendant .

Black PVC wire.



OL56013/4SB

Bridge 4lt Pendant

W90 Head 6x9 S180

GU10 35w x 4



GU10

Adjustable
heads

Bridge GU10
pendant - black
frame with Satin
Brass heads.

Black PVC wire.



OL56013/6BK

Bridge 6lt Pendant

W90 Head 6x9 S180

GU10 35w x 6



GU10

Adjustable
heads

Bridge GU10
pendant .

Black PVC wire.



OL56013/6SB

Bridge 6lt Pendant

W90 Head 6x9 S180

GU10 35w x 6




GU10

Adjustable
heads

Bridge GU10
pendant - black
frame with Satin
Brass heads.

Black PVC wire.



OL56215/4SB

Norbert 4lt Rail

W95 S180

E27 60w x 4



Adjustable
heads

Norbert pendant
black frame with
Satin Brass
highlights.

Black PVC wire.



OL56216/6SB

Norbert 6lt Round

D87 S180

E27 60w x 6



Adjustable
heads

Norbert pendant
black frame with
Satin Brass
highlights.

Black PVC wire.



PENDANTS | designer LED

OL60973/50BK

Noodle 50 Tri-Colour

D50 S150

28w | Tri-Colour | 2300lm

The driver is mounted inside the ceiling canopy.

Colour temperature selection is made at installation.



OL60973/70BK

Noodle 70 Tri-Colour

D70 S150

42w | Tri-Colour | 3200lm

The driver is mounted inside the ceiling canopy.

Colour temperature selection is made at installation.



OL60973/50WH

Noodle 50 Tri-Colour

D50 S150

28w | Tri-Colour | 2300lm

The driver is mounted inside the ceiling canopy.

Colour temperature selection is made at installation.



OL60973/70WH

Noodle 70 Tri-Colour

D70 S150

42w | Tri-Colour | 3200lm

The driver is mounted inside the ceiling canopy.

Colour temperature selection is made at installation.



OL60451/42BK


Madison.42 Tri-Colour

D42 H6.5 S180

24w | Tri-Colour | 1500lm

LED

The driver is mounted inside the ceiling canopy. Colour temperature selection is made inside the shade at installation.



colour rendition
>Ra83



OL60451/42WH

Madison.42 Tri-Colour

D42 H6.5 S180

24w | Tri-Colour | 1500lm

LED

The driver is mounted inside the ceiling canopy. Colour temperature selection is made inside the shade at installation.



colour rendition
>Ra83



OL60451/56BK

Madison.56 Tri-Colour

D56 H6.5 S180

36w | Tri-Colour | 2000lm

LED

The driver is mounted inside the ceiling canopy. Colour temperature selection is made inside the shade at installation.



colour rendition
>Ra83



OL60451/56WH

Madison.56 Tri-Colour

D56 H6.5 S180

36w | Tri-Colour | 2000lm

LED

The driver is mounted inside the ceiling canopy. Colour temperature selection is made inside the shade at installation.



colour rendition
>Ra83



OL60860/80BK

Ovale.80 Tri-Colour

L80 W30 S180

38w | Tri-Colour | 2750lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.

LED

NEW



OL60861/50BK

Spira Tri-Colour


D58 S180

45w | Tri-Colour | 2950lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.

LED

NEW



OL60860/80WH

Ovale.80 Tri-Colour


L80 W30 S180

38w | Tri-Colour | 2750lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.

LED

NEW



OL60861/50WH

Spira Tri-Colour

D58 S180

45w | Tri-Colour | 2950lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.

LED

NEW



OL60614/40BK

Nebula.40 Tri-Colour

D40 S150

18w | Tri-Colour | 900lm



The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.



OL60614/60BK

Nebula.60 Tri-Colour

D60 S150

24w | Tri-Colour | 1200lm



The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.



OL60614/40WH

Nebula.40 Tri-Colour

D40 S150

18w | Tri-Colour | 900lm



The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.




OL60614/60WH

Nebula.60 Tri-Colour

D60 S150

24w | Tri-Colour | 1200lm



The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.




OL60634/60BK

Cronus.60 Tri-Colour

D60 S150

24w | Tri-Colour | 1200lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.



LED



colour rendition
>Ra83



OL60994/80BK

Infinity Tri-Colour

D70 S150

50w | Tri-Colour | 3000lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.



LED

NEW



colour rendition
>Ra83




OL60634/60WH

Cronus.60 Tri-Colour

D60 S150

24w | Tri-Colour | 1200lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.



LED



colour rendition
>Ra83



OL60994/80WH

Infinity Tri Colour

D70 S150

50w | Tri-Colour | 3000lm

The driver is mounted inside the ceiling canopy. Colour temperature selection is made at installation.



LED

NEW



colour rendition
>Ra83



PENDANTS | designer LED

OL60851/60BK

Saturn LED Tri-Colour

D60 H2.5 S180

24w | Tri-Colour | 1375lm



The driver is mounted in the ceiling canopy. Colour temperature selection is made at installation.



colour rendition
>Ra83



OL60851/60WH

Saturn LED Tri-Colour

D60 H2.5 S180

24w | Tri-Colour | 1375lm



The driver is mounted in the ceiling canopy. Colour temperature selection is made at installation.



colour rendition
>Ra83



Aeon.120

The Aeon pendant is crafted from aluminium, twisted with LED edging. The LED is covered with an opal diffuser, the fitting suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy. Colour temperature selection is made at installation.



colour rendition
>Ra83



OL60980/120BK

Aeon Tri-Colour LED Pendant

L120 S180

29w | Tri-Colour | 1800lm

Edge.1500

Edge.1500 LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the end placed ceiling canopy.



colour rendition
>Ra83



OL60613/1500BK


Edge Tri-Colour LED Pendant

L153 Dia3 S150

30w | Tri-Colour | 1500lm


Vana.LED

LED





Vana.LED extruded aluminium LED fitting with opal diffuser, available as a surface mounted fitting in 2 lengths, 1200mm and 1500mm.

Colour temperature selection is made inside the fitting at installation.



Vana.LED can be converted to a suspended fitting using the Suspension Kit. (available separately).



VANA Suspension Kit | Canopy D10 S200

OL60775BK Black canopy + cable
Chrome wires

OL60775WH White canopy + cable
Chrome wires

OL60778/1200BK	Vana.LED Tri-Colour 1200 Black	L123 W11 P4	40w Tri-Colour 2800lm
OL60778/1200WH	Vana.LED Tri-Colour 1200 White	L123 W11 P4	40w Tri-Colour 2800lm
OL60778/1500BK	Vana.LED Tri-Colour 1500 Black	L153 W11 P4	50w Tri-Colour 3300lm
OL60778/1500WH	Vana.LED Tri-Colour 1500 White	L153 W11 P4	50w Tri-Colour 3300lm



colour
rendition
>Ra82




PENDANTS | linear LED

Shard.1200

LED

NEW



Slim profile
only 3 cm wide
and 2.8 cm high

Shard.LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy.

Colour temperature selection is made at installation.

The Shard.1200 is not dimmable.

OL60625/1200BK

Shard 1200 LED Pendant Black L120 H2.8 W3 S180

24w | Tri-Colour | 1500lm

OL60625/1200WH

Shard 1200 LED Pendant White L120 H2.8 W3 S180

24w | Tri-Colour | 1500lm



Tri-Colour

Colour Temperature Switching

Select your colour temperature option before installing the fitting

 3000K Warm White
  4000K Cool White
  5000K Daylight White



Our LED pendant fittings, marked TRICOLOUR – feature CTS (Colour Temperature Switching) allowing the selection of the colour temperature at the time of installation.


The colour temperature options are 3000K (warm white) / 4000K (cool white) / 5000K (Daylight). The colour temperature is selected using a switch inside the canopy and is in most cases selected at installation.



PENDANTS | linear LED

Shard.1500

LED



Slim profile
only 3 cm wide
and 2.8 cm high

Shard.LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy.

Colour temperature selection is made at installation.

OL60625/1500BK

Shard 1500 LED Pendant Black L150 H2.8 W3 S180

30w | Tri-Colour | 1800lm

OL60625/1500WH

Shard 1500 LED Pendant White L150 H2.8 W3 S180


30w | Tri-Colour | 1800lm



Shard.1800

LED

NEW



Slim profile
only 3 cm wide
and 2.8 cm high

Shard.LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy.

Colour temperature selection is made at installation.

OL60628/1800BK

Shard 1800 LED Pendant Black L180 H2.8 W3 S180

34w | Tri-Colour | 2000lm


OL60628/1800WH

Shard 1800 LED Pendant White L180 H2.8 W3 S180

34w | Tri-Colour | 2000lm




Kallita.150 Bronze




LED

NEW



KALLITA features an opal matt acrylic diffuser. Suspended on stainless steel wires, the driver is mounted in the ceiling canopy.

Colour temperature selection is made at installation.



OL60660/150BZ


Kallita 150 LED Pendant

L154 D5 S180

30w | Tri-Colour | 3100lm




Kallita.150 Satin Brass




LED

NEW



KALLITA features an opal matt acrylic diffuser. Suspended on stainless steel wires, the driver is mounted in the ceiling canopy.

Colour temperature selection is made at installation.



OL60660/150SB



Kallita 150 LED Pendant

L154 D5 S180

30w | Tri-Colour | 3100lm



Maxwell.150 Bronze



Maxwell features a frosted reeded acrylic diffuser. Suspended on stainless steel wires, the driver is mounted in the ceiling canopy.

Colour temperature selection is made at installation.

OL60670/150BZ



Maxwell 150 LED Pendant

L154 D5 S180

30w | Tri-Colour | 3100lm



Maxwell.150 Satin Brass



Maxwell features a frosted reeded acrylic diffuser. Suspended on stainless steel wires, the driver is mounted in the ceiling canopy.

Colour temperature selection is made at installation.

OL60670/150SB

Maxwell 150 LED Pendant

L154 D5 S180

30w | Tri-Colour | 3100lm




Eastoft

LED



EASTOFT LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy.

Colour temperature selection is made at installation.



OL60630/1300

Eastoft LED Pendant Ash Wood

L130 W6 S180

24w | Tri-Colour | 1800lm




Caber.120

LED



CABER LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy.

Colour temperature selection is made at installation.



OL60640/1200

Caber LED Pendant Ash Wood

L120 D3.5 S180

20w | Tri-Colour | 1600lm



PENDANTS | linear LED

Kerf.150



LED

NEW

KERF LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy.

Colour temperature selection is made at installation.

OL60680/1500

Kerf.150 LED Pendant Ash Wood

L150 W4 S180

25w | Tri-Colour | 2000lm



Alpha.150



LED

NEW

ALPHA LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy.

Colour temperature selection is made at installation.

OL60690/1500

Alpha.150 LED Pendant Ash Wood

L150 W3.5 S180

25w | Tri-Colour | 2000lm



Langtoft.150



LANGTOFT LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the steel ceiling canopy.

Colour temperature selection is made at installation.

OL60650/1500


Langtoft LED Pendant Ash Wood

L145 H9 S180


30w | Tri-Colour | 1700lm



Shard.1500 Satin Brass



Satin Brass Shard is supplied with black end caps.



Slim profile only 3 cm wide and 2.8 cm high

Shard.LED SATIN BRASS is an electroplated extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The SATIN BRASS model is supplied with black end caps. The driver is mounted in the centrally placed ceiling canopy. Colour temperature selection is made at installation.

OL60625/1500SB

Shard 1500 LED Pendant Satin Brass

L150 H2.8 W3 S180

30w | Tri-Colour | 1800lm



WALL LIGHTS | designer

OL69551BK

Arley Wall Light

H28 P22 W13 BD9

E27 60w

NEW



OL69551SB

Arley Wall Light

H28 P22 W13 BD9

E27 60w

NEW



OL69551WH

Arley Wall Light

H28 P22 W13 BD9

E27 60w

NEW



OL69491AM

Dram Wall Bracket

H23 P18 W14

E27 60w

NEW



OL69491BL

Dram Wall Bracket

H23 P18 W14

E27 60w

NEW



OL69491CL

Dram Wall Bracket

H23 P18 W14

E27 60w

NEW



OL69331BK

Bella Wall Light

H39 P25 W20

E27 60w

NEW



OL69331BZ

Bella Wall Light

H39 P25 W20

E27 60w

NEW



OL69331SB

Bella Wall Light

H39 P25 W20

E27 60w

NEW



OL50800BP

Picture Polished Brass finish

L36 P17.5

E14 40w x 2



OL50800AB

Picture Antique Brass

L36 P17.5

E14 40w x 2



OL50800CH

Picture Chrome

L36 P17.5

E14 40w x 2



OL50800BK

Picture Matt Black

L36 P17.5

E14 40w x 2



OL69375RB

Derwent Wall Light
(rubbed bronze)

H32 D22 P25

E27 60w



OL69375BK

Derwent Wall Light

H32 D22 P25

E27 60w



OL50903BZ

Loxby Bronze

W35 H17.5 P21 BD12

E14 42w x 2



OL50903SB

Loxby Satin Brass

W35 H17.5 P21 BD12

E14 40w x 2



OL50903BK

Loxby Matt Black

W35 H17.5 P21 BD12

E14 40w x 2



OL69463BK

Kinbury

H38.5 P18 BD12

E27 60w



Opal
Matt
Glass



OL69463SB

Kinbury

H38.5 P18 BD12

E27 60w



Opal
Matt
Glass



OL69463BZ

Kinbury

H38.5 P18 BD12

E27 60w



Opal
Matt
Glass



NEW

OL69473BK

Hopley

H30.5 P18 BD12

E27 60w



Opal
Matt
Glass



OL69473SB

Hopley

H30.5 P18 BD12

E27 60w



Opal
Matt
Glass



OL69463CH

Kinbury

H38.5 P18 BD12

E27 60w



Opal
Matt
Glass



NEW

OL69481BK

Heath

H29 W21 P29 BD12

E27 60w



Clear
Glass



OL69481BR

Heath

H29 W21 P29 BD12

E27 60w



Clear
Glass



OL69481CH

Heath

H29 W21 P29 BD12

E27 60w



Clear
Glass



NEW

OL69377BK

Roxbury adjustable Wall Bracket

P60 H40 SD19

E27 60w



OL69379BK

Klas

H23 P44 W16 BD10

E27 25w



OL50700AB

Swingley Antique Brass

H28 W25 P33

B22 60w



Supplied with
soft-pleat shade.



SL64451BK

Newton Wall Bracket

H28 P21 W18

E14 42w



Clear
Glass



SL63831CL

Reno Wall Light

P17.5 H19 D15

E14 25w



Clear
Glass



OL65321/1AB

Rochester Wall Light

H20 W13 P21

E27 40W



Frosted
Glass



OL69217/1BC

Zest Wall

H26 W12 P16

E27 60w



OL50401BK

Bankers Wall Bracket

W27 P21

E27 40w



Green
Glass



OL65321/1BK

Rochester Wall Light

H20 W13 P21

E27 40W



Frosted
Glass



OL65901BK

Gaston Wall Bracket

H25 W19 P29

E27 60w



Satin
Black
Finish



OL65901BZ

Gaston Wall Bracket

H25 W19 P29

E27 60w



Bronze
Painted
Finish



OL65273/2

Hyort 2 Lt Wall Light

H46 W43

E14 42w x 2



SL64906BK

Eaton Wall Light

H25 W17 P14

E27 25w



OL68781WH

Vicky Wall Light

H20 W18 P13

E27 40w



OL68781BK

Vicky Wall Light

H20 W18 P13

E27 40w



OL69389/1BR

Clayton Wall Bracket

P20 W16

E27 60w



Satin
Brass
finish

Clear
Glass



OL69389/2BR

Clayton Wall Bracket

P20 W40

E27 60w x 2

Satin
Brass
finish



Clear
Glass



OL53101

Vidar Wall Light

W13 P10 H8

8w | 4000K |



colour
temperature
4000K

colour
rendition
>Ra82

Solid
Timber

SL63731OM

Legarno Wall Light

P29 H34 D20

E27 25w



Opal
Matt
Glass



SL63731CL

Legarno Wall Light

P29 H34 D20

E27 25w



Clear
Glass



SL63311BK

Arlington Wall Light

P20 H35 D11

E27 25w



Opal
Matt
Glass



SL63531OM

Marconi Wall Light

P28 H32 D18

E27 25w



Opal
Matt
Glass



SL63531CL

Marconi Wall Light

P28 H32 D18

E27 25w



Clear
Glass



SL63311SB

Arlington Wall Light

P20 H35 D11

E27 25w



Opal
Matt
Glass



NEW

OL69387BK

Kilcoy Wall Light

P18 H25 D11

E27 60w



Clear
Glass



OL69387WH

Kilcoy Wall Light

P18 H25 D11

E27 60w



Clear
Glass



SL63311WH

Arlington Wall Light

P20 H35 D11

E27 25w



Opal
Matt
Glass



NEW

OL69385AB

Abby Wall Light

P34 H28

E27 60w



Clear
Glass



OL69385BK

Abby Wall Light

P34 H28

E27 60w



Clear
Glass



OL69385CH

Abby Wall Light

P34 H28

E27 60w



Clear
Glass



OL69371AM

Brighton Wall Light

P20 H23

E27 60w



OL69371BL

Brighton Wall Light

P20 H23

E27 60w



OL69371CL

Brighton Wall Light

P20 H23

E27 60w



OL69381BK

Warwick Wall Light

P31 H27

E27 60w



Clear
Glass



OL65821BK

Roxby Wall Light

H24 P21 W15

E27 60w



NEW

OL69372OM

Minka Wall Light

H23 P20 W15 BD11

E27 60w



NEW

OL54310BK

Lane Wall Light

H23 P17 BD10

E27 60w



Wood
Backplate

OL54310SB

Lane Wall Light

H23 P17 BD10

E27 60w



Wood
Backplate

OL54310WH

Lane Wall Light

H23 P17 BD10

E27 60w



Wood
Backplate

OL54402BK

Toli

H25 P14 BD8 (fitting only)

E27 60w x 2




OL54402SB

Toli

H25 P14 BD8 (fitting only)

E27 60w x 2




Shown with ST58
globes (not included)

OL54402WH

Toli

H25 P14 BD8 (fitting only)

E27 60w x 2



OL69288BK

Pip Wall Bracket

H20 P12.5

E27 60w



OL69288BB

Pip Wall Bracket

H20 P12.5

E27 60w



Brushed
Brass
finish

OL69288WH

Pip Wall Bracket

H20 P12.5

E27 60w



OL41340BCH

Remo Wall
W30 H15 P11
E27 60w



OL41340GD

Remo Wall
W30 H15 P11
E27 60w



OL41340WH

Remo Wall
W30 H15 P11
E27 60w



OL53512

Lia Wall Light
W30 H14 P10
E14 40w



Paintable plaster
up-down wall washer



OL53514

Mia
H25 W20 P12
E14 42w



Paintable plaster
up-down wall washer



OL44331CH

Claw Wall
W30 H15 P9
E27 60w



OL59407

Elba
W28 H23 P11
E27 60w



OL57117CH

Duo.2
W21 H18 P7
E14 40w



OL59079CH

Nova
H30 W12 P11
E27 60w



WALL LIGHTS | backlit LED

OL53201/20BK

Dot.20 Black

D19.5 P3.5

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



OL53201/20WH

Dot.20 White

D19.5 P3.5

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



OL53201/20NAT

Dot.20 Timber

D19.5 P4

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



OL53201/20SP

Dot.20 Scalloped
Raw Plaster

D19.5 P4.5

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



OL53201/20SW

Dot.20 Scalloped Timber

D19.5 P4.5

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



OL53201/20GY

Dot.20 Grey Marble

D19.5 P4.5

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



OL53201/20TR

Dot.20 Travertine

D19.5 P4.5

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



OL53201/20GN

Dot.20 Green Marble

D19.5 P4.5

8w | Tri-Colour | 875lm

LED

NEW



colour
rendition
>Ra85



WALL LIGHTS | backlit LED

OL53201/25BK
Dot.25 Black
D26 P3.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53201/25WH
Dot.25 White
D26 P3.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53201/25NAT
Dot.25 Timber
D26 P4
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53201/25SP
Dot.25 Scalloped Raw Plaster
D26 P4.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53325SB
Cincin
D25 P5 BD11
8w | Tri-Colour | 350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53201/25SW
Dot.25 Scalloped Timber
D26 P4.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53201/25GY
Dot.25 Grey Marble
D26 P4.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53201/25TR
Dot.25 Travertine
D26 P4.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53201/25GN
Dot.25 Green Marble
D26 P4.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

WALL LIGHTS | backlit LED

OL53251/20BK
Reul.20 Black
W21 P3.5
8w | Tri-Colour | 875lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53251/20WH
Reul.20 White
W21 P3.5
8w | Tri-Colour | 875lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53251/20NAT
Reul.20 Timber
W21 P4
8w | Tri-Colour | 875lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53251/20TR
Reul.20 Travertine
W21 P4.5
8w | Tri-Colour | 875lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED



OL53251/25TR
Reul.27 Travertine
W28 P4.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53251/25BK
Reul.27 Black
W28 P3.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53251/25WH
Reul.27 White
W28 P3.5
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

OL53251/25NAT
Reul.27 Timber
W28 P4
14w | Tri-Colour | 1350lm

LED **NEW**



colour rendition
>Ra85

Tri-Colour
LED

WALL LIGHTS | G9 LED

OL54251BK

Minne

H17 P15 W12 Base 5x8

G9 LED (Globe Inc.)

NEW



IP44



OL54251CH

Minne

H17 P15 W12 Base 5x8

G9 LED (Globe Inc.)

NEW



IP44



OL54271TR

Ping Travertine

H26 P16 W12 Base 21x7

G9 LED (Globe Inc.)

NEW



IP44



OL54251WH

Minne

H17 P15 W12 Base 5x8

G9 LED (Globe Inc.)

NEW



IP44




OL54251SB

Minne

H17 P15 W12 Base 5x8

G9 LED (Globe Inc.)

NEW



IP44



OL54235TR

Elf Travertine

H18 W18 P16 BD15

G9 LED (Globe Inc.)

NEW



IP44



OL54225BK

Globo

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



OL54225SB

Globo

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



OL54225WH

Globo

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



WALL LIGHTS | G9 LED

OL54260BK

Noxe

H36 P20 W12 BD12

G9 LED (Globe Inc.)

NEW



IP44



OL54260SB

Noxe

H36 P20 W12 BD12

G9 LED (Globe Inc.)

NEW



IP44



OL54260WH

Noxe

H36 P20 W12 BD12

G9 LED (Globe Inc.)

NEW



IP44



OL54271BK

Ping

H26 P15 W12

G9 LED (Globe Inc.)

NEW



IP44



OL54271SB

Ping

H26 P15 W12

G9 LED (Globe Inc.)

NEW



IP44



OL54271WH

Ping

H26 P15 W12

G9 LED (Globe Inc.)

NEW



IP44



OL54292BK

Oberon.2

H26 P15 W12 BD12

G9 LED (Globes Inc.) x2

NEW



IP44



OL54292SB

Oberon.2

H26 P15 W12 BD12

G9 LED (Globes Inc.) x2

NEW



IP44



OL54292WH

Oberon.2

H26 P15 W12 BD12

G9 LED (Globes Inc.) x2

NEW



IP44



WALL LIGHTS | designer

OL54229AM

Juni Amber

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



OL54229BL

Juni Blue

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



OL54229CL

Juni Clear

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



OL54229GN

Juni Green

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



OL54229RO

Juni Rose

H12 W12 P15 BD9

G9 LED (Globe Inc.)

NEW



IP44



OL54265SB

Alta

H36 P20 W12 BD12

G9 LED (Globe Inc.)

NEW



IP44



OL54191BK

Dunburn

H28 P18 W12 BD12

E27 42w

NEW



IP44



OL54191SB

Dunburn

H28 P18 W12 BD12

E27 42w

NEW



IP44



OL54191WH

Dunburn

H28 P18 W12 BD12

E27 42w

NEW



IP44



WALL LIGHTS | linear LED

OL51121WH
Nimmo Wall Light
W27 H9 P5.5
8w | Tri-Colour | 650lm

LED



Tilt adjustable

Tri-Colour LED
colour rendition
>Ra83



OL51521/30BK
Rafter.30
L31 H9 P4
12w | Tri-Colour | 1100lm

LED

NEW



Tri-Colour LED
colour rendition
>Ra83



OL51521/30WH
Rafter.30
L31 H9 P4
12w | Tri-Colour | 1100lm

LED

NEW




Tri-Colour LED
colour rendition
>Ra83



OL51521/60BK
Rafter.60
L61 H9 P4
24w | Tri-Colour | 2100lm

LED

NEW




Tri-Colour LED
colour rendition
>Ra83



OL51521/60WH
Rafter.60
L61 H9 P4
24w | Tri-Colour | 2100lm

LED

NEW



Tri-Colour LED
colour rendition
>Ra83



OL51521/30SW
Rafter.30 Scalloped Wood
L30 H9.5 P5
9w | Tri-Colour | 850lm

LED

NEW



Tri-Colour LED
colour rendition
>Ra83



OL51521/60SW
Rafter.60 Scalloped Wood
L60 H9.5 P5
20w | Tri-Colour | 1700lm

LED


NEW



Tri-Colour LED
colour rendition
>Ra83



Mode.Tri-Colour



Mode is a wall mounted LED vanity light with a tilt adjustable head.

OL60853/600WH	Mode.60 CTS LED White	L63 H3 P11	10w Tri-Colour >Ra84 830lm
OL60853/900WH	Mode.90 CTS LED White	L93 H3 P11	13.5w Tri-Colour >Ra84 1100lm
OL60853/1200WH	Mode.120 CTS LED White	L123 H3 P11	16.5w Tri-Colour >Ra84 1350lm

OL50316BK

Kinden CTS Picture Light

W60 P21

10w | Tri-Colour | 600lm



OL50316SB

Kinden CTS Picture Light

W60 P21

10w | Tri-Colour | 600lm



OL51445CH

Sassy

H43 P11 BD11

8w | Tri-Colour | 640lm



OL51445SB

Sassy

H43 P11 BD11

8w | Tri-Colour | 640lm




OL51360/60CH

Trella.60 Chrome

L64 P11 H5

12w |Tri-Colour | 1300lm

IP44



OL51360/60WH

Trella.60 White

L64 P11 H5

12w |Tri-Colour | 1300lm



OL51360/90CH

Trella.90 Chrome

L94 P11 H5

18w |Tri-Colour | 2000lm

IP44



OL51360/90WH

Trella.90 White

L94 P11 H5

18w |Tri-Colour | 2000lm




OL54560CH

Gebo.60 Chrome

L59 P8 H5

16w |Tri-Colour | 1300lm




OL54560WH

Gebo.60 White

L59 P8 H5

16w |Tri-Colour | 1300lm




OL54585CH

Gebo.85 Chrome

L85 P8 H5

24w |Tri-Colour | 1650lm




OL54585WH

Gebo.85 White

L85 P8 H5

24w |Tri-Colour | 1650lm



OL54636CH

Kari.60 Chrome

L60 P10 H5.5

18w |Tri-Colour | 1750lm



IP44



OL54636WH

Kari.60 White

L60 P10 H5.5

18w |Tri-Colour | 1750lm



OL54639CH


Kari.90 Chrome

L90 P10 H5.5

27w |Tri-Colour | 2750lm



IP44



OL54639WH

Kari.90 White

L90 P10 H5.5

27w |Tri-Colour | 2750lm



SPOTLIGHTS | wall mounted

OL56213SB

Norbert Wall Bracket

SD16 BD12

E27 60w

Satin
Brass
features

Switch
on the
backplate



OL53935BK

Thor Wall Light

H22 P40 W10 BD10

E27 25w



Switch
on the
backplate



OL53935WH

Thor Wall Light

H22 P40 W10 BD10

E27 25w



Switch
on the
backplate



OL58733/1BK


Ultra adjustable Wall Light

BD8 HD5.5 L13

Rated GU10 35w



Switch on
the backplate



OL58613/1BK


Baril adjustable Wall Light

BD8 HD6 P14

Rated GU10 35w



Switch on
the backplate



OL58733/1WH


Ultra adjustable Wall Light

BD8 HD5.5 L13

Rated GU10 35w



Switch on
the backplate



OL58613/1WH


Baril adjustable Wall Light

BD8 HD6 P14

Rated GU10 35w



Switch on
the backplate



LF500/1S WH

Profile 1lt White with switch

D8 P17



Switch
on the
backplate



R80 - 60w

SPOTLIGHTS | wall mounted

UA50913BA

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
3w | 4000K | 175lm

LED

Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



UA50913BK

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
3w | 4000K | 175lm

LED

Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



UA50913WH

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
3w | 4000K | 175lm

LED

Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



OL55211BK

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w



Switch on the backplate




OL52215BK

Harlow
H14 P15 W28
3w | 4000K | 175lm Spotlight
G9 LED (Globe Inc.)

LED

NEW



Switches on the backplate



OL52103BK

Hotel Wall Light
H25 W10 P19
3w | 4000K | 175lm

LED




Switch on the backplate



OL55211WH

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w



Switch on the backplate




OL52215WH

Harlow
H14 P15 W28
3w | 4000K | 175lm Spotlight
G9 LED (Globe Inc.)

LED

NEW



Switches on the backplate



OL52103WH

Hotel Wall Light
H25 W10 P19
3w | 4000K | 175lm

LED



Switch on the backplate



SPOTLIGHTS | baril GU10

OL58610/1BK	Baril 1lt	BD8 HD6 P14	Rated GU10 35W
OL58611/2BK	Baril 2lt	L30 HD6 P16	
OL58611/3BK	Baril 3lt	L50 HD6 P16	
OL58611/4BK	Baril 4lt	L70 HD6 P16	
OL58613/1BK	Baril 1lt (with switch)	BD8 HD6 P14	

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Baril with switch.

Switch on the backplate

Matt Black finish

OL58610/1WH	Baril 1lt	BD8 HD6 P14	Rated GU10 35W
OL58611/2WH	Baril 2lt	L30 HD6 P16	
OL58611/3WH	Baril 3lt	L50 HD6 P16	
OL58611/4WH	Baril 4lt	L70 HD6 P16	
OL58613/1WH	Baril 1lt (with switch)	BD8 HD6 P14	

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Baril with switch.

Switch on the backplate


Matt White finish

Baril 3 Light Track Kit - Black



OL85303

L100
Baril.3 Track Kit - Black
Includes
1 x LF5300/1000BK
3 x OL58615BK
3 x A-LED-875540 (5W/4000K)




Baril 3 Light Track Kit - White




OL85304

L100
Baril.3 Track Kit - White
Includes
1 x LF5300/1000WH
3 x OL58615WH
3 x A-LED-875540 (5W/4000K)




Track - 240v



240v



LF5300/1000BK	Track Black 1M	L100 W3.5 P2
LF5300/1000WH	Track White 1M	L100 W3.5 P2
LF5300/2000BK	Track Black 2M	L200 W3.5 P2
LF5300/2000WH	Track White 2M	L200 W3.5 P2



Oriel Lighting track is available in black or white finish.
240 volt track and lights sold separately.
Single circuit (3 wire) track supplied with live and dead end.
Accessories are available to join multiple Tracks.

Track Accessories

[to suit single circuit / 3wire Track]



LF5301BK Inline (straight) Track joiner



LF5301WH Inline (straight) Track joiner



LF5302BK Power-feed (straight) Track joiner



LF5302WH Power-feed (straight) Track joiner



LF5303BK Flexible Track joiner



LF5303WH Flexible Track joiner



OL58615BK
Head L8 D6
Rated GU10 35w
(lamp not included)

Baril



OL58735BK
Head L13 D5.5
Rated GU10 35w
(lamp not included)

Ultra



LF5355BK
Head L8 D6
Rated GU10 35w
(lamp not included)

Zero




OL58615WH
Head L8 D6
Rated GU10 35w
(lamp not included)

Baril



OL58735WH
Head L13 D5.5
Rated GU10 35w
(lamp not included)

Ultra



LF5355WH
Head L8 D6
Rated GU10 35w
(lamp not included)

Zero



LED

**500
Lumen
6 Watt**



A-LED-875530
LED GU10 retrofit globe
5w | 38° | Ra80 | 345lm

colour
temperature
3000K

A-LED-875540
LED GU10 retrofit globe
5w | 38° | Ra80 | 350lm


colour
temperature
4000K

allumē



Not Suitable
for Dimming

SPOTLIGHTS | bridge track




The front of the Bridge spot-head is removable for easier GU10 globe replacement.



SPOTLIGHTS


SG75051WH

Zoom LED ready spotlight
BD10 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W





SG75056WH

Zoom 3lt LED ready spotlight
BD23 HD7 P18
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




SG75052WH

Zoom LED ready spotlight
L40 BW4 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W





SG75053WH

Zoom LED ready spotlight
L58 BW4 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




LF500/2WH

Profile 2lt spotlight
L36 W4 P17
Legacy R80 Rated 60w
(globes not included)



LF500/3WH

Profile 3lt spotlight
L55 W4 P17
Legacy R80 Rated 60w
(globes not included)




LF500/1S WH

Profile 1lt White with switch
D8 P17




Switch on
the backplate



LF500/1WH

Profile 1lt White
D8 P17
Legacy R80 Rated 60w
(globe not included)



RECESSED | wall + cabinet LED

UA4216WH

Peko.6 LED - TRI-COLOUR

Recessed wall fitting complete with driver.

LED 6w (450mA) | >Ra84 | 230lm
Tri-Colour 3000 / 4000 / 5500K

W12 H15.5 C10.5x13.5 R7

Peko.6 is only 4cm deep

(Includes Constant Current Driver)



UA4213WH

Peko.3 LED - TRI-COLOUR

Recessed wall fitting complete with driver.

LED 3w (350mA) | >Ra84 | 140lm
Tri-Colour 3000 / 4000 / 5500K

W8 H8 C6.6x7.3 R7

Peko.3 is only 2.5cm deep

(Includes Constant Current Driver)



Peko.3 is only 2.5cm deep.



Magro recessed cabinet light is only 10mm deep.


UA4510WH

Magro White

D7 C6

LED 2w | 82lm

(Requires 12V CV Driver)



Magro recessed cabinet light requires a 12volt 12watt constant voltage driver.

Up to 4 Magro fittings can be wired in parallel to one 12w driver.



LED-CV12V-12W

12volt 12w constant voltage driver



DOWNLIGHTS | recessed + surface mounted LED

LF3620WH

Mars.10 LED Downlight

D11.5 C9 R6

LED SMD 10w | 120° | CRI >Ra82 | IP44

CCT 3000K | 700lm
4000K | 785lm
6000K | 725lm



LF3288WH

Focus.8 Tilt LED Downlight

D10.5 C9 R10.5

LED SMD 8w | 60° | CRI >Ra83 | IP20

CCT 3000K | 690lm
4000K | 720lm
5700K | 710lm



LF3210/10WH

Aurora.10 LED Downlight

D11.5 C9 R5.5

LED SMD 10w | 120° | CRI >Ra82 | IP44

CCT 3000K | 750lm
4000K | 850lm
5700K | 750lm



The FOCUS LED recessed downlight face is tilt adjustable from 0° (flat against the ceiling) to 20° making the FOCUS an excellent choice for both general lighting and lighting walls and features.

The light output from the SMD LED in the FOCUS is collected into a 60 degree beam. The recessed design reduces glare while maintaining high light output.

UA4695BK

Entas LED Black Surface Mounted

D7.5 H11.5

LED 9w | 120° | IP44

CCT 3000K | 650lm
4000K | 775lm
6000K | 685lm



UA4695WH

Entas LED White Surface Mounted

D7.5 H11.5

LED 9w | 120° | IP44

CCT 3000K | 650lm
4000K | 775lm
6000K | 685lm



CEILING | LED

OL49861/30BK

Orbis.30 LED
D30 P5
12w | Tri-Colour | 750lm



colour
rendition
>Ra85



OL49861/30WH

Orbis.30 LED
D30 P5
12w | Tri-Colour | 750lm



colour
rendition
>Ra85



OL49861/40BK

Orbis.40 LED
D40 P5
24w | Tri-Colour | 1500lm



colour
rendition
>Ra85



OL49861/40WH

Orbis.40 LED
D40 P5
24w | Tri-Colour | 1500lm



colour
rendition
>Ra85



OL49861/50BK

Orbis.50 LED
D50 P5
30w | Tri-Colour | 1850lm



colour
rendition
>Ra85



OL49861/50WH

Orbis.50 LED
D50 P5
30w | Tri-Colour | 1850lm



colour
rendition
>Ra85



Tri-Colour

Colour Temperature Switching

Select your colour temperature
option before installing the fitting

3000K Warm White
4000K Cool White
5000K Daylight White



The Orbis, Leena and Omar, like many of our LED light fittings, are TRICOLOUR – featuring CTS (Colour Temperature Switching) allowing the selection of the colour temperature at the time of installation.

The colour temperature options are 3000K (warm white) / 4000K (cool white) / 5000K (Daylight). The colour temperature is selected using a switch inside the cover and can be changed after installation.



CEILING | LED

OL49781/33BK

Leena.33 LED
D33 P6
12w | Tri-Colour | 750lm



colour
rendition
>Ra85



The colour temperature is selected using a switch inside the cover and can be changed after installation.

OL49781/33WH

Leena.33 LED
D33 P6
12w | Tri-Colour | 750lm



colour
rendition
>Ra85



OL49781/38BK

Leena.38 LED
D38 P6
24w | Tri-Colour | 1500lm



colour
rendition
>Ra85



The colour temperature is selected using a switch inside the cover and can be changed after installation.

OL49781/38WH

Leena.38 LED
D38 P6
24w | Tri-Colour | 1500lm



colour
rendition
>Ra85



OL49781/48BK

Leena.48 LED
D48 P6
30w | Tri-Colour | 1850lm



colour
rendition
>Ra85



The colour temperature is selected using a switch inside the cover and can be changed after installation.

OL49781/48WH

Leena.48 LED
D48 P6
30w | Tri-Colour | 1850lm



colour
rendition
>Ra85



LF6524WH

OMAR.30 LED
D30 P5.5
24w | Tri-Colour | 1920lm



Tri-Colour temperature selection can be changed after installation.



colour
rendition
>Ra83



IP54



Remo has an alabaster look glass available with brushed chrome, white or gold finished clips.

OL41040BCH

Remo.30 Brushed Chrome



Brushed Chrome

OL41040WH

Remo.30 White



White

OL41040GD

Remo.30 Brass Plate



Brass Plate

D30 P11

E27 60w



OL41140BCH

Remo.40 Brushed Chrome



Brushed Chrome

OL41140WH

Remo.40 White



White

OL41140GD

Remo.40 Brass Plate



Brass Plate

D40 P15

E27 60w x 2



OL41340BCH

Remo Wall Light Brushed Chrome

W30 H15 P11

E27 60w



OL41340WH

Remo Wall Light White

W30 H15 P11

E27 60w



OL47100WH

Button Ceiling Light

D25 P9

E27 60w



OL41340GD

Remo Wall Light Brass Plate

W30 H15 P11

E27 60w



OL44031CH

Claw.30 1light

D30 P9

E27 60w



Claw has an opal matt glass with chrome "claw" clips.



OL44131CH

Claw.40 2 light

D40 P11

E27 60w x 2



OL44331CH

Claw 1lt Wall Light

W30 H15 P9

E27 60w



DO-IT-YOUR-SELF



OL2210/15

Phil Small
H10.5 D15.5



Opal Matt
Glass



OL2210/22

Phil Large
H16 D22.5



Opal Matt
Glass



OL2100/15WH

Jetball 15cm
D15



OL2100/15BK

Jetball 15cm
D15



OL2461BK

Tommy
H19.5 D23



Metal
Shade



OL2461WH

Tommy
H19.5 D23



Metal
Shade



OL2100/20WH

Jetball 20cm
D20



OL2100/20BK

Jetball 20cm
D20



OL2240

Vamp AB+BC
H16 D30
(Includes antique brass
& brushed chrome
metalware)
Alabaster finish
glass.



OL2243

Pana AB+BC
H16 D31
(Includes antique brass
& brushed chrome
metalware)
Alabaster finish
glass.



OL2420


Nina DIY
H20 D10



Opal Matt
Glass



DO-IT-YOUR-SELF



Batten Holder,
skirt and
Globe (bulb)
Not Included.

OL2264BK

Heath DIY
H19 D21

NEW



Clear
Glass



OL2264WH

Heath DIY
H19 D21

NEW



Clear
Glass



OL2258BK

Warwick DIY
H17 D15

NEW



Clear
Glass



OL2465BK

Burton
H20 D17



Clear
Glass



OL2465BR

Burton
H20 D17



Clear
Glass



OL2259WH

Arley DIY
H22 D13

NEW



OL2262BK

Twist DIY
H21 D20

NEW



Clear
Glass



OL2267BK

Bursa DIY
H20 D25

NEW



OL2267WH

Bursa DIY
H20 D25

NEW



OL2585BK

Strobe DIY
H16 D25

NEW



OL2585WH

Strobe DIY
H16 D25

NEW



OLA05/628

Washer
Stepped steel ID3 OD6



OLA05/428

Washer
Dished aluminium ID3 OD6



OLA16/SHADE

Shade adapter
Reduce E27 to B22



OLA09/99BK

Batten Holder Cover
D8 H3



OLA09/99WH




DO-IT-YOUR-SELF




OL64471/25

Kogo.25 DIY
H20 D25



OL2593BK

Kono 25 DIY Black
H23 D25



OL2593WH

Kono 25 DIY White
H23 D25



OL2567CH

Bling DIY
H22 D18




OL2545BK

Stave
H21 D18



OL2545WH

Stave
H21 D18



OL2546BK

Malo.25 DIY
H20.5 D25



OL2546WH

Malo.25 DIY
H20.5 D25




OL2547BK

Tellis.18
H21 D18




OL2547WH

Tellis.18
H21 D18



OL2580BB

Piato
H7 D22



OL2580BK

Piato
H7 D22



OL2580WH

Piato
H7 D22



DO-IT-YOUR-SELF



PEG DIY cord sets

OL2010/30BC L40

OL2010/30BK L40

OL2010/30WH L40

OL2010/50BK L60

OL2010/50WH L60

OL2010/100BK L110

OL2010/100WH L110



OL2265BK

Vicky DIY
H20 D25



↑ black inside



OL2265WH

Vicky DIY
H20 D25



↑ white inside



OL2265CO




Vicky DIY
H20 D25



↑ copper inside



Various Batten-fix (DIY) Assembly Types



OL2542BK

Maci.18 DIY
H21 D20



OL2542WH

Maci.18 DIY
H21 D20



OL2543BK

Eve.18 DIY
H21 D19



OL2543WH

Eve.18 DIY
H21 D19



OL7282BK

Cheeta Black

H28 W22 P9

E27 60w



IP44



OL7282SS

Cheeta Stainless

H28 W22 P9

E27 60w



IP44



OL7293BK

Cheeta Sensor Black

H28 W22 P9

E27 60w



IP44



OL7293SS

Cheeta Sensor Stainless

H28 W22 P9

E27 60w



IP44



The PIR (passive infrared sensor) installed on the Cheeta Sensor model is designed to operate the fitting when movement is detected.

The sensor operates when the ambient light level is below 30 lux, so only at night.

The sensor has a duration timer, the light remains on for approx. 90 seconds duration.

The sensor settings are factory set and not adjustable.

This fitting has a manual override for the sensor.

OL7819SS

Brick Light 316SS

W23 H10

Cutout 21x8.5

Recess 8.5

E27 60w



IP54



Recessed "brick lights" are designed to be recessed into brick, block or concrete walls.

OL7181BK

Wanaka Wall Light

H21.5 P15 W9

E27 60w



IP65



Mirror smoke glass lense

OUTDOOR | barn style

OL7240BK

Monza Black

H19 W16 P20

E27 40w



IP54



OL7240SS

Monza Stainless

H19 W16 P20

E27 40w



IP54



OL7240WH

Monza White

H19 W16 P20

E27 40w



IP54



OL7643BK

Anzio Black

H31 W24 P28

E27 25w



IP44



OL7643WH

Anzio White

H31 W24 P28

E27 25w



IP44



OL7621BK

North Black

H33 W18 P21

E27 60w



IP44



OL7621GP

North Graphite

H33 W18 P21

E27 60w



IP44



OL7621WH

North White

H33 W18 P21

E27 60w



IP44



OUTDOOR | barn style

OL7880CO

Alley Copper finish

H30 SD29.5 P37

E27 42w



IP44



OL7880BK

Alley Black

H30 SD29.5 P37

E27 42w



IP44



OL7880WH

Alley White

H30 SD29.5 P37

E27 42w



IP44



Outdoor Lighting

These are reasonably priced, medium duty products. Not all outdoor lights are suited or recommended for seaside or high traffic commercial applications. Your lighting advisor will guide you as to their suitability for your application.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results. High-pressure water cleaning is not recommended.



OL7850BK

Domo Black

H36 W17.5 P28

E27 60w



Clear acrylic diffuser

IP44



OL7850GP

Domo Graphite

H36 W17.5 P28

E27 60w



Clear acrylic diffuser

IP44



OL7850WH

Domo White

H36 W17.5 P28

E27 60w



Clear acrylic diffuser

IP44



OUTDOOR | barn style

OL7890BK

Hudson Black

H32.5 W26 P32

E27 40w



IP44



OL7890WH

Hudson White

H32 W26 P32

E27 40w



IP44



OL7631BK

Holford Black

H31 P26 W19

E27 60w



IP44



NEW

OL7631WH

Holford White

H31 P26 W19

E27 60w



IP44



NEW

OL7865BK

Moca Black

H45 W27.5 P40

E27 40w



IP44



Opal
acrylic
diffuser

OL7865WH

Moca White

H45 W27.5 P40

E27 40w



IP44



Opal
acrylic
diffuser



OL7651BK

Chicago Wall Light

H26 P10 W15

E27 60w



Clear glass



OL7652BK

Chicago Twin Wall Light

H37 P10 W15

2 x E27 60w



Clear glass



Nothing looks quite like an LED Vintage Filament bulb in a clear glass, traditional, outdoor light.

The twin-loop ST64 bulb is one of the most popular.



colour temperature
2700K

A-LED-26305222

LED LOOP FILAMENT
ST64 | 5W | 2200K | 300lm

300
Lumen
5 Watt

OL7843BK

Pandora Wall Light

H22 W12 P12

E27 40w



Clear glass



OL7844BK

Pandora Wall Bracket

H38.5 W12 P20

E27 40w



Clear glass



SL64908BK

Oakland 1 Light

H25 W18 P15

E27 25w



Clear glass



OL7119GP

Cortez Pillar Graphite

W30x30 H27

E27 60w

Textured
Graphite
finish



Frosted glass diffuser



OL7119BK

Cortez Pillar Black

W30x30 H27

E27 60w

Textured
Black
finish



Frosted glass diffuser



OL7125BK

Oblik Pillar Mount

15.5x15.5 H20 Base 8x8

E27 60w



Opal polycarb diffuser



OL7641BK

Portico Black
H24.5 W11 P15
E27 60w



IP44



OL7641WH

Portico White
H24.5 W11 P15
E27 60w



IP44



OL7371BK

Horsham
H32 P23 W18
E27 60w



Frosted
glass
diffuser

IP44



OL7401BK

Ascot Down Black
H33 W17 P22.5
E27 60w



IP44



OL7401WH

Ascot Down White
H33 W17 P22.5
E27 60w



IP44



OL7402BK

Ascot Up Black
H33 W17 P22.5
E27 60w



IP44



OL7402WH

Ascot Up White
H33 W17 P22.5
E27 60w



IP44



SG70420BK

Ibiza Black
H51.5 W23 P30
E27 60w



Ibiza can be converted from upward facing to downward facing prior to installation.

IP44



SG70420WH

Ibiza White
H51.5 W23 P30
E27 60w



Ibiza can be converted from upward facing to downward facing prior to installation.

IP44



SG70410BK

Java Mini Black
H44 W16 P28
E27 60w



IP44



SG70410WH

Java Mini White
H44 W16 P28
E27 60w



IP44



Merging form and function, the SG luminaires are constructed and manufactured of high quality materials with a meticulous attention to detail.

These quality luminaires are made of cast powder-coated aluminium with UV-stabilised clear polycarbonate diffusers.

They are highly corrosion resistant and impact resistant.

OUTDOOR | traditional large

OL7361BK

Bristol Wall Bracket

H50 W19 P27

E27 42w

Textured
Black finish



IP44



OL7321BK

Newark Wall Bracket

H51 W23 P29

E27 60w

Textured
Black finish



IP44



OL7381BK

Albion Wall Light

H48 P22 W16

E27 60w

NEW



IP44



OL7351BK

Fairview Black

H36 W19 P25

E27 42w

Textured
Black finish



IP44



OL7351WH

Fairview White

H36 W19 P25

E27 42w

Textured
White finish



IP44



OL7664BK

Highgate Sensor Wall Light

H42 P21 W14

E27 42w

NEW



detection
area 100°



1.5-2m mounting
height

1m 3m 5m



The PIR (passive infrared sensor) installed on the Highgate Sensor model is designed to operate the fitting when movement is detected.

OL7661BK

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7661PR

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7661GN

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7661WH

Highgate Down

H33 W16.5 P19

E27 60w



IP44



NEW

OL7664WH

Highgate Sensor Wall Light

H42 P21 W14

E27 42w

NEW



detection
area 100°



1.5-2m mounting
height

1m 3m 5m



The PIR (passive infrared sensor) installed on the Highgate Sensor model is designed to operate the fitting when movement is detected.

OL7662BK

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7662PR

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7662GN

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7662WH

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



NEW

OL7270BK

Fenchurch Black

H36 W18 P10

E27 60w



Clear
glass

IP44



OL7270WH

Fenchurch White

H36 W18 P10

E27 60w



Clear
glass

IP44



OL7666BK

Highgate 60mm Post Top

H37 D17

E27 60w



Highgate OL7666 is
designed to fit a 60mm
(outside diameter) post.



60mm
Fitter

IP44



NEW

OL7667BK

Highgate Newell

H43 D17

E27 60w



IP44



NEW



OL7663WH

Highgate DIY White

H16 D28

B22 60w



OL7663BK

Highgate DIY Black

H16 D28

B22 60w



OL7669/2BK

Highgate Twin Post Light

H212 W60 BD26

E27 60w x 2



Textured Black
finish

IP44



(Complete with post)

OL7669BK

Highgate Post Light

H227 D20 BD26

E27 60w



Textured Black
finish

IP44



(Complete with post)

OUTDOOR | traditional post lights

OL7366BK

Bristol Post Light

H218 D20 BD26

E27 42w



Textured Black
finish

(Complete with post)

IP44



OL7326BK

Newark Post Light

H220 D22 BD26

E27 60w



Textured Black
finish

(Complete with post)

IP44



OL7386BK

Albion Post Light

H221 D23 BD26

E27 60w






NEW

Textured Black
finish

(Complete with post)

IP44






OL7155BK

Velika Bollard - Buriable

H120 D15
Post Dia. 12
E27 60w



Velika
buriable
model


IP44



OL7156BK

Velika Bollard - With Flange

H100 BD17
Post Dia. 12
E27 60w



Velika with
flange, for
surface
mounting.

IP44



UA7370GP

Terzo Bollard

H65 D12 BD17
E27 10w



IP44



OL7849BK

Pandora Bollard

H90 W12x12
E27 60w

NEW



Textured
Black
finish

IP44



OL7183BK

Wanaka Bollard

H80 D9 BD13.5
E27 60w

NEW



Mirror
smoke
glass
lense

IP65



OL7176BK

Bray Bollard

H85 D12
E27 9w

NEW



IP65



OL7190BK

Vanguard Bollard

H78
Base Flange 11x6
10w | 4000K | 720lm

LED



IP54

colour
temperature
4000K

OL7161BK

Tove Bollard

H80 D9 BD13
E27 10w

Clear
acrylic
lens



IP44



OUTDOOR | bulkhead

OL7960BK

Cheval Black
W22 H15.5 P12.5
E27 60w



IP54



OL7960GP

Cheval Graphite
W22 H15.5 P12.5
E27 60w



IP54



OL7960WH

Cheval White
W22 H15.5 P12.5
E27 60w



IP54



Frosted glass

OL7902BK

Tonato Eyelid Black
D30 P10
E27 60w x 2



IP54



OL7902GP

Tonato Eyelid Graphite
D30 P10
E27 60w x 2



IP54



OL7902WH

Tonato Eyelid White
D30 P10
E27 60w x 2



IP54



Opal poly lense

OL7901BK

Tonato Plain Black
D30 P10
E27 60w x 2



IP54



OL7901WH

Tonato Plain White
D30 P10
E27 60w x 2



IP54



Opal poly lense

LF7952BK

Rund Poly Bunker
with glass lense

D18 P10

E27 40w



IP54



LF7952WH

Rund Poly Bunker
with glass lense

D18 P10

E27 40w



IP54



LF7951BK

Osmo Poly Bunker
with glass lense

L20 W12 P10

E27 40w



IP54



LF7951WH

Osmo Poly Bunker
with glass lense

L20 W12 P10

E27 40w



IP54



OL7973BK

Galaxy Eyelid

W21.5 H14.5 P10

E27 60w



IP54



Frosted
glass

OL7973WH

Galaxy Eyelid

W21.5 H14.5 P10

E27 60w



IP54



Frosted
glass

OL7990BK

Deck Plain

L27 H13 P12

E27 60w



Frosted
glass

IP54



OL7991BK

Deck Guard

L27 H13 P12

E27 60w



Frosted
glass

IP54




OL7992BK

Deck Eyelid

L27 H13 P12

E27 60w



Frosted
glass

IP54



OUTDOOR | bulkheads by SG

SG70520BK

Trio Black
H32 W18.5 P9.5
E27 60w



IP65



SG70520WH

Trio White
H32 W18.5 P9.5
E27 60w



IP65




SG70520GP

Trio Graphite
H32 W18.5 P9.5
E27 60w



IP65



SG70560BK

Largo Black
W24x24 P12
E27 60w



IP65



SG70560WH

Largo White
W24x24 P12
E27 60w



IP65




SG70560GP

Largo Graphite
W24x24 P12
E27 60w



IP65



SG70522BK

Trio Mini Black
H24 W15 P10
E27 40w



IP65



SG70522WH

Trio Mini White
H24 W15 P10
E27 40w



IP65




SG70522GP

Trio Mini Graphite
H24 W15 P10
E27 40w



IP65



SG71201BK


Kube GU10 Black

H9 W8 P11.5

GU10 35w



IP65



Kube GU10

SG71301BK


Metro GU10 Black

H12 W9 P15

GU10 35w



IP65



Metro GU10

SG71202BK


Kube GU10 Twin Black

H18 W8 P11.5

GU10 35w x 2



IP65



Kube GU10 Twin

SG71302BK


Metro GU10 Twin Black

H23.5 W9 P15

GU10 35w x 2



IP65



Metro GU10 Twin

SG70570BK

Primo Black

D27 P11

E27 60w



IP65



SG70570WH


Primo White

D27 P11

E27 60w



IP65



OUTDOOR | LED



OL7193BK
Vanguard Wall Light
H26 H16 W8
10w | 4000K | 720lm

LED

IP54

colour temperature
4000K


OL7194BK
Vanguard Sensor
H26 H16 W8
10w | 4000K | 720lm
Integral PIR Sensor

LED

IP54

colour temperature
4000K

PIR Sensor



The PIR (passive infrared sensor) installed on the Vanguard Sensor model is designed to operate the fitting when movement is detected.

UA7362BK
Wash 2x3
W11.5 H9 P5
2 x 3w | Tri-Colour | 700lm

NEW

LED

IP65

Tri-Colour LED

UA7362WH
Wash 2x3
W11.5 H9 P5
2 x 3w | Tri-Colour | 700lm

NEW

LED

IP65

Tri-Colour LED

UA7363BK
Wash 2x6
W17.5 H9 P5
2 x 6w | Tri-Colour | 1000lm

NEW

LED

IP65

Tri-Colour LED

UA7363WH
Wash 2x6
W17.5 H9 P5
2 x 6w | Tri-Colour | 1000lm

NEW

LED

IP65

Tri-Colour LED

UA7355/15BK
Circo.15
D15 P3.5
6w | Tri-Colour | 450lm

NEW

LED

IP65

Tri-Colour LED

UA7355/15WH
Circo.15
D15 P3.5
6w | Tri-Colour | 450lm

NEW

LED

IP65

Tri-Colour LED

UA7355/20BK
Circo.20
D20 P3.5
9w | Tri-Colour | 550lm

NEW

LED

IP65

Tri-Colour LED

UA7355/20WH
Circo.20
D20 P3.5
9w | Tri-Colour | 550lm

NEW

LED

IP65

Tri-Colour LED

LF7411BK
Varde LED
Single Adjustable
BD7.5 P16.5
6W | 4000K | 380lm

LED

IP44

colour temperature
4000K

LF7411SS
Varde LED
Single Adjustable
BD7.5 P16.5
6W | 4000K | 380lm

LED

IP44

colour temperature
4000K

LF7422BK
Varde LED Up/Down
Wall Washer
BD7.5 H16 P9
2 x 6W | 4000K | 380lm

LED

IP44

colour temperature
4000K

LF7422SS
Varde LED Up/Down
Wall Washer
BD7.5 H16 P9
2 x 6W | 4000K | 380lm

LED

IP44

colour temperature
4000K

OL7821BK

Atlas Down

H10 W7 P8

GU10 35w



IP54



OL7822BK

Atlas Up/Down

H16 W7 P8

GU10 35w x 2



IP54



OL7826BK


Atlas Sensor

H15 W7 P12

GU10 35w



IP54



detection
area 90°



The PIR (passive infrared sensor) installed on the Atlas Sensor model is designed to operate the fitting when movement is detected.

OL7821WH

Atlas Down

H10 W7 P8

GU10 35w



IP54



OL7822WH

Atlas Up/Down

H16 W7 P8

GU10 35w x 2



IP54



OL7826WH

Atlas Sensor

H15 W7 P12

GU10 35w



IP54



OL7831BK

Hera Down

H10 W7 P8

GU10 35w



IP54



OL7832BK

Hera Up/Down

H16 W7 P8

GU10 35w x 2



IP54



OL7862BK

Voto Wall Light

H16 W12 P18

GU10 35w



IP54



OL7831WH

Hera Down

H10 W7 P8

GU10 35w



IP54



OL7832WH

Hera Up/Down

H16 W7 P8

GU10 35w x 2



IP54



OL7862WH

Voto Wall Light

H16 W12 P18

GU10 35w



IP54




OUTDOOR | zeta contemporary

OL7774/1SS

Zeta Single Adjustable

BD10 P19

GU10 35w




OL7774/3SS

Zeta Triple Adjustable

L45 W6 P19

GU10 35w x 3



OL7775/1SS

Zeta Single Wall Washer

BD7.5 H11.5 P8.5

GU10 35w



OL7775/2SS

Zeta Up/Down Wall Washer

BD7.5 H20 P8.5

GU10 35w x 2




OL7774/2SS

Zeta Double Adjustable

L30 W6 P19

GU10 35w x 2




OL7774/1BK

Zeta Single Adjustable

BD10 P19

GU10 35w




OL7774/3BK

Zeta Triple Adjustable

L45 W6 P19

GU10 35w x 3



The Zeta series in black is powder coated stainless steel.

OL7775/1BK

Zeta Single Wall Washer

H11.5 P8.5 BD7.5

GU10 35w



OL7775/2BK

Zeta Up/Down Wall Washer

H20 P8.5 BD7.5

GU10 35w x 2




OL7774/2BK

Zeta Double Adjustable

L30 W6 P19

GU10 35w x 2



OUTDOOR | contemporary

OL7741CO

Brava Copper
H13.5 W11.5 P9.5
GU10 35w



IP44



Raw materials like copper and brass develop a natural patina over time, and will add to the appeal of a natural setting.

The Oriel Lighting outdoor range are reasonably priced, medium duty products, designed for domestic applications.

OL7718CO

Comma Up/Down
Wall Washer
H15 P11.5 BD7.5
GU10 35w x 2



IP44



OL7711CO

Comma Single
Adjustable
H15 P20 BD7.5
GU10 35w




IP44




OL7776/2SS

Zeta 2 Light Round Adjustable
BD11 P17
GU10 35w x 2



IP44



These fittings are GU10, and supplied without globes.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the Temperature Control - TC GU10 globe.

TC- Temperature Control

This globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 20,000 hrs.

If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.



500
Lumen
6 Watt

GU10

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm

colour
temperature
4000K

allumē



Not Suitable
for Dimming

OL7798BK

Latitude Up/Down Wall Washer
H19.5 W7.5 P12.5 Base 7.5x4.5
GU10 35w x 2



IP54



OL7798WH

Latitude Up/Down Wall Washer
H19.5 W7.5 P12.5 Base 7.5x4.5
GU10 35w x 2



IP54



OL7461BK

Tove Single Wall Washer
H17.5 P15.5 BD11
GU10 35w



IP44



OL7462BK

Tove Up/Down Wall Washer
H23.5 P15.5 BD11
GU10 35w x 2



IP44



OL7753SS

Luna Stainless

D10 P5

JC G4 20w



IP44



OL7753BK

Luna Black

D10 P5

JC G4 20w



IP44



Lightscaping
the art of outdoor lighting

For the latest DIY garden lighting information, installation ideas and tips, visit the Lightscaping web site: www.lightscaping.com.au



OL7148BK

Thax Spike

H39 D7.5 P12
(Inc Spike 17cm)

MR16 20w



IP54



OL7762SS

Accent Spike

H26 D6 L9.5
(Inc Spike 15cm)

MR16 20w



IP44



OL7762BK

Accent Spike

H26 D6 L9.5
(Inc Spike 15cm)

MR16 20w




IP44



The LIGHTSCAPING range are reasonably priced, medium duty products, designed for domestic applications.

The brass, copper, stainless steel and aluminium used in the construction of these fittings is of high quality.

The powder coated aluminium alloy fittings are the most cost effective solution offering excellent value for money.



240
Lumen
3 Watt



MR11

A-LED-610384030

LED MR11 retrofit lamp
3w | 30° | Ra80 | 240lm

colour temperature
4000K

12V AC/DC



Not Suitable for Dimming

590
Lumen
7 Watt



MR16

A-LED-680795060

LED MR16 retrofit lamp
7w | 60° | Ra80 | 590lm

colour temperature
5000K

12V AC/DC



Not Suitable for Dimming

300
Lumen
3 Watt



A-LED-9103840

LED JC G4 retrofit lamp
3w | 270° | Ra80 | 300lm

colour temperature
4000K

12V AC/DC



Not Suitable for Dimming

This lamp is suitable for use with most fittings using a JC12v lamp.

Ask your stockist for lamp and transformer compatibility details.

200
Lumen
2 Watt



A-LED-812840

LED JC G4 retrofit lamp
2w | 270° | Ra80 | 200lm

colour temperature
4000K

12V AC/DC



Not Suitable for Dimming

This lamp is suitable for use with most fittings using a JC12v lamp.

Ask your stockist for lamp and transformer compatibility details.

OLA16/314

Gel Connector 12V AC/DC
Used to connect 12V lights
Supplied in a Twin Pack
Suits wire 22-14 AWG



Lightscaping garden light cable
12V - 18 AWG - 1mm

OL7702/15

15m Garden Cable pack

OL7702/30

30m Garden Cable pack



OL7700/60

60va 12V AC
Garden Lighting Transformer
Suitable for use with **allume**
12V AC/DC LED lamps.



IP44

OL7738BK

Pavillion

H59 D15
(Inc Spike 17cm)
JC G4 20w



IP44



OL7737CO

Goya 160 Copper

H65 D17
(Inc Spike 20cm)
JC G4 20w



IP44



OL7737BK

Goya 160 Black

H65 D17
(Inc Spike 20cm)
JC G4 20w



IP44



OL7767SS

Lance 12V Bollard

H64 D4
(Inc Spike 15cm)
JC G4 10w



IP44



OL7735/1WH

Enoki.1 Spike

H57 W5.5
(Inc Spike 16cm)
2w LED

NEW



colour
temperature
4000K

IP65

LED

OL7735/2WH

Enoki.2 Spike

H61 W17
(Inc Spike 16cm)
2w LED x 2

NEW



colour
temperature
4000K

IP65

LED

OL98898BK

Myra

H39-59 BD18
Shade D22

E27 40w

NEW

Black
marble
base

Height
adjustable



OL98899BK


Sofie

H45-58 BD18
Shade D25

E27 40w

NEW

Height
adjustable



OL93831BK

Greta

H59 BD18
Shade D19

E27 42w

NEW



OL93981


Charlotte Desk Lamp

H50 BD15

E27 40w

Frosted
glass
shade

Satin
Brass
arm with
Marble
base



OL93941AB

Deco

H36 Shade D25

E14 42w



OL93851AB

Cross

H55 BD18
Shade D15

E14 42w

NEW



SL93311BK

Arlington Table Lamp

H53 P22 Base D15

E27 20w



OL93780BK

Kenzi

H56 BD18
Shade D24 H17

E27 60w

NEW

Flax
linen
shade

Travertine
stone
base



OL97742BK

Merton

H43 Shade D28

E27 60w



OL98865


Leon
H56 Shade D33
E27 60w



OL97442BK

Valcross Table
H43 BD15 W27
G9 7w x 2

Smoke
glass
D12




NEW

OL97442SB

Valcross Table
H43 BD15 W27
G9 7w x 2

Opal matt
glass
D12



NEW

OL97524BK

Gordon Black/Smoke
H39 SD30
E14 25w x 2



NEW

OL97524SB

Gordon Satin Brass / OM
H39 SD30
E14 25w x 2



NEW

OL93651AB

Milton
H44 D14
E27 40w




Marble
base



OL93705GN

Alto Green
H30 SD15
G9 4w



NEW

OL93705OM

Alto Opal Matt
H30 SD15
G9 4w



NEW

OL93705RU

Alto Ruby
H30 SD15
G9 4w



NEW

OL94521

Zale

H39 Shade D19

E14 40w



OL94522

Danu

H50 Shade D27

E27 40w



OL94523

Daria

H53 Shade D32

E27 40w



OL94524

Ridley

H42 Shade D28

E27 40w



OL94525

Hurley

H49 Shade D28

E27 40w



OL98870

Jorn

H53 Shade D27

E27 42w



OL98856

Andorra

H55 Shade D33

E27 60w



OL94528

Douglas

H41 Shade D30

E27 40w



OL98836

Sedona

H65 Shade 38x25

E27 60w



OL97978TE

Casbah Teal

H51 Shade D30

E27 60w



OL97978WH

Casbah White

H51 Shade D30

E27 60w



OL98889

Venice

H55 Shade D33

E27 40w



Petrol
Blue
Glass



OL97971WH

Bikki

H54 Shade D36

E27 60w



OL97971BL

Bikki

H54 Shade D36

E27 60w



OL95713CL

Fermo

H46 Shade D28

E27 40w



Clear
Glass



OL95715GN

Nizio Green

H41 Shade D25

E27 40w



Green
Glass



OL94526

Ariel

H44 Shade D30

E27 40w



OL95714CL

Melfi

H41 Shade D28

E27 40w



Clear
Glass



LAMPS | modern farmhouse

OL98878

Exeter

H57 Shade D31

E27 42w



OL98887

Strata

H49 Shade D30

E27 40w



OL98897

Whitby

H57 Shade D28

E27 40w



OL98880

Cadiz

H52 Shade D27

E27 42w



OL98895

Potton

H63 Shade D33

E27 40w



OL98881

Zamora

H52 Shade D23

E27 42w



OL98877

Stafford

H52 Shade D28

E27 40w



OL98879

Carlisle

H52 Shade D28

E27 40w



OL98890

Stote

H54 Shade D33

E27 40w



OL94529

Sonia
H45 Shade D28
E27 40w



OL94530

Eden
H50 Shade D30
E27 40w



OL94531

Ava
H57 Shade D32
E27 40w



OL98893

Xian
H56 Shade D31
E27 40w



OL98892

Mei
H50 Shade D36
E27 40w



OL94533

Gaia
H48 Shade D27
E27 40w



OL94535

Delphin
H59 Shade D35
E27 40w



OL94537

Maya
H40 Shade D24
E27 40w



OL94534

Fawn
H40 Shade D24
E14 40w



LAMPS | contemporary

OL98875

Britt
H46 Shade D25
E27 42w



Glass
base



OL98832

Umbria
H57-69 Shade D33
E27 60w



Height
adjustable

Marble
base



OL98872

Loxton
H51 Shade D31
E27 42w



Marble
base



OL98891

Vinchy
H60 Shade D36
E27 40w



Marble
base



OL93801AB

Chi Antique Brass
H52 Shade 27x12
E27 40w



OL93801CH

Chi Chrome
H52 Shade 27x12
E27 40w



OL93805AB

Kizz Antique Brass
H52 Shade 27x12
E27 40w



OL98873

Romsey
H63 Shade D35
E27 42w



Marble
base



OL97976BK

Dorne Antique Black
H71 Shade D35
E27 60w



LAMPS | economy ceramic

OL90118GY

Vera Grey
H26.5 Shade D13
E14 40w



OL90118TP

Vera Taupe
H26.5 Shade D13
E14 40w



OL90118WH

Vera White
H26.5 Shade D13
E14 40w



OL90115BK

Shelly Black
H45 Shade D20
E27 60w



OL90115WH

Shelly White
H45 Shade D20
E27 60w



OL94532

Laurel
H40 Shade D21
E14 40w



OL94538

Lilia
H37 Shade D22
E14 40w



OL90141

Diana Flower
H20 D9
E14 25w



OL90142

Diana Star & Moon
H20 D9
E14 25w



LAMPS | economy ceramic

OL90110BL

Benjy.20 Blue

H38 Shade D19

E14 40w



OL90110GY

Benjy.20 Grey

H38 Shade D19

E14 40w



OL90110TP

Benjy.20 Taupe

H38 Shade D19

E14 40w



OL90110WH

Benjy.20 White

H38 Shade D19

E14 40w



OL90111BL

Benjy.25 Blue

H47 Shade D24

E27 60w



OL90111GY

Benjy.25 Grey

H47 Shade D24

E27 60w



OL90111TP

Benjy.25 Taupe

H47 Shade D24

E27 60w



OL90111WH

Benjy.25 White

H47 Shade D24

E27 60w



OL90163BK

Holla.35 Black

H35 Shade D18

E14 40w



OL90163GY

Holla.35 Grey

H35 Shade D18

E14 40w



OL90163TP

Holla.35 Taupe

H35 Shade D18

E14 40w



OL90163WH

Holla.35 White

H35 Shade D18

E14 40w



LAMPS | economy ceramic

OL90161BK

Jenny Black
H46 Shade D24
E27 60w



OL90161CO

Jenny Coffee
H46 Shade D24
E27 60w



OL90117CO

Celia Coffee
H38 Shade D18
E14 40w



OL90117GN

Celia Green
H38 Shade D18
E14 40w



OL90161GY

Jenny Grey
H46 Shade D24
E27 60w



OL90161GN

Jenny Green
H46 Shade D24
E27 60w



OL90117GY

Celia Grey
H38 Shade D18
E14 40w



OL90117PK

Celia Pink
H38 Shade D18
E14 40w



OL90161PK

Jenny Pink
H46 Shade D24
E27 60w



OL90161WH

Jenny White
H46 Shade D24
E27 60w



OL90117WH

Celia White
H38 Shade D18
E14 40w



OL90117YE

Celia Yellow
H38 Shade D18
E14 40w



LAMPS | touch

LF9201AB

Lotti Touch

H27 D14

E14 42w



LF9205AB

Lola Touch

H33 D16.5

E14 42w



OL99511AB

Ruby Touch Antique Brass

H32 D22

E14 40w



Frost
Glass



OL99467BK

Lancet Touch

H40 SD15

E14 42w



OL99467GY

Lancet Touch

H40 SD15

E14 42w



LF9201BC

Lotti Touch

H27 D14

E14 42w



LF9205BCH

Lola Touch

H33 D16.5

E14 42w



OL99511BC

Ruby Touch Brushed Chrome

H32 D22

E14 40w



Frost
Glass



OL99467PK

Lancet Touch

H40 SD15

E14 42w



LF9201GM

Lotti Touch

H27 D14

E14 42w



LF9205GM

Lola Touch

H33 D16.5

E14 42w



OL99511GM

Ruby Touch Gunmetal

H32 D22

E14 40w



Frost
Glass



OL99467WH

Lancet Touch

H40 SD15

E14 42w



These lamps feature an ON/OFF touch switch

OL99458BP

Bankers Touch Brass

H40 W27

E27 40w



OL99458CH

Bankers Touch Chrome

H40 W27

E27 40w



OL99458AB

Bankers Touch Antique

H40 W27

E27 40w




OL99458BK

Bankers Touch Black

H40 W27

E27 40w



OL99485BC

Pablo Touch

H25 D12

E14 40w



OL99486BC

Paro Touch

H31 12x12

E14 40w



OL99454AB

Zoe Touch

H41 Shade D28

B22 42w



OL99454BC

Zoe Touch

H41 Shade D28

B22 42w



OL93125BK

Pod Touch Black

H45 D20

E27 40w



OL93125WH

Pod Touch White

H45 D20

E27 40w



OL92651BK

Mindy LED Desk Lamp

H38 D11

LED 3W Integral
Touch Dimmer



Rechargeable
battery powered
touch dimming
lamp supplied
with USB cable.
(Adapter required)



OL92651WH

Mindy LED Desk Lamp

H38 D11

LED 3W Integral
Touch Dimmer



Rechargeable
battery powered
touch dimming
lamp supplied
with USB cable.
(Adapter required)



These lamps feature an ON/OFF touch switch

These lamps are LED and feature
a variable touch dimming switch.



OL95711

Tegal

H50 Shade D30

E27 40w



OL95712

Medan

H43 Shade D23

E27 40w



OL94511

Brizo

H48 Shade D27

E27 40w



OL93245

Matram Floor

H100 D25

E27 42w



OL93255

Jambi Floor

H110 W23 x 23

E27 42w



SL98853WH

Belize Floor

H152 D35 BD23

E27 10w



OL97613

Halyard Base

H57 Base 16x16

E27 60w



SL98851WH

Belize Table

H49 D25 BD15

E14 6w




LAMPS | mid-century

OL93131BB

Lane Brushed Brass

H54 BD15

E27 42w



Teak
base



OL93131BK

Lane Black

H54 BD15

E27 42w



OL93131CO

Lane Copper finish

H54 BD15

E27 42w



OL93131WH

Lane White

H54 BD15

E27 42w



OL90132BK

York Black

H38 Base D12

E27 60w



OL90132GY

York Grey

H38 Base D12

E27 60w



OL90132WH

York White

H38 Base D12

E27 60w



OL90162BK

Lenny Black

H22 D13

E14 40w



Natural
timber base



OL90120BK

Zola Black

H41 D18

E27 60w



OL90120GY

Zola Grey

H41 D18

E27 60w



OL90120WH

Zola White

H41 D18

E27 60w



OL90162GY

Lenny Grey

H22 D13

E14 40w



Natural
timber base



LAMPS | mid-century

OL99441AB

Bankers Lamp Antique

H40 W27

E27 60w



OL99441BP

Bankers Lamp Brass Plate

H40 W27

E27 60w



OL99441BK

Bankers Lamp Black

H40 W27

E27 60w



OL98884

Windsor
Floor Lamp

H160
Shade D42

E27 42w



Supplied
complete
with linen
shade

Height
adjustable
140-160



OL99443AB

Bankers Floor Lamp

H146 W27

E27 40w



Black
marble
base



OL93991BK

George Desk Lamp

H44 BD18

E14 40w



Antique
Brass



SL98511RB

Boston Table Lamp

H53 BD16 P37

E27 42w



↑ same
inside

Adjustable Head

Shown with a G95
filament bulb.



LAMPS | mid-century

SL93311BK

Arlington Table Lamp

H53 P22 Base D15

E27 20w



SL98799BK

Newton Black

H50 BD14

E14 28w



Clear
glass



OL93941AB

Deco

H36 Shade D25

E14 42w



SL93313BK

Arlington Floor Lamp

H160 P33 Base D25

E27 20w



SL93403BK

Raymont Floor Lamp

H150 P27.5 Base D23

E27 20w



SL98585BK

Carmen Mother
+ Child

H163 SD35 BD25

Main Light


B22/60W

Task Light

GU10 LED (included)



The Carmen task
lamp is supplied
with a replaceable
GU10 LED lamp.



Convenient
switch

The Carmen lamp is
supplied complete with
a fabric shade and has
a switched lampholder.



LAMPS | task desk

SL98751BC

Nex LED Touch

H38 BD11 P20

GU10 LED
(Globe included)



SL98751GM

Nex LED Touch

H38 BD11 P20

GU10 LED
(Globe included)



OL93921BC

Timo LED Desk Lamp

H45 BD14 P19

Integral 5W LED



Switch on
the base

colour
temperature
4000K

OL93921BK

Timo LED Desk Lamp

H45 BD14 P19

Integral 5W LED



Switch on
the base

colour
temperature
4000K

OL92661BK

Macca LED Desk Lamp

H38 BD13

Integral 4.5W LED



Switch on
the head



colour
temperature
4000K

OL92661WH

Macca LED Desk Lamp

H38 BD13

Integral 4.5W LED



Switch on
the head



colour
temperature
4000K

SL98431BK

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



SL98431WH

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



SL98431AB

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



SL98431BC

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



LAMPS | task desk

SL98741BK

Ponte Desk Lamp
Black

H49 BD15

GU10 LED
(Globe Included)

NEW



SL98741SB

Ponte Desk Lamp
Black + Satin Brass

H49 BD15

GU10 LED
(Globe Included)

NEW



SL98741SW

Ponte Desk Lamp
White + Satin Brass

H49 BD15

GU10 LED
(Globe Included)

NEW



SL98401BK

Trax Desk Lamp

H38 BD16

E27 60w

Switch on
the base



SL98401WH

Trax Desk Lamp

H38 BD16

E27 60w

Switch on
the base



SL98401SG

Trax Desk Lamp

H38 BD16

E27 60w

Switch on
the base



NEW

SL98401SB

Trax Desk Lamp

H38 BD16

E27 60w

Switch on
the base



NEW



SL98401AB

Trax Desk Lamp

H38 BD16

E27 60w

Switch on
the base



LAMPS | task desk

OL92961BK

Forma Desk Lamp

H84 BD21 P40

E27 60w

↑ white inside



OL92961SIL

Forma Desk Lamp

H84 BD21 P40

E27 60w



OL92961WH

Forma Desk Lamp

H84 BD21 P40

E27 60w

Forma switch is on the head.



OL93971BK

Benny Desk Lamp

H42 BD15 P30

E27 40W

↑ white inside

Real Timber



OL93971WH

Benny Desk Lamp

H42 BD15 P30

E27 40W

Real Timber



SL98761BK

ALMA Desk Lamp

H49 BD15

E14 40w

Smoke glass shade

NEW



OL92631BK

Luke LED Desk Lamp

H55 P50 Base 19x12

Integral 5W LED
Touch Dimmer | Touch CCT

LED



Tri-Colour LED

OL92631WH

Luke LED Desk Lamp

H55 P50 Base 19x12

Integral 5W LED
Touch Dimmer | Touch CCT

LED



Tri-Colour LED

LAMPS | task + USB

OL93721BK

Henk Desk Lamp

H46 BD18 SD14

E14 18w

Fixed
Head

↑ white
inside

Black cloth
covered
cord.



OL93721WH

Henk Desk Lamp

H46 BD18 SD14

E14 18w

Fixed
Head

White cloth
covered
cord.



OL93931BK

Thor Desk Lamp

H46 BD15 P30

E27 42w

↑ white
inside




OL93931WH

Thor Desk Lamp

H46 BD15 P30

E27 42w



These lamps
feature a
switch on
the base.



USB Socket



Wireless
Charging



Charge your
phone or tablet
(cable not included)


OL93952BK

Targa Desk Lamp

H54 BD18 P35

E27 42w

↑ white
inside






OL93952WH

Targa Desk Lamp

H54 BD18 P35

E27 42w






The Ari family features
switch on the head.

Head Dimensions
Table Lamp L18 D12
Single Floor Lamp L22 D15
Twin Floor Lamp L18 D12





LAMPS | task floor

SL98743BK

Ponte Twin Floor Lamp
Black

H159 BD25

GU10 LED x 2
(Globes Included)

The Ponte
features
individually
switched
heads.

NEW



SL98743SB

Ponte Twin Floor Lamp
Black + Satin Brass

H159 BD25

GU10 LED x 2
(Globes Included)

The Ponte
features
individually
switched
heads.

NEW



SL98743SW

Ponte Twin Floor Lamp
White + Satin Brass

H159 BD25

GU10 LED x 2
(Globes Included)

The Ponte
features
individually
switched
heads.

NEW




SL98592AB

Daxam LED
Antique Brass

H159 BD25

GU10 LED x 2
(Globes Included)

The Daxam
features
individually
switched
heads.



SL98592BC

Daxam LED
Brushed Chrome

H159 BD25

GU10 LED x 2
(Globes Included)



SL98592BK

Daxam LED
Matt Black

H159 BD25

GU10 LED x 2
(Globes Included)



SL98592WH

Daxam LED
White

H159 BD25

GU10 LED x 2
(Globes Included)



SL91207BK

Over Floor Lamp Black

H165-195 P120

BD32 SD30

E27 42w

The Over features a clear acrylic shade on an adjustable knuckle joint.

Shown here with G95 opal matt LED lamp.



SL91207AB

Over Floor Lamp

Antique Brass

H165-195 P120

BD32 SD30

E27 42w



OL91203CH

Bobo Chrome

H140 BD30 SD15

E14 40w x 2



SL98763BK

Alma Floor Black

H159 BD25



E14 40w x 2

NEW

The Alma features individually switched heads

Smoke glass shades





OL81165

Stabb Base + Black Shade
H160 SD40



OL81166

Stabb Base + White Shade
H160 SD40




OL97443BK

Valcross Floor
H158 BD25 W27
G9 7w x 3

NEW

Smoke
glass
D12




OL97443SB

Valcross Floor
H158 BD25 W27
G9 7w x 3

NEW

Opal matt
glass
D12




SL97433BK

Tropez Floor
H130 BD15 W22
G9 7w x 2

NEW

Smoke
glass
D12





SL97433SB

Tropez Floor
H130 BD15 W22
G9 7w x 2


NEW

Opal matt
glass
D12



OL91961WH

Drum Shade Only
White
T40 B40 S30
E27 60w




OL91961BK


Drum Shade Only
Black
T40 B40 S30
E27 60w



Black
marble
base



Black
marble
base



OL93283NAT

Stabb Floor Lamp Base
NEW KD Version

H138 BD38

E27 60w



OL81162

Stabb Base + Black Shade

Shade T34 B43 H27



OL81164

Stabb Base + Grey Shade

Shade T34 B43 H27



OL81161

Stabb Base + White Shade

Shade T34 B43 H27




OL93773BK

Jess Floor Lamp

H160 BD25

E27 40w




OL93773WH

Jess Floor Lamp

H160 BD25

E27 40w



OL81411

Jess Lamp + Batur Shade

H160 BD25

Shade D36 H31

E27 40w



OL81412

Jess Lamp + Batur Shade

H160 BD25

Shade D36 H31

E27 40w



LAMPS | designer floor

OL93543BK

Spindle Black

H151 SD40

E27 60w



OL93543NAT

Spindle Natural

H151 SD40

E27 60w



OL93543WH

Spindle White

H151 SD40

E27 60w



OL91955

Tapered Shade Only
White

T34 B43 S27

E27 60w



OL91956

Tapered Shade Only
Black

T34 B43 S27

E27 60w



OL91957

Tapered Shade Only
Grey

T34 B43 S27

E27 60w



LAMPS | bases

OL91238BCH

Spoke 35 Brushed Chrome
H35 D16
E27 60w



OL91238BK

Spoke 35 Black
H35 D16
E27 60w



OL91238WH

Spoke 35 White
H35 D16
E27 60w



OL97962WH

Rosalie 27 Base
H28 D12
B22 60w



OL91232BCH

Spoke
Floor Lamp
Brushed Chrome
H145 D25
E27 60w



OL91232BK

Spoke
Floor Lamp
Black
H145 D25
E27 60w



OL91232WH

Spoke
Floor Lamp
White
H145 D25
E27 60w



OL97964WH

Rosalie 46 Base
H46 D16
B22 60w



OL97951WN

Barton Base
H36 D11
E27 60w



LAMPS | floor lamps

OL93533BK

Edra Floor Lamp
H150 Shade D45
E27 42w



OL93533WH

Edra Floor Lamp
H150 Shade D45
E27 42w



OL93525BK

Lund Floor Lamp
H159 Shade D40
E27 60w



OL93525WH

Lund Floor Lamp
H159 Shade D40
E27 60w



OL97997WN

Trevi Base Walnut
with black metalware
Height Adjustable
Max H123 W70
Min H80 W48
E27 42w



OL81158

Trevi + Black Shade
Shade T34 B43 H27
E27 42w



OL81159

Trevi + Grey Shade
Shade T34 B43 H27
E27 42w



OL81160


Trevi + White Shade
Shade T34 B43 H27
E27 42w



ACCESSORIES | assorted

OLA09/414AB

4 1/4" Gallery Antique Brass
D11 H3.5 (E27 Opening)



OLA09/414BK

4 1/4" Gallery Black
D11 H3.5 (E27 Opening)



OLA09/99BK

Batten Holder Cover Black
D8 H3



OLA09/99WH

Batten Holder Cover White
D8 H3



OLA14/8WH

Oyster Knob
Suits ceiling button
D 2 (Thread 4mm)



OLA16/01

Candle drip cover
L10 D3



A-SUCTIONCAP

To make removal of GU10 type
globes easier.



We stock a large range
of components, parts
and accessories.
Ask the sales
team for more
information.



OLA05/628

Washer
Stepped steel ID3 OD6



OLA05/428

Washer
Dished aluminium ID3 OD6



OLA16/SHADE

Shade adapter
Reduce E27 to B22




A-LVLH/300

12v Lampholder 30cm

A-LVLH/1000

12v Lampholder 100cm



OLRG-1400

14cm Gloss Opal Glass
D14 Opening 5cm
(suits spring)



OLRG-1600

14cm Gloss Opal Glass
D16 Opening 6.5cm
(suits spring)



OLRG-47100

Button Glass
D23 H6
(suits OLA7100WH)



F30/201-RG

Replacement Glass
D17 H8 LIP15.8
(Suits Clipper style fan light)



OL7700/60

60va 12V AC
Garden Lighting Transformer



Lightscaping garden light cable
12V - 18 AWG - 1mm

OL7702/15

15m Pack

OL7702/30

30m Pack



OLA16/314

Gel Connector 12V AC/DC
Used to connect 12V lights
Supplied in a Twin Pack
Suits wire 22-14 AWG



OLA07/6BK

60mm Fitter
Slip fitter to suit 60mm OD
pipe.



A60 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



allumē



Visit allumelighting.com.au for more information about our range of lamps & tubes.

ST64 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



C35 (Candle) LED Filament G45 (Fancy Round) LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



G95 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



G125 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



A60 LED General Lighting

Not Dimmable

Visit Oriel Lighting website for available models.



LED



G9 LED Globes

Not Dimmable

Visit Oriel Lighting website for available models.



LED



12V AC/DC

12V LED Lamps

Not Dimmable

Visit the Oriel Lighting website for available models.



LED



MR11

MR16

JC G4

GU10 LED Lamps

Not Dimmable

Visit the Oriel Lighting website for available models.



LED



GU10

symbols used in this catalogue



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.

Measuring Light Fittings

All measurements are in centimeters (cm) unless otherwise noted.

We measure fittings in various ways, with the following "prefixes" :

L = Length, W = Width, H = Height, P = Projection,
D = Diameter, BD = Base Diameter, S = Suspension,
C = Cutout, R = Recess, HD = Head Diameter,
SD = Shade Diameter


Generally a pendant is measured as the fitting only, with a separate measurement for the suspension.

If it is unclear, please contact your distributor.

Measuring Lampshades

The measurements are expressed as Top x Bottom x Height, as per the diagram below.

For example, a 34x43x27 shade is 34cm across the top, 43cm across the bottom and 27cm down the side.



Targa lamp with USB + wireless charging

page
000



USB
Socket



Wireless
Charging



E27
lampholder



Colour
temperature
of light
(° Kelvin)



NEW
release this
catalogue



GU10 LED
globe recom-
mended for this
fitting



E14
lampholder



Colour
rendition
of light (CRI)



Down light
supplied with
a flex + plug



MR16 LED
globe recom-
mended for this
fitting



B22
lampholder



Fitting is
suitable for
dimming



Approximate
beam width
of light output



MR11 LED
globe recom-
mended for this
fitting



B15
lampholder



Fitting is not
suitable for
dimming



On / Off
touch switch
suitable for
energy saver



JC LED globe
recommended
for this fitting



GU10
lampholder



Double
insulated



Variable
touch
dimmer



G9 LED globe
included with
this fitting



Fitted with a
cordline
switch



Suited for
indoor use
only



PIR Passive
InfraRed
sensor



LED Included



Fitted with a
foot switch



May be used
outdoor



Manual
override of
motion
sensor



GU10 LED
globe included
with this fitting



Switched
B22 lamp
holder



This fitting
is designed
for use with
reflector
globes



IC - 4
abutted &
covered



Integral LED
fitting or sup-
plied with LED
globe



Circular
cut-out
dimensions



Square /
rectangular
cut-out
dimensions



Minimum
distance to
nearest
surface



Tri-Colour
CTS Colour
Temperature
Switching

Unless stated, fittings do not include globes (bulbs). Maximum wattages noted in this catalogue may be reviewed as a result of product development. Globe styles and wattages are recommended only and no responsibility can be taken for damage to fittings or fixtures caused by globes. Care should be taken with all light fittings, heat is generated and can cause injury. No representations are made as to suitability for specific use. Engaging a specifier, lighting consultant or designer is recommended.

All fixed lights, other than "do it your self" models, must be installed by a qualified electrician, in accordance with AS/NZS3000.

Improper use, modification or incorrect installation could cause serious injury to persons or damage to property; and will void warranties.

All reasonable care has been taken to ensure that colours, illustrations and descriptions are correct, however due to printing processes and continuing product research and development we reserve the right to alter specifications at any time. Dimensions are in centimeters (cm), and as accurate as possible - if dimension is critical contact your distributor.

Some products experience "batch" colour variations, this applies specifically to fabric shades and fittings made from natural materials, such as the Earth range.

For detailed terms & conditions of sale, refer to the current Standard Terms & Conditions.

general information

GENERAL INFORMATION

Where an installation or operational instruction sheet is supplied, it should be followed.

All fixed light fittings must be installed by a licensed electrical contractor in accordance with AS/NZS 3000. Installation by any person other than a licensed electrical contractor voids the warranty, and could cause a safety risk.

Fittings should not be modified, any modification voids warranty and could be a safety risk.

Unless indicated, fittings do not include globes (light bulbs); and when globes are included they should be considered to be complimentary.

These fittings are designed for reasonable domestic use, operating in normal conditions and at a normal ambient temperature.

Unless specifically noted, these fittings should be considered to be IP20. Unless noted, they should not be used in damp conditions. They should be regularly dusted & cleaned and should not be used in a caustic or corrosive environment.

Unless noted, fixed fittings require a reliable earth.

Use only the correct globe type and observe the maximum wattage. Failure to do so may result in premature failure of the fitting or in extreme circumstances, fire.

Repairs to light fittings must be undertaken by a suitably qualified person. Some portable lamps (touch lamps) have flexes and plugs which cannot be repaired.

LED FITTINGS

The LED fittings in this catalogue are designed for reasonable domestic or light duty commercial applications.

Not all LED fittings are dimmable, refer to individual fitting specifications. Not all dimmers are suitable for use with dimmable LED luminaires/drivers. Unless specifically noted, a LED fitting should not be installed with a dimmer.

Many are supplied complete with DRIVERS or have built-in or integral drivers. Modification of these fittings supplied as a complete unit may diminish performance and will void warranty.

Where a fitting is not supplied with a driver, a suitable compatible driver must be used - your distributor can advise as to which is the most appropriate.

The installation instructions supplied should be followed to maximise the life of the fitting and installed globes.

Some fittings are suitable for domestic or light duty commercial applications only - your lighting advisor can assist in the correct selection for your application.

Electronic drivers can, in rare circumstances, cause interference with radios, television and other electronic devices.

Not all dimmers or lighting control systems are compatible with all drivers / transformers, some restrictions apply. Confirm suitability with your installing electrician or the distributor. Using an incorrect dimmer may cause premature failure, and will void warranty.

As some fittings have small tolerances for mounting - ensure holes are cut accurately to size. It is recommended to use an actual fitting to gauge the correct hole size as specifications may change due to constant product review and innovation.

Care should be taken when mounting recessed fittings as some surfaces do not allow efficient heat dissipation, and could cause premature fitting failure or even fire. As a general rule recessing into MDF and timber should be avoided.

All installations should be to AS/NZS3000. There are specific requirements for recessed downlights and wall lights.

Ensure good ventilation around the driver and the rear of the light fitting. Mount the driver away from the rear of the luminaire. Ensure all insulation materials are well clear of the light fitting & driver.

White coloured fittings may not be suitable for commercial applications, or for unusually long operating times, as they can discolour in time with excessive exposure to heat.

GU10 + G9 (240v) SPOTLIGHTS & WALL LIGHTS

These fittings are suitable for domestic use. Due to potential globe life limitations in some fully enclosed fittings they would not be ideal in commercial applications.

It is not recommended that domestic fittings are run continuously for greater than 8 hours per day on a regular basis.

OUTDOOR LIGHTING

Fittings designed for outdoor use are often not suitable for indoor use.

They are designed to operate at lower ambient temperatures with indoor operation often resulting in premature globe and component failure.

Care should be taken as stainless steel fittings tend to hold the heat of the globe and will be hot to touch.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity. But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look. Regular maintenance of the finish will be required.

If a stainless steel fitting is installed in a harsh environment the use of a surface protecting oil should be considered.







Our range consists of reasonably priced, medium duty products. Your lighting advisor will guide you as to their suitability for your application. Many are not recommended for seaside or high traffic commercial applications.

IP Ratings

IP Rating states the resistance of a fitting to the penetration of solid objects (first number) and liquids (second number).

Where applicable, the symbol used in this catalogue is this: **IP65**

This table is a guide to the IP ratings.

Protection from solid objects.			Protection from liquids.		
1		Protected against the entry of solid bodies with dimensions of more than 50mm.	1		Protected against the vertical falling of water drops.
2		Protected against the entry of solid bodies with dimensions of more than 12mm.	2		Protected against the vertical falling of water with a maximum inclination of 15°.
3		Protected against the entry of solid bodies with dimensions of more than 2.5mm.	3		Protected against the vertical falling of water with a maximum inclination of 60°.
4		Protected against the entry of solid bodies with dimensions of more than 1mm.	4		Protected against water sprayed from any direction. Limited ingress permitted.
5		Protected against the entry of dust.	5		Protected against low pressure water jets from any direction. Limited ingress permitted.
6		Totally protected against the entry of dust.	6		Protected against high pressure water jets from any direction. Limited ingress permitted.
Example: IP65 Primo (SG70570) is rated IP65 Totally protected from the entry of dust (6) and against low pressure water jets from any direction (5).			7		Protected against immersion between 15cm and 1m.
			8		Protected against long periods of immersion under pressure.



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.



Recycle the packaging and any disused light fittings.

