



COLDSTREAM
CONCRETE

PRICE LIST 2026

Effective: July 1, 2026



PROVIDING HIGH QUALITY PRECAST CONCRETE PRODUCTS SINCE 1945

TABLE OF CONTENTS

4	Reinforced Concrete Pipe
5	Reinforced Concrete Pipe Tees & Bends
6	Catchbasins & Grating
7	Maintenance Holes
8	Maintenance Holes
9	Structure - Pipe Guidelines
10	Maintenance Hole Estimating Table
11	Adjustment Units, Accessories & Flexible Connectors
12	Headwalls
13	Standard Box Culverts
14	Custom Box Culverts
15	Standard Chambers & Box Maintenance Holes
16	Custom Chambers & Box Maintenance Holes
17	Drain Tile
18	Geotextile
19	London Boulder Block
20	Terms and Conditions



REINFORCED CONCRETE PIPE (CSA A257.2)

(\$) / Metre

INSIDE DIAMETER (mm)	50D (CLASS II)	65D (CLASS III)	100D (CLASS IV)	140D (CLASS V)	PLUGS & CAPS (each)
450	\$195.3	\$195.3	\$195.3	\$244.1	\$244.1
525	\$212.8	\$212.9	\$248.7	\$293.5	\$293.8
600	\$286.3	\$286.3	\$329.5	\$387.3	\$387.3
675	\$439.3	\$439.3	\$500.3	\$585.8	\$585.8
750	\$579.0	\$579.0	\$661.7	\$773.6	\$773.5
825	\$671.5	\$671.5	\$854.3	\$897.7	\$897.7
900	\$805.8	\$805.8	\$921.7	\$1,076.0	\$1,076.2
975	\$884.0	\$930.6	\$1,058.8	\$1,239.5	\$1,239.4
1050	\$1,012.4	\$1,063.1	\$1,217.4	\$1,418.1	\$1,418.2
1200	\$1,268.8	\$1,332.8	\$1,524.9	\$1,776.6	\$1,776.6
1350	\$1,631.8	\$1,713.3	\$1,959.8	\$2,282.6	\$2,282.6
1500	\$1,996.0	\$2,094.5	\$2,394.7	\$2,793.6	\$2,793.5
1650	\$2,389.9	\$2,511.3	\$2,870.2	\$3,346.4	\$3,346.4
1800	\$2,888.2	\$3,036.3	\$3,466.4	\$4,045.0	\$4,045.0

Dimensions and Mass

INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	WALL THICKNESS (mm)	MASS PER PIECE (kg/piece)	STANDARD TRUCKLOAD (pieces)
450	622	83	940	40
525	711	89	1,061	34
600	800	95	1,276	28
675	889	101	1,530	23
750	978	108	1,682	20
825	1066	114	2,094	17
900	1156	121	2,160	15
975	1244	127	2,818	13
1050	1333	133	2,919	12
1200	1512	146	3,441	11
1350	1689	157	4,561	9
1500	1866	171	4,964	7
1650	2040	182	6,612	6
1800	2223	197	7,338	5

Notes:

- 1 - Prices include a pre-lubricated rubber gasket
- 2 - Reducers and Increases - Multiply the price per meter of the larger pipe x 6.5
- 3 - Standard pipe length: 2.438m

TEES AND WYES (FITTINGS)

(\$) / Each

BRANCH SIZE (mm)	450-525	600-825	900-1200	1350-1800
100	\$249.4	\$262.2	\$334.3	\$453.6
125	\$274.0	\$287.0	\$367.1	\$496.9
150	\$302.0	\$317.5	\$404.3	\$548.5
200	\$403.0	\$423.0	\$539.6	\$731.4
250	\$451.1	\$473.1	\$603.5	\$818.8
300	\$614.0	\$869.5	\$1,128.2	\$1,598.5
375	\$742.5	\$994.3	\$1,338.8	\$1,876.1
450	\$908.0	\$1,124.0	\$1,472.7	\$2,009.2
525	\$980.7	\$1,159.1	\$1,509.2	\$2,045.7
600		\$1,450.2	\$1,808.2	\$2,345.4
675		\$2,064.3	\$2,341.7	\$2,879.2
750		\$2,666.1	\$2,907.0	\$3,443.7
825		\$3,049.8	\$3,253.2	\$3,790.8
900			\$3,783.5	\$4,320.8
975			\$4,307.7	\$4,800.9
1050			\$4,892.7	\$5,336.8
1200			\$6,037.5	\$6,407.6
1350				\$7,989.9
1500				\$9,649.5
1650				\$11,445.6
1800				\$13,744.7

Notes:

- 1 - Add the above fitting price to the cost of one length of reinforced concrete pipe
- 2 - Maintenance hole tees are calculated the same as pipe tees
- 3 - Branches 375mm and smaller are for SDR-35 PVC pipe only. Branches 450mm and larger are for concrete pipe only
- 4 - Scribed Holes and Knockouts - \$189.50 each up to 1350mm pipe, \$376.10 each 1500mm and larger

PIPE BENDS

(\$) / Each

INSIDE DIAMETER (mm)	50 D (CLASS II)	65 D (CLASS III)	100 D (CLASS IV)	140 D (CLASS V)	MAX. ANGLE
450	\$1,055.7	\$1,055.7	\$1,055.7	\$1,319.0	90°
525	\$1,150.0	\$1,150.0	\$1,344.4	\$1,583.4	90°
600	\$1,461.6	\$1,461.6	\$1,678.4	\$1,974.8	90°
675	\$2,197.0	\$2,197.0	\$2,501.6	\$2,928.9	90°
750	\$2,895.9	\$2,895.9	\$3,310.7	\$3,867.9	90°
825	\$3,357.7	\$3,357.7	\$4,270.0	\$4,488.2	90°
900	\$4,025.4	\$4,025.4	\$4,605.6	\$5,375.7	90°
975	\$4,420.2	\$4,654.8	\$5,295.6	\$6,193.5	90°
1050	\$5,061.2	\$5,316.4	\$6,085.9	\$7,090.4	84°
1200	\$6,341.8	\$6,663.4	\$7,623.9	\$8,883.6	78°
1350	\$8,161.3	\$8,565.2	\$9,799.0	\$11,412.7	72°
1500	\$9,977.3	\$10,470.5	\$11,973.1	\$13,968.6	66°
1650	\$11,951.2	\$12,556.0	\$14,349.5	\$16,725.9	62°
1800	\$14,439.0	\$15,179.3	\$17,332.9	\$20,224.1	58°

CATCHBASINS & DITCH INLETS

(\$) / Metre

SIZE (mm)	OPSD / SPEC.	DESCRIPTION	MASS (kg per m)	PRICE (\$ per m)
600 x 600	OPSD 705.010	Catchbasin	930	\$837.9
600 x 600	OPSD 705.030	Ditch Inlet Catchbasin	930	\$1,251.6
600 x 840	LONDON SW-3.0	Curb Inlet Catchbasin	1,060	\$1,325.3
600 x 1200	OPSD 705.040	Ditch Inlet Catchbasin	2,336	\$1,942.8
600 x 1450	OPSD 705.020	Twin Inlet Catchbasin	1,640	\$1,625.8
900 x 1200	COLDSTREAM	Catchbasin	1,470	\$1,229.6

Notes:

- 1 - Catchbasins to have minimum charge of 1.07m height
- 2 - All Catchbasin riser sections to have minimum charge of 0.457m height
- 3 - Discounted catchbasin pricing applies to Drain Tile orders. Contact our sales department for quotations
- 4 - Catchbasin Markers = \$60.00 each

CATCHBASIN GRATES & CONCRETE LIDS

(\$) / Each

SIZE (mm)	OPSD / SPEC.	DESCRIPTION	PRICE (\$)
762 x 768 (OD)	OPSD 403.010	Ditch Inlet Type A	\$997.0
762 x 1338 (OD)	OPSD 403.010	Ditch Inlet Type B	\$1,467.3
762 x 1465 (OD)	OPSD 403.010	Ditch Inlet Type C	\$1,611.1
600 x 600 (ID)	AGRICULTURAL	Light Duty	\$419.5
600 x 600 (ID)	AGRICULTURAL	Heavy Duty	\$562.3
600 x 600 (ID)	AGRICULTURAL	Birdcage	\$562.3
900 x 1200 (ID)	AGRICULTURAL	Light Duty	\$652.5
900 x 1200 (ID)	AGRICULTURAL	Heavy Duty	\$950.0
900 x 1200 (ID)	AGRICULTURAL	Birdcage	\$950.0
600 X 600 (ID)	AGRICULTURAL	Concrete	\$372.8
900 x 1200 (ID)	AGRICULTURAL	Concrete	\$419.5
1067 Diameter (OD)	-	Well Lid (42")	\$380.7

CIRCULAR MAINTENANCE HOLES

OPSD 701.010
Pricing & Details

1200mm Component	HEIGHT (m)	MASS (kg)	PRICE (\$)
Monobase	0.914	1,983	\$2,113.2
	1.219	2,392	\$2,503.6
	1.524	2,801	\$2,893.8
	1.828	3,208	\$3,282.7
Base Slab	0.305	759	\$1,000.2
Riser Section	0.305 - 1.828	1,340/m	\$1,279.10/m
Flat Cap	0.305	770	\$1,000.2
Taper Top	1.32	2,130	\$1,755.4
Safety Landing	-	-	\$2,397.0
Prebenching	-	-	\$1,234.6

OPSD 701.011
Pricing & Details

1500mm Component	HEIGHT (m)	MASS (kg)	PRICE (\$)
Monobase	0.914	2,647	\$3,583.8
	1.219	3,244	\$4,360.0
	1.524	3,832	\$4,949.2
	1.828	4,669	\$5,541.0
Base Slab	0.305	1,640	\$1,992.9
Riser Section	0.305 - 2.438	1,935/m	\$1,940.0/m
Transition Slab	0.45	1,229	\$1,992.9
Flat Cap	0.45	1,545	\$1,992.9
Safety Landing	-	-	\$3,374.9
Prebenching	-	-	\$1,683.3

Notes:

- 1 - Hollow aluminum steps included (OPSD 405.010). Alternative step types available upon request.
- 2 - Alternative monolithic base heights available
- 3 - Manufactured to Ontario Provincial Standards

CIRCULAR MAINTENANCE HOLES (cont.)

OPSD 701.012

Pricing & Details

1800mm Component	HEIGHT (m)	MASS (kg)	PRICE (\$)
Monobase	0.914	4,471	\$4,758.1
Base Slab	0.305	2,630	\$2,687.5
Riser Section	0.610 - 2.438	2,756/m	\$2,757.9/m
Transition Slab	0.45	2,585	\$2,687.5
Flat Cap	0.45	2,585	\$2,687.5
Safety Landing	-	-	\$4,379.4
Prebenching	-	-	\$2,051.7

OPSD 701.013

Pricing & Details

2400mm Component	HEIGHT (m)	MASS (kg)	PRICE (\$)
Base Slab	0.305	4,480	\$5,325.5
Riser Section	0.610 - 2.134	4,600/m	\$4,915.0/m
Transition Slab	0.45	4,980	\$5,325.4
Flat Cap	0.45	4,980	\$5,325.4
Safety Landing	-	-	\$6,848.0
Prebenching	-	-	Not available

OPSD 701.014

Pricing & Details

3000mm Component	HEIGHT (m)	MASS (kg)	PRICE (\$)
Base Slab	0.305	8,142	\$8,968.4
Riser Section	0.610 - 2.438	6,322/m	\$7,689.4/m
Transition Slab	0.45	8,142	\$8,968.4
Flat Cap	0.45	8,142	\$8,968.4
Safety Landing	-	-	Price on request
Prebenching	-	-	Not available













OPSD 701.015

Pricing & Details

3600mm Component	HEIGHT (m)	MASS (kg)	PRICE (\$)
Base Slab	0.305	10,500	\$15,837.1
Riser Section	0.610 - 2.438	10,808/m	\$16,757.5/m
Transition Slab	0.45	10,500	\$15,837.1
Flat Cap	0.45	10,500	\$15,837.1
Safety Landing	-	-	Price on request
Prebenching	-	-	Not available

STRUCTURE – PIPE GUIDELINES

Details

MANHOLE DIAMETER (mm)	MAXIMUM PIPE SIZE FOR STRAIGHT THROUGH INSTALLATION (mm)	MAXIMUM PIPE SIZE FOR ANGLE INSTALLATION (mm)
1200		
1500		
1800		
2400		
3000		
3600		

MAINTENANCE HOLE ESTIMATING TABLE

(\$) / Each

DEPTH (m)	1200 (mm)	DEPTH (m)	1500 (mm)	DEPTH (m)	1800 (mm)	DEPTH (m)	2400 (mm)
1.00	\$2,724.6	1.54	\$6,048.5	1.97	\$9,577.8	1.75	\$16,670.6
1.15	\$2,919.5	1.69	\$6,640.0	2.12	\$10,420.6	2.06	\$18,176.8
1.30	\$3,113.2	1.85	\$6,943.6	2.27	\$10,420.6	2.36	\$19,652.9
1.46	\$3,309.5	1.99	\$7,235.4	2.42	\$11,259.4	2.67	\$21,152.6
1.61	\$3,504.5	2.14	\$7,533.8	2.58	\$11,259.4	2.87	\$22,925.8
1.76	\$3,699.5	2.30	\$7,825.6	2.63	\$11,678.2	3.18	\$24,021.1
1.91	\$3,894.5	2.45	\$8,123.9	2.78	\$11,666.4	3.48	\$24,021.1
2.07	\$4,093.4	2.65	\$8,415.8	2.93	\$12,086.5	3.79	\$24,424.2
2.22	\$4,283.1	2.80	\$8,856.8	3.08	\$12,086.5	4.09	\$24,799.7
2.47	\$3,869.6	2.96	\$9,152.5	3.24	\$12,475.1	4.20	\$25,196.2
2.62	\$4,064.6	3.11	\$9,246.7	3.39	\$12,475.1	4.50	\$25,196.2
2.78	\$4,259.6	3.26	\$9,541.2	3.54	\$12,865.1	4.80	\$25,196.2
2.93	\$4,455.9	3.41	\$9,636.7	3.64	\$12,865.1	5.11	\$27,957.4
3.08	\$4,649.5	3.57	\$9,932.5	3.79	\$12,865.1	5.41	\$28,508.4
3.23	\$4,849.8	3.67	\$10,028.0	3.95	\$12,972.4	5.72	\$28,738.7
3.39	\$5,038.2	3.82	\$9,611.8	4.10	\$12,972.4	6.02	\$29,143.1
3.54	\$5,239.7	3.96	\$9,910.2	4.25	\$13,231.5	6.33	\$29,521.2
3.69	\$5,429.5	4.12	\$10,005.7	4.40	\$13,205.3	6.63	\$29,937.4
3.84	\$5,629.7	4.28	\$10,300.2	4.56	\$13,620.2	6.93	\$30,443.8
4.00	\$5,818.1	4.43	\$10,391.8	4.71	\$13,591.4	7.24	\$30,776.2
4.15	\$6,018.4	4.58	\$10,720.2	4.87	\$14,010.1	7.54	\$31,091.6
4.30	\$6,208.1	4.73	\$10,780.4	5.01	\$14,010.1	7.84	\$31,514.3
4.45	\$6,548.4	4.89	\$11,077.5	5.17	\$16,516.1		
4.61	\$6,598.1	5.04	\$11,170.4	5.32	\$16,516.1		
4.76	\$6,798.3	5.19	\$13,832.2	5.47	\$16,911.3		
4.91	\$6,988.1	5.34	\$13,923.8	5.63	\$16,911.3		
5.00	\$9,775.4	5.50	\$14,222.1	5.78	\$17,306.6		
5.06	\$9,775.4	5.65	\$14,324.2	5.93	\$17,306.6		
5.22	\$9,975.6	5.80	\$14,612.1	6.08	\$17,710.9		
5.37	\$10,165.4	5.95	\$14,703.7	6.24	\$17,710.9		
5.52	\$10,365.6	6.11	\$15,003.4	6.39	\$18,099.6		
5.67	\$10,555.4	6.25	\$15,093.7	6.54	\$18,099.6		
5.82	\$10,755.6	6.41	\$15,392.0	6.69	\$18,488.2		
5.98	\$10,945.3	6.56	\$15,486.3	6.85	\$18,488.2		
6.13	\$11,145.6	6.72	\$15,782.0	7.00	\$18,869.0		
6.28	\$11,335.3	6.87	\$15,873.6	7.15	\$18,869.0		
6.44	\$11,535.5	7.03	\$16,172.0	7.30	\$19,268.2		
6.59	\$11,725.3						

Notes:

- 1 - Depth represents the difference between finished grade and the lowest invert.
- 2 - 1500mm and 1800mm manholes transition at 1.8m headroom, 2400mm manholes transition at 2.4m headroom.
- 3 - 1200mm safety landings are included at 5.0m depths for all sizes.
- 4 - Prices do not include: castings, adjustment units, flexible connectors, pre benching, drop structures, frost straps or other accessories.

GRADE ADJUSTMENT RINGS

(\$) / Each

TYPE AND DESCRIPTION	QUANTITY (each)	HEIGHT (mm)	MASS (kg)	PRICE (\$)
Maintenance Hole Adjuster	1	50	52	\$77.7
Maintenance Hole Adjuster	1	75	75	\$81.9
Maintenance Hole Adjuster Bundle	10	50	624	\$776.8
Maintenance Hole Adjuster Bundle	8	75	600	\$655.1
Maintenance Hole Donut	1	150	220	\$285.0
Maintenance Hole Donut	1	300	440	\$364.8
Electrical MH Adjuster	1	76	265	\$145.0
Catchbasin Adjuster	1	50	36	\$73.4
Catchbasin Adjuster	1	75	51	\$77.9
Catchbasin Adjuster Bundle	10	50	432	\$733.6
Catchbasin Adjuster Bundle	8	75	408	\$623.2

ACCESSORIES

(\$) / Each

TYPE AND DESCRIPTION	PRICE (\$)
4 Ton Swift Lift	\$692.5
8 Ton Swift Lift	\$1,303.2
15-20 Ton Swift Lift	\$1,911.0
Goss Trap c/w Plug	\$1,170.0
Maintenance Hole Step - Hollow Alum - OPSD 405.010	\$45.3
Maintenance Hole Step - Solid Alum - OPSD 405.020	\$65.4
Maintenance Hole Step - Poly Coated	\$133.6
Butyl Tape (25mm x 25mm x 4.4m)	\$47.8
S.S. Frost Straps 600mm x 100mm x 10mm thick	\$298.2
S.S. Frost Straps 1000mm x 100mm x 10mm thick	\$420.0
Mel-Rol Joint Wrap (12" x 60' Roll)	\$330.5
Mel-Prime Water-Based Adhesive (5 Gallon Pail)	\$978.1

FLEXIBLE PIPE CONNECTORS (PVC Pipe)

(\$) / Each

INSIDE DIAMETER (mm)	PRESS SEAL #	CORE HOLE SIZE (mm)	PRICE (\$)
100	PSX 8QRS	200	\$352.2
125	PSX DD 8-11	200	\$352.2
150	PSX DD 9-6	229	\$352.2
200	PSX DD 12-8	300	\$352.2
250	PSX DD 13-10	330	\$460.1
300	PSX DD 16M	400	\$460.1
375	PSX DD 20Y	500	\$601.3
450	PSX DD 22M	550	\$723.0
525	PSX DD 26L	650	\$914.6
600	PSX DD 28A	700	\$1,023.1
675	PSX DD 32L	800	\$1,079.9
750	PSX DD 36A	900	\$1,331.4

OPSD 804.030 MODIFIED FLAT HEADWALLS

(\$) / Each

PIPE DIAMETER (mm)	LENGTH X HEIGHT (mm)	MASS (kg)	PRICE (\$)	GRATE (\$)	HANDRAIL (\$)
300	3,366 x 1,672	5,028	\$5,345.4	\$1,313.0	-
375	3,366 x 1,672	4,944	\$5,345.4	\$1,313.0	-
450	3,366 x 1,672	4,841	\$6,497.1	\$1,445.8	-
525	4,167 x 1,939	7,376	\$6,497.1	\$1,445.8	-
600	4,167 x 1,939	7,146	\$8,296.9	\$1,552.8	\$5,598.4
675	4,167 x 1,939	7,000	\$8,296.9	\$1,552.8	\$5,598.4
750	4,968 x 2,206	10,411	\$10,132.9	\$1,840.2	\$5,598.4
825	4,968 x 2,206	10,303	\$10,132.9	\$1,840.2	\$5,598.4
900	4,968 x 2,206	9,601	\$11,986.3	\$2,131.5	\$5,801.0

OPSD 804.040 MODIFIED V - HEADWALLS

(\$) / Each

PIPE DIAMETER (mm)	BOTTOM MASS (kg)	TOP MASS (kg)	PRICE (\$)	GRATE (\$)	HANDRAIL (\$)
825	7,831	7,595	\$26,077.3	\$1,840.2	\$5,598.4
900	10,188	13,211	\$29,208.3	\$2,131.5	\$5,801.0
975	10,188	13,211	\$29,208.3	\$2,234.4	\$5,801.0
1050	10,188	13,211	\$29,208.3	\$2,315.2	\$5,801.0
1200	10,188	13,211	\$29,208.3	\$2,493.8	\$5,801.0
1350	11,825	16,135	\$35,302.7	\$3,384.2	\$6,205.9
1500	11,825	16,135	\$35,302.7	\$3,743.3	\$6,205.9
1650	11,825	16,135	\$35,302.7	\$4,452.0	\$6,205.9
1800	11,825	16,135	\$35,302.7	\$5,163.9	\$6,205.9
1950 - 2100	13,750	17,990	\$41,082.7	\$6,375.6	\$6,454.2
2250 - 2400	17,820	19,329	\$41,082.7	\$7,587.3	\$6,454.2

Notes:

- 1 - Grating as per OPSD 804.050 and handrails are sold separately
- 2 - Elliptical pipe & box culvert headwalls available. Price upon request
- 3 - OPSD 804.040 Headwalls are constructed as 2 units for fast installation and safe handling
- 4 - Chute blocks available on request

BOX CULVERTS – OPSS 1821

DESIGN EARTH COVER: 0.6 - 3.5m
Pricing & Details

INSIDE DIAMETER (mm)	WALL THICKNESS (mm)	LAY LENGTH (m)	APPROX. MASS (kg/m)	PRICE (\$ per m)	PLUGS AND CAPS (\$ per each)
1800 x 900	203	2.3	3,390	\$3,301.7	\$3,301.7
1800 x 1200	203	2.3	3,750	\$3,604.0	\$3,604.0
2400 x 1200	203	2.3	4,366	\$4,598.5	\$4,598.5
2400 x 1500	203	2.3	4,665	\$4,926.5	\$4,926.5
2400 x 1800	254	2.3	6,287	\$5,255.5	\$5,255.5
3000 x 1500	254	2.3	6,682	\$7,194.9	\$7,194.9
3000 x 1800	254	2.3	6,971	\$7,607.2	\$7,607.2
3000 x 2100	254	2.3	7,350	\$8,016.0	\$8,016.0
3000 x 2400	254	2.3	7,737	\$8,423.8	\$8,423.8

BOX CULVERTS – CHBDC

DESIGN EARTH COVER: 0.0-0.6m & 3.5 - 5.0m
Pricing & Details

INSIDE DIAMETER (mm)	WALL THICKNESS (mm)	LAY LENGTH (m)	APPROX. MASS (kg/m)	PRICE (\$ per m)	PLUGS AND CAPS (\$ per each)
1800 x 900	203	2.3	3,390	\$4,155.0	\$4,155.0
1800 x 1200	203	2.3	3,750	\$4,520.1	\$4,520.1
2400 x 1200	203	2.3	4,366	\$5,780.6	\$5,780.6
2400 x 1500	203	2.3	4,665	\$6,241.6	\$6,241.6
2400 x 1800	254	2.3	6,287	\$6,577.3	\$6,577.3
3000 x 1500	254	2.3	6,682	\$8,848.3	\$8,848.3
3000 x 1800	254	2.3	6,971	\$9,219.0	\$9,219.0
3000 x 2100	254	2.3	7,350	\$9,699.8	\$9,699.8
3000 x 2400	254	2.3	7,737	\$10,184.9	\$10,184.9

OPTIONAL FEATURES

Pricing & Details

FEATURE AVAILABLE ON REQUEST	PRICE
Bends	Multiply the price per metre by 5
Reducers and increasers	Multiply the price per metre of the larger box unit by 6
Skewed & Beveled ends	Multiply the price of straight box units by 1.2
Scribed holes	\$376.1 per each
1200mm Transition opening	\$2,047.4 added to the price of the box unit
Butyl - 25mm thick x 4.4m Roll	\$45.5 per roll
15M Dowels and inserts	\$115.3 per set
20M Dowels and inserts	\$135.0 per set
S.S. Connector Plate 650mm x 200mm x 13mm	\$375.0 per each
Galv. Connector Plate 900mm x 200mm x 19mm	\$420.0 per each

Notes:

- Prices include joint filter fabric and butyl tape
- Lay length of sections will depend on overall length of culvert run. 2.3m maximum lay length
- All culverts include flush end units
- Contact our sales department for all box culvert quotations**
- The above pricing does not account for site specific irregularities**

CUSTOM BOX CULVERTS

Options

Please contact our sales department for quotations and any technical related inquiries. With our modular formwork, Coldstream Concrete can produce span/rise as required.

4 SIDED



OPEN BOTTOM (3 SIDED)



ALL SKEWED



CLAM SHELL



Notes:

1 - Removable top culverts also available

BOX MAINTENANCE HOLES & CHAMBERS

Price per each

1200mm x 1200mm Component	HEIGHT (m)	MASS (kg)	PRICE (\$)
Monobase	0.914	3472	\$5,616.3
	1.219	4349	\$6,773.4
	1.524	5225	\$7,930.0
	1.828	6100	\$9,086.7
Base Slab	0.229	1505	\$2,246.0
Riser Section	0.305 - 1.98	2,873/m	\$3,792.4/m
Flat Cap	0.229	1505	\$2,246.0
Ditch Inlet Flat Cap	0.543	1543	\$3,431.0

Pricing & Details

SIZE (mm)	BASE SLAB		RISER		FLAT CAP	
	PRICE (\$)	MASS (kg)	PRICE (\$)	MASS (kg)	PRICE (\$)	MASS (kg)
1200x 760 Chimney			\$2,817.9	1680		
1800 x 1500	\$3,412.7	2180	\$4,696.4	4000	\$3,412.7	2180
2400 x 1800	\$4,766.48	3210	\$6,413.0	4920	\$4,766.5	3210
2400 x 2400	\$6,943.3	4080	\$8,936.1	5530	\$6,943.3	4080
3000 x 2400	\$8,408.49	6600	\$8,695.1	8020	\$8,408.5	6600
3000 x 3000	\$11,452.8	9560	\$13,485.9	8790	\$11,452.8	9560

Notes:

- 1 - Contact our sales department for all chamber quotations
- 2 - The above pricing does not account for site specific irregularities
- 3 - With our modular formwork, Coldstream Concrete can produce any size required
- 4 - Sump pit cast into base slab / Monobase (frame and grate supplied by others) - \$500.00
- 5 - Hatch cast into flat cap (hatch supplied by others) - \$835.00

CUSTOM BOX CHAMBERS

Options

Please contact our sales department for quotations and any technical related inquiries. With our modular formwork, Coldstream Concrete can produce span/rise as required.

PUMP CHAMBER



MAINTENANCE HOLE



VALVE CHAMBER



HOLDING TANK



DRAIN TILE

(\$) / Metre

INSIDE DIAMETER (mm)	LENGTH (m)	HD / 2000D (\$/m)	2400D (\$/m)
200	1.25	\$18.3	\$30.4
250	1.25	\$21.3	\$35.2
300	1.25	\$24.6	\$40.7
350	1.25	\$29.0	\$48.0
400	1.25	\$34.6	\$57.3
450	1.25	\$42.8	\$70.9
525	1.25	\$53.7	\$88.9
600	1.25	\$69.5	\$115.0
675	1.25	\$91.7	\$151.7
750	1.22	\$116.0	\$191.9
825	2.44	\$158.4	Pricing on Request
900	1.95	\$208.3	Pricing on Request

Notes:

 1 - Drain Tile are **non-discountable**.

Details

INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	WALL THICKNESS (mm)	MASS PER PIECE (kg/piece)	STANDARD TRUCKLOAD
200	302	51	105	330
250	338	44	114	315
300	388	44	134	260
350	439	45	153	230
400	503	52	205	172
450	566	58	264	134
525	671	73	360	98
600	762	81	486	72
675	857	91	622	58
750	943	97	790	44
825	1026	94	1,546	22
900	1200	143	2,287	15

GEOTEXTILE

(\$) / Roll

TYPE	ROLL SIZE (m)	1-4 ROLLS (\$)	5-9 ROLLS (\$)	OVER 10 ROLLS (\$)
Randall 150NW	0.91 x 110	\$174.0	\$167.8	\$161.9
Randall 150NW	1.5 x 110	\$283.0	\$272.9	\$263.3
Randall 150NW	2.29 x 110	\$415.7	\$400.9	\$386.7
Randall 150NW	3.81 x 110	\$712.3	\$686.9	\$662.6
Randall 150NW	4.57 x 110	\$854.2	\$823.7	\$794.6
Randall 200NW	4.57 x 91.4	\$940.0	\$906.5	\$874.4
Randall 300NW	4.57 x 91.4	\$1,381.8	\$1,332.5	\$1,285.4
Randall 400NW	4.57 x 91.4	\$1,825.2	\$1,760.1	\$1,697.9
Randall 200W	3.81 x 132	\$660.0	\$636.5	\$614.0
Randall 200W	4.57 x 110	\$660.0	\$636.5	\$614.0
Drain Wrap 300mm	0.3 x 200	\$140.0	-	-
Drain Wrap 400mm	0.4 x 200	\$150.0	-	-
Drain Wrap 600mm	0.6 x 110	\$130.0	-	-
Stratagrid 350	1.83 x 91.44	Price upon Request	Price upon Request	Price upon Request

Notes:

- 1 - Drain Wraps are manufactured as 150NW
- 2 - Geotextile are **non-discountable**.

Details

TYPE	DESCRIPTION
Randall 150NW	Non woven, filtration & drainage 4-8" rip rap, covering catchbasins, separating granular materials, limited strengths stretch to follow contour, gabion walls and ditch lining.
Randall 200NW	Non woven, filtration & drainage limited reinforcement. Class 2 MTO 8-12" rip rap, broken concrete, channel lining and creeks.
Randall 300NW	Non woven, filtration & drainage limited reinforcement 12-24" rip rap, lighter coastal applications & rivers. Heaviest non woven in stock. Heavier available by special order.
Randall 200W	Woven, provides separation and reinforcement for industrial yards and farm lane applications. Heavy truck parking lots.
Randall 315W	Woven, provides separation and reinforcement for logging and municipal roads.
STRATAGRID 350	High performance soil reinforcement product. Offers tensile reinforcement horizontally or vertically.

LONDON BOULDER BLOCK

(\$) / Each

TYPE	BLOCK SIZE (m)	FRONT FACE AREA (m ²)	FRONT FACE AREA (ft ²)	MASS PER PIECE (kg)	Price per Block (\$)
Full Block	1.2 x 0.45 x 1.0	0.56	6	980	\$250.0
Half Block	0.61 x 0.45 x 0.96	0.28	3	490	\$200.0
90° Corner Block	1.2 x 0.45 x 0.61	0.84	9	570	\$200.0
Cap Boulder	1.2 x 0.45 x 0.96	0.56	6	300	\$200.0
Corner Cap	0.61 x 0.45 x 0.86	0.28	3	300	\$200.0
Cap Block	1.0 x 0.86 x 0.15	0.16	2	572	\$200.0

Details
AVAILABLE TYPES (DIMENSIONS, MASS AND VOLUME)
LB42™

- 42" deep blocks
- Multiple setbacks
- Multiple face textures
- Dual face walls
- Free standing wall

LB42 - 42" Full Boulder

 Dimensions: 48" x 18" x 42"
 Weight: 2160 lbs.
 Cq. Ft. / Block: 6 sq. ft.

LB42 - 1/2 Block

 Dimensions: 24" x 18" x 38"
 Weight: 900 lbs.
 Cq. Ft. / Block: 3 sq. ft.

LB42 - 90 Degree Return

 Dimensions: 48" x 18" x 24"
 Weight: 1260 lbs.
 Cq. Ft. / Block: 9 sq. ft.

LB42 - Left Cap Corner

 Dimensions: 24" x 18" x 34"
 Weight: 660 lbs.
 Cq. Ft. / Block: 3 sq. ft.


LB42 - Right Cap Corner

 Dimensions: 24" x 18" x 34"
 Weight: 660 lbs.
 Cq. Ft. / Block: 3 sq. ft.

LB42 - 6" Cap

 Dimensions: 6" x 40" x 34"
 Weight: 740 lbs.
 Cq. Ft. / Block: 1.7 sq. ft.

LB42 - Cap Boulder

 Dimensions: 48" x 18" x 38"
 Weight: 1260 lbs.
 Cq. Ft. / Block: 6 sq. ft.

Notes:

- 1 - London Boulder Blocks are **non-discountable**.
- 2 - Freight fees are not included above. Additional charges apply to deliver

TERMS AND CONDITIONS OF SALE

- 1 *Pricing subject to change without notice.*
- 2 *Pricing based upon full truck loads. If individual or partial loads are requested an additional charge may apply.*
- 3 *Connections to existing pipe stubs are the sole responsibility of the contractor. Coldstream Concrete Ltd is not liable for product not matching up to existing.*
- 4 *All deliveries based on a maximum of 2 hours of waiting time for trucks on-site, additional wait time will be charged as an extra.*
- 5 *Deviation from noted structure components may result in a change of pricing.*
- 6 *Be advised that no cast iron cover, no access hatch, no grade adjustment, nor chimney have been included in this quotation unless otherwise noted.*
- 7 *No holdback under lien legislation is allowed for in this quotation.*
- 8 *Coldstream Concrete Ltd. reserves the right to re-price any aspect of the above quotation if there are any alterations to, and/or omissions on the tendering information received.*
- 9 *External water-proofing by others.*
- 10 *Contractor may be responsible for off-loading.*
- 11 *Quotation Firm for 120 Days.*
- 12 *Taxes: Extra.*
- 13 *FOB: Job Site.*
- 14 *Terms: NET 30 days, 3% cash discount on pre-tax invoice amount if payment in full is received by the 25th of the month following; OAC.*
- 15 ***Drain Tile Terms** : NET 30 days, 5% cash discount on pre-tax invoice amount if payment in full is received by the 25th of the month following; OAC.*