

# GARDEN LOCK

ONE PART, WATER BASED BINDER FOR STONES & CHIP BARK



## DESCRIPTION:

**RLA GARDEN LOCK** is a one part water based compound designed to bind landscaping elements including river stones, pebbles and garden chip bark in garden beds, pot plants and tree surrounds, locking them into place. Maintaining a high level of UV and water resistance in the cured form, Garden Lock still allows water to penetrate through the cured binder to keep the soil and garden bed moist. Garden Lock will keep your garden or pots looking neat & tidy whilst reducing ongoing maintenance.

## FEATURES & BENEFITS:

- Water based
- Non toxic
- Fast drying
- Dries Clear

## USES:

- Tree Surrounds
- Top of pot plants
- Garden Beds
- Binding stones or chips
- Art & Craft applications

## APPLICATION:

Garden Lock can be premixed through stones/chips or applied directly onto surfaces

### **Pre mixing**

- Ensure stones or chips are clean and dry before use
- Add the stones/chips into a clean bucket or barrow (with plastic liner) before adding the Garden Lock
- Wearing gloves, mix the garden lock in with the stones / chips for approx. 4 minutes until all the stones/ chips have an even and generous coating all over
- Place the stones/chips into the desired position and do not disturb area for at least 24 hours whilst the binding process takes place

**Note:** Premixing option will ensure complete coverage of stones/chips and guarantees a strong bond

## **Pour over method**

- Ensure stone or chip surfaces are clean and dry before use, removing any loose debris or foreign matter where possible
- Place neat solution in a watering can and apply evenly over area to be treated
- Rake product through to ensure stones/chips are evenly coated in the solution
- Do not disturb the area for at least 24 hours whilst the binding process takes place
- Alternatively, product can be diluted 1:1 (on volume) with water. When using this method, apply 2 even coats and rake solution after initial application

**Note:** Due to the viscosity of Garden Lock, apertures in the watering can spout head may be widened to improve flow

**Important:** The above pour over method suitable for in situ stones/chips will not guarantee an even and consistent coating. Best results are achieved through the pre mixing method

## CONSUMPTION:

Ratio of stones/chips to Binder is 4% binder content  
E.g. 10 kg of stones/chips to 400mls of Garden Lock

## LIMITATIONS:

- For best results ensure accurate amount of binder is used at all times
- Do not apply directly onto plants, leave at least 50mm clearance around the stem of the plant
- Not to be used in areas subject to foot/vehicular traffic
- Do not apply when rain is imminent

## CLEAN UP:

Warm soapy water

## SHELF LIFE/STORAGE:

- Store in a cool, dry place out of direct sunlight and off of cold floors
- Garden Lock is best used within 12 months from date of manufacture when stored as per the above conditions

**CONTAINER SIZES:**

1L, 4L & 20L containers

**HEALTH AND SAFETY**

For information and advice on the safe handling, first aid, storage and disposal of chemical products, users must refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

**PRODUCT INFORMATION:**

|                         |  |
|-------------------------|--|
| <b>Appearance</b>       | Wet: White, milky liquid<br>Dry: Clear |
| <b>Solid content</b>    | 46%                                    |
| <b>pH</b>               | 8.5                                    |
| <b>Specific gravity</b> | 1.04                                   |

**WARRANTY STATEMENT:**

RLA Polymers guarantees this product against manufacturing defects and guarantees it to be manufactured to our published specification.

We certify that this product is suitable for use when fully cured and will perform as described in our technical data sheet or other published materials.

RLA Polymers will replace the product free of charge when purchased from any legally verifiable source and where a product is proven to have been stored, handled, and install according to instructions published on our packaging and within the stated shelf life. The Installation of all materials must be carried out in accordance with relevant Australian Standards.

Warranty doesn't apply if damage, loss, failure to follow instructions, or other circumstances are out of our control.

Sufficient time and access to investigate any complaint must be accorded to RLA Polymers.

The consumer is responsible for any expenses incurred in making a claim.

A claim form can be requested by:

**PHONE:** 1800 242 931

**EMAIL:** [info@rlapolymers.com.au](mailto:info@rlapolymers.com.au)

**MAIL:** 215 Colchester Road Kilsyth Victoria 3137  
(Attention Customer Service)

**WEBSITE:** [www.rlapolymers.com.au](http://www.rlapolymers.com.au)

**AUSTRALIAN CONSUMER LAW:**

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality, and the failure does not amount to a major failure. The benefits under our warranty are in addition to other rights and remedies available to the consumer under the law in relation to the goods and services to which the warranty relates.

**DISCLAIMER:**

All statements and technical information contained herein are based on tests we believe to be reliable, but the accuracy thereof is not guaranteed.

Users assume all risk and liability resulting from the use of the product and must confirm the suitability thereof by their own tests. Conditions of Sale contain a limited warranty against manufacturing defects.