

Declaration of Performance

According to ANNEX III of the regulation (EU) No. 305/2011 (Construction Products Regulation) as amended by the Construction Products (Amendment etc) (EU Exit) Regulation 2019 and Construction Products (Amendment etc) (EU Exit) Regulation 2020

Nullifire
Smart Protection

No. FP302 – 20221130UK

- 1. Unique identification code of the product-type:** Nullifire FP302 Intustrap
- 2. Intended use/es:** Is a pipe wrap of intumescent material used to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration pipes.
- 3. Manufacturer:** TREMCO CPG UK Limited, Coupland Road, Hindley Green, Wigan, WN2 4HT
- 4. System/s of AVCP:** System 1
- 5. European Assessment Document:** EAD 350141-00-1104
UK Technical Assessment: UKTA 22/0060
UK Technical Assessment Body: UL International (UK) Ltd
UK Approved Body/ies: UL International (UK) Ltd

6. Declared performance/s:

Basic Work Requirement	Performance
Mechanical resistance and stability	
None	Not relevant
Safety in case of fire	
Reaction to fire (EN 13501-1)	Class E
Resistance to fire (EN 13501-2)	See UKTA 22/0060
Hygiene, Health and the Environment	
Air Permeability (EN 1026:2000)	NPD
Water Permeability (EAD 350141-00-1104)	NPD
Release of dangerous substances	Use categories: IA3, S/W3 Declaration of manufacturer
Safety in Use	
Mechanical Resistance and stability (EOTA TR001:2003)	NPD
Resistance to Impact / movement (EOTA TR001:2003)	NPD
Adhesion	NPD
Protection against noise	
Airborne Sound Insulation (EN10140-2 / EN ISO 717-1)	NPD
Energy, Economy and Heat Retention	
Thermal Properties (EN 12664, EN 12667 or EN 12939)	NPD
Water vapour permeability (EN ISO 12572 / EN 12086)	NPD
General Aspects Relating to fitness for use	
Durability and Serviceability (EOTA TR 024:2009)	Z ₁

Declaration of Performance

According to ANNEX III of the regulation (EU) No. 305/2011 (Construction Products Regulation) as amended by the Construction Products (Amendment etc) (EU Exit) Regulation 2019 and Construction Products (Amendment etc) (EU Exit) Regulation 2020

Nullifire
Smart Protection



The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, (Construction Products Regulation) as amended by the Construction Products (Amendment etc) (EU Exit) Regulation 2019 and Construction Products (Amendment etc) (EU Exit) Regulation 2020 under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

M. Liptrot, Operations Director

At Wigan on 30 November 2022

Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 (Construction Products Regulation) as amended by the Construction Products (Amendment etc) (EU Exit) Regulation 2019 and Construction Products (Amendment etc) (EU Exit) Regulation 2020 a Safety Data sheet according to Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.

Declaration of Performance

According to ANNEX III of the regulation (EU) No. 305/2011 (Construction Products Regulation) as amended by the Construction Products (Amendment etc) (EU Exit) Regulation 2019 and Construction Products (Amendment etc) (EU Exit) Regulation 2020



No. FP302 – 20221130

UKCA	
TREMCO CPG UK Limited, Coupland Road, Hindley Green, Wigan WN2 4HT UK 22 2821-CPR-0251 FP302 – 20221130 www.nullifire.com/FP302/	
EN 1366-3: 2009 UKTA 22/0060 EAD 350141-00-1104 Is a pipe wrap of intumescent material used to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration pipes.	
Essential Characteristic	Performance
Safety in Case of Fire	
Reaction to fire	Class E
Resistance to fire	See UKTA 22/0060
Hygiene, Health and Environment	
Air Permeability (EN 1026:2000)	NPD
Release of dangerous substances	Use categories: IA3, S/W3 Declaration of manufacturer
Safety in use	
Mechanical resistance and stability	NPD
Resistance to impact/movement	NPD
Adhesion	NPD
Protection against noise	
Airborne sound insulation	NPD
Energy, Economy and Heat Retention	
Thermal properties	NPD
Water vapour permeability	NPD
General aspects relating to fitness for use	
Service & Durability	Z ₁