

MATERIAL SAFETY DATA SHEET

Product name	QuelStop CE Marked HPE Sealant
Product Code(s)	QHPE310
Revision Date	01/01/2021
Revision number	02

Section 1: Identification of the substance/mixture and of the company / undertaking

1.1. Product identifier

Product name	QuelStop CE Marked HPE Sealant
Product Code	QHPE310
Type of Product	Sealant
Colour	Black

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of Substance/Mixture	PC1: Adhesives, sealants.
--------------------------	---------------------------

1.3. Details of the supplier of the safety data sheet

Company Name	Quelfire Limited
	Springvale Industrial Estate
	Millbuck Way
	Sandbach
	CW11 3HT
Tel	0161 928 7308
Fax	0161 924 1340
Email	technical@quelfire.co.uk

1.4. Emergency telephone number

Emergency telephone number	0161 928 7308 (Office hours only)
----------------------------	-----------------------------------

Section 2: Hazards Identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Serious eye damage/ eye irritation, Category 2 – H319 Reproductive Toxicity, Category 2 – H361 Hazardous to aquatic environment – Chronic Hazard, Category 3 – H412 Full text of H Statements, see section 16
Adverse physicochemical, human health and environmental effects	Causes serious eye irritation. Harmful to aquatic life with log lasting effects. Suspected of damaging fertility of the unborn child.

2.2. Label elements

	Label according to Regulation (EC) No 1272/2008 [CLP]		HS07 GHS08
Label according to Regulation	Signal Word (CLP):	Signal Word (CLP):	
① 0161	. 928 7308	⊠ sales@quelfire.co.uk	ூ www.quelfire.co.uk

Page | 1 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

(EC) No. 1272/2008 [CLP]	Hazardous Ingredients: Hazard Statements	Melamine H319 – Causes serious eye irritation.
	(CLP):	H361 – Suspected of damaging fertilely or the unborn child H412 – Harmful to aquatic life with long lasting effects
	Precautionary statements (CLP):	P201 – Obtain special instructions before use P280 – Wear protective clothing, eye protection, face protection P308+P313 – IF exposed or concerned. Get medical advice/ attention
	EUH-statement	EUH208 – Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3. Other hazards

No additional information available

Section 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Graphite	(CAS-No) 7782-42-5 (EC-No) 231-955-3	10-30	Not classified
Aluminium Hydroxide	(CAS-No) 21645-51-2	10-30	Not classified
	(EC-No) 244-492-7		
	(REACH No) 01-2119529246-39		
Melamine	(CAS No) 108-78-1	1-10	Repr. 2, H361
	(EC-No) 203-615-4		
Alkylphenol polypropylene	(CAS No) 9064-15-7	1-10	Acute Tox. 4 (Oral), H302
glycol ether	(EC No) 696-008-2		Eye Dam. 1, H318
			Aquatic Chronic 2, H411

Section 4: First aid measures

4.1. Description of first aid measures

General	IF exposed or concerned. Get medical advice/ attention
Skin contact	Wash skin with plenty of water
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses. If present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/ attention
Ingestion	Call a poison centre or a doctor if you feel unwell.
Inhalation	Remove person to fresh air and keep comfortable for breathing

4.2. Most important symptoms and effects, both acute and delayed

© 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
-----------------	------------------------	----------------------

Page | 2 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

Skin contact	There may be mild irritation at the site of contact
Eye contact	There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.
Ingestion	There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate/special treatment	Treat symptomatically
-----------------------------	-----------------------

Section 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Water spray. Dry Powder. Foam. Carbon Dioxide
Juliable Latinguisting Media	i water spray. Dry Fowder, Foam, Carbon Dioxide

5.2. Special hazards arising from the substance or mixture

Exp	osure hazards	Toxic fumes may be released
-^P	osai e nazaras	Toxic fames may be released

5.3. Advice for fire-fighters

Advice for fire-fighters	Do not attempt to act without suitable protective equipment. Self-contained	
	breathing apparatus. Complete proactive clothing.	

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For Emergency responders	Do not attempt to act without suitable protective clothing - see section 8 'Exposure controls/ personal protection'.
For Non-emergency responders	Mark out the contaminated area with signs and prevent access to unauthorised personnel.
	Turn leaking containers leak-side up to prevent the escape of liquid.
	Ventilate spillage area

6.2. Environmental precautions

Environmental	Avoid release to the environment
---------------	----------------------------------

6.3. Methods and materials for containment and cleaning up

Clean-up procedures	Take up liquid spill into absorbent material.
Other Information	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Reference to other sections	Refer to section 8 'Exposure controls/ personal protection' & Section 13
	'Disposal considerations'.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements Ensure good ventilation of the workstation. Wear personal protective equipment. Avoid dust formation
--

① 0161 928 7308	⊠ sales@quelfire.co.uk	ூ www.quelfire.co.uk
-----------------	------------------------	----------------------

Page | 3 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands
	after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Store in cool, well ventilated area. Keep container tightly closed.
Storage conditions	store in cool, wen ventuated area. Reep container tightly closed.

7.3. Specific end use(s)

Specific end use(s)	No data available
Specific cha asc(s)	140 data available

Section 8: Exposure controls/personal protection

8.1. Control parameters

Graphite			
United Kingdom – Occupational Exposure Limits			
WEL TWA (mg/m³)	10 mg/m³ inhalable dust		
WEL STEL (mg/m³)	4 mg/m³		
Aluminium Hydroxide (21645-51-2)			
United Kingdom – Occupational Exposure Limits			
WEL TWA (mg/m³)	10 mg/m³		

4 mg/m³

WEL STEL (mg/m³) 8.2. Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area	
Personal Protective Equipment	Dust Formation, Dust Mask, Gloves	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment	
Hand protection	Protective gloves	
Eye protection	Safety glasses. Ensure eye bath is to hand.	
Skin protection	Protective clothing	

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid
Appearance	Paste
Colour	Grey

① 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
------------------------	------------------------	----------------------

Page | 4 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

Odour	No Data Available
Odour Threshold	No Data Available
рН	5 - 9
Relative evaporation rate (butylacetate=1)	No Data Available
Melting point	Not applicable
Freezing point	No Data Available
Boiling point	No Data Available
Flash point	No Data Available
Auto-ignition temperature	No Data Available
Decomposition temperature	No Data Available
Flammability (solid, gas)	Not applicable
Vapour pressure	No Data Available
Relative vapour density at 20°C	No Data Available
Relative density	1.3 – 1.4
Solubility	No Data Available
Partition coefficient n-octanol/ water (Log Pow)	No Data Available
Viscosity, Kinematic	No Data Available
Viscosity, dynamic	No Data Available
Explosive properties	No Data Available
Oxidising properties	No Data Available
Explosive limits	No Data Available

9.2. Other information

No data available

Section 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (See section 7)

10.5. Incompatible materials

Oxidising agents. Strong acids

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition should not be produced.

Section 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Not classified	
--------------------------------------	--

① 0161 928 7308	⊠ sales@quelfire.co.uk	পী www.quelfire.co.uk

Page | 5 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

Acute toxicity (dermal)		Not classified	
Acute toxicity (inhalation)		Not classified	
Graphite (7782-42-5)			
LD50 oral rat	>2000	mg/kg	
LD50, Mouse, long term, lnhalation, mouse, systemic >10		g/kg (hours Hours)	
Aluminium Hydroxide (2164	5-51-2)		
LD50 oral rat	>2000	mg/kg bodyweight	
LC50 inhalation rat	>2.3 m	g/l	
Melamine (08-78-1)			
		ng/l air animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation y), Guideline: EU Method B.2 (Acute Toxicity Inhalation)	
Skin corrosion/ Irritation		ot classified H: 5 - 9	
Serious eye damage/ Irritation		auses serious eye irritation H: 5 - 9	
Respiratory or skin sensitisat	ion N	ot classified	
Germ cell mutagenicity		Not classified	
Carcinogenicity		Not classified	
Reproductive toxicity		Suspected of damaging fertility or the unborn child.	
STOT-single exposure		Not classified	
STOT-repeated exposure		Not classified	
Aspiration hazard		ot classified	

Section 12: Ecological information

12.1. Toxicity

Ecology – general			Harmful to aquatic life with long lasting effects.	
Hazardous to the aquat	tic envi	ronment, short term (acute)	Not classified	
Hazardous to the aquat	tic envi	ronment, long term (chronic)	Harmful to aquatic life with long lasting effects.	
Not rapidly degradable				
Graphite (7782-42-5)				
LC50 fish 1	>100	mg/l Test organisms (species)	: Danio rerio (Previous name: Brachydanio rerio)	
EC50 Daphnia 1	>100	mg/l Test organisms (species)	: Daphnia Magna	
EC50 72h algae (1)				
EC50 72h algae (2)				
NOEC (Chronic)	47 mg	g/l Test organisms (species): D	aphnia magna Duration: '21 d'	
Melamine (108-78-1)				
LC50 fish 1	>3000 mg/l Test organisms Salmo gairdneri)		(species): Oncorhynchus mykiss (previous name:	
EC50 Daphnia 1		200 mg/l Test organisms (sp	ecies): Daphnia Magna	
			ecies): Pseudokirchneriella subcapitata (previous oitata, Selenastrum capricornutum)	
LOEC (Chronic)	>11 mg/l Test Organisms (species): Daphnia Magna Duration: '21 d'			

① 0161 928 7308	⊠ sales@quelfire.co.uk	ி www.quelfire.co.uk
-----------------	------------------------	----------------------

Page | 6 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

NOEC (Chronic)	≥11 mg/l Test Organisms (species): Daphnia Magna Duration: '21 d'
NOEC chronic fish	≥ 5.1 mg/l Test organisms (species): Pimephales promelas Duration: '36 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

Ecology - soil	Readily absorbed into soil.
Ecology 3011	readily absorbed into son.

12.5 Results of PBT and vPvB assessment

This substance/ mixture does not meet the PBT criteria of REACH Regulation, annex XIII

12.6. Other adverse effects

No additional information available

Section 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.		
Waste treatment methods	Dispose of contents/ container in accordance with licensed collector's	
	sorting instructions	

Section 14: Transport information

In accordance with ADR/ RID/ IMDG/ IATA/ ADN		
ADR	Not Applicable	
RID	Not Applicable	
IMDG	Not Applicable	
IATA	Not Applicable	
ADN	Not Applicable	
No supplementary information available		

14.6. Special Precautions for user

Overland Transport	Not Applicable
Transport by sea	Not Applicable
Air transport	Not Applicable
Inland waterway transport	Not Applicable
Rail transport	Not Applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

l Not	t Applicable			
	L Applicable			

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions	
Contains no substance on the REACH candidate list	

① 0161 928 7308	⊠ sales@quelfire.co.uk	് www.quelfire.co.uk
-----------------	------------------------	----------------------

Page | 7 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

Contains no REACH annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4^{th} July 2012 concerning the export and import of hazardous chemicals

Contains no substance subject to Regulation (EU) No 209/1021 of the European Parliament and of the Council of 20th June 2019 on persistent organic pollutants.

15.1.2 National Regulations

No additional information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment	No chemical safety assessment has been carried out
Chemical Salety Assessment	No chemical safety assessment has been carried out

Section 16: Other information

Abbrevia	Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of dangerous goods by Road		
ATE	Acute Toxicity Estimate		
BLV	Biological Limit Value		
CAS-No.	Chemical Abstract Service Number		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 272/2008		
DMEL	Derived Minimal Effect Level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
EC-No.	European Community Number		
EN	European Standard		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		
WGK	Water Hazard Class		

Full Text of H- and EUH- statement		
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.	
Acute Tox. 4 (Oral)	Acute toxicity (Oral), Category	
Aquatic Chronic 2 Hazardous to aquatic environment – Chronic Hazard, Category 2		

① 0161 928 7308	⊠ sales@quelfire.co.uk	ி www.quelfire.co.uk
-----------------	------------------------	----------------------

Page | 8 QHPE310.MSDS.01.01.202



MATERIAL SAFETY DATA SHEET

Aquatic Chronic 3	Hazardous to aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/ eye irritation, category 1
Eye Irrit. 2	Serious eye damage/ eye irritation, category 2
Repr. 2	Reproductive toxicity, Category 2
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects

The Classification complies with ATP 12

Other information	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
Legal disclaimer	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

② 0161 928 7308 ⊠ sales@quelfire.co.uk ⁴ www.quelfire.co.uk

Page | 9 QHPE310.MSDS.01.01.202