

# Dominion

ACOUSTIC CEILING CLOUD

PRODUCT BROCHURE

AIR[]SPACE  
ACOUSTICS™



Dominion Ceiling Cloud Shown in Greystone (AA.10)

AIR[]SPACE  
ACOUSTICS™



airspaceacoustics.com | info@airspaceacoustics.com | 423.287.6541

# DOMINION ACOUSTIC CEILING CLOUD

## Product Specifications

| Thickness                              | Size                | Segment     | Spacing/Concentration                | Color                                                       |
|----------------------------------------|---------------------|-------------|--------------------------------------|-------------------------------------------------------------|
| 9mm (3/8")<br>12mm (1/2")<br>24mm (1") | 48"x48"<br>96"x96"  | A<br>B<br>C | 6"<br>8.5"                           | Select from PET Color Library<br>AA____<br>WG____<br>Custom |
| Content                                | Fire Rating         | Location    | Mounting Options                     | NRC / Sabins                                                |
| PET Felt                               | ASTM E84<br>CLASS A | Ceiling     | Cable Suspended<br>Hardware Included | 1.25 /<br>96-104                                            |



# DOMINION ACOUSTIC CEILING CLOUD

## Specification Information


| 1. Cloud Style                 | 2. Thickness                                         | 3. Segment Style                                                        |
|--------------------------------|------------------------------------------------------|-------------------------------------------------------------------------|
| DOMINION                       | 9 - 9mm (3/8")<br>12 - 12mm (1/2")<br>24 - 24mm (1") | A<br>B<br>C                                                             |
| 4. Spacing/Concentration       | 5. Size                                              | 6. Color<br>Select from PET Color Library                               |
| 6 - 6" O.C.<br>8.5 - 8.5" O.C. | 48 - 48"x48" Square<br>96 - 96"x96" Square           | AA _____ - Solid Color<br>WG _____ - Woodgrain Print<br>CUSTOM - Custom |

### Specification Form:


DOMINION - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_  
1.Style 2.Thickness 3.Style 4.Qty. 5.Size 6.Color

### Example Specification:


DOMINION - 12 - A - 6 - 96 - AA.10



Segment A



Segment B




Segment C

### Custom Dimensions:


Dominion is available in custom sizes.

### Additional Notes:

If a woodgrain printed finish is selected for Single-Ply or 3-Ply Baffles, the baffle edges (top, sides, and bottom) will not be printed. The edge color will show the base PET felt color specified. See our standard woodgrain selection.



96" Cloud (48" Cloud)  
12-Louvers (6-Louvers)  
96 Sabins (48 Sabins)



96" Cloud (48" Cloud)  
16-Louvers (8-Louvers)  
114 Sabins (57 Sabins)




# DOMINION ACOUSTIC CEILING CLOUD

## Product Detail

### Detail Drawings



#### Three Different Styles for Ultimate Customization (12 Louvers)




Segment A

Segment B


Segment C



96" Cloud (48" Cloud)  
12-Louvers (6-Louvers)  
96 Sabins (48 Sabins)



96" Cloud (48" Cloud)  
16-Louvers (8-Louvers)  
114 Sabins (57 Sabins)



16 Louvers



# DOMINION ACOUSTIC CEILING CLOUD

## Product Images



Dominion Clouds Shown in Charcoal (AA.28)



Dominion Clouds Shown in Greystone (AA.10)



Dominion Clouds Shown in Greystone (AA.10)

# PET ACOUSTIC FELT SPECIFICATION INFORMATION

**Composition:** 100% PET polyester (60% recycled PET fiber + 40% virgin PET fiber)

**Size:** 96" x 48" ( $\pm 1"$ )

**Fireproof certifications:** ASTM E84 CLASS A and EN 13501 CLASS B-s1,d0

**Environmental Certifications:** OEKO-TEX® STANDARD 100 (tested for harmful substances)

**Features:**

- Free from formaldehyde
- Free from chemical irritants
- 60% recycled / 100% recyclable
- Easy maintenance: resistant to dirt and dust
- Free from odors
- Resistant to impact
- Easy to handle
- Thermic isolation
- Easy to clean: Air Pressure (vacuum or air compression) or soap & water



**Acoustic Performance:** The following table features Noise Reduction Coefficient


The following table features Noise Reduction Coefficient (NRC) of the PET Acoustic Panels according to standard ISO 354:2003 in a reverberation room. Translation: Absorption = 40-70% in restricted environments and up to 125% with dense design and trapped air cavity at installation.

For Full  
Specification  
Information



# ACOUSTIC FELT COLOR OPTIONS & COLOR CUSTOMIZATION


## AVAILABLE IN 9MM, 12MM & 24MM




Light Sky  
AA.65




Bonnie Blue  
AA.37




Regatta  
AA.33




Little Boy Blue  
AA.22




Periwinkle  
AA.63




Sapphire  
AA.23




Navy Pride  
AA.92



Denim  
AA.16




Calm Seas  
AA.24




Steel Blue  
AA.21




Powder Blue  
AA.41




Crystal Reef  
AA.35




Sage AA.71




Kale AA.34




Jade AA.61




Marine Green  
AA.89




Turquoise  
AA.15



Dark Celadon  
AA.40




Green with  
Envy AA.53




Lime Zest  
AA.14



Apple Green  
AA.13



Limoncello  
AA.02



Orange  
Sherbet AA.50




Spun Honey  
AA.49




Clementine  
AA.03




Peach Pearl  
AA.46



American Red  
AA.69



Red Velvet  
AA.64



Ron Burgundy  
AA.18




Cabernet  
AA.48




## ACOUSTIC FELT COLOR OPTIONS & COLOR CUSTOMIZATION


AVAILABLE IN 9MM, 12MM & 24MM




Blueberry  
Sorbet AA.19




Concord  
Grape AA.76



Cornflower  
AA.42




Myst AA.79




Greystone  
AA.10




Portobello  
AA.85



Stratus AA.38



Dark Side of  
the Moon  
AA.12



Charcoal  
AA.28



Granite AA.59



Cumulus  
AA.73



Cashmere  
AA.06



Cremini AA.39



Gnocchi  
AA.07



Latte AA.66



Carmel  
Macchiato  
AA.30



Espresso  
AA.08



Pure White  
AA.04



Pure Black  
AA.27



We Match  
Pantone Colors

**Custom Color options: We match Pantone colors with no minimum order.**

**Disclaimer: These colors are for reference only. Please order physical samples for color accuracy.**



# ACOUSTIC FELT WOODGRAIN PRINT ON PET

## AVAILABLE IN 9MM, 12MM & 24MM



PET Print Washed  
Walnut FC

Printed PET Style  
Number: WG.123



PET Print  
Olive Ash

Printed PET Style  
Number: WG.062



PET Print  
Noce

Printed PET Style  
Number: WG.427



PET Print  
Light Cherry

Printed PET Style  
Number: WG.124



PET Print Mid  
Cherry

Printed PET Style  
Number: WG.081



PET Print Dark  
Cherry

Printed PET Style  
Number: WG.111



PET Print Natural  
Walnut FC

Printed PET Style  
Number: WG.002



PET Print  
Heritage Walnut

Printed PET Style  
Number: WG.125



PET Print  
Jacobean Walnut

Printed PET Style  
Number: WG.008



PET Print Dark  
Walnut

Printed PET Style  
Number: WG.003



PET Print  
White Walnut

Printed PET Style  
Number: WG.020



PET Print  
Greige Ash

Printed PET Style  
Number: WG.112



PET Print  
Standard Oak

Printed PET Style  
Number: WG.120



PET Print  
Aged Barrel

Printed PET Style  
Number: WG.104



PET Print  
Espresso Walnut

Printed PET Style  
Number: WG.924



PET Print Natural  
Walnut QC

Printed PET Style  
Number: WG.060



PET Print  
Brushed Oak

Printed PET Style  
Number: WG.117



PET Print  
Grey Oak

Printed PET Style  
Number: WG.143



PET Print  
Padauk

Printed PET Style  
Number: WG.068



PET Print  
Charred Oak

Printed PET Style  
Number: WG.017

**Disclaimer: These colors are for reference only. Please order physical samples for color accuracy.**

**Please Note: If a woodgrain printed finish is selected for Single-Ply or 3-Ply Hollow Core Baffles, the baffle edges (top, sides, and bottom) will not be printed. The edge color will show the base PET felt color specified.**