



DECLARATION OF PERFORMANCE
TG/CE-008AC-A000-B
CONSTRUCTION PRODUCT REGULATION 2011

We hereby certify that the glass as stipulated below complies with the relevant provisions of the E.C. construction product regulation & the requirement of:

Product Identification:

8mm Active Clear Annealed Glass

Type / Batch / Serial Number:

Each glass has its own identification label attached including bar code for traceability.

Intended use:

Glass in building — Thermally toughened soda lime silicate safety and self-cleaning glass.

Manufacturer:

Toughglaze (UK) Ltd
Unit 1, Badger Rise, Ridgmont, Brogborough, MK43 0YL

System Assessment:

System 2+

Harmonised Standard No. :

EN 1036-2:2008

Declared Performance:

| Light: | | | Energy: | | |
|--|-----------|-----------|---------------------------------|--|-----------|
| Transmittance | LT | 82% | Direct Transmittance | ET | 76% |
| | UV % | 40% | Reflectance | ER | 13% |
| Reflectance Out | LR Out | 14% | Absorptance | EA | 10% |
| Reflectance In | LR in | 14% | Total transmittance | g | 79% |
| | | | Shading Coefficient Total | | 0.91 |
| | | | Shading Coefficient Shortwave | | 0.88 |
| Performance Code: | | | Sound Reduction | R _w (C;C _{tr}) dB | 32(-2;-3) |
| U _g – value/Light/Energy | | 5.6/82/79 | Thermal Transmittance | W/m ² K | 5.6 |
| Ra | | 98 | | | |
| Additional Values: | | | | | |
| Bullet Resistance | EN 1063 | NPD | Burglar Resistance | EN 356 | NPD |
| Explosion Resistance | ISO 16933 | NPD | Pendulum Body Impact Resistance | EN 12600 | NPD |
| Load Resistance (mm) | | 8 | Resistance to Temperature | | 40 |
| Reaction to Fire | EN 13501 | A1 | Differentials (K) | | |
| Resistance to Fire | EN 1364 | NPD | External Fire Performance | | NPD |
| <p>* The values of some of the characteristics are stated as NPD which is for “No Performance Determined”.</p> <p>* Calculations are made according to EN 410 and 673/12898.</p> <p>* All data and values are subject to tolerances and ToughGlaze (UK) Ltd Terms & Conditions.</p> <p>* Notified Body: BSI (No 0086).</p> <p>* BSI report (Ref 2370/7948560).</p> | | | | | |

Signed for and on behalf of manufacturer by:

Mr. Bhavik Varsani
(Managing director)



Location: London, UK

Date: Wednesday, 07 August 2019